Sebastiano Barco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2944764/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Urinary 3-Methoxytyramine Is a Biomarker for MYC Activity in Patients With Neuroblastoma. JCO Precision Oncology, 2022, 6, e2000447.	3.0	4
2	Ventriculitis and meningitis: by methicillin-resistant <i>S. epidermidis</i> : comparison of serum and CSF vancomycin concentrations and possible effect on MIC. Journal of Chemotherapy, 2022, , 1-2.	1.5	1
3	A case of interference in testosterone, DHEA-S and progesterone measurements by second generation immunoassays. Clinical Chemistry and Laboratory Medicine, 2021, 59, e275-e277.	2.3	2
4	Blood metal levels after minimally invasive repair of pectus excavatum. Interactive Cardiovascular and Thoracic Surgery, 2021, 33, 76-81.	1.1	1
5	Analysis of Cannabinoids Concentration in Cannabis Oil Galenic Preparations: Harmonization between Three Laboratories in Northern Italy. Pharmaceuticals, 2021, 14, 462.	3.8	4
6	UHPLC-MS/MS Analysis of Cannabidiol and Its Metabolites in Serum of Patients with Resistant Epilepsy Treated with CBD Formulations. Pharmaceuticals, 2021, 14, 630.	3.8	10
7	Development of an Accurate Mass Retention Time Database for Untargeted Metabolomic Analysis and Its Application to Plasma and Urine Pediatric Samples. Molecules, 2021, 26, 4256.	3.8	6
8	A Novel LC–MS/MS-Based Method for the Diagnosis of ADA2 Deficiency from Dried Plasma Spot. Molecules, 2021, 26, 5707.	3.8	10
9	A UHPLC–MS/MS Method for Therapeutic Drug Monitoring of Aciclovir and Ganciclovir in Plasma and Dried Plasma Spots. Biomedicines, 2021, 9, 1379.	3.2	12
10	A LC–MS/MS method for the quantification of caffeine, betamethasone, clonidine and furosemide in cerebrospinal fluid of preterm infants. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 112996.	2.8	5
11	Cannabidiol Determination on Peripheral Capillary Blood Using a Microsampling Method and Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry with On-Line Sample Preparation. Molecules, 2020, 25, 3608.	3.8	10
12	Intravenous isavuconazole can be administered 5 days-a-week. A possibility suggested by a real-life observation. Journal of Chemotherapy, 2020, 32, 217-218.	1.5	3
13	Safety and pharmacokinetics of medical cannabis preparation in a monocentric series of young patients with drug resistant epilepsy. Complementary Therapies in Medicine, 2020, 51, 102402.	2.7	16
14	A liquid chromatography-tandem mass spectrometry platform for the routine therapeutic drug monitoring of 14 antibiotics: Application to critically ill pediatric patients. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186, 113273.	2.8	67
15	High-dose versus low-dose tranexamic acid for paediatric craniosynostosis surgery: a double-blind randomised controlled non-inferiority trial. British Journal of Anaesthesia, 2020, 125, 336-345.	3.4	30
16	A Volumetric Absorptive Microsampling Technique to Monitor Cannabidiol Levels in Epilepsy Patients. Frontiers in Pharmacology, 2020, 11, 582286.	3.5	7
17	Ceftazidime plasma concentration in a patient with cystic fibrosis treated with ceftazidime/avibactam plus trimethoprim/sulfametoxazole for <i>Bulkholderia cepacia</i> reacutization. Journal of Chemotherapy, 2019, 31, 436-438.	1.5	3
18	Piperacillinâ€ŧazobactam concentration target attainment in children with cancer. Pediatric Blood and Cancer, 2019, 66, e27882	1.5	2

SEBASTIANO BARCO

#	Article	IF	CITATIONS
19	Potential pitfalls in LC-MS/MS quantification of colistin for therapeutic drug monitoring of patients treated with colistimethate. Journal of Pharmaceutical and Biomedical Analysis, 2019, 170, 193-195.	2.8	11
20	Plasma free metanephrines for diagnosis of neuroblastoma patients. Clinical Biochemistry, 2019, 66, 57-62.	1.9	14
21	LC-MS/MS-Based Quantification of 9 Antiepileptic Drugs From a Dried Sample Spot Device. Therapeutic Drug Monitoring, 2019, 41, 331-339.	2.0	22
22	Alternateâ€day dosing of posaconazole tablets in children leads to efficient plasma levels. European Journal of Haematology, 2018, 101, 127-128.	2.2	2
23	A UHPLC–MS/MS method for the quantification of Δ9-tetrahydrocannabinol and cannabidiol in decoctions and in plasma samples for therapeutic monitoring of medical cannabis. Bioanalysis, 2018, 10, 2003-2014.	1.5	20
24	Uncommon occurrence of high piperacillin-tazobactam and meropenem plasma concentrations and concomitant absence of neurotoxicity in pediatrics. Minerva Anestesiologica, 2018, 84, 1111-1112.	1.0	2
25	Need of voriconazole high dosages, with documented cerebrospinal fluid penetration, for treatment of cerebral aspergillosis in a 6-month-old leukaemic girl. Journal of Chemotherapy, 2017, 29, 42-44.	1.5	6
26	A rapid and robust UHPLC-DAD method for the quantification of amphotericin B in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2017, 138, 142-145.	2.8	5
27	Volumetric adsorptive microsampling-liquid chromatography tandem mass spectrometry assay for the simultaneous quantification of four antibiotics in human blood: Method development, validation and comparison with dried blood spot. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 704-710	2.8	52
28	Altered erythropoiesis and decreased number of erythrocytes in children with neuroblastoma. Oncotarget, 2017, 8, 53194-53209.	1.8	13
29	Development and validation of UHPLC–MS/MS methods for the quantification of colistin in plasma and dried plasma spots. Journal of Pharmaceutical and Biomedical Analysis, 2016, 129, 551-557.	2.8	35
30	DBS–LC–MS/MS assay for caffeine: validation and neonatal application. Bioanalysis, 2016, 8, 1893-1902.	1.5	19
31	CD4 ⁺ CD25 ^{hi} CD127 ^{â^{~°}} Treg and CD4 ⁺ CD45R0 ⁺ CD49b ⁺ LAG3 ⁺ Tr1 cells in bone marrow and peripheral blood samples from children with neuroblastoma. OncoImmunology, 2016, 5, e1249553.	4.6	17
32	Ultra high performance liquid chromatography-tandem mass spectrometry vs. commercial immunoassay for determination of vancomycin plasma concentration in children. Possible implications for everyday clinical practice. Journal of Chemotherapy, 2016, 28, 395-402.	1.5	21
33	Age- and sex-matched reference curves for serum collagen type I C-telopeptides and bone alkaline phosphatase in children and adolescents: An alternative multivariate statistical analysis approach. Clinical Biochemistry, 2016, 49, 802-807.	1.9	16
34	IL-10 and ARG-1 Concentrations in Bone Marrow and Peripheral Blood of Metastatic Neuroblastoma Patients Do Not Associate with Clinical Outcome. Journal of Immunology Research, 2015, 2015, 1-9.	2.2	16
35	Quantification of piperacillin, tazobactam, meropenem, ceftazidime, and linezolid in human plasma by liquid chromatography/tandem mass spectrometry. Journal of Chemotherapy, 2015, 27, 343-347. 	1.5	35
36	A Rapid and Robust HPLC- DAD Method for the Monitoring of Thiopurine Metabolites in Whole Blood: Application to Paediatric Patients with Inflammatory Bowel Disease. Current Pharmaceutical Analysis, 2015, 11, 80-85.	0.6	2

Sebastiano Barco

#	Article	IF	CITATIONS
37	A validated LC–MS/MS method for the quantification of piperacillin/tazobactam on dried blood spot. Bioanalysis, 2014, 6, 2795-2802.	1.5	14
38	Maintenance of therapeutic concentrations of micafungin administered 5 days/week in a leukemic adolescent with invasive candidiasis. Clinical Microbiology and Infection, 2014, 20, O975-O976.	6.0	1
39	Quantification of micafungin in human plasma by liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2014, 406, 1795-1798.	3.7	8
40	Urinary homovanillic and vanillylmandelic acid in the diagnosis of neuroblastoma: Report from the Italian Cooperative Group for Neuroblastoma. Clinical Biochemistry, 2014, 47, 848-852.	1.9	49
41	Amoxicillin-associated interference in an HPLC–EC assay for urinary fractionated metanephrines: Potential pitfall in pheochromocytoma biochemical diagnosis. Clinical Biochemistry, 2014, 47, 119-121.	1.9	9
42	Interchangeability between 24-hour collection and single spot urines for vanillylmandelic and homovanillic acid levels in the diagnosis of neuroblastoma. Pediatric Blood and Cancer, 2013, 60, E170-E172.	1.5	14
43	Plasma Levels of Soluble HLA-E and HLA-F at Diagnosis May Predict Overall Survival of Neuroblastoma Patients. BioMed Research International, 2013, 2013, 1-9.	1.9	30
44	Micromethod for Quantification of Cinacalcet in Human Plasma by Liquid Chromatography–Tandem Mass Spectrometry Using a Stable Isotope-Labeled Internal Standard. Therapeutic Drug Monitoring, 2013, 35, 112-117.	2.0	8
45	Comparison of Antibody-Conjugated Magnetic Immunoassay and Liquid Chromatography-Tandem Mass Spectrometry for the Measurement of Cyclosporine and Tacrolimus in Whole Blood. International Journal of Immunopathology and Pharmacology, 2013, 26, 419-426.	2.1	18
46	FRI0363â€Do serum biomarkers of bone and OF cartilage degradation reflect structural damage in juvenile idiopathic arthritis (JIA)?. Annals of the Rheumatic Diseases, 2013, 71, 437.1-437.	0.9	0
47	Erythrocyte Galactose-1-phosphate measurement by GC-MS in the monitoring of classical galactosemia. Scandinavian Journal of Clinical and Laboratory Investigation, 2012, 72, 29-33.	1.2	5
48	Prognostic value of ferritin, neuron-specific enolase, lactate dehydrogenase, and urinary and plasmatic catecholamine metabolites in children with neuroblastoma. OncoTargets and Therapy, 2012, 5, 417.	2.0	27
49	A Validated HPLC Method for the Monitoring of Thiopurine Metabolites in Whole Blood in Paediatric Patients with Inflammatory Bowel Disease. International Journal of Immunopathology and Pharmacology, 2012, 25, 435-444.	2.1	21
50	Plasma total adiponectin levels in pediatrics: Reference intervals calculated as a continuous variable of age. Clinical Biochemistry, 2012, 45, 1703-1705.	1.9	11
51	Identification and structural characterization by LCâ€ESIâ€IONTRAP and LCâ€ESIâ€TOF of some metabolic conjugation products of homovanillic acid in urine of neuroblastoma patients. Journal of Mass Spectrometry, 2012, 47, 816-824.	1.6	5
52	Untargeted LC-HRMS Based-Plasma Metabolomics Reveals 3-O-Methyldopa as a New Biomarker of Poor Prognosis in High-Risk Neuroblastoma. Frontiers in Oncology, 0, 12, .	2.8	2