

Marie-Laure Ancelin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2945236/publications.pdf>

Version: 2024-02-01

163
papers

11,601
citations

36303

51
h-index

30922

102
g-index

164
all docs

164
docs citations

164
times ranked

14854
citing authors

#	ARTICLE	IF	CITATIONS
1	Mild cognitive impairment. <i>Lancet</i> , The, 2006, 367, 1262-1270.	13.7	2,401
2	Vascular Factors and Risk of Dementia: Design of the Three-City Study and Baseline Characteristics of the Study Population. <i>Neuroepidemiology</i> , 2003, 22, 316-325.	2.3	570
3	Non-degenerative mild cognitive impairment in elderly people and use of anticholinergic drugs: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2006, 332, 455-459.	2.3	489
4	The neuroprotective effects of caffeine. <i>Neurology</i> , 2007, 69, 536-545.	1.1	320
5	Drugs With Anticholinergic Properties, Cognitive Decline, and Dementia in an Elderly General Population. <i>Archives of Internal Medicine</i> , 2009, 169, 1317.	3.8	312
6	Prevalence of DSM-IV psychiatric disorder in the French elderly population. <i>British Journal of Psychiatry</i> , 2004, 184, 147-152.	2.8	277
7	Insomnia and Daytime Sleepiness Are Risk Factors for Depressive Symptoms in the Elderly. <i>Sleep</i> , 2011, 34, 1103-1110.	1.1	226
8	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015, 10, e0142388.	2.5	225
9	Risk profiles for mild cognitive impairment and progression to dementia are gender specific. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 979-984.	1.9	222
10	Insomnia Symptoms in Older Adults: Associated Factors and Gender Differences. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 88-97.	1.2	214
11	Designing prevention programmes to reduce incidence of dementia: prospective cohort study of modifiable risk factors. <i>BMJ: British Medical Journal</i> , 2010, 341, c3885-c3885.	2.3	181
12	Excessive Sleepiness is Predictive of Cognitive Decline in the Elderly. <i>Sleep</i> , 2012, 35, 1201-1207.	1.1	178
13	A Class of Potent Antimalarials and Their Specific Accumulation in Infected Erythrocytes. <i>Science</i> , 2002, 295, 1311-1314.	12.6	163
14	Exposure to anaesthetic agents, cognitive functioning and depressive symptomatology in the elderly. <i>British Journal of Psychiatry</i> , 2001, 178, 360-366.	2.8	145
15	Measuring Resilience in Adult Women Using the 10-Items Connor-Davidson Resilience Scale (CD-RISC). Role of Trauma Exposure and Anxiety Disorders. <i>PLoS ONE</i> , 2012, 7, e39879.	2.5	141
16	Impact of a premature menopause on cognitive function in later life. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1729-1739.	2.3	140
17	Antimalarial Activity of Compounds Interfering with Plasmodium falciparum Phospholipid Metabolism: Comparison between Mono- and Bisquaternary Ammonium Salts. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 505-516.	6.4	125
18	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002261.	8.4	120

#	ARTICLE	IF	CITATIONS
19	Presence of Estrogen Receptor α in the Human Endometrium through the Cycle: Expression in Glandular, Stromal, and Vascular Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1379-1386.	3.6	113
20	BDNF promoter methylation and genetic variation in late-life depression. <i>Translational Psychiatry</i> , 2015, 5, e619-e619.	4.8	111
21	Association of Adverse Childhood Environment and 5-HTTLPR Genotype With Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1281-1288.	2.2	103
22	Antimalarial Activity of Molecules Interfering with Plasmodium falciparum Phospholipid Metabolism. Structure-Activity Relationship Analysis. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3557-3566.	6.4	101
23	Life-time estrogen exposure and cognitive functioning in later life. <i>Psychoneuroendocrinology</i> , 2009, 34, 287-298.	2.7	93
24	Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 503-510.	2.7	90
25	Late-life depression and mortality: influence of gender and antidepressant use. <i>British Journal of Psychiatry</i> , 2008, 192, 12-18.	2.8	86
26	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002853.	8.4	86
27	Potent Inhibitors of Plasmodium Phospholipid Metabolism with a Broad Spectrum of In Vitro Antimalarial Activities. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 2590-2597.	3.2	85
28	Comparison of health insurance claims and patient interviews in assessing drug use: data from the Three-City (3C) Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 310-319.	1.9	83
29	Social Activity and Improvement in Depressive Symptoms in Older People: A Prospective Community Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 688-696.	1.2	83
30	A prospective study of the association between endogenous hormones and depressive symptoms in postmenopausal women. <i>Menopause</i> , 2009, 16, 509-517.	2.0	82
31	Relationships between intensity, duration, cumulative dose, and timing of smoking with age at menopause: A pooled analysis of individual data from 17 observational studies. <i>PLoS Medicine</i> , 2018, 15, e1002704.	8.4	81
32	A J-shaped association between plasma testosterone and risk of ischemic arterial event in elderly men: The French 3C cohort study. <i>Maturitas</i> , 2013, 75, 282-288.	2.4	80
33	A prospective study of the bi-directional association between vision loss and depression in the elderly. <i>Journal of Affective Disorders</i> , 2013, 151, 164-170.	4.1	79
34	Differential associations of plasma lipids with incident dementia and dementia subtypes in the 3C Study: A longitudinal, population-based prospective cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002265.	8.4	79
35	A prospective study of diurnal cortisol and cognitive function in community-dwelling elderly people. <i>Psychological Medicine</i> , 2010, 40, 1039-1049.	4.5	76
36	Abnormal reactions to environmental stress in elderly persons with anxiety disorders: Evidence from a population study of diurnal cortisol changes. <i>Journal of Affective Disorders</i> , 2008, 106, 307-313.	4.1	75

#	ARTICLE	IF	CITATIONS
37	Gender and Genotype Modulation of the Association Between Lipid Levels and Depressive Symptomatology in Community-Dwelling Elderly (The ESPRIT Study). <i>Biological Psychiatry</i> , 2010, 68, 125-132.	1.3	72
38	Quaternary ammonium compounds efficiently inhibit <i>Plasmodium falciparum</i> growth in vitro by impairment of choline transport. <i>Antimicrobial Agents and Chemotherapy</i> , 1986, 29, 814-820.	3.2	71
39	In Vivo Antimalarial Activities of Mono- and Bis Quaternary Ammonium Salts Interfering with <i>Plasmodium</i> Phospholipid Metabolism. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 2598-2605.	3.2	71
40	Characteristics of hormone therapy, cognitive function, and dementia. <i>Neurology</i> , 2009, 73, 1729-1737.	1.1	69
41	Sex Differences in the Associations Between Lipid Levels and Incident Dementia. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 519-528.	2.6	69
42	Heterogeneity in HPA axis dysregulation and serotonergic vulnerability to depression. <i>Psychoneuroendocrinology</i> , 2017, 77, 90-94.	2.7	69
43	Lifetime major depression and grey-matter volume. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 45-53.	2.4	69
44	Lipid Lowering Agents, Cognitive Decline, and Dementia: The Three-City Study. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 629-637.	2.6	66
45	Potent Antimalarial Activity of 2-Aminopyridinium Salts, Amidines, and Guanidines. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6307-6315.	6.4	64
46	Hypnotics and mortality in an elderly general population: a 12-year prospective study. <i>BMC Medicine</i> , 2013, 11, 212.	5.5	64
47	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 167.	6.2	64
48	Generalized anxiety in community-dwelling elderly: Prevalence and clinical characteristics. <i>Journal of Affective Disorders</i> , 2015, 172, 24-29.	4.1	59
49	Use of radioactive ethanolamine incorporation into phospholipids to assess in vitro antimalarial activity by the semiautomated microdilution technique. <i>Antimicrobial Agents and Chemotherapy</i> , 1992, 36, 50-55.	3.2	58
50	COSMIC (Cohort Studies of Memory in an International Consortium): An international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. <i>BMC Neurology</i> , 2013, 13, 165.	1.8	58
51	Angiotensin-converting enzyme gene variants are associated with both cortisol secretion and late-life depression. <i>Translational Psychiatry</i> , 2013, 3, e322-e322.	4.8	57
52	Long-Term Post-Operative Cognitive Decline in the Elderly: The Effects of Anesthesia Type, Apolipoprotein E Genotype, and Clinical Antecedents. <i>Journal of Alzheimer's Disease</i> , 2010, 22, S105-S113.	2.6	56
53	Metabolic Syndrome and Onset of Depressive Symptoms in the Elderly. <i>Diabetes Care</i> , 2011, 34, 904-909.	8.6	56
54	Genotype-dependent associations between serotonin transporter gene (SLC6A4) DNA methylation and late-life depression. <i>BMC Psychiatry</i> , 2018, 18, 282.	2.6	56

#	ARTICLE	IF	CITATIONS
55	Biological underpinnings of trauma and post-traumatic stress disorder: focusing on genetics and epigenetics. <i>Epigenomics</i> , 2016, 8, 1553-1569.	2.1	55
56	Regulation of phosphatidylcholine biosynthesis in Plasmodium-infected erythrocytes. <i>Lipids and Lipid Metabolism</i> , 1989, 1001, 82-89.	2.6	54
57	Lifelong Endocrine Fluctuations and Related Cognitive Disorders. <i>Current Pharmaceutical Design</i> , 2005, 11, 4229-4252.	1.9	51
58	The Clinical Picture of Alzheimer's Disease in the Decade Before Diagnosis. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e305-e311.	2.2	50
59	Hormonal treatment, mild cognitive impairment and Alzheimer's disease. <i>International Psychogeriatrics</i> , 2008, 20, 47-56.	1.0	49
60	Risk factors for late-onset generalized anxiety disorder: results from a 12-year prospective cohort (The ESPRIT study). <i>Translational Psychiatry</i> , 2015, 5, e536-e536.	4.8	49
61	Insomnia, Daytime Sleepiness and Cardio-Cerebrovascular Diseases in the Elderly: A 6-Year Prospective Study. <i>PLoS ONE</i> , 2013, 8, e56048.	2.5	49
62	Polymorphisms of Estrogen Receptors and Risk of Depression. <i>Drugs</i> , 2012, 72, 1725-1738.	10.9	47
63	Metabolic Syndrome and Disability: Findings From the Prospective Three-City Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 79-86.	3.6	47
64	Gender-specific associations between lipids and cognitive decline in the elderly. <i>European Neuropsychopharmacology</i> , 2014, 24, 1056-1066.	0.7	46
65	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. <i>Journal of Psychiatric Research</i> , 2009, 43, 777-783.	3.1	45
66	Low testosterone and the risk of dementia in elderly men: Impact of age and education. <i>Alzheimer's and Dementia</i> , 2014, 10, S306-14.	0.8	45
67	Characterization of phosphatidylinositol synthase and evidence of a polyphosphoinositide cycle in Plasmodium-infected erythrocytes. <i>Molecular and Biochemical Parasitology</i> , 1994, 63, 179-192.	1.1	43
68	Is Antioxidant Therapy a Viable Alternative for Mild Cognitive Impairment? Examination of the Evidence. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 24, 1-19.	1.5	42
69	Phospholipid uptake by Plasmodium knowlesi-infected erythrocytes. <i>FEBS Letters</i> , 1988, 232, 341-346.	2.8	41
70	GWAS-identified risk variants for major depressive disorder: Preliminary support for an association with late-life depressive symptoms and brain structural alterations. <i>European Neuropsychopharmacology</i> , 2016, 26, 113-125.	0.7	41
71	Inhibitors of choline transport into Plasmodium-infected erythrocytes are effective antiplasmodial compounds in vitro. <i>Biochemical Pharmacology</i> , 1985, 34, 4068-4071.	4.4	40
72	Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012, 141, 276-285.	4.1	40

#	ARTICLE	IF	CITATIONS
73	Anxiety and mortality risk in community-dwelling elderly people. <i>British Journal of Psychiatry</i> , 2013, 203, 303-309.	2.8	39
74	Phospholipid metabolism as a new target for malaria chemotherapy. Mechanism of action of D-2-amino-1-butanol. <i>Biochemical Pharmacology</i> , 1984, 33, 2761-2770.	4.4	38
75	Estrogen receptor gene variants are associated with anxiety disorders in older women. <i>Psychoneuroendocrinology</i> , 2011, 36, 1582-1586.	2.7	38
76	Several lines of evidence demonstrating that <i>Plasmodium falciparum</i> , a parasitic organism, has distinct enzymes for the phosphorylation of choline and ethanolamine. <i>FEBS Letters</i> , 1986, 202, 217-223.	2.8	36
77	Caffeine, Cognitive Functioning, and White Matter Lesions in the Elderly: Establishing Causality from Epidemiological Evidence. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S161-S166.	2.6	36
78	Hormonal therapy and depression: Are we overlooking an important therapeutic alternative?. <i>Journal of Psychosomatic Research</i> , 2007, 62, 473-485.	2.6	35
79	Primary prevention with lipid lowering drugs and long term risk of vascular events in older people: population based cohort study. <i>BMJ, The</i> , 2015, 350, h2335-h2335.	6.0	35
80	C-reactive protein gene variants: independent association with late-life depression and circulating protein levels. <i>Translational Psychiatry</i> , 2015, 5, e499-e499.	4.8	35
81	Phospholipid asymmetry in the plasma membrane of malaria infected erythrocytes. <i>Biochemistry and Cell Biology</i> , 1990, 68, 579-585.	2.0	34
82	Continuous in vitro culture of <i>Babesia divergens</i> in a serum-free medium. <i>Parasitology</i> , 1997, 115, 81-89.	1.5	34
83	Late life depression and incident activity limitations: Influence of gender and symptom severity. <i>Journal of Affective Disorders</i> , 2011, 133, 42-50.	4.1	34
84	High plasma estradiol interacts with diabetes on risk of dementia in older postmenopausal women. <i>Neurology</i> , 2014, 82, 504-511.	1.1	34
85	Lifetime hormonal factors may predict late-life depression in women. <i>International Psychogeriatrics</i> , 2008, 20, 1203.	1.0	33
86	<i>Plasmodium falciparum</i> CTP:phosphocholine cytidyltransferase expressed in <i>Escherichia coli</i> : purification, characterization and lipid regulation. <i>Biochemical Journal</i> , 1997, 324, 903-910.	3.7	32
87	Estrogen receptor polymorphisms and incident dementia: The prospective 3C study. <i>Alzheimer's and Dementia</i> , 2014, 10, 27-35.	0.8	32
88	Oestrogen receptor polymorphisms and late-life depression. <i>British Journal of Psychiatry</i> , 2011, 199, 126-131.	2.8	31
89	Investigating the epigenetic profile of the inflammatory gene IL-6 in late-life depression. <i>BMC Psychiatry</i> , 2017, 17, 354.	2.6	31
90	Estrogen receptor alpha gene variants and major depressive episodes. <i>Journal of Affective Disorders</i> , 2012, 136, 1222-1226.	4.1	30

#	ARTICLE	IF	CITATIONS
91	Biological and psychological predictors of posttraumatic stress disorder onset and chronicity. A one-year prospective study. <i>Neurobiology of Stress</i> , 2016, 3, 61-67.	4.0	29
92	The extent to which childhood adversity and recent stress influence all-cause mortality risk in older adults. <i>Psychoneuroendocrinology</i> , 2020, 111, 104492.	2.7	29
93	Metabolic Syndrome, Its Components, and Mortality in the Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E327-E332.	3.6	28
94	5-HTTLPR genotype, stressful life events and late-life depression: No evidence of interaction in a French population. <i>Neurobiology of Aging</i> , 2010, 31, 886-887.	3.1	28
95	Lifelong Estrogen Exposure and Memory in Older Postmenopausal Women. <i>Journal of Alzheimer's Disease</i> , 2013, 34, 601-608.	2.6	28
96	Phospholipid metabolism in <i>Plasmodium</i> -infected erythrocytes: guidelines for further studies using radioactive precursor incorporation. <i>Parasitology</i> , 1989, 98, 351-357.	1.5	27
97	Selective elimination of malaria infected erythrocytes by a modified phospholipase A2 in vitro. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1024, 189-192.	2.6	27
98	Steroid and nonsteroidal anti-inflammatory drugs, cognitive decline, and dementia. <i>Neurobiology of Aging</i> , 2012, 33, 2082-2090.	3.1	27
99	Choline kinase activity in <i>Plasmodium</i> -infected erythrocytes: characterization and utilization as a parasite-specific marker in malarial fractionation studies. <i>Lipids and Lipid Metabolism</i> , 1986, 875, 52-58.	2.6	26
100	Retrospective Identification and Characterization of Mild Cognitive Impairment From a Prospective Population Cohort. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 692-700.	1.2	25
101	Glycemia, Insulin Resistance, Insulin Secretion, and Risk of Depressive Symptoms in Middle Age. <i>Diabetes Care</i> , 2013, 36, 928-934.	8.6	25
102	Late-Life Health Consequences of Exposure to Trauma in a General Elderly Population. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 929-935.	2.2	25
103	Hormone Treatment, Estrogen Receptor Polymorphisms and Mortality: A Prospective Cohort Study. <i>PLoS ONE</i> , 2012, 7, e34112.	2.5	24
104	Depressive symptoms, antidepressants and disability and future coronary heart disease and stroke events in older adults: the Three City Study. <i>European Journal of Epidemiology</i> , 2013, 28, 249-256.	5.7	22
105	Chronic and remitting trajectories of depressive symptoms in the elderly. Characterisation and risk factors. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 146-156.	3.9	21
106	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020, 18, 210.	5.5	21
107	Late-Onset Agoraphobia: General Population Incidence and Evidence for a Clinical Subtype. <i>American Journal of Psychiatry</i> , 2013, 170, 790-798.	7.2	20
108	Patterns of selective serotonin reuptake inhibitor use and risk of falls and fractures in community-dwelling elderly people: the Three-City cohort. <i>Osteoporosis International</i> , 2016, 27, 3187-3195.	3.1	20

#	ARTICLE	IF	CITATIONS
109	Prospective analysis of the association between estrogen receptor gene variants and the risk of cognitive decline in elderly women. <i>European Neuropsychopharmacology</i> , 2013, 23, 1763-1768.	0.7	19
110	Elderly Benzodiazepine Users at Increased Risk of Activity Limitations: Influence of Chronicity, Indications, and Duration of Action—The Three-City Cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 840-851.	1.2	19
111	Brain volumes in late life: gender, hormone treatment, and estrogen receptor variants. <i>Neurobiology of Aging</i> , 2014, 35, 645-654.	3.1	18
112	Impact of sleep disturbances on kidney function decline in the elderly. <i>European Respiratory Journal</i> , 2016, 47, 860-868.	6.7	18
113	Modelling complex pathways between late-life depression and disability: evidence for mediating and moderating factors. <i>Psychological Medicine</i> , 2009, 39, 1587.	4.5	17
114	Lipid levels and cardiovascular risk in elderly women: a general population study of the effects of hormonal treatment and lipid-lowering agents. <i>Climacteric</i> , 2008, 11, 74-83.	2.4	15
115	Plasma Estrogen Levels, Estrogen Receptor Gene Variation, and Ischemic Arterial Disease in Postmenopausal Women: The Three-City Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1539-E1546.	3.6	15
116	Corpus callosum size may predict late-life depression in women: A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2014, 165, 16-23.	4.1	15
117	The association between caffeine and cognitive decline: examining alternative causal hypotheses. <i>International Psychogeriatrics</i> , 2014, 26, 581-590.	1.0	15
118	5-HTTLPR — stress hypothesis: is the debate over?. <i>Molecular Psychiatry</i> , 2018, 23, 2116-2117.	7.9	15
119	The long-term consequences of trauma and posttraumatic stress disorder symptoms on later life cognitive function and dementia risk. <i>Psychiatry Research</i> , 2020, 294, 113506.	3.3	15
120	Renewal of the membrane complex of <i>Schistosoma mansoni</i> is closely associated with lipid metabolism. <i>Molecular and Biochemical Parasitology</i> , 1985, 17, 203-218.	1.1	14
121	Involvement of GPR50 polymorphisms in depression: independent replication in a prospective elderly cohort. <i>Brain and Behavior</i> , 2015, 5, e00313.	2.2	14
122	Antidepressant use and cognitive decline in community-dwelling elderly people — The Three-City Cohort. <i>BMC Medicine</i> , 2017, 15, 81.	5.5	14
123	Testosterone and All-Cause Mortality in Older Men: The Role of Metabolic Syndrome. <i>Journal of the Endocrine Society</i> , 2018, 2, 322-335.	0.2	14
124	Structural brain alterations in older adults exposed to early-life adversity. <i>Psychoneuroendocrinology</i> , 2021, 129, 105272.	2.7	14
125	A Prospective Study of Hormone Therapy and Depression in Community-Dwelling Elderly Women. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1673-1679.	2.2	14
126	Cationomycin and Monensin Partition between Serum Proteins and Erythrocyte Membrane: Consequences for Na ⁺ and K ⁺ Transport and Antimalarial Activities. <i>Archives of Biochemistry and Biophysics</i> , 1999, 363, 361-372.	3.0	13

#	ARTICLE	IF	CITATIONS
127	Preliminary evidence for a role of the adrenergic nervous system in generalized anxiety disorder. <i>Scientific Reports</i> , 2017, 7, 42676.	3.3	13
128	DNA methylation and genetic variation of the angiotensin converting enzyme (ACE) in depression. <i>Psychoneuroendocrinology</i> , 2018, 88, 1-8.	2.7	13
129	Validity of chronic drug exposure presumed from repeated patient interviews varied according to drug class. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1061-1068.	5.0	12
130	Lifetime endogenous reproductive factors and severe depressive symptoms in postmenopausal women. <i>Menopause</i> , 2013, 20, 1154-1163.	2.0	11
131	The effect of an adverse psychological environment on salivary cortisol levels in the elderly differs by 5-HTTLPR genotype. <i>Neurobiology of Stress</i> , 2017, 7, 38-46.	4.0	11
132	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. <i>Translational Psychiatry</i> , 2019, 9, 291.	4.8	11
133	Association between DNA methylation of the <i>KITLG</i> gene and cortisol levels under stress: a replication study. <i>Stress</i> , 2019, 22, 162-168.	1.8	11
134	Depression in elderly persons subject to childhood maltreatment is not modulated by corpus callosum and hippocampal loss. <i>Journal of Affective Disorders</i> , 2012, 141, 294-299.	4.1	10
135	Aromatase (<i>CYP19A1</i>) gene variants, sex steroid levels, and late-life depression. <i>Depression and Anxiety</i> , 2020, 37, 146-155.	4.1	10
136	Choline Incorporation by <i>Schistosoma mansoni</i> : Distribution of Choline Metabolites during Development and after Sexual Differentiation. <i>Journal of Parasitology</i> , 1987, 73, 530.	0.7	9
137	Ionophore-Phospholipid Interactions in Langmuir Films in Relation to Ionophore Selectivity toward Plasmodium-Infected Erythrocytes. <i>Journal of Colloid and Interface Science</i> , 1999, 218, 377-387.	9.4	9
138	Is Peripheral BDNF Promoter Methylation a Preclinical Biomarker of Dementia?. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 645-655.	2.6	9
139	Time-dependent cognitive and somatic symptoms of depression as predictors of new cardiac-related events in at-risk patients: the UPBEAT-UK cohort. <i>Psychological Medicine</i> , 2021, 51, 1271-1278.	4.5	9
140	The Association of Weight Loss, Weight Status, and Abdominal Obesity with All-Cause Mortality in Older Adults. <i>Gerontology</i> , 2022, 68, 1366-1374.	2.8	9
141	Anticholinergic drugs increase the risk of cognitive decline and dementia in older people. <i>Evidence-Based Mental Health</i> , 2010, 13, 44-44.	4.5	8
142	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1544-1552.	0.8	8
143	A prospective study of hormonal treatment and anxiety disorders in community-dwelling elderly women (The Esprit Study). <i>Journal of Affective Disorders</i> , 2009, 115, 274-279.	4.1	6
144	Neurological signs and late-life depressive symptoms in a community population: the ESPRIT study. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 672-678.	2.7	6

#	ARTICLE	IF	CITATIONS
145	Oestradiol level, oestrogen receptors, and mortality in elderly men: The three-city cohort study. <i>Clinical Endocrinology</i> , 2018, 89, 514-525.	2.4	6
146	Increased Serum C-reactive Protein and Corpus Callosum Alterations in Older Adults. , 2019, 10, 463.		6
147	Genetic and Epigenetic Regulation of the Serotonin Transporter Gene in Late-Life Depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 175-177.	2.3	6
148	11 β -Hydroxylase (<i>CYP11B1</i>) gene variants and new-onset depression in later life. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E147-E153.	2.4	6
149	An original method for rapid serial determination of phospholipid biosynthesis. Applications to mammalian lymphocytic cells and a lower eucaryote, <i>Plasmodium falciparum</i> . <i>Analytical Biochemistry</i> , 1991, 199, 203-209.	2.4	5
150	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015, 10, e0142388.	2.5	5
151	The association between adverse childhood events and later-life cognitive function and dementia risk. <i>Journal of Affective Disorders</i> , 2022, 304, 128-132.	4.1	5
152	Differential effects of chloroquine on the phospholipid metabolism of plasmodium-infected erythrocytes. <i>Biochemical Pharmacology</i> , 1988, 37, 3139-3147.	4.4	4
153	Structural brain changes with lifetime trauma and re-experiencing symptoms is <i>5-HTTLPR</i> genotype-dependent. <i>HÅrgre Utbildning</i> , 2020, 11, 1733247.	3.0	4
154	Present development concerning antimalarial activity of phospholipid metabolism inhibitors with special reference to in vivo activity. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1994, 89, 85-90.	1.6	4
155	Time-dependent depression and anxiety symptoms as risk factors for recurrent cardiac events: findings from the UPBEAT-UK study. <i>Psychological Medicine</i> , 2021, , 1-9.	4.5	2
156	Late-life cynical hostility is associated with white matter alterations and the risk of Alzheimer's disease. <i>Psychological Medicine</i> , 2022, 52, 3636-3645.	4.5	2
157	Infected erythrocyte choline carrier inhibitors: exploring some potentialities inside <i>Plasmodium</i> phospholipid metabolism for eventual resistance acquisition. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1994, 89, 91-97.	1.6	2
158	A Prospective Study of Diurnal Cortisol and Incident Dementia in Community-Dwelling Older Adults. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 899-904.	2.6	1
159	Testosterone Level and Cause-Specific Mortality in Older Men without Metabolic Syndrome. <i>Epidemiology and Health</i> , 2020, 42, e2020036.	1.9	1
160	<i>Plasmodium</i> phospholipid metabolism: a target for the development of novel antimalarial drugs. <i>Annals of Tropical Medicine and Parasitology</i> , 1997, 91, S87-S90.	1.6	0
161	P-620 - Anxiety: a risk factor for the incidence of activity limitations in the elderly. <i>European Psychiatry</i> , 2012, 27, 1.	0.2	0
162	Frequent attendance and the concordance between PHQ screening and GP assessment in the detection of common mental disorders. <i>Journal of Psychosomatic Research</i> , 2018, 110, 1-10.	2.6	0

#	ARTICLE	IF	CITATIONS
163	Steroid 21-hydroxylase gene variants and late-life depression. BMC Research Notes, 2021, 14, 203.	1.4	0