Kyoung Mee Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2951661/publications.pdf

Version: 2024-02-01

25034 27406 14,827 329 57 citations h-index papers

g-index 337 337 337 17553 docs citations times ranked citing authors all docs

106

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Molecular analysis of gastric cancer identifies subtypes associated with distinct clinical outcomes. Nature Medicine, 2015, 21, 449-456. | 30.7 | 1,592 |
| 2 | Comprehensive molecular characterization of clinical responses to PD-1 inhibition in metastatic gastric cancer. Nature Medicine, 2018, 24, 1449-1458. | 30.7 | 1,071 |
| 3 | Phase III Trial Comparing Capecitabine Plus Cisplatin Versus Capecitabine Plus Cisplatin With Concurrent Capecitabine Radiotherapy in Completely Resected Gastric Cancer With D2 Lymph Node Dissection: The ARTIST Trial. Journal of Clinical Oncology, 2012, 30, 268-273. | 1.6 | 667 |
| 4 | Phase III Trial to Compare Adjuvant Chemotherapy With Capecitabine and Cisplatin Versus Concurrent Chemoradiotherapy in Gastric Cancer: Final Report of the Adjuvant Chemoradiotherapy in Stomach Tumors Trial, Including Survival and Subset Analyses. Journal of Clinical Oncology, 2015, 33, 3130-3136. | 1.6 | 370 |
| 5 | Improved survival of gastric cancer with tumour Epstein–Barr virus positivity: an international pooled analysis. Gut, 2014, 63, 236-243. | 12.1 | 309 |
| 6 | Individual Patient Data Meta-Analysis of the Value of Microsatellite Instability As a Biomarker in Gastric Cancer. Journal of Clinical Oncology, 2019, 37, 3392-3400. | 1.6 | 293 |
| 7 | Genomic Heterogeneity as a Barrier to Precision Medicine in Gastroesophageal Adenocarcinoma. Cancer Discovery, 2018, 8, 37-48. | 9.4 | 248 |
| 8 | Current Trends of the Incidence and Pathological Diagnosis of Gastroenteropancreatic Neuroendocrine Tumors (GEP-NETs) in Korea 2000-2009: Multicenter Study. Cancer Research and Treatment, 2012, 44, 157-165. | 3.0 | 180 |
| 9 | A precision oncology approach to the pharmacological targeting of mechanistic dependencies in neuroendocrine tumors. Nature Genetics, 2018, 50, 979-989. | 21.4 | 168 |
| 10 | Genomic landscape and genetic heterogeneity in gastric adenocarcinoma revealed by whole-genome sequencing. Nature Communications, 2014, 5, 5477. | 12.8 | 166 |
| 11 | Host Inflammatory Response Predicts Survival of Patients With Epstein-Barr Virus–Associated Gastric Carcinoma. Gastroenterology, 2010, 139, 84-92.e2. | 1.3 | 162 |
| 12 | Comparing MR Imaging and CT in the Staging of Gastric Carcinoma. American Journal of Roentgenology, 2000, 174, 1551-1557. | 2.2 | 159 |
| 13 | Tumor Genomic Profiling Guides Patients with Metastatic Gastric Cancer to Targeted Treatment: The VIKTORY Umbrella Trial. Cancer Discovery, 2019, 9, 1388-1405. | 9.4 | 155 |
| 14 | A randomized phase III trial comparing adjuvant single-agent S1, S-1 with oxaliplatin, and postoperative chemoradiation with S-1 and oxaliplatin in patients with node-positive gastric cancer after D2 resection: the ARTIST 2 triala~†. Annals of Oncology, 2021, 32, 368-374. | 1.2 | 153 |
| 15 | Validation of Microsatellite Instability Detection Using a Comprehensive Plasma-Based Genotyping Panel. Clinical Cancer Research, 2019, 25, 7035-7045. | 7.0 | 152 |
| 16 | Pharmacogenomic landscape of patient-derived tumor cells informs precision oncology therapy. Nature Genetics, 2018, 50, 1399-1411. | 21.4 | 145 |
| 17 | Asian Consensus Guidelines for the Diagnosis and Management of Gastrointestinal Stromal Tumor. Cancer Research and Treatment, 2016, 48, 1155-1166. | 3.0 | 142 |
| 18 | Prevalence and detection of low-allele-fraction variants in clinical cancer samples. Nature Communications, 2017, 8, 1377. | 12.8 | 137 |

| # | Article | IF | Citations |
|----|---|--------------|-----------|
| 19 | Low-level microsatellite instability in most colorectal carcinomas. Cancer Research, 2002, 62, 1166-70. | 0.9 | 135 |
| 20 | Deregulation of Immune Response Genes in Patients With Epstein-Barr Virus-Associated Gastric Cancer and Outcomes. Gastroenterology, 2015, 148, 137-147.e9. | 1.3 | 127 |
| 21 | Molecular Features of Colorectal Hyperplastic Polyps and Sessile Serrated Adenoma/Polyps From Korea. American Journal of Surgical Pathology, 2011, 35, 1274-1286. | 3.7 | 117 |
| 22 | MET overexpression assessed by new interpretation method predicts gene amplification and poor survival in advanced gastric carcinomas. Modern Pathology, 2013, 26, 1632-1641. | 5 . 5 | 115 |
| 23 | Progressive methylation during the serrated neoplasia pathway of the colorectum. Modern Pathology, 2005, 18, 170-178. | 5.5 | 112 |
| 24 | Impact of MET amplification on gastric cancer: Possible roles as a novel prognostic marker and a potential therapeutic target. Oncology Reports, 2011, 25, 1517-24. | 2.6 | 111 |
| 25 | Identification of <i>ROS1</i> rearrangement in gastric adenocarcinoma. Cancer, 2013, 119, 1627-1635. | 4.1 | 108 |
| 26 | The Impact of PD-L1 Expression in Patients with Metastatic GEP-NETs. Journal of Cancer, 2016, 7, 484-489. | 2.5 | 106 |
| 27 | Determinants of Response and Intrinsic Resistance to PD-1 Blockade in Microsatellite Instability–High Gastric Cancer. Cancer Discovery, 2021, 11, 2168-2185. | 9.4 | 105 |
| 28 | Preexisting oncogenic events impact trastuzumab sensitivity in ERBB2-amplified gastroesophageal adenocarcinoma. Journal of Clinical Investigation, 2014, 124, 5145-5158. | 8.2 | 105 |
| 29 | Identification of Driving ALK Fusion Genes and Genomic Landscape of Medullary Thyroid Cancer. PLoS Genetics, 2015, 11, e1005467. | 3.5 | 104 |
| 30 | Multiple Gastrointestinal Stromal Tumors: Clinicopathologic and Genetic Analysis of 12 Patients. American Journal of Surgical Pathology, 2007, 31, 224-232. | 3.7 | 102 |
| 31 | Methylation reveals a niche: stem cell succession in human colon crypts. Oncogene, 2002, 21, 5441-5449. | 5.9 | 100 |
| 32 | Oncogenic <i>ALK</i> Fusion in Rare and Aggressive Subtype of Colorectal Adenocarcinoma as a Potential Therapeutic Target. Clinical Cancer Research, 2016, 22, 3831-3840. | 7.0 | 99 |
| 33 | KRAS Mutations in Traditional Serrated Adenomas From Korea Herald an Aggressive Phenotype. American Journal of Surgical Pathology, 2010, 34, 667-675. | 3.7 | 98 |
| 34 | Tumor microenvironment evaluation promotes precise checkpoint immunotherapy of advanced gastric cancer., 2021, 9, e002467. | | 97 |
| 35 | Nanostring-Based Multigene Assay to Predict Recurrence for Gastric Cancer Patients after Surgery. PLoS ONE, 2014, 9, e90133. | 2.5 | 96 |
| 36 | Differential Proteomic Analysis of Human Saliva using Tandem Mass Tags Quantification for Gastric Cancer Detection. Scientific Reports, 2016, 6, 22165. | 3.3 | 96 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 37 | Clinical significance of signet-ring cells in colorectal mucinous adenocarcinoma. Modern Pathology, 2008, 21, 1533-1541. | 5.5 | 88 |
| 38 | Prospective blinded study of somatic mutation detection in cell-free DNA utilizing a targeted 54-gene next generation sequencing panel in metastatic solid tumor patients. Oncotarget, 2015, 6, 40360-40369. | 1.8 | 85 |
| 39 | Surveillance strategy based on the incidence and patterns of recurrence after curative endoscopic submucosal dissection for early gastric cancer. Endoscopy, 2015, 47, 784-793. | 1.8 | 84 |
| 40 | Gastrointestinal Stromal Tumors in Koreans: It's Incidence and the Clinical, Pathologic and Immunohistochemical Findings. Journal of Korean Medical Science, 2005, 20, 977. | 2.5 | 83 |
| 41 | Genetic evidence for the multi-step progression of mixed glandular–neuroendocrine gastric carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2002, 440, 85-93. | 2.8 | 80 |
| 42 | Increased Risk for Malignancies in 131 Affected CTLA4 Mutation Carriers. Frontiers in Immunology, 2018, 9, 2012. | 4.8 | 79 |
| 43 | The CpG island methylator phenotype may confer a survival benefit in patients with stage II or III colorectal carcinomas receiving fluoropyrimidine-based adjuvant chemotherapy. BMC Cancer, 2011, 11, 344. | 2.6 | 76 |
| 44 | The prognostic significance of tumor-associated stroma in invasive breast carcinoma. Tumor Biology, 2012, 33, 1573-1580. | 1.8 | 76 |
| 45 | Heterogeneity of ERBB2 in gastric carcinomas: a study of tissue microarray and matched primary and metastatic carcinomas. Modern Pathology, 2013, 26, 677-684. | 5 . 5 | 76 |
| 46 | High-Throughput Mutation Profiling Identifies Frequent Somatic Mutations in Advanced Gastric Adenocarcinoma. PLoS ONE, 2012, 7, e38892. | 2.5 | 72 |
| 47 | Effect of rescue surgery after non-curative endoscopic resection of early gastric cancer. British Journal of Surgery, 2015, 102, 1394-1401. | 0.3 | 70 |
| 48 | Clinical Presentation and Risk Factors for Cytomegalovirus Colitis in Immunocompetent Adult Patients. Clinical Infectious Diseases, 2015, 60, e20-e26. | 5.8 | 70 |
| 49 | FGFR2 in gastric cancer: protein overexpression predicts gene amplification and high H-index predicts poor survival. Modern Pathology, 2016, 29, 1095-1103. | 5. 5 | 70 |
| 50 | Small Submucosal Tumors of the Stomach: Differentiation of Gastric Schwannoma from Gastrointestinal Stromal Tumor with CT. Korean Journal of Radiology, 2012, 13, 425. | 3.4 | 68 |
| 51 | Correlating programmed death ligand 1 (PD-L1) expression, mismatch repair deficiency, and outcomes across tumor types: implications for immunotherapy. Oncotarget, 2017, 8, 77415-77423. | 1.8 | 68 |
| 52 | High PD-L1 expression in gastric cancer (GC) patients and correlation with molecular features. Pathology Research and Practice, 2020, 216, 152881. | 2.3 | 67 |
| 53 | Epstein-Barr Virus-Associated Gastric Carcinoma and Specific Features of the Accompanying Immune Response. Journal of Gastric Cancer, 2016, 16, 1. | 2.5 | 66 |
| 54 | Enhanced Stem Cell Survival in Familial Adenomatous Polyposis. American Journal of Pathology, 2004, 164, 1369-1377. | 3.8 | 65 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | MicroRNA Expression Profiles in Gastric Carcinogenesis. Scientific Reports, 2018, 8, 14393. | 3.3 | 65 |
| 56 | Tumor Mutational Burden Determined by Panel Sequencing Predicts Survival After Immunotherapy in Patients With Advanced Gastric Cancer. Frontiers in Oncology, 2020, 10, 314. | 2.8 | 62 |
| 57 | Programmed cell death-ligand 1 expression predicts survival in patients with gastric carcinoma with microsatellite instability. Oncotarget, 2017, 8, 13320-13328. | 1.8 | 60 |
| 58 | DOG1 and PKC- \hat{l}_s are useful in the diagnosis of KIT-negative gastrointestinal stromal tumors. Modern Pathology, 2011, 24, 866-875. | 5.5 | 58 |
| 59 | Deamination Effects in Formalin-Fixed, Paraffin-Embedded Tissue Samples in the Era of Precision Medicine. Journal of Molecular Diagnostics, 2017, 19, 137-146. | 2.8 | 58 |
| 60 | Prognostic implications of microsatellite genotypes in gastric carcinoma. International Journal of Cancer, 2000, 89, 378-383. | 5.1 | 57 |
| 61 | Genetic classification of intestinal-type and diffuse-type gastric cancers based on chromosomal loss and microsatellite instability. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2003, 443, 491-500. | 2.8 | 57 |
| 62 | Gastrointestinal malignancies harbor actionable MET exon 14 deletions. Oncotarget, 2015, 6, 28211-28222. | 1.8 | 57 |
| 63 | Discovery and Validation of Salivary Extracellular RNA Biomarkers for Noninvasive Detection of Gastric Cancer. Clinical Chemistry, 2018, 64, 1513-1521. | 3.2 | 56 |
| 64 | Glomus Tumor of the Stomach: A Clinicopathologic Analysis of 10 Cases and Review of the Literature. Gut and Liver, 2012, 6, 52-57. | 2.9 | 56 |
| 65 | P21-Activated Kinase 4 Overexpression in Metastatic Gastric Cancer Patients. Translational Oncology, 2011, 4, 345-349. | 3.7 | 54 |
| 66 | The prognostic effects of tumor infiltrating regulatory T cells and myeloid derived suppressor cells assessed by multicolor flow cytometry in gastric cancer patients. Oncotarget, 2016, 7, 7940-7951. | 1.8 | 54 |
| 67 | Molecular Testing for Gastrointestinal Cancer. Journal of Pathology and Translational Medicine, 2017, 51, 103-121. | 1.1 | 54 |
| 68 | Phase I Study of Ceralasertib (AZD6738), a Novel DNA Damage Repair Agent, in Combination with Weekly Paclitaxel in Refractory Cancer. Clinical Cancer Research, 2021, 27, 4700-4709. | 7.0 | 54 |
| 69 | ARTIST 2: Interim results of a phase III trial involving adjuvant chemotherapy and/or chemoradiotherapy after D2-gastrectomy in stage II/III gastric cancer (GC) Journal of Clinical Oncology, 2019, 37, 4001-4001. | 1.6 | 53 |
| 70 | NTRK1 rearrangement in colorectal cancer patients: evidence for actionable target using patient-derived tumor cell line. Oncotarget, 2015, 6, 39028-39035. | 1.8 | 53 |
| 71 | Current Trends in the Epidemiological and Pathological Characteristics of Gastrointestinal Stromal Tumors in Korea, 2003-2004. Journal of Korean Medical Science, 2010, 25, 853. | 2.5 | 52 |
| 72 | Four distinct immune microenvironment subtypes in gastric adenocarcinoma with special reference to microsatellite instability. ESMO Open, 2018, 3, e000326. | 4.5 | 52 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Early Tumor–Immune Microenvironmental Remodeling and Response to First-Line Fluoropyrimidine and Platinum Chemotherapy in Advanced Gastric Cancer. Cancer Discovery, 2022, 12, 984-1001. | 9.4 | 52 |
| 74 | Prognostic Stratification of High-risk Gastrointestinal Stromal Tumors in the Era of Targeted Therapy. Annals of Surgery, 2008, 247, 1011-1018. | 4.2 | 48 |
| 75 | Epigenomic Promoter Alterations Amplify Gene Isoform and Immunogenic Diversity in Gastric Adenocarcinoma. Cancer Discovery, 2017, 7, 630-651. | 9.4 | 48 |
| 76 | PD-L1 expression in gastric cancer: interchangeability of 22C3 and 28-8 pharmDx assays for responses to immunotherapy. Modern Pathology, 2021, 34, 1719-1727. | 5.5 | 48 |
| 77 | Patient-derived cell models as preclinical tools for genome-directed targeted therapy. Oncotarget, 2015, 6, 25619-25630. | 1.8 | 48 |
| 78 | Outcomes of endoscopic submucosal dissection for differentiated-type early gastric cancer with histological heterogeneity. Gastric Cancer, 2015, 18, 618-626. | 5.3 | 47 |
| 79 | Early gastric cancer with a mixed-type Lauren classification is more aggressive and exhibits greater lymph node metastasis. Journal of Gastroenterology, 2017, 52, 594-601. | 5.1 | 47 |
| 80 | Ideal number of biopsy tumor fragments for predicting HER2 status in gastric carcinoma resection specimens. Oncotarget, 2015, 6, 38372-38380. | 1.8 | 47 |
| 81 | MCT4 as a potential therapeutic target for metastatic gastric cancer with peritoneal carcinomatosis. Oncotarget, 2016, 7, 43492-43503. | 1.8 | 45 |
| 82 | Genotyping Possible Polymorphic Variants of Human Mismatch Repair Genes in Healthy Korean Individuals and Sporadic Colorectal Cancer Patients. Familial Cancer, 2002, 3, 129-137. | 1.9 | 44 |
| 83 | The Korean guideline for gastric cancer screening. Journal of the Korean Medical Association, 2015, 58, 373. | 0.3 | 44 |
| 84 | Dysregulated Wnt signalling and recurrent mutations of the tumour suppressor <i><i><scp>RNF43</scp></i> in early gastric carcinogenesis. Journal of Pathology, 2016, 240, 304-314.</i> | 4.5 | 44 |
| 85 | Clinical Practice Guideline for Accurate Diagnosis and Effective Treatment of Gastrointestinal Stromal Tumor in Korea. Cancer Research and Treatment, 2012, 44, 85-96. | 3.0 | 43 |
| 86 | The Impact of Concomitant Genomic Alterations on Treatment Outcome for Trastuzumab Therapy in HER2-Positive Gastric Cancer. Scientific Reports, 2015, 5, 9289. | 3.3 | 43 |
| 87 | Tracing origin of serrated adenomas with BRAF and KRAS mutations. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 447, 597-602. | 2.8 | 42 |
| 88 | Acquired resistance to LY2874455 in <i>FGFR2</i> -amplified gastric cancer through an emergence of novel <i>FGFR2-ACSL5</i> fusion. Oncotarget, 2017, 8, 15014-15022. | 1.8 | 42 |
| 89 | PKCÎ, expression in gastrointestinal stromal tumor. Modern Pathology, 2006, 19, 1480-1486. | 5.5 | 41 |
| 90 | Expression and amplification of Her2, EGFR and cyclin D1 in breast cancer: Immunohistochemistry and chromogenic <i>in situ</i> hybridization. Pathology International, 2008, 58, 17-25. | 1.3 | 41 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | <scp>L</scp> ynchâ€ike syndrome: Characterization and comparison with EPCAM deletion carriers. International Journal of Cancer, 2015, 136, 1568-1578. | 5.1 | 40 |
| 92 | Bridging genomics and phenomics of gastric carcinoma. International Journal of Cancer, 2019, 145, 2407-2417. | 5.1 | 40 |
| 93 | Human epidermal growth factor receptor 2 testing in gastric cancer: Recommendations of an A sia―P acific T ask F orce. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 297-307. | 1.1 | 39 |
| 94 | Detection of KIT and PDGFRA mutations in the plasma of patients with gastrointestinal stromal tumor. Targeted Oncology, 2015, 10, 597-601. | 3.6 | 39 |
| 95 | Comparison of four immunohistochemical tests and FISH for measuring Her2 expression in gastric carcinomas. Pathology, 2012, 44, 216-220. | 0.6 | 37 |
| 96 | The minimal amount of starting DNA for Agilent's hybrid capture-based targeted massively parallel sequencing. Scientific Reports, 2016, 6, 26732. | 3.3 | 37 |
| 97 | Epstein-Barr virus infection serves as an independent predictor of survival in patients with lymphoepithelioma-like gastric carcinoma. Gastric Cancer, 2016, 19, 852-859. | 5.3 | 37 |
| 98 | A Novel Proteomics-Based Clinical Diagnostics Technology Identifies Heterogeneity in Activated Signaling Pathways in Gastric Cancers. PLoS ONE, 2013, 8, e54644. | 2.5 | 37 |
| 99 | Endoscopic Submucosal Dissection of Early Gastric Cancer. Gut and Liver, 2011, 5, 418-426. | 2.9 | 36 |
| 100 | Exome Sequencing Identifies Early Gastric Carcinoma as an Early Stage of Advanced Gastric Cancer. PLoS ONE, 2013, 8, e82770. | 2.5 | 36 |
| 101 | MCT4 Expression Is a Potential Therapeutic Target in Colorectal Cancer with Peritoneal Carcinomatosis. Molecular Cancer Therapeutics, 2018, 17, 838-848. | 4.1 | 36 |
| 102 | Identification of the BRAF V600E mutation in gastroenteropancreatic neuroendocrine tumors. Oncotarget, 2016, 7, 4024-4035. | 1.8 | 36 |
| 103 | Tracing ancestry with methylation patterns: most crypts appear distantly related in normal adult human colon. BMC Gastroenterology, 2004, 4, 8. | 2.0 | 35 |
| 104 | High-Throughput Genotyping in Metastatic Esophageal Squamous Cell Carcinoma Identifies Phosphoinositide-3-Kinase and BRAF Mutations. PLoS ONE, 2012, 7, e41655. | 2.5 | 35 |
| 105 | A Large Cohort of Consecutive Patients Confirmed Frequent HER2 Positivity in Gastric Carcinomas with Advanced Stages. Annals of Surgical Oncology, 2013, 20, 477-484. | 1.5 | 35 |
| 106 | Antiâ∈Helicobacter pylori Antibody Profiles in Epsteinâ∈Barr virus (EBV)â∈Positive and EBVâ∈Negative Gastric Cancer. Helicobacter, 2016, 21, 153-157. | 3.5 | 35 |
| 107 | Molecular Characterization of Urothelial Carcinoma of the Bladder and Upper Urinary Tract. Translational Oncology, 2018, 11, 37-42. | 3.7 | 35 |
| 108 | Fractional allelic loss in gastric carcinoma correlates with growth patterns. Oncogene, 1998, 17, 2655-2659. | 5.9 | 34 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cyclooxygenase-2 Is an Independent Prognostic Factor in Gastric Carcinoma Patients Receiving Adjuvant Chemotherapy and Is Not Associated with EBV Infection. Clinical Cancer Research, 2009, 15, 291-298. | 7.0 | 34 |
| 110 | Pazopanib, a Novel Multitargeted Kinase Inhibitor, Shows Potent <i>In Vitro</i> Antitumor Activity in Gastric Cancer Cell Lines with <i>FGFR2</i> Amplification. Molecular Cancer Therapeutics, 2014, 13, 2527-2536. | 4.1 | 34 |
| 111 | The Influence of Metastatic Lymph Node Ratio on the Treatment Outcomes in the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Trial: A Phase III Trial. Journal of Gastric Cancer, 2016, 16, 105. | 2.5 | 34 |
| 112 | Prognostic significance of sarcopenia in microsatellite-stable gastric cancer patients treated with programmed death-1 inhibitors. Gastric Cancer, 2021, 24, 457-466. | 5.3 | 34 |
| 113 | High-Throughput Sequencing and Copy Number Variation Detection Using Formalin Fixed Embedded Tissue in Metastatic Gastric Cancer. PLoS ONE, 2014, 9, e111693. | 2.5 | 34 |
| 114 | ESOPHAGEAL PARAKERATOSIS MIMICKING ENDOSCOPIC APPEARANCE OF SUPERFICIAL ESOPHAGEAL NEOPLASTIC LESION SUCH AS DYSPLASIA. Digestive Endoscopy, 2012, 24, 117-119. | 2.3 | 33 |
| 115 | Phase II trial of capecitabine and everolimus (RAD001) combination in refractory gastric cancer patients. Investigational New Drugs, 2013, 31, 1580-1586. | 2.6 | 33 |
| 116 | HER2â€positive gastric cancer with concomitant <scp>MET</scp> and/or <scp>EGFR</scp> overexpression: A distinct subset of patients for dual inhibition therapy. International Journal of Cancer, 2015, 136, 1629-1635. | 5.1 | 33 |
| 117 | Characterization of Human Salivary Extracellular RNA by Next-generation Sequencing. Clinical Chemistry, 2018, 64, 1085-1095. | 3.2 | 33 |
| 118 | Plexiform Angiomyxoid Myofibroblastic Tumor of the Stomach: Report of Two Cases and Review of the Literature. Korean Journal of Pathology, 2012, 46, 292. | 1.3 | 33 |
| 119 | Host immune response index in gastric cancer identified by comprehensive analyses of tumor immunity. Oncolmmunology, 2017, 6, e1356150. | 4.6 | 32 |
| 120 | Tissue recommendations for precision cancer therapy using next generation sequencing: a comprehensive single cancer center's experiences. Oncotarget, 2017, 8, 42478-42486. | 1.8 | 32 |
| 121 | Detection of novel and potentially actionable anaplastic lymphoma kinase (ALK) rearrangement in colorectal adenocarcinoma by immunohistochemistry screening. Oncotarget, 2015, 6, 24320-24332. | 1.8 | 32 |
| 122 | Phase II study of ceralasertib (AZD6738) in combination with durvalumab in patients with advanced gastric cancer., 2022, 10, e005041. | | 31 |
| 123 | Clinical significance of gastritis cystica profunda and its association with Epsteinâ€Barr virus in gastric cancer. Cancer, 2012, 118, 5227-5233. | 4.1 | 30 |
| 124 | Endoscopic Resection for Undifferentiated Early Gastric Cancer: Focusing on Histologic Discrepancies Between Forceps Biopsy-Based and Endoscopic Resection Specimen-Based Diagnosis. Digestive Diseases and Sciences, 2014, 59, 2536-2543. | 2.3 | 30 |
| 125 | Effect of simvastatin plus cetuximab/irinotecan for KRAS mutant colorectal cancer and predictive value of the RAS signature for treatment response to cetuximab. Investigational New Drugs, 2014, 32, 535-541. | 2.6 | 30 |
| 126 | Composite glandular-endocrine cell carcinomas of the stomach: clinicopathologic and methylation study. Apmis, 2005, 113, 569-576. | 2.0 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Imatinib efficacy by tumor genotype in Korean patients with advanced gastrointestinal stromal tumors (GIST): The Korean GIST Study Group (KGSG) study. Acta Oncológica, 2012, 51, 528-536. | 1.8 | 29 |
| 128 | Integrated genomic analyses identify frequent gene fusion events and <i>VHL</i> inactivation in gastrointestinal stromal tumors. Oncotarget, 2016, 7, 6538-6551. | 1.8 | 29 |
| 129 | Overexpression of MAPK15 in gastric cancer is associated with copy number gain and contributes to the stability of c-Jun. Oncotarget, 2015, 6, 20190-20203. | 1.8 | 29 |
| 130 | Management Strategy for Small Duodenal Carcinoid Tumors: Does Conservative Management with Close Follow-Up Represent an Alternative to Endoscopic Treatment?. Digestion, 2013, 87, 247-253. | 2.3 | 28 |
| 131 | Feasibility and Diagnostic Yield of Endoscopic Ultrasonography-Guided Fine Needle Biopsy With a New Core Biopsy Needle Device in Patients With Gastric Subepithelial Tumors. Medicine (United States), 2015, 94, e1622. | 1.0 | 28 |
| 132 | Preoperative Predictive Factors for Gastrointestinal Stromal Tumors: Analysis of 375 Surgically Resected Gastric Subepithelial Tumors. Journal of Gastrointestinal Surgery, 2015, 19, 631-638. | 1.7 | 28 |
| 133 | MicroRNA signatures associated with lymph node metastasis in intramucosal gastric cancer. Modern Pathology, 2021, 34, 672-683. | 5.5 | 28 |
| 134 | Metastasis of Neuroendocrine Tumors Are Characterized by Increased Cell Proliferation and Reduced Expression of the ATM Gene. PLoS ONE, 2012, 7, e34456. | 2.5 | 28 |
| 135 | Relationship between intratumor histological heterogeneity and genetic abnormalities in gastric carcinoma with microsatellite instability., 1999, 82, 782-788. | | 27 |
| 136 | Lymphoepithelioma-like carcinoma: A distinct type of gastric cancer. Journal of Surgical Research, 2015, 194, 458-463. | 1.6 | 27 |
| 137 | Gastroenteropancreatic neuroendocrine tumors: Incidence and treatment outcome in a single institution in Korea. Asia-Pacific Journal of Clinical Oncology, 2011, 7, 293-299. | 1.1 | 26 |
| 138 | Prognostic Impact of Microsatellite Instability in Asian Gastric Cancer Patients Enrolled in the ARTIST Trial. Oncology, 2019, 97, 38-43. | 1.9 | 26 |
| 139 | Claudin 18.2 expression in various tumor types and its role as a potential target in advanced gastric cancer. Translational Cancer Research, 2020, 9, 3367-3374. | 1.0 | 26 |
| 140 | Clinical Practice Guideline for Accurate Diagnosis and Effective Treatment of Gastrointestinal Stromal Tumor in Korea. Journal of Korean Medical Science, 2010, 25, 1543. | 2.5 | 25 |
| 141 | Gastric cancer (GC) patients with hedgehog pathway activation: PTCH1 and GLI2 as independent prognostic factors. Targeted Oncology, 2013, 8, 271-280. | 3.6 | 25 |
| 142 | Aberrant CDK4 Amplification in Refractory Rhabdomyosarcoma as Identified by Genomic Profiling. Scientific Reports, 2014, 4, 3623. | 3.3 | 25 |
| 143 | Gastrointestinal stromal tumours: Correlation of modified NIH risk stratification with diffusion-weighted MR imaging as an imaging biomarker. European Journal of Radiology, 2015, 84, 33-40. | 2.6 | 25 |
| 144 | Detecting Primary KIT Mutations in Presurgical Plasma of Patients with Gastrointestinal Stromal Tumor. Molecular Diagnosis and Therapy, 2016, 20, 347-351. | 3.8 | 25 |

| # | Article | IF | Citations |
|-----|---|-------------|-----------|
| 145 | Transcriptional analysis of immune genes in Epstein–Barr virus-associated gastric cancer and association with clinical outcomes. Gastric Cancer, 2018, 21, 1064-1070. | 5.3 | 25 |
| 146 | A reciprocal regulatory circuit between CD44 and FGFR2 via c-myc controls gastric cancer cell growth. Oncotarget, 2016, 7, 28670-28683. | 1.8 | 25 |
| 147 | Biomarkers for gastric cancer: molecular classification revisited. Precision and Future Medicine, 2017, 1, 59-68. | 1.6 | 25 |
| 148 | CD133-positive tumor cell content is a predictor of early recurrence in colorectal cancer. Journal of Gastrointestinal Oncology, 2014, 5, 447-56. | 1.4 | 25 |
| 149 | Anti-tumor efficacy of fulvestrant in estrogen receptor positive gastric cancer. Scientific Reports, 2014, 4, 7592. | 3.3 | 24 |
| 150 | The NEXT-1 (Next generation personalized tX with mulTi-omics and preclinical model) trial: prospective molecular screening trial of metastatic solid cancer patients, a feasibility analysis. Oncotarget, 2015, 6, 33358-33368. | 1.8 | 24 |
| 151 | Prognostic Significance of Defining L-Cell Type on the Biologic Behavior of Rectal Neuroendocrine Tumors in Relation with Pathological Parameters. Cancer Research and Treatment, 2015, 47, 813-822. | 3.0 | 24 |
| 152 | Antitumor Effect of AZD4547 in a Fibroblast Growth Factor Receptor 2–Amplified Gastric Cancer Patient–Derived Cell Model. Translational Oncology, 2017, 10, 469-475. | 3.7 | 23 |
| 153 | Identification of anti-Epstein-Barr virus (EBV) antibody signature in EBV-associated gastric carcinoma. Gastric Cancer, 2021, 24, 858-867. | 5.3 | 23 |
| 154 | Development of mesenchymal subtype gene signature for clinical application in gastric cancer. Oncotarget, 2017, 8, 66305-66315. | 1.8 | 23 |
| 155 | MerTK is a novel therapeutic target in gastric cancer. Oncotarget, 2017, 8, 96656-96667. | 1.8 | 23 |
| 156 | Mucinous Gastric Cancer Presents with More Advanced Tumor Stage and Weaker \hat{l}^2 -Catenin Expression than Nonmucinous Cancer. Annals of Surgical Oncology, 2010, 17, 3053-3058. | 1.5 | 22 |
| 157 | Lymphovascular invasion and lymph node metastasis rates in papillary adenocarcinoma of the stomach: implications for endoscopic resection. Gastric Cancer, 2018, 21, 680-688. | 5. 3 | 22 |
| 158 | Fetal-type gastrointestinal adenocarcinoma: a morphologically distinct entity with unfavourable prognosis. Journal of Clinical Pathology, 2018, 71, 221-227. | 2.0 | 22 |
| 159 | NCOA4-RET fusion in colorectal cancer: Therapeutic challenge using patient-derived tumor cell lines. Journal of Cancer, 2018, 9, 3032-3037. | 2.5 | 22 |
| 160 | Endoscopic submucosal dissection for papillary adenocarcinoma of the stomach: low curative resection rate but favorable long-term outcomes after curative resection. Gastric Cancer, 2019, 22, 363-368. | 5.3 | 22 |
| 161 | CCNE1 amplification is associated with liver metastasis in gastric carcinoma. Pathology Research and Practice, 2019, 215, 152434. | 2.3 | 22 |
| 162 | Prognostic significance of ATM and cyclin B1 in pancreatic neuroendocrine tumor. Tumor Biology, 2012, 33, 1645-1651. | 1.8 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A Method to Evaluate the Quality of Clinical Gene-Panel Sequencing Data for Single-Nucleotide Variant Detection. Journal of Molecular Diagnostics, 2017, 19, 651-658. | 2.8 | 21 |
| 164 | High-level FGFR2 amplification is associated with poor prognosis and Lower response to chemotherapy in gastric cancers. Pathology Research and Practice, 2020, 216, 152878. | 2.3 | 21 |
| 165 | Epstein-Barr virus-associated lymphoepithelioma-like early gastric carcinomas and endoscopic submucosal dissection: Case series. World Journal of Gastroenterology, 2014, 20, 1365. | 3.3 | 21 |
| 166 | Clinicopathological Features and Prognosis of Mixed-Type T1a Gastric Cancer Based on Lauren's Classification. Annals of Surgical Oncology, 2016, 23, 784-791. | 1.5 | 20 |
| 167 | The Clinical Impact of c-MET Over-Expression in Advanced Biliary Tract Cancer (BTC). Journal of Cancer, 2017, 8, 1395-1399. | 2.5 | 20 |
| 168 | Detection of ERBB2 (HER2) Gene Amplification Events in Cell-Free DNA and Response to Anti-HER2 Agents in a Large Asian Cancer Patient Cohort. Frontiers in Oncology, 2019, 9, 212. | 2.8 | 20 |
| 169 | MMR protein immunohistochemistry and microsatellite instability in gastric cancers. Pathology, 2019, 51, 110-113. | 0.6 | 20 |
| 170 | Comprehensive pharmacogenomic characterization of gastric cancer. Genome Medicine, 2020, 12, 17. | 8.2 | 20 |
| 171 | PD-L1 Expression Is Significantly Associated with Tumor Mutation Burden and Microsatellite Instability Score. Cancers, 2021, 13, 4659. | 3.7 | 20 |
| 172 | Clinical sequencing to assess tumor mutational burden as a useful biomarker to immunotherapy in various solid tumors. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592199299. | 3.2 | 20 |
| 173 | The implication of FLT3 amplification for FLT targeted therapeutics in solid tumors. Oncotarget, 2017, 8, 3237-3245. | 1.8 | 20 |
| 174 | Filiform serrated adenoma is an unusual, less aggressive variant of traditional serrated adenoma. Pathology, 2012, 44, 18-23. | 0.6 | 19 |
| 175 | Predictive factors for lymph node metastasis in early gastric cancer with lymphatic invasion after endoscopic resection. Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 4419-4424. | 2.4 | 17 |
| 176 | Phase I Trial of Anti-MET Monoclonal Antibody in MET-Overexpressed Refractory Cancer. Clinical Colorectal Cancer, 2018, 17, 140-146. | 2.3 | 17 |
| 177 | Deep Learning–Based Survival Analysis Identified Associations Between Molecular Subtype and Optimal Adjuvant Treatment of Patients With Gastric Cancer. JCO Clinical Cancer Informatics, 2018, 2, 1-14. | 2.1 | 17 |
| 178 | Comprehensive molecular characterization of gastric cancer patients from phase II second-line ramucirumab plus paclitaxel therapy trial. Genome Medicine, 2021, 13, 11. | 8.2 | 17 |
| 179 | MSI-GC-01: Individual patient data (IPD) meta-analysis of microsatellite instability (MSI) and gastric cancer (GC) from four randomized clinical trials (RCTs) Journal of Clinical Oncology, 2019, 37, 66-66. | 1.6 | 17 |
| 180 | GAGE12 mediates human gastric carcinoma growth and metastasis. International Journal of Cancer, 2015, 136, 2284-2292. | 5.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | NanoString expression profiling identifies candidate biomarkers of RAD001 response in metastatic gastric cancer. ESMO Open, 2016, 1, e000009. | 4.5 | 16 |
| 182 | Diagnostic group classifications of gastric neoplasms by endoscopic resection criteria before and after treatment: real-world experience. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 3987-3993. | 2.4 | 16 |
| 183 | Identification of risk factors for sessile and traditional serrated adenomas of the colon by using big data analysis. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1039-1046. | 2.8 | 16 |
| 184 | PD-L1 expression in gastric cancer determined by digital image analyses: pitfalls and correlation with pathologist interpretation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 243-250. | 2.8 | 16 |
| 185 | Mechanisms of Acquired Resistance to Savolitinib, a Selective MET Inhibitor in <i>MET</i> -Amplified Gastric Cancer. JCO Precision Oncology, 2020, 4, 222-232. | 3.0 | 16 |
| 186 | MerTK inhibition by RXDX-106 in MerTK activated gastric cancer cell lines. Oncotarget, 2017, 8, 105727-105734. | 1.8 | 16 |
| 187 | Pituitary Aspergillosis Mimicking Pituitary Tumor. American Journal of Roentgenology, 2000, 175, 1570-1572. | 2.2 | 15 |
| 188 | Gastrointestinal stromal tumors in children and young adults: a clinicopathologic and molecular genetic study of 22 Korean cases. Apmis, 2013, 121, 938-944. | 2.0 | 15 |
| 189 | Clinicopathological factors of multiple lateral margin involvement after endoscopic submucosal dissection for early gastric cancer. Surgical Endoscopy and Other Interventional Techniques, 2015, 29, 3460-3468. | 2.4 | 15 |
| 190 | Comparative analysis of microsatellite instability by next-generation sequencing, MSI PCR and MMR immunohistochemistry in 1942 solid cancers. Pathology Research and Practice, 2022, 233, 153874. | 2.3 | 15 |
| 191 | PolyA Deletions in Hereditary Nonpolyposis Colorectal Cancer. American Journal of Pathology, 2002, 160, 1503-1506. | 3.8 | 14 |
| 192 | Phase I study of neoadjuvant chemoradiotherapy with S-1 and oxaliplatin in patients with locally advanced gastric cancer. Cancer Chemotherapy and Pharmacology, 2012, 69, 1333-1338. | 2.3 | 14 |
| 193 | Comparison of Long-Term Outcomes After Non-curative Endoscopic Resection in Older Patients with Early Gastric Cancer. Annals of Surgical Oncology, 2017, 24, 2624-2631. | 1.5 | 14 |
| 194 | Clinical Application of Targeted Deep Sequencing in Solid-Cancer Patients and Utility for Biomarker-Selected Clinical Trials. Oncologist, 2017, 22, 1169-1177. | 3.7 | 14 |
| 195 | Feasibility of Endoscopic Resection in Early Gastric Cancer with Lymphovascular Invasion. Annals of Surgical Oncology, 2019, 26, 449-455. | 1.5 | 14 |
| 196 | Gastric Cancer: Mechanisms, Biomarkers, and Therapeutic Approaches. Biomedicines, 2022, 10, 543. | 3.2 | 14 |
| 197 | Neuroendocrine tumor in gastric adenoma: a diagnostic pitfall mimicking invasive adenocarcinoma. Diagnostic Pathology, 2012, 7, 102. | 2.0 | 13 |
| 198 | A nCounter CNV Assay to Detect HER2 Amplification: A Correlation Study with Immunohistochemistry and In Situ Hybridization in Advanced Gastric Cancer. Molecular Diagnosis and Therapy, 2016, 20, 375-383. | 3.8 | 13 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | PTEN Protein Loss and Loss-of-Function Mutations in Gastric Cancers: The Relationship with Microsatellite Instability, EBV, HER2, and PD-L1 Expression. Cancers, 2020, 12, 1724. | 3.7 | 13 |
| 200 | Prognostic Impact of Sarcopenia and Radiotherapy in Patients With Advanced Gastric Cancer Treated With Anti-PD-1 Antibody. Frontiers in Immunology, 2021, 12, 701668. | 4.8 | 13 |
| 201 | Prognostic Value of Highly Expressed Type VII Collagen (COL7A1) in Patients With Gastric Cancer. Pathology and Oncology Research, 2021, 27, 1609860. | 1.9 | 13 |
| 202 | Adjuvant Chemotherapy with or without Concurrent Radiotherapy for Patients with Stage IB Gastric Cancer: a Subgroup Analysis of the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Phase III Trial. Journal of Gastric Cancer, 2018, 18, 348. | 2.5 | 12 |
| 203 | Gastric adenocarcinoma with enteroblastic differentiation should be differentiated from hepatoid adenocarcinoma: A study with emphasis on clear cells and clinicopathologic spectrum. Pathology Research and Practice, 2019, 215, 152525. | 2.3 | 12 |
| 204 | PD-L1 expression in paired biopsies and surgical specimens in gastric adenocarcinoma: A digital image analysis study. Pathology Research and Practice, 2021, 218, 153338. | 2.3 | 12 |
| 205 | Inter-observer Reproducibility in the Pathologic Diagnosis of Gastric Intraepithelial Neoplasia and Early Carcinoma in Endoscopic Submucosal Dissection Specimens: A Multi-center Study. Cancer Research and Treatment, 2019, 51, 1568-1577. | 3.0 | 12 |
| 206 | Sporadic colorectal carcinomas with lowâ€level microsatellite instability in Korea: Do they form a distinct subgroup with distinguished clinicopathological features?. Journal of Surgical Oncology, 2009, 99, 351-355. | 1.7 | 11 |
| 207 | CD151 Overexpression is Associated with Poor Prognosis in Patients with pT3 Gastric Cancer. Annals of Surgical Oncology, 2014, 21, 1099-1106. | 1.5 | 11 |
| 208 | Value of FGFR2 expression for advanced gastric cancer patients receiving pazopanib plus CapeOX (capecitabine and oxaliplatin). Journal of Cancer Research and Clinical Oncology, 2016, 142, 1231-1237. | 2.5 | 11 |
| 209 | LAG3 in Solid Tumors as a Potential Novel Immunotherapy Target. Journal of Immunotherapy, 2019, 42, 279-283. | 2.4 | 11 |
| 210 | Association of serine/threonine kinase 11 mutations and response to programmed cell death 1 inhibitors in metastatic gastric cancer. Pathology Research and Practice, 2020, 216, 152947. | 2.3 | 11 |
| 211 | IKKÎμ and TBK1 expression in gastric cancer. Oncotarget, 2017, 8, 16233-16242. | 1.8 | 11 |
| 212 | Tumor immune microenvironment is influenced by frameshift mutations and tumor mutational burden in gastric cancer. Clinical and Translational Oncology, 2022, 24, 556-567. | 2.4 | 11 |
| 213 | Evidence for two modes of allelic loss: multifocal analysis on both early and advanced gastric carcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2001, 438, 31-38. | 2.8 | 10 |
| 214 | Comparison of Three <i>BRAF</i> Mutation Tests in Formalin-Fixed Paraffin Embedded Clinical Samples. Korean Journal of Pathology, 2013, 47, 348. | 1.3 | 10 |
| 215 | A Risk Prediction Model Based on Lymph-Node Metastasis in Poorly Differentiated–Type Intramucosal Gastric Cancer. PLoS ONE, 2016, 11, e0156207. | 2.5 | 10 |
| 216 | Neurofibroma of the Colon: A Diagnostic Mimicker of Gastrointestinal Stromal Tumor. Case Reports in Gastroenterology, 2017, 10, 674-678. | 0.6 | 10 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | Gastrointestinal stromal tumours of the oesophagus: a clinicopathological and molecular analysis of 27 cases. Histopathology, 2017, 71, 805-812. | 2.9 | 10 |
| 218 | One-dimensional and 2-dimensional tumor size measurement for prediction of lymph node metastasis in differentiated early gastric cancer with minute submucosal invasion. Gastrointestinal Endoscopy, 2017, 85, 730-736. | 1.0 | 10 |
| 219 | Indication for endoscopic treatment based on the risk of lymph node metastasis in patients with Siewert type II/III early gastric cancer. Gastric Cancer, 2018, 21, 672-679. | 5.3 | 10 |
| 220 | Computational measurement of tumor immune microenvironment in gastric adenocarcinomas. Scientific Reports, 2018, 8, 13887. | 3.3 | 10 |
| 221 | MET is overexpressed in microsatellite instability-high gastric carcinoma. Pathology Research and Practice, 2019, 215, 433-438. | 2.3 | 10 |
| 222 | Prognostic value of mismatch repair deficiency in patients with advanced gastric cancer, treated by surgery and adjuvant 5-fluorouracil and leucovorin chemoradiotherapy. European Journal of Surgical Oncology, 2020, 46, 189-194. | 1.0 | 10 |
| 223 | Deep learning-based virtual cytokeratin staining of gastric carcinomas to measure tumor–stroma ratio. Scientific Reports, 2021, 11, 19255. | 3.3 | 10 |
| 224 | Gastroenteropancreatic Neuroendocrine Tumors with Liver Metastases in Korea: A Clinicopathological Analysis of 72 Cases in a Single Institute. Cancer Research and Treatment, 2015, 47, 738-746. | 3.0 | 10 |
| 225 | Outcomes of Endoscopic Submucosal Dissection for Early Gastric Cancer with Undifferentiated-Type Histology: A Clinical Simulation Using a Non-Selected Surgical Cohort. Gut and Liver, 2018, 12, 263-270. | 2.9 | 10 |
| 226 | EBV infection and mismatch repair deficiency mediated by loss of hMLH1 expression contribute independently to the development of multiple synchronous gastric carcinomas. Journal of Surgical Oncology, 2012, 106, 777-782. | 1.7 | 9 |
| 227 | Tumor size predicts survival in mucinous gastric carcinoma. Journal of Surgical Oncology, 2012, 106, 757-764. | 1.7 | 9 |
| 228 | Silent Colonic Malakoplakia in a Living-Donor Kidney Transplant Recipient Diagnosed during Annual Medical Examination. Korean Journal of Pathology, 2013, 47, 163. | 1.3 | 9 |
| 229 | Exuberant squamous metaplasia of the gastric mucosa in a patient with gastric adenocarcinoma. Diagnostic Pathology, 2015, 10, 46. | 2.0 | 9 |
| 230 | High delta-like ligand 4 expression correlates with a poor clinical outcome in gastric cancer. Journal of Cancer, 2019, 10, 3172-3178. | 2.5 | 9 |
| 231 | Tumor Heterogeneity Index to Detect Human Epidermal Growth Factor Receptor 2 Amplification by Next-Generation Sequencing. Journal of Molecular Diagnostics, 2019, 21, 612-622. | 2.8 | 9 |
| 232 | Effect of baseline sarcopenia on adjuvant treatment for D2 dissected gastric cancer: Analysis of the ARTIST phase III trial. Radiotherapy and Oncology, 2020, 152, 19-25. | 0.6 | 9 |
| 233 | First-in-human phase I trial of anti-hepatocyte growth factor antibody (YYB101) in refractory solid tumor patients. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592092679. | 3.2 | 9 |
| 234 | Correlation between MEK signature and Ras gene alteration in advanced gastric cancer. Oncotarget, 2017, 8, 107492-107499. | 1.8 | 9 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 235 | PHH3 as an Ancillary Mitotic Marker in Gastrointestinal Stromal Tumors. Journal of Pathology and Translational Medicine, 2015, 49, 23-29. | 1.1 | 9 |
| 236 | A Multi-cohort Study of the Prognostic Significance of Microsatellite Instability or Mismatch Repair Status after Recurrence of Resectable Gastric Cancer. Cancer Research and Treatment, 2020, 52, 1153-1161. | 3.0 | 9 |
| 237 | Serrated adenoma of the stomach: a clinicopathologic, immunohistochemical, and molecular study of nine cases. Histology and Histopathology, 2013, 28, 453-62. | 0.7 | 9 |
| 238 | Clinical Significance of IGFBP-3 Methylation in Patients with Early Stage Gastric Cancer. Translational Oncology, 2015, 8, 288-294. | 3.7 | 8 |
| 239 | Combination of Docetaxel Plus Savolitinib in Refractory Cancer Patients: A Report on Phase I Trial. Translational Oncology, 2019, 12, 597-601. | 3.7 | 8 |
| 240 | RRAD expression in gastric and colorectal cancer with peritoneal carcinomatosis. Scientific Reports, 2019, 9, 19439. | 3.3 | 8 |
| 241 | Circulating Antibodies against Epstein–Barr Virus (EBV) and p53 in EBV-Positive and -Negative Gastric Cancer. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 414-419. | 2.5 | 8 |
| 242 | Gastric Inverted Polypsâ€"Distinctive Subepithelial Lesions of the Stomach. American Journal of Surgical Pathology, 2021, 45, 680-689. | 3.7 | 8 |
| 243 | Profiling of activated receptor tyrosine kinases in advanced gastric cancers identifies patients with poor prognosis Journal of Clinical Oncology, 2012, 30, 4011-4011. | 1.6 | 8 |
| 244 | Clinical usefulness of microsatellite instability test in Korean young patients with high-risk features associated with adenoma. Clinics and Research in Hepatology and Gastroenterology, 2012, 36, 378-383. | 1.5 | 7 |
| 245 | Young Age and Risk of Lymph Node Metastasis in Differentiated Type Early Gastric Cancer. Annals of Surgical Oncology, 2018, 25, 2713-2719. | 1.5 | 7 |
| 246 | Reproduction of molecular subtypes of gastric adenocarcinoma by transcriptome sequencing of archival tissue. Scientific Reports, 2019, 9, 9675. | 3.3 | 7 |
| 247 | A Pilot Study of Baseline Spatial Genomic Heterogeneity in Primary Gastric Cancers Using Multi-Region Endoscopic Sampling. Frontiers in Oncology, 2020, 10, 225. | 2.8 | 7 |
| 248 | Detection of Fusion Genes Using a Targeted RNA Sequencing Panel in Gastrointestinal and Rare Cancers. Journal of Oncology, 2020, 2020, 1-8. | 1.3 | 7 |
| 249 | Peritumoral lymphoid cuff correlates well with lymph node enlargement in gastrointestinal schwannomas. Oncotarget, 2018, 9, 12591-12598. | 1.8 | 7 |
| 250 | Integrated genomic approaches identify upregulation of <i>SCRN1</i> as a novel mechanism associated with acquired resistance to erlotinib in PC9 cells harboring oncogenic EGFR mutation. Oncotarget, 2016, 7, 13797-13809. | 1.8 | 7 |
| 251 | Incidence of FGFR2 Amplification and FGFR2 Fusion in Patients with Metastatic Cancer Using Clinical Sequencing. Journal of Oncology, 2022, 2022, 1-9. | 1.3 | 7 |
| 252 | High Frequency of Juxtamembrane Domain < i> ERBB2 < /i> Mutation in Gastric Cancer. Cancer Genomics and Proteomics, 2022, 19, 105-112. | 2.0 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Shifted termination assay (STA) fragment analysis to detect BRAF V600 mutations in papillary thyroid carcinomas. Diagnostic Pathology, 2013, 8, 121. | 2.0 | 6 |
| 254 | Low ATM expression and progression-free and overall survival in advanced gastric cancer patients treated with first-line XELOX chemotherapy. Journal of Gastrointestinal Oncology, 2018, 9, 1198-1206. | 1.4 | 6 |
| 255 | Cancer Panel Assay for Precision Oncology Clinic: Results from a 1-Year Study. Translational Oncology, 2019, 12, 1488-1495. | 3.7 | 6 |
| 256 | Correlation between RICTOR overexpression and amplification in advanced solid tumors. Pathology Research and Practice, 2020, 216, 152734. | 2.3 | 6 |
| 257 | TPK1 as a predictive marker for the anti-tumour effects of simvastatin in gastric cancer. Pathology Research and Practice, 2020, 216, 152820. | 2.3 | 6 |
| 258 | Digital image analysis in pathologistâ€selected regions of interest predicts survival more accurately than wholeâ€slide analysis: a direct comparison study in 153 gastric carcinomas. Journal of Pathology: Clinical Research, 2021, 7, 42-51. | 3.0 | 6 |
| 259 | Prediction of epithelial-to-mesenchymal transition molecular subtype using CT in gastric cancer. European Radiology, 2022, 32, 1-11. | 4.5 | 6 |
| 260 | Poorly differentiated component in gastric pinch biopsies predicts submucosal invasion. Diagnostic Pathology, 2014, 9, 34. | 2.0 | 5 |
| 261 | IL-7Rαlow CD8+ T Cells from Healthy Individuals Are Anergic with Defective Glycolysis. Journal of Immunology, 2020, 205, 2968-2978. | 0.8 | 5 |
| 262 | Outcomes of Radiotherapy for Mesenchymal and Non-Mesenchymal Subtypes of Gastric Cancer. Cancers, 2020, 12, 943. | 3.7 | 5 |
| 263 | Multimodal circulating tumor DNA (ctDNA) colorectal neoplasia detection assay for asymptomatic and early-stage colorectal cancer (CRC) Journal of Clinical Oncology, 2021, 39, 3536-3536. | 1.6 | 5 |
| 264 | Validation of the Combined Biomarker for Prediction of Response to Checkpoint Inhibitor in Patients with Advanced Cancer. Cancers, 2021, 13, 2316. | 3.7 | 5 |
| 265 | The prevalence of homologous recombination deficiency (HRD) in various solid tumors and the role of HRD as a single biomarker to immune checkpoint inhibitors. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2427-2435. | 2.5 | 5 |
| 266 | Novel mechanism of a CDH1 splicing mutation in a Korean patient with signet ring cell carcinoma. BMB Reports, 2011, 44, 725-729. | 2.4 | 5 |
| 267 | Stage IV early gastric cancer: two cases with microsatellite instability. Langenbeck's Archives of Surgery, 2007, 393, 105-109. | 1.9 | 4 |
| 268 | Multiplex mutation screening by mass spectrometry in gastrointestinal stromal tumours. Pathology, 2012, 44, 460-464. | 0.6 | 4 |
| 269 | Measurement of tumor volume is not superior to diameter for prediction of lymph node metastasis in early gastric cancer with minute submucosal invasion. Oncotarget, 2017, 8, 113758-113765. | 1.8 | 4 |
| 270 | CDH1 mutations in gastric cancers are not associated with family history. Pathology Research and Practice, 2020, 216, 152941. | 2.3 | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 271 | Microsatellite Instability and Effectiveness of Adjuvant Treatment in pT1N1 Gastric Cancer: A Multicohort Study. Annals of Surgical Oncology, 2021, 28, 8908-8915. | 1.5 | 4 |
| 272 | Highly sensitive duplex MSI test and BAT40 germline polymorphism. Apmis, 2021, 129, 607-615. | 2.0 | 4 |
| 273 | Combined biomarker for prediction of response to an immune checkpoint inhibitor in metastatic gastric cancer. Precision and Future Medicine, 2019, 3, 165-175. | 1.6 | 4 |
| 274 | Neutralizing antibody to FGFR2 can act as a selective biomarker and potential therapeutic agent for gastric cancer with FGFR2 amplification. American Journal of Translational Research (discontinued), 2019, 11, 4508-4515. | 0.0 | 4 |
| 275 | A comparative study of telomerase activity and cytologic diagnosis in malignant ascites. Analytical and Quantitative Cytopathology and Histopathology, 2013, 35, 146-51. | 0.2 | 4 |
| 276 | Is endoscopic resection an alternative to surgery for early low-risk submucosal gastric cancers: analysis of a large surgical database. Surgical Endoscopy and Other Interventional Techniques, 2015, 29, 1614-1620. | 2.4 | 3 |
| 277 | Effect of age on the clinical outcomes of patients with early gastric cancer with undifferentiated-type histology. Surgery, 2019, 165, 802-807. | 1.9 | 3 |
| 278 | Pathologic analyses of peritoneal nodules in gastric cancer patients during surgeryâ€"A single cancer center experience with diagnostic pitfalls. Pathology Research and Practice, 2019, 215, 195-199. | 2.3 | 3 |
| 279 | Outcomes of endoscopic submucosal dissection for intestinalâ€type adenocarcinoma with anastomosing glands of the stomach. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 50-55. | 2.8 | 3 |
| 280 | Dysregulated miRNA in a cancer-prone environment: A study of gastric non-neoplastic mucosa. Scientific Reports, 2020, 10, 6600. | 3.3 | 3 |
| 281 | Favorable Long-Term Outcomes of Endoscopic Submucosal Dissection for Differentiated-Type-Predominant Early Gastric Cancer with Histological Heterogeneity. Journal of Clinical Medicine, 2020, 9, 1064. | 2.4 | 3 |
| 282 | Cell-free DNA sequencing-guided therapy in a prospective clinical trial: NEXT-2 trialâ€"A feasibility analysis Journal of Clinical Oncology, 2016, 34, 11534-11534. | 1.6 | 3 |
| 283 | Selumetinib plus docetaxel as second-line chemotherapy in KRAS mutant, KRAS amplified or MEK signatured gastric cancer patients: First arm of the umbrella trial in GC though the molecular screening, VIKTORY trial Journal of Clinical Oncology, 2018, 36, 4061-4061. | 1.6 | 3 |
| 284 | Assessment of Gastritis Using Operative Link for Gastritis Assessment System. The Korean Journal of Helicobacter and Upper Gastrointestinal Research, 2013, 13, 20. | 0.4 | 3 |
| 285 | Direct comparison of the next-generation sequencing and iTERT PCR methods for the diagnosis of TERT hotspot mutations in advanced solid cancers. BMC Medical Genomics, 2022, 15, 25. | 1.5 | 3 |
| 286 | Expression of CD274 mRNA Measured by qRT-PCR Correlates With PD-L1 Immunohistochemistry in Gastric and Urothelial Carcinoma. Frontiers in Oncology, 2022, 12, 856444. | 2.8 | 3 |
| 287 | Aggressive gastrointestinal stromal tumour of the oesophagus with homozygous KIT exon 11 deletion mutation. Pathology, 2012, 44, 260-261. | 0.6 | 2 |
| 288 | Recent advances in endoscopic diagnosis and treatment of gastric cancer. Journal of the Korean Medical Association, 2015, 58, 191. | 0.3 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Factors Associated With Host Immune Response and Number of Lymph Nodes: A Large Retrospective Cohort Study. Annals of Surgical Oncology, 2018, 25, 3621-3628. | 1.5 | 2 |
| 290 | DNA-protein biomarkers for immunotherapy in the era of precision oncology. Journal of Pathology and Translational Medicine, 2021, 55, 26-32. | 1.1 | 2 |
| 291 | First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients: Integrative pathologic-genomic analysis and the final results Journal of Clinical Oncology, 2019, 37, 3104-3104. | 1.6 | 2 |
| 292 | Results from the safety interim analysis of the adjuvant chemoradiotherapy in stomach tumors 2 trial: a multicenter, randomized phase III clinical trial. Precision and Future Medicine, 2019, 3, 24-29. | 1.6 | 2 |
| 293 | Negative Biopsy after Referral for Biopsy-Proven Gastric Cancer. Gut and Liver, 2016, 10, 63. | 2.9 | 2 |
| 294 | Single patient classifier as a prognostic biomarker in pT1N1 gastric cancer: Results from two large Korean cohorts. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2021, 33, 583-591. | 2.2 | 2 |
| 295 | Risk-Scoring System for Prediction of Non-Curative Endoscopic Submucosal Dissection Requiring Additional Gastrectomy in Patients with Early Gastric Cancer. Journal of Gastric Cancer, 2021, 21, 368. | 2.5 | 2 |
| 296 | Gastric Carcinoma: Morphologic Classifications and Molecular Changes., 0,,. | | 1 |
| 297 | To Excavate Biomarkers Predictive of the Response for Capecitabine plus RAD001 through Nanostring-Based Multigene Assay in Advanced Gastric Cancer Patients. Journal of Cancer, 2016, 7, 2173-2178. | 2.5 | 1 |
| 298 | An investigation of the role of gene copy number variations in sorafenib sensitivity in metastatic hepatocellular carcinoma patients. Journal of Cancer, 2017, 8, 730-736. | 2.5 | 1 |
| 299 | Interchangeability of PD-L1 laboratory-developed test by 22C3 antibody concentrate among ihc platforms in gastric cancer. Pathology, 2020, 52, S120. | 0.6 | 1 |
| 300 | Clinical feasibility and oncologic safety of primary endoscopic submucosal dissection for clinical submucosal invasive early gastric cancer. Journal of Cancer Research and Clinical Oncology, 2021, 147, 3051-3061. | 2.5 | 1 |
| 301 | Phase II XELOX + lapatinib treatment in HER2-amplified gastric cancer: Monitoring with serial cell-free DNA genomics Journal of Clinical Oncology, 2017, 35, e15610-e15610. | 1.6 | 1 |
| 302 | First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients Journal of Clinical Oncology, 2018, 36, e14501-e14501. | 1.6 | 1 |
| 303 | Results from the safety interim analysis of the Adjuvant chemoRadioTherapy In Stomach Tumors 2 (ARTIST 2) randomized, multi-center clinical trial Journal of Clinical Oncology, 2018, 36, e16029-e16029. | 1.6 | 1 |
| 304 | Epigenetic alternate promoter utilization and association with PD-L1 expression in Epstein–Barr virus positive gastric cancer Journal of Clinical Oncology, 2019, 37, e15509-e15509. | 1.6 | 1 |
| 305 | Mesenteric Fibromatosis Mimicking Recurrence after Distal Gastrectomy for Gastric Cancer. Journal of Gastric Cancer, 2010, 10, 79. | 2.5 | 1 |
| 306 | Profiling of circulating tumor cells isolated from 105 metastatic gastric cancer patients revealed HER2 overexpression/activation for potential use in clinical setting. Journal of Clinical Oncology, 2012, 30, 10535-10535. | 1.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Phase III trial to compare capecitabine/cisplatin (XP) versus XP plus concurrent capecitabine-radiotherapy in gastric cancer (GC): The final report on the ARTIST trial Journal of Clinical Oncology, 2014, 32, 4008-4008. | 1.6 | 1 |
| 308 | Filiform serrated adenoma: authors' reply. Pathology, 2012, 44, 386. | 0.6 | 0 |
| 309 | Gastrointestinal stromal tumour with CDKN2A deletions: a report of three cases. Pathology, 2019, 51, 537-539. | 0.6 | 0 |
| 310 | PTEN Protein losses and loss-of-function genetic variants in gastric cancers: the relationship with microsatellite instability, EBV, and PD-L1 expression. Pathology, 2020, 52, S120. | 0.6 | 0 |
| 311 | ASO Video Abstract: Microsatellite Instability and the Effectiveness of Adjuvant Treatment in pT1N1 Gastric Cancer—A Multi-cohort Study. Annals of Surgical Oncology, 2021, 28, 688. | 1.5 | 0 |
| 312 | Author's Correction. American Journal of Roentgenology, 2000, 175, 556-556. | 2.2 | 0 |
| 313 | Esophageal Gland Duct Adenoma. Korean Journal of Pathology, 2011, 45, S45. | 1.3 | 0 |
| 314 | SSTR2A Protein Expression in Neuroendocrine Neoplasms of the Colorectum. Korean Journal of Pathology, 2011, 45, 276. | 1.3 | 0 |
| 315 | Comprehensive genomic profiling of metastatic gastric cancer undergoing palliative chemotherapy at Samsung Medical Center using custom targeted deep sequencing (CancerSCAN ^{â,,¢}) Journal of Clinical Oncology, 2015, 33, e22173-e22173. | 1.6 | 0 |
| 316 | Molecular profiling of patient derived cells (PDCs) from metastatic cancer patients using CancerSCAN: Highly profiled models to test the efficacy of genome-directed therapy in cancer Journal of Clinical Oncology, 2015, 33, e22241-e22241. | 1.6 | 0 |
| 317 | Development and validation of sensitive and selective biomarker for early detection and prognostic system of colorectal cancer using aptamer biochip Journal of Clinical Oncology, 2015, 33, e22124-e22124. | 1.6 | 0 |
| 318 | Programmed death (PD)-ligand 1 (L1) expression and mismatch repair (MMR) deficiency across tumor types: Candidates for checkpoint inhibitor based immunotherapy Journal of Clinical Oncology, 2017, 35, e14622-e14622. | 1.6 | 0 |
| 319 | VariantPlex panel to detect genomic aberrations in oncology patients with rare cancer type Journal of Clinical Oncology, 2018, 36, e24234-e24234. | 1.6 | 0 |
| 320 | Detection of targetable fusions using FusionPlex in oncology patients Journal of Clinical Oncology, 2018, 36, e24238-e24238. | 1.6 | 0 |
| 321 | IL-7Rα ^{low} CD8 ⁺ T Cells from Healthy Individuals Are Anergic with Defective Glycolysis. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 322 | Abstract 1107: LAG3 in Solid Tumors as a Potential Novel Immunotherapy Target., 2019,,. | | 0 |
| 323 | Abstract 3605: O-linked N-acetylglucosamine transferase as a potential therapeutic target for metastatic gastric cancer. , $2019, , .$ | | 0 |
| 324 | Novel target discovery in pembrolizumab-resistant gastric cancer using a comprehensive RNA-seq analysis pipeline Journal of Clinical Oncology, 2020, 38, e16541-e16541. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Abstract 2370: Elevated levels of anti-Epstein Barr virus (EBV) antibodies in EBV-associated gastric carcinoma., 2020,,. | | 0 |
| 326 | Mycobiome analysis in fungal infected formalin-fixed and paraffin-embedded tissues for identification of pathogenic fungi: a pilot study. F1000Research, 0, 9, 758. | 1.6 | 0 |
| 327 | Two Gastric Cancers With Uncommon ALK Fusion Diagnosed With Comprehensive Panel Sequencing and Confirmed With Companion Diagnostic Assay. AJSP Review and Reports, 2022, 27, 9-12. | 0.1 | 0 |
| 328 | Abstract 3605: O-linked N-acetylglucosamine transferase as a potential therapeutic target for metastatic gastric cancer. , 2019, , . | | 0 |
| 329 | Prevalence of MET aberration using next generation sequencing in oncology clinic: A real-world experience Journal of Clinical Oncology, 2022, 40, e16099-e16099. | 1.6 | 0 |