
## Derick T Wade

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2964180/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Prolonged disorders of consciousness: A response to a "critical evaluation of the new UK<br>guidelines.― Clinical Rehabilitation, 2022, 36, 1267-1275.  | 1.0 | 4         |
| 2  | The future of rehabilitation in the United Kingdom National Health Service: Using the COVID-19 crisis to promote change, increasing efficiency and effectiveness. Clinical Rehabilitation, 2021, 35, 471-480.                             | 1.0 | 10        |
| 3  | Dual-task walking and automaticity after Stroke: Insights from a secondary analysis and imaging sub-study of a randomised controlled trial. Clinical Rehabilitation, 2021, 35, 026921552110173.   | 1.0 | 10        |
| 4  | Defining rehabilitation: An exploration of why it is attempted, and why it will always fail. Clinical Rehabilitation, 2021, 35, 1650-1656.  | 1.0 | 14        |
| 5  | Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation<br>(â€~My Therapy'): protocol for a stepped-wedge cluster randomised trial. BMC Health Services Research,<br>2021, 21, 811.             | 0.9 | 5         |
| 6  | Immunotherapy to reduce frequency of urinary tract infections in people with neurogenic bladder<br>dysfunction; a pilot randomised, placebo-controlled trial. Clinical Rehabilitation, 2020, 34, 1458-1464.                               | 1.0 | 2         |
| 7  | What attributes should a specialist in rehabilitation have? Seven suggested specialist Capabilities in Practice. Clinical Rehabilitation, 2020, 34, 995-1003.   | 1.0 | 12        |
| 8  | The effects of small-needle-knife therapy on pain and mobility from knee osteoarthritis: a pilot randomized-controlled study. Clinical Rehabilitation, 2020, 34, 1497-1505.   | 1.0 | 8         |
| 9  | What is rehabilitation? An empirical investigation leading to an evidence-based description. Clinical Rehabilitation, 2020, 34, 571-583.  | 1.0 | 148       |
| 10 | Updated NICE guidance on chronic fatigue syndrome. BMJ, The, 2020, 371, m4774.  | 3.0 | 13        |
| 11 | Rehabilitation after COVID-19: an evidence-based approach. Clinical Medicine, 2020, 20, 359-365.  | 0.8 | 107       |
| 12 | A teamwork approach to neurological rehabilitation. , 2020, , 9-22.   |     | 2         |
| 13 | Making healthcare decisions in a person's best interests when they lack capacity: clinical guidance based on a review of evidence. Clinical Rehabilitation, 2019, 33, 1571-1585.  | 1.0 | 17        |
| 14 | Determining whether someone has mental capacity to make a decision: clinical guidance based on a review of the evidence. Clinical Rehabilitation, 2019, 33, 1561-1570.  | 1.0 | 15        |
| 15 | Uro-Vaxom® versus placebo for the prevention of recurrent symptomatic urinary tract infections in participants with chronic neurogenic bladder dysfunction: a randomised controlled feasibility study. Trials, 2019, 20, 223.             | 0.7 | 14        |
| 16 | A randomised double-blind placebo-controlled feasibility trial of flavonoid-rich cocoa for fatigue in<br>people with relapsing and remitting multiple sclerosis. Journal of Neurology, Neurosurgery and<br>Psychiatry, 2019, 90, 507-513. | 0.9 | 19        |
| 17 | Commentary on Charles Foster's †The rebirth of medical paternalism: an NHS Trust v Y'. Journal of<br>Medical Ethics, 2019, 45, 8-9.   | 1.0 | 2         |
| 18 | Malingering and factitious disorder. Practical Neurology, 2019, 19, 96-105.   | 0.5 | 55        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | SleepSure: a pilot randomized-controlled trial to assess the effects of eye masks and earplugs on the quality of sleep for patients in hospital. Clinical Rehabilitation, 2019, 33, 253-261.  | 1.0 | 21        |
| 20 | A randomized controlled trial of a walking training with simultaneous cognitive demand (dualâ€ŧask)<br>in chronic stroke. European Journal of Neurology, 2019, 26, 435-441.   | 1.7 | 23        |
| 21 | How often is the diagnosis of the permanent vegetative state incorrect? A review of the evidence.<br>European Journal of Neurology, 2018, 25, 619-625.  | 1.7 | 40        |
| 22 | Using best interests meetings for people in a prolonged disorder of consciousness to improve clinical and ethical management. Journal of Medical Ethics, 2018, 44, 336-342.   | 1.0 | 12        |
| 23 | Evaluation of a smartwatch-based intervention providing feedback of daily activity within a research-naive stroke ward: a pilot randomised controlled trial. Pilot and Feasibility Studies, 2018, 4, 157.   | 0.5 | 16        |
| 24 | Clinically assisted nutrition and hydration. BMJ: British Medical Journal, 2018, 362, k3869.  | 2.4 | 3         |
| 25 | How many patients in a prolonged disorder of consciousness might need a best interests meeting about starting or continuing gastrostomy feeding?. Clinical Rehabilitation, 2018, 32, 026921551877728.   | 1.0 | 17        |
| 26 | What I learned from my illness. Listen to what a patient tells you about changes in their experience and function, not about their current state. Practical Neurology, 2018, 18, 424-425.   | 0.5 | 0         |
| 27 | Does feedback on daily activity level from a Smart watch during inpatient stroke rehabilitation increase physical activity levels? Study protocol for a randomized controlled trial. Trials, 2018, 19, 177.   | 0.7 | 10        |
| 28 | A protocol for a randomised double-blind placebo-controlled feasibility study to determine whether the daily consumption of flavonoid-rich pure cocoa has the potential to reduce fatigue in people with relapsing and remitting multiple sclerosis (RRMS). Pilot and Feasibility Studies, 2018, 4, 35. | 0.5 | 4         |
| 29 | Phase II randomised controlled trial of a 6-month self-managed community exercise programme for people with Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 204-211.  | 0.9 | 30        |
| 30 | Back to the bedside? Making clinical decisions in patients with prolonged unconsciousness. Journal of Medical Ethics, 2017, 43, 457.1-458.  | 1.0 | 16        |
| 31 | One-year functional outcomes following major trauma: experience of a UK level 1 major trauma centre. Clinical Rehabilitation, 2017, 31, 1646-1652.  | 1.0 | 12        |
| 32 | A long-term self-managed handwriting intervention for people with Parkinson's disease: results from the control group of a phase II randomized controlled trial. Clinical Rehabilitation, 2017, 31, 1636-1645.  | 1.0 | 15        |
| 33 | Long-term Outcome After Survival of a Cardiac Arrest: A Prospective Longitudinal Cohort Study.<br>Neurorehabilitation and Neural Repair, 2017, 31, 530-539.   | 1.4 | 70        |
| 34 | The biopsychosocial model of illness: a model whose time has come. Clinical Rehabilitation, 2017, 31, 995-1004.   | 1.0 | 369       |
| 35 | Having an impact, making a difference: the Editor's review of the first 30 years. Clinical Rehabilitation,<br>2016, 30, 837-846.  | 1.0 | 1         |
| 36 | Dealing with a life changing event: The influence of spirituality and coping style on quality of life after survival of a cardiac arrest or myocardial infarction. Resuscitation, 2016, 109, 81-86.   | 1.3 | 15        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Thirtieth Anniversary Issue of Clinical Rehabilitation: an introductory editorial. Clinical<br>Rehabilitation, 2016, 30, 834-836.   | 1.0 | 0         |
| 38 | Rehabilitation – a new approach. Part four: a new paradigm, and its implications. Clinical<br>Rehabilitation, 2016, 30, 109-118.  | 1.0 | 54        |
| 39 | Registration of all rehabilitation clinical trials: an ethical and editorial imperative. Clinical Rehabilitation, 2016, 30, 211-212.  | 1.0 | 7         |
| 40 | Rehabilitation – a new approach. Part three: the implications of the theories. Clinical Rehabilitation, 2016, 30, 3-10.   | 1.0 | 32        |
| 41 | Rehabilitation – a new approach. Overview and Part One: the problems. Clinical Rehabilitation, 2015, 29, 1041-1050.   | 1.0 | 64        |
| 42 | Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. The Cochrane<br>Library, 2015, 2015, CD004170.  | 1.5 | 187       |
| 43 | Life goal attainment in the adaptation process after acquired brain injury: the influence of self-efficacy and of flexibility and tenacity in goal pursuit. Clinical Rehabilitation, 2015, 29, 611-622.                                       | 1.0 | 36        |
| 44 | Early neurologically-focused follow-up after cardiac arrest improves quality of life at one year: A<br>randomised controlled trial. International Journal of Cardiology, 2015, 193, 8-16.   | 0.8 | 109       |
| 45 | Rehabilitation interventions for foot drop in neuromuscular disease. The Cochrane Library, 2015, ,<br>CD003908.   | 1.5 | 1         |
| 46 | Restricting freedom of people with limited awareness of maintaining their well-being: a legal quagmire. Practical Neurology, 2015, 15, 330-332.   | 0.5 | 1         |
| 47 | Rehabilitation – a new approach. Part two: the underlying theories. Clinical Rehabilitation, 2015, 29, 1145-1154.   | 1.0 | 82        |
| 48 | An interdisciplinary approach to neurological rehabilitation. , 2015, , 8-17.   |     | 6         |
| 49 | How flexible is coping after acquired brain injury? A 1-year prospective study investigating coping patterns and influence of self-efficacy, executive functioning and self-awareness. Journal of Rehabilitation Medicine, 2014, 46, 869-875. | 0.8 | 12        |
| 50 | Psychometric properties of the Coping Inventory for Stressful Situations (CISS) in patients with acquired brain injury Psychological Assessment, 2014, 26, 848-856.   | 1.2 | 26        |
| 51 | Conscientious care for the unconscious patient: new guidance from the Royal College of Physicians.<br>Clinical Medicine, 2014, 14, 290-291.   | 0.8 | 1         |
| 52 | Interventions for fatigue in Parkinson's disease: A systematic review and metaâ€analysis. Movement<br>Disorders, 2014, 29, 1675-1678.   | 2.2 | 50        |
| 53 | Influence of Self-Efficacy and Coping on Quality of Life and Social Participation After Acquired Brain<br>Injury: A 1-Year Follow-Up Study. Archives of Physical Medicine and Rehabilitation, 2014, 95, 2327-2334.                            | 0.5 | 43        |
| 54 | Study Protocol of the Restore4Stroke Self-Management Study: A Multicenter Randomized Controlled<br>Trial in Stroke Patients and Their Partners. International Journal of Stroke, 2014, 9, 818-823.  | 2.9 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | National Institute for Health and Care Excellence stroke rehabilitation guidance – is it useful, usable, and based on best evidence?. Clinical Rehabilitation, 2014, 28, 523-529.  | 1.0 | 5         |
| 56 | Delayed Recovery of Leg Fatigue Symptoms Following a Maximal Exercise Session in People With Multiple Sclerosis. Neurorehabilitation and Neural Repair, 2014, 28, 139-148.   | 1.4 | 13        |
| 57 | Measuring complexity in neurological rehabilitation: the Oxford Case Complexity Assessment Measure (OCCAM). Clinical Rehabilitation, 2014, 28, 499-507.  | 1.0 | 12        |
| 58 | â€~Stand still …, and move on' , an early neurologically-focused follow-up for cardiac arrest survivors<br>and their caregivers: a process evaluation. BMC Health Services Research, 2014, 14, 34.   | 0.9 | 38        |
| 59 | Patients with prolonged disorders of consciousness: more than a clinical challenge. Practical Neurology, 2014, 14, 2-3.  | 0.5 | 3         |
| 60 | Specialist rehabilitation for people with Parkinson's disease in the community: a randomised controlled trial. Health Services and Delivery Research, 2014, 2, 1-376.  | 1.4 | 9         |
| 61 | Non pharmacological interventions for spasticity in multiple sclerosis. The Cochrane Library, 2013, , CD009974.  | 1.5 | 64        |
| 62 | The effects of mental practice in neurological rehabilitation; a systematic review and meta-analysis.<br>Frontiers in Human Neuroscience, 2013, 7, 390.  | 1.0 | 102       |
| 63 | Cardiovascular adaptation in people with multiple sclerosis following a twelve week exercise programme suggest deconditioning rather than autonomic dysfunction caused by the disease. Results from a randomized controlled trial. European Journal of Physical and Rehabilitation Medicine, 2013, 49. 765-74. | 1.1 | 10        |
| 64 | The adaptation process following acute onset disability: an interactive two-dimensional approach applied to acquired brain injury. Clinical Rehabilitation, 2012, 26, 840-852.   | 1.0 | 43        |
| 65 | fMRI for vegetative and minimally conscious states. BMJ, The, 2012, 345, e8045-e8045.  | 3.0 | 8         |
| 66 | Functional abilities after stroke: measurement, natural history and prognosis. Journal of Neurology,<br>Neurosurgery and Psychiatry, 2012, 83, 770-770.  | 0.9 | 7         |
| 67 | Evaluation of the safety and tolerability profile of Sativex <sup>®</sup> : is it reassuring enough?.<br>Expert Review of Neurotherapeutics, 2012, 12, 9-14.   | 1.4 | 19        |
| 68 | Disease-specific training in Parkinson's disease for care assistants: a comparison of interactive and self-study methods. Clinical Rehabilitation, 2012, 26, 545-557.  | 1.0 | 2         |
| 69 | Services for helping acute stroke patients avoid hospital admission. The Cochrane Library, 2012, 2012, CD000444.   | 1.5 | 7         |
| 70 | A Multicenter Randomized Controlled Trial to Compare Subacute †Treatment as Usual' With and<br>Without Mental Practice Among Persons With Stroke inÂDutch Nursing Homes. Journal of the<br>American Medical Directors Association, 2012, 13, 85.e1-85.e7.  | 1.2 | 41        |
| 71 | Practical research-based guidance for motor imagery practice in neurorehabilitation. Disability and Rehabilitation, 2012, 34, 2192-2200.   | 0.9 | 22        |
| 72 | Evidence-based cognitive rehabilitation after acquired brain injury: A systematic review of content of treatment. Neuropsychological Rehabilitation, 2012, 22, 653-673.  | 1.0 | 81        |

| #  | Article  | IF         | CITATIONS |
|----|--|------------|-----------|
| 73 | Weekly exercise does not improve fatigue levels in Parkinson's disease. Movement Disorders, 2012, 27, 143-146.   | 2.2        | 42        |
| 74 | Hydration and independence in activities of daily living in people with multiple sclerosis: a pilot investigation. Disability and Rehabilitation, 2011, 33, 1822-1825.   | 0.9        | 10        |
| 75 | Motor imagery in patients with a right hemisphere stroke and unilateral neglect. Brain Injury, 2011, 25, 387-393.  | 0.6        | 22        |
| 76 | Exercise for multiple sclerosis: a single-blind randomized trial comparing three exercise intensities.<br>Multiple Sclerosis Journal, 2011, 17, 594-603.   | 1.4        | 91        |
| 77 | Agreement between Two Different Scoring Procedures for Goal Attainment Scaling is Low. Journal of Rehabilitation Medicine, 2011, 43, 46-49.  | 0.8        | 23        |
| 78 | A comparison of specialist rehabilitation and care assistant support with specialist rehabilitation alone and usual care for people with Parkinson's living in the community: study protocol for a randomised controlled trial. Trials, 2011, 12, 250. | 0.7        | 4         |
| 79 | Rehabilitation with mental practice has similar effects on mobility as rehabilitation with relaxation in people with Parkinson's disease: a multicentre randomised trial. Journal of Physiotherapy, 2011, 57, 27-34.                                   | 0.7        | 60        |
| 80 | The clinical aspects of mirror therapy in rehabilitation. International Journal of Rehabilitation Research, 2011, 34, 1-13.  | 0.7        | 163       |
| 81 | Use of movement imagery in neurorehabilitation. International Journal of Rehabilitation Research, 2011, 34, 203-208.   | 0.7        | 7         |
| 82 | Supported community exercise in people with long-term neurological conditions: a phase II randomized controlled trial. Clinical Rehabilitation, 2011, 25, 588-598.   | 1.0        | 36        |
| 83 | Complexity, case-mix and rehabilitation: the importance of a holistic model of illness. Clinical Rehabilitation, 2011, 25, 387-395.  | 1.0        | 35        |
| 84 | The Mississippi categorisation of post-traumatic amnesia is better than the Russell classification.<br>Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 474-474.   | 0.9        | 0         |
| 85 | â€~Stand still … , and move on', a new early intervention service for cardiac arrest survivors and the caregivers: rationale and description of the intervention. Clinical Rehabilitation, 2011, 25, 867-879.  | 2ir<br>1.0 | 32        |
| 86 | Introductory paragraph. Clinical Rehabilitation, 2011, 25, 578-578.  | 1.0        | 0         |
| 87 | Treatment of mental slowness: How to evaluate treatment effects. A systematic review of outcome measures. Neuropsychological Rehabilitation, 2011, 21, 860-883.  | 1.0        | 3         |
| 88 | Neuropsychological deficits within the World Health Organization's model of illness (ICIDH-2). , 2010, , 849-855.  |            | 0         |
| 89 | Social participation through the eyes of people with aphasia. International Journal of Language and<br>Communication Disorders, 2010, 45, 537-550.   | 0.7        | 134       |
| 90 | Feasibility of a mental practice intervention in stroke patients in nursing homes; a process evaluation.<br>BMC Neurology, 2010, 10, 74.   | 0.8        | 21        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Workloads of Parkinson's specialist nurses: implications for implementing national service guidelines<br>in England. Journal of Clinical Nursing, 2010, 19, 3575-3580.  | 1.4 | 28        |
| 92  | Measuring case complexity in neurological rehabilitation. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 127-127.   | 0.9 | 5         |
| 93  | Determinants of quality of life in survivors of cardiac arrest. Journal of Rehabilitation Medicine, 2010, 42, 553-558.  | 0.8 | 109       |
| 94  | Research in rehabilitation medicine: Methodological challenges. Journal of Clinical Epidemiology, 2010, 63, 699-704.  | 2.4 | 68        |
| 95  | Psychometric Properties of the Community Integration Questionnaire Adjusted for People With Aphasia. Archives of Physical Medicine and Rehabilitation, 2010, 91, 395-399.   | 0.5 | 44        |
| 96  | An Integrated Motor Imagery Program to Improve Functional Task Performance in<br>Neurorehabilitation: A Single-Blind Randomized Controlled Trial. Archives of Physical Medicine and<br>Rehabilitation, 2010, 91, 939-946. | 0.5 | 79        |
| 97  | Meta-analysis of the efficacy and safety of Sativex (nabiximols), on spasticity in people with multiple sclerosis Journal, 2010, 16, 707-714.   | 1.4 | 155       |
| 98  | An investigation into the social participation of stroke survivors with aphasia. Disability and Rehabilitation, 2010, 32, 1678-1685.  | 0.9 | 139       |
| 99  | A study of perceived facilitators to physical activity in neurological conditions. International Journal of Therapy and Rehabilitation, 2009, 16, 17-24.  | 0.1 | 51        |
| 100 | Reliability and validity of two new instruments for measuring aspects of mental slowness in the daily<br>lives of stroke patients. Neuropsychological Rehabilitation, 2009, 19, 64-85.                                    | 1.0 | 25        |
| 101 | Control in rehabilitation research. Clinical Rehabilitation, 2009, 23, 675-680.   | 1.0 | 3         |
| 102 | Goal setting in rehabilitation: an overview of what, why and how. Clinical Rehabilitation, 2009, 23, 291-295.   | 1.0 | 275       |
| 103 | Pedometer step counts in individuals with neurological conditions. Clinical Rehabilitation, 2009, 23, 171-175.  | 1.0 | 38        |
| 104 | Brain Activity Changes Associated With Treadmill Training After Stroke. Stroke, 2009, 40, 2460-2467.  | 1.0 | 138       |
| 105 | Facilitating the participation of people with aphasia in research: a description of strategies. Clinical Rehabilitation, 2009, 23, 948-959.   | 1.0 | 88        |
| 106 | Mental techniques during manual stretching in spasticity — a pilot randomized controlled trial.<br>Clinical Rehabilitation, 2009, 23, 137-145.  | 1.0 | 15        |
| 107 | Editorial. Clinical Rehabilitation, 2009, 23, 867-872.  | 1.0 | 10        |
| 108 | Adverse effects of rehabilitation – an opportunity to increase quality and effectiveness of rehabilitation, 2009, 23, 387-393.  | 1.0 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Fast walking under cognitive-motor interference conditions in chronic stroke. Brain Research, 2009, 1287, 104-110.   | 1.1 | 58        |
| 110 | Gait adaptations to simultaneous cognitive and mechanical constraints. Experimental Brain Research, 2009, 199, 39-48.  | 0.7 | 39        |
| 111 | Cognitive impairments in survivors of out-of-hospital cardiac arrest: A systematic review.<br>Resuscitation, 2009, 80, 297-305.  | 1.3 | 323       |
| 112 | Life after survival: Long-term daily functioning and quality of life after an out-of-hospital cardiac arrest. Resuscitation, 2009, 80, 517-522.  | 1.3 | 220       |
| 113 | Efficacy of Time Pressure Management in Stroke Patients With Slowed Information Processing: A<br>Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1672-1679. | 0.5 | 60        |
| 114 | Writing SMART rehabilitation goals and achieving goal attainment scaling: a practical guide. Clinical Rehabilitation, 2009, 23, 352-361.   | 1.0 | 515       |
| 115 | Rehabilitation interventions for foot drop in neuromuscular disease. , 2009, , CD003908.   |     | 44        |
| 116 | Training patients in Time Pressure Management, a cognitive strategy for mental slowness. Clinical<br>Rehabilitation, 2009, 23, 79-90.  | 1.0 | 29        |
| 117 | Walking performance and its recovery in chronic stroke in relation to extent of lesion overlap with the descending motor tract. Experimental Brain Research, 2008, 186, 325-333.                     | 0.7 | 70        |
| 118 | The Effects of Stretching in Spasticity: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1395-1406.   | 0.5 | 131       |
| 119 | Using mental practice in stroke rehabilitation: a framework. Clinical Rehabilitation, 2008, 22, 579-591.   | 1.0 | 73        |
| 120 | A description of social participation in workingâ€age persons with aphasia: A review of the literature.<br>Aphasiology, 2008, 22, 1071-1091.   | 1.4 | 75        |
| 121 | Functional MRI Correlates of Lower Limb Function in Stroke Victims With Gait Impairment. Stroke, 2008, 39, 1507-1513.  | 1.0 | 98        |
| 122 | Measures for rating social participation in people with aphasia: a systematic review. Clinical<br>Rehabilitation, 2008, 22, 542-555.   | 1.0 | 42        |
| 123 | Can aerobic treadmill training reduce the effort of walking and fatigue in people with multiple sclerosis: a pilot study. Multiple Sclerosis Journal, 2007, 13, 113-119.                             | 1.4 | 136       |
| 124 | Social roles and long-term illness: is it time to rehabilitate convalescence?. Clinical Rehabilitation, 2007, 21, 291-298.   | 1.0 | 9         |
| 125 | Life after survival: long-term daily life functioning and quality of life of patients with hypoxic brain injury as a result of a cardiac arrest. Clinical Rehabilitation, 2007, 21, 425-431.         | 1.0 | 59        |
|     |  |     |           |

126 Editorial. Clinical Rehabilitation, 2007, 21, 1059-1062.

1.0 4

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Is it possible to use the Structural Dimension Analysis of Motor Memory (SDA-M) to investigate representations of motor actions in stroke patients?. Clinical Rehabilitation, 2007, 21, 822-832.                                     | 1.0 | 45        |
| 128 | Rehabilitation interventions for foot drop in neuromuscular disease. , 2007, , CD003908.   |     | 17        |
| 129 | Ethics of collecting and using healthcare data. BMJ: British Medical Journal, 2007, 334, 1330-1331.  | 2.4 | 14        |
| 130 | Somatosensory recovery: A longitudinal study of the first 6 months after unilateral stroke. Disability and Rehabilitation, 2007, 29, 293-299.  | 0.9 | 53        |
| 131 | Activity and Life After Survival of a Cardiac Arrest (ALASCA) and the effectiveness of an early intervention service: design of a randomised controlled trial. BMC Cardiovascular Disorders, 2007, 7, 26.                            | 0.7 | 24        |
| 132 | Effects of mental practice embedded in daily therapy compared to therapy as usual in adult stroke patients in Dutch nursing homes: design of a randomised controlled trial. BMC Neurology, 2007, 7, 34.                              | 0.8 | 19        |
| 133 | Long-term use of a cannabis-based medicine in the treatment of spasticity and other symptoms in multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 639-645.   | 1.4 | 241       |
| 134 | The association of physical deconditioning and chronic low back pain: A hypothesis-oriented systematic review. Disability and Rehabilitation, 2006, 28, 673-693.   | 0.9 | 120       |
| 135 | The Effects of Mental Practice in Stroke Rehabilitation: A Systematic Review. Archives of Physical<br>Medicine and Rehabilitation, 2006, 87, 842-852.  | 0.5 | 238       |
| 136 | The Rivermead Post Concussion Symptoms Questionnaire. Journal of Neurology, 2006, 253, 1603-1614.  | 1.8 | 199       |
| 137 | Psychiatric aspects of head injury management. Psychiatry (Abingdon, England), 2006, 5, 69-72.   | 0.2 | 1         |
| 138 | Cluster Randomized Pilot Controlled Trial of an Occupational Therapy Intervention for Residents<br>With Stroke in UK Care Homes. Stroke, 2006, 37, 2336-2341.  | 1.0 | 59        |
| 139 | A pilot randomised controlled trial of a home-based exercise programme aimed at improving<br>endurance and function in adults with neuromuscular disorders. Journal of Neurology,<br>Neurosurgery and Psychiatry, 2006, 77, 959-962. | 0.9 | 34        |
| 140 | Rehabilitation Omniana. Clinical Rehabilitation, 2006, 20, 1021-1022.  | 1.0 | 0         |
| 141 | Treadmill training for individuals with multiple sclerosis: a pilot randomised trial. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 531-533.  | 0.9 | 145       |
| 142 | Evaluating rehabilitation using cost-consequences analysis: an example in Parkinson's disease. Clinical<br>Rehabilitation, 2006, 20, 232-238.  | 1.0 | 29        |
| 143 | Disruption of sitting balance after stroke: influence of spoken output. Journal of Neurology,<br>Neurosurgery and Psychiatry, 2006, 77, 674-676.   | 0.9 | 38        |
| 144 | Exertional symptoms and exercise capacity in individuals with brain injury. Disability and Rehabilitation, 2006, 28, 1243-1250.  | 0.9 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Why physical medicine, physical disability and physical rehabilitation? We should abandon Cartesian<br>dualism. Clinical Rehabilitation, 2006, 20, 185-190.  | 1.0 | 28        |
| 146 | Manifestations of mental slowness in the daily life of patients with stroke: a qualitative study.<br>Clinical Rehabilitation, 2006, 20, 827-834.   | 1.0 | 28        |
| 147 | Describing rehabilitation interventions. Clinical Rehabilitation, 2005, 19, 811-818.   | 1.0 | 136       |
| 148 | â€~But is the difference clinically significant?'. Clinical Rehabilitation, 2005, 19, 349-353.   | 1.0 | 7         |
| 149 | Family support for stroke: one year follow up of a randomised controlled trial. Journal of<br>Neurology, Neurosurgery and Psychiatry, 2005, 76, 1006-1008.   | 0.9 | 25        |
| 150 | Investigating the effectiveness of rehabilitation professions - a misguided enterprise?. Clinical Rehabilitation, 2005, 19, 1-3.   | 1.0 | 16        |
| 151 | Randomized clinical trials in Clinical Rehabilitation. Clinical Rehabilitation, 2005, 19, 233-236.   | 1.0 | 3         |
| 152 | Ethics, audit, and research: all shades of grey. BMJ: British Medical Journal, 2005, 330, 468-471.   | 2.4 | 88        |
| 153 | Randomization in clinical research. Brain Injury, 2005, 19, 961-961.   | 0.6 | 2         |
| 154 | Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. , 2005, , CD004170.  |     | 145       |
| 155 | Borg's Rating of Perceived Exertion Scales: Do the Verbal Anchors Mean the Same for Different<br>Clinical Groups?. Archives of Physical Medicine and Rehabilitation, 2005, 86, 912-916.                    | 0.5 | 65        |
| 156 | Applying the WHO ICF framework to the rehabilitation of patients with cognitive deficits. , 2005, , 31-42.   |     | 14        |
| 157 | A pilot study to investigate explosive leg extensor power and walking performance after stroke.<br>Journal of Sports Science and Medicine, 2005, 4, 556-62.  | 0.7 | 13        |
| 158 | Rehabilitation following acquired brain injury: concise guidance. Clinical Medicine, 2004, 4, 61-65.   | 0.8 | 21        |
| 159 | Assessment, measurement and data collection tools. Clinical Rehabilitation, 2004, 18, 233-237.   | 1.0 | 23        |
| 160 | An audit of the editorial process and peer review in the journal Clinical Rehabilitation. Clinical Rehabilitation, 2004, 18, 117-124.  | 1.0 | 10        |
| 161 | Does reducing spasticity translate into functional benefit? An exploratory meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 1547-1551.  | 0.9 | 132       |
| 162 | SaGA S, the Short and Graphic A bility Score: an alternative scoring method for the motor<br>components of the Multiple Sclerosis Functional C omposite. Multiple Sclerosis Journal, 2004, 10,<br>231-242. | 1.4 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Combined analysis of two randomized trials of community physiotherapy for patients more than one year post stroke. Clinical Rehabilitation, 2004, 18, 249-252.  | 1.0 | 29        |
| 164 | Evaluation of the Modifid Jebsen Test of Hand Function and the University of Maryland Arm Questionnaire for Stroke. Clinical Rehabilitation, 2004, 18, 195-202.   | 1.0 | 58        |
| 165 | Do cannabis-based medicinal extracts have general or specific effects on symptoms in multiple<br>sclerosis? A double-blind, randomized, placebo-controlled study on 160 patients. Multiple Sclerosis<br>Journal, 2004, 10, 434-441.   | 1.4 | 487       |
| 166 | Do biomedical models of illness make for good healthcare systems?. BMJ: British Medical Journal, 2004, 329, 1398-1401.  | 2.4 | 309       |
| 167 | Postoperative hypoxia is a contributory factor to cognitive impairment after cardiac surgery. Journal of Thoracic and Cardiovascular Surgery, 2003, 126, 1061-1064.   | 0.4 | 41        |
| 168 | Heart Rate as a Measure of Exercise Testing Early after Acquired Brain Injury. Physiotherapy, 2003, 89,<br>570-574.   | 0.2 | 3         |
| 169 | A preliminary controlled study to determine whether whole-plant cannabis extracts can improve intractable neurogenic symptoms. Clinical Rehabilitation, 2003, 17, 21-29.  | 1.0 | 386       |
| 170 | Satisfaction of members of interdisciplinary rehabilitation teams with goal planning meetings11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1710-1713. | 0.5 | 26        |
| 171 | Multidisciplinary rehabilitation for people with Parkinson's disease: a randomised controlled study.<br>Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 158-162.   | 0.9 | 149       |
| 172 | Barriers to rehabilitation research, and overcoming them. Clinical Rehabilitation, 2003, 17, 1-4.   | 1.0 | 19        |
| 173 | The effect of a perceptual cognitive task on exercise performance: the dual-task condition after brain injury. Clinical Rehabilitation, 2003, 17, 535-539.  | 1.0 | 5         |
| 174 | Neuroprotection during cardiac surgery: a randomised trial of a platelet activating factor antagonist. British Heart Journal, 2003, 89, 897-900.  | 2.2 | 33        |
| 175 | Life goals of people with disabilities due to neurological disorders. Clinical Rehabilitation, 2003, 17, 521-527.   | 1.0 | 29        |
| 176 | Changes in life goals of people with neurological disabilities. Clinical Rehabilitation, 2003, 17, 797-803.   | 1.0 | 20        |
| 177 | New wine in old bottles: the WHO ICF as an explanatory model of human behaviour. Clinical Rehabilitation, 2003, 17, 349-354.  | 1.0 | 102       |
| 178 | Selection criteria for rehabilitation services. Clinical Rehabilitation, 2003, 17, 115-118.   | 1.0 | 31        |
| 179 | Community rehabilitation, or rehabilitation in the community?. Disability and Rehabilitation, 2003, 25, 875-881.  | 0.9 | 66        |
| 180 | Verbal fluency assessment of patients with multiple sclerosis: test–retest and inter-observer reliability. Clinical Rehabilitation, 2003, 17, 756-764.  | 1.0 | 25        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Relative contribution of footwear to the efficacy of ankle-foot orthoses. Clinical Rehabilitation, 2003, 17, 553-557.   | 1.0 | 44        |
| 182 | The Adult Memory and Information Processing Battery (AMIPB) test of information-processing speed: a study of its reliability and feasibility in patients with multiple sclerosis. Clinical Rehabilitation, 2003, 17, 386-393.                     | 1.0 | 17        |
| 183 | Should All Stroke Rehabilitation Be Home Based?. American Journal of Physical Medicine and Rehabilitation, 2003, 82, 733-735.   | 0.7 | 12        |
| 184 | Outcome Measures for Clinical Rehabilitation Trials. American Journal of Physical Medicine and Rehabilitation, 2003, 82, S26-S31.   | 0.7 | 67        |
| 185 | THE NORTHWICK PARK DEPENDENCY SCORE AND ITS RELATIONSHIP TO NURSING HOURS IN NEUROLOGICAL REHABILITATION. Journal of Rehabilitation Medicine, 2003, 35, 116-120.  | 0.8 | 13        |
| 186 | The effect of increasing effort on movement economy during incremental cycling exercise in individuals early after acquired brain injury. Clinical Rehabilitation, 2003, 17, 528-534.   | 1.0 | 5         |
| 187 | Characteristics of patients with persistent severe disability and medically unexplained neurological symptoms: a pilot study. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 307-309.   | 0.9 | 28        |
| 188 | Short-term effectiveness of intensive multidisciplinary rehabilitation for people with Parkinson's disease and their carers. Clinical Rehabilitation, 2002, 16, 717-725.  | 1.0 | 104       |
| 189 | Rehabilitation is a way of thinking, not a way of doing. Clinical Rehabilitation, 2002, 16, 579-581.  | 1.0 | 13        |
| 190 | Diagnosis in rehabilitation: woolly thinking and resource inequity. Clinical Rehabilitation, 2002, 16, 347-349.   | 1.0 | 14        |
| 191 | Delayed discharges from Oxford city hospitals: who and why?. Clinical Rehabilitation, 2002, 16, 315-320.  | 1.0 | 18        |
| 192 | Cognitive assessment and neurological rehabilitation. Clinical Rehabilitation, 2002, 16, 117-118.   | 1.0 | 37        |
| 193 | The Guy's Neurological Disability Scale in patients with multiple sclerosis: a clinical evaluation of its reliability and validity. Clinical Rehabilitation, 2002, 16, 75-95.   | 1.0 | 55        |
| 194 | The Rivermead Assessment of Somatosensory Performance (RASP): standardization and reliability data.<br>Clinical Rehabilitation, 2002, 16, 523-533.  | 1.0 | 138       |
| 195 | A randomised placebo controlled exploratory study of vitamin B-12, lofepramine, and L-phenylalanine<br>(the "Cari Loder regime") in the treatment of multiple sclerosis. Journal of Neurology, Neurosurgery<br>and Psychiatry, 2002, 73, 246-249. | 0.9 | 61        |
| 196 | Correlation between motor improvements and altered fMRI activity after rehabilitative therapy. Brain, 2002, 125, 2731-2742.   | 3.7 | 521       |
| 197 | The dis-integration of death. Lancet, The, 2002, 360, 425-426.  | 6.3 | 2         |
| 198 | RIVCAM: a simple video-based kinematic analysis for clinical disorders of gait. Computer Methods and<br>Programs in Biomedicine, 2002, 69, 197-209.   | 2.6 | 30        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Rehabilitation research–time for a change of focus. Lancet Neurology, The, 2002, 1, 209.  | 4.9 | 4         |
| 200 | Validity and reliability comparison of 4 mobility measures in patients presenting with neurologic impairment. Archives of Physical Medicine and Rehabilitation, 2001, 82, 9-13.           | 0.5 | 330       |
| 201 | Medically unexplained disability $\hat{a} \in $ a misnomer, and an opportunity for rehabilitation. Clinical Rehabilitation, 2001, 15, 343-347.  | 1.0 | 7         |
| 202 | Community rehabilitation in the United Kingdom. Clinical Rehabilitation, 2001, 15, 577-581.   | 1.0 | 47        |
| 203 | Research into the black box of rehabilitation: the risks of a Type III error. Clinical Rehabilitation, 2001, 15, 1-4.   | 1.0 | 46        |
| 204 | Social context as a focus for rehabilitation. Clinical Rehabilitation, 2001, 15, 459-461.   | 1.0 | 42        |
| 205 | AN INITIAL INVESTIGATION OF THE RELIABILITY OF THE RIVERMEAD EXTENDED ADL INDEX IN PATIENTS PRESENTING WITH NEUROLOGICAL IMPAIRMENT. Journal of Rehabilitation Medicine, 2001, 33, 61-70. | 0.8 | 11        |
| 206 | Research into rehabilitation. What is the priority?. Clinical Rehabilitation, 2001, 15, 229-232.  | 1.0 | 17        |
| 207 | Regional variations in stroke care in England, Wales and Northern Ireland: results from the National Sentinel Audit of Stroke. Clinical Rehabilitation, 2001, 15, 562-572.                | 1.0 | 49        |
| 208 | Community rehabilitation. Clinical Rehabilitation, 2001, 15, 575-575.   | 1.0 | 5         |
| 209 | Recent advances: Recent advances in rehabilitation. BMJ: British Medical Journal, 2000, 320, 1385-1388.   | 2.4 | 234       |
| 210 | Outcome Measures in Acute Stroke Trials. Stroke, 2000, 31, 1429-1438.   | 1.0 | 435       |
| 211 | The effect of magnesium oral therapy on spasticity in a patient with multiple sclerosis. European<br>Journal of Neurology, 2000, 7, 741-744.  | 1.7 | 10        |
| 212 | New approaches to conversion hysteria. BMJ: British Medical Journal, 2000, 320, 1488-1489.  | 2.4 | 31        |
| 213 | Clinical governance and rehabilitation services. Clinical Rehabilitation, 2000, 14, 1-4.  | 1.0 | 7         |
| 214 | Personal context as a focus for rehabilitation. Clinical Rehabilitation, 2000, 14, 115-118.   | 1.0 | 51        |
| 215 | High-intensity cycling exercise after a stroke: a single case study. Clinical Rehabilitation, 2000, 14, 570-573.  | 1.0 | 10        |
| 216 | Inter-rater reliability of the Frenchay Activities Index in patients with stroke and their carers. Clinical Rehabilitation, 2000, 14, 433-440.  | 1.0 | 67        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Pitch and Timing Abilities in Adult Left-Hemisphere-Dysphasic and Right-Hemisphere-Damaged Subjects.<br>Brain and Language, 2000, 75, 47-65.                      | 0.8 | 50        |
| 218 | Family support for stroke: a randomised controlled trial. Lancet, The, 2000, 356, 808-813.  | 6.3 | 219       |
| 219 | Services for helping acute stroke patients avoid hospital admission. , 1999, , CD000444.  |     | 8         |
| 220 | Current practice and clinical relevance of somatosensory assessment after stroke. Clinical Rehabilitation, 1999, 13, 48-55.                                       | 1.0 | 54        |
| 221 | Goal Planning in Stroke Rehabilitation: What?. Topics in Stroke Rehabilitation, 1999, 6, 8-15.  | 1.0 | 14        |
| 222 | The Short Orientation–Memory–Concentration Test: a study of its reliability and validity. Clinical<br>Rehabilitation, 1999, 13, 164-170.                          | 1.0 | 95        |
| 223 | Outcome measurement and rehabilitation. Clinical Rehabilitation, 1999, 13, 93-95.   | 1.0 | 8         |
| 224 | What is special about a specialist in rehabilitation?. Clinical Rehabilitation, 1999, 13, 2-4.  | 1.0 | 4         |
| 225 | Randomized controlled trials – a gold standard?. Clinical Rehabilitation, 1999, 13, 453-455.  | 1.0 | 8         |
| 226 | Early prediction of persisting post-concussion symptoms following mild and moderate head injuries.<br>British Journal of Clinical Psychology, 1999, 38, 15-25.    | 1.7 | 80        |
| 227 | Is cardiopulmonary bypass still the cause of cognitive dysfunction after cardiac operations?. Journal of Thoracic and Cardiovascular Surgery, 1999, 118, 414-421. | 0.4 | 128       |
| 228 | Cognitive performance after cardiac operation: Implications of regression toward the mean. Journal of Thoracic and Cardiovascular Surgery, 1999, 117, 481-485.    | 0.4 | 54        |
| 229 | Does parietal cortex contribute to feature binding?. Neuropsychologia, 1999, 37, 999-1004.  | 0.7 | 24        |
| 230 | Rehabilitation therapy after stroke. Lancet, The, 1999, 354, 176-177.   | 6.3 | 28        |
| 231 | "Wheelchair―patients with nonorganic disease. Journal of Psychosomatic Research, 1999, 47, 93-103.  | 1.2 | 23        |
| 232 | The permanent vegetative state: practical guidance on diagnosis and management. BMJ: British Medical<br>Journal, 1999, 319, 841-844.                              | 2.4 | 69        |
| 233 | Somatosensory Assessment after Central Nerve Damage: the Need for Standardized Clinical Measures.<br>Physical Therapy Reviews, 1999, 4, 21-28.                    | 0.3 | 13        |
| 234 | Goal Planning in Stroke Rehabilitation: Why?. Topics in Stroke Rehabilitation, 1999, 6, 1-7.  | 1.0 | 31        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Goal Planning in Stroke Rehabilitation: Evidence. Topics in Stroke Rehabilitation, 1999, 6, 37-42.   | 1.0 | 30        |
| 236 | An Audit of Goal Planning in Rehabilitation. Topics in Stroke Rehabilitation, 1999, 6, 51-61.  | 1.0 | 12        |
| 237 | Goal Planning in Stroke Rehabilitation: How?. Topics in Stroke Rehabilitation, 1999, 6, 16-36.   | 1.0 | 62        |
| 238 | Current practice and clinical relevance of somatosensory assessment after stroke. Clinical Rehabilitation, 1999, 13, 48-55.  | 1.0 | 72        |
| 239 | The left hemisphere and the selection of learned actions. Neuropsychologia, 1998, 36, 11-24.   | 0.7 | 99        |
| 240 | The impact of an information pack on patients with stroke and their carers: a randomized controlled trial. Clinical Rehabilitation, 1998, 12, 465-476.                               | 1.0 | 113       |
| 241 | Visual gait analysis: the development of a clinical assessment and scale. Clinical Rehabilitation, 1998, 12, 107-119.  | 1.0 | 177       |
| 242 | A comparison of two physiotherapy treatment approaches to improve walking in multiple sclerosis: a<br>pilot randomized controlled study. Clinical Rehabilitation, 1998, 12, 477-486. | 1.0 | 175       |
| 243 | Routine follow up after head injury: a second randomised controlled trial. Journal of Neurology,<br>Neurosurgery and Psychiatry, 1998, 65, 177-183.                                  | 0.9 | 224       |
| 244 | Evidence relating to assessment in rehabilitation. Clinical Rehabilitation, 1998, 12, 183-186.   | 1.0 | 14        |
| 245 | Evidence relating to goal planning in rehabilitation. Clinical Rehabilitation, 1998, 12, 273-275.  | 1.0 | 97        |
| 246 | The review process. Clinical Rehabilitation, 1998, 12, 451-453.  | 1.0 | 1         |
| 247 | Assault, post-traumatic amnesia and other variables related to outcome following head injury.<br>Clinical Rehabilitation, 1998, 12, 53-63.   | 1.0 | 30        |
| 248 | A framework for considering rehabilitation interventions. Clinical Rehabilitation, 1998, 12, 363-368.  | 1.0 | 18        |
| 249 | Editorial. Clinical Rehabilitation, 1998, 12, 1-2.   | 1.0 | 7         |
| 250 | Editorial. Clinical Rehabilitation, 1998, 12, 95-97.   | 1.0 | 2         |
| 251 | Does routine follow up after head injury help? A randomised controlled trial Journal of Neurology,<br>Neurosurgery and Psychiatry, 1997, 62, 478-484.                                | 0.9 | 107       |
| 252 | Comparison of postal version of the Frenchay Activities Index with interviewer-administered version for use in people with stroke. Clinical Rehabilitation, 1997, 11, 131-138.       | 1.0 | 38        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Services for patients with multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 1997, 63, 275-278.  | 0.9 | 7         |
| 254 | Interventions and service need following mild and moderate head injury: the Oxford Head Injury Service. Clinical Rehabilitation, 1997, 11, 13-27.   | 1.0 | 61        |
| 255 | The Barthel Index and its relationship to nursing dependency in rehabilitation. Clinical Rehabilitation, 1997, 11, 335-337.   | 1.0 | 20        |
| 256 | Measurement of post-traumatic amnesia: how reliable is it?. Journal of Neurology, Neurosurgery and Psychiatry, 1997, 62, 38-42.   | 0.9 | 85        |
| 257 | The left parietal cortex and motor attention. Neuropsychologia, 1997, 35, 1261-1273.  | 0.7 | 266       |
| 258 | The functional anatomy of a hysterical paralysis. Cognition, 1997, 64, B1-B8.   | 1.1 | 352       |
| 259 | Somatosensory assessment: can seeing produce feeling?. Journal of Neurology, 1997, 244, 199-203.  | 1.8 | 40        |
| 260 | Continuing health care criteria: their use in a specialist disability service. Journal of the Royal College<br>of Physicians of London, 1997, 31, 287-90.   | 0.2 | 0         |
| 261 | Mitoxantrone plus methylprednisolone improved active multiple sclerosis. ACP Journal Club, 1997, 127, 12.   | 0.1 | 1         |
| 262 | Face and voice expression identification in patients with emotional and behavioural changes following ventral frontal lobe damage. Neuropsychologia, 1996, 34, 247-261.   | 0.7 | 697       |
| 263 | Admission after head injury: how many occur and how many are recorded?. Injury, 1996, 27, 159-161.  | 0.7 | 36        |
| 264 | Bedside screening for aphasia: a comparison of two methods. Journal of Neurology, 1996, 243, 201-204.   | 1.8 | 75        |
| 265 | The Rivermead head injury follow up questionnaire: a study of a new rating scale and other measures<br>to evaluate outcome after head injury Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60,<br>510-514. | 0.9 | 120       |
| 266 | The Oxfordshire Head Injury Register. Disability and Rehabilitation, 1996, 18, 169-173.   | 0.9 | 7         |
| 267 | When seeing is feeling: Acquired synaesthesia or phantom touch?. Neurocase, 1996, 2, 21-29.   | 0.2 | 54        |
| 268 | Epidemiology of disabling neurological disease: how and why does disability occur?. Journal of<br>Neurology, Neurosurgery and Psychiatry, 1996, 61, 242-249.  | 0.9 | 25        |
| 269 | When Seeing is Feeling: Acquired Synaesthesia or Phantom Touch?. Neurocase, 1996, 2, 21-29.   | 0.2 | 7         |
| 270 | The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. Journal of Neurology, 1995, 242, 587-592.                                     | 1.8 | 1,224     |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Squints and diplopia seen after brain damage. Journal of Neurology, 1995, 243, 86-90.   | 1.8 | 39        |
| 272 | A subjective memory assessment questionnaire for use with elderly people after stroke. Clinical Rehabilitation, 1995, 9, 238-244.                             | 1.0 | 26        |
| 273 | Unilateral Somatoparaphrenia After Right Hemisphere Stroke: A Case Description. Cortex, 1995, 31, 173-182.  | 1.1 | 86        |
| 274 | Sensory detection without localization. Neurocase, 1995, 1, 259-266.  | 0.2 | 51        |
| 275 | Reduplication of an Event After Head Injury? A Cautionary Case Report. Cortex, 1995, 31, 183-190.   | 1.1 | 14        |
| 276 | Sensory Detection Without Localization. Neurocase, 1995, 1, 259-266.  | 0.2 | 5         |
| 277 | Enhanced physical therapy for arm function after stroke: a one year follow up study Journal of<br>Neurology, Neurosurgery and Psychiatry, 1994, 57, 856-858.  | 0.9 | 104       |
| 278 | Post-concussion symptoms: is stress a mediating factor?. Clinical Rehabilitation, 1994, 8, 149-156.   | 1.0 | 19        |
| 279 | Long-term risk of recurrent stroke after a first-ever stroke. The Oxfordshire Community Stroke<br>Project Stroke, 1994, 25, 333-337.                          | 1.0 | 488       |
| 280 | Diminution and enhancement of visuo-spatial neglect with sequential trials. Journal of Neurology, 1993, 240, 117-120.   | 1.8 | 6         |
| 281 | Three arms: a case study of supernumerary phantom limb after right hemisphere stroke Journal of<br>Neurology, Neurosurgery and Psychiatry, 1993, 56, 159-166. | 0.9 | 113       |
| 282 | Services for people with stroke Quality and Safety in Health Care, 1993, 2, 263-266.  | 2.5 | 5         |
| 283 | Disability after Stroke and Its Impact on Secondary Prevention. Cerebrovascular Diseases, 1993, 3, 24-28.   | 0.8 | 1         |
| 284 | Thumb in cheek? Sensory reorganization and perceptual plasticity after limb amputation. NeuroReport, 1993, 4, 233-236.  | 0.6 | 123       |
| 285 | Neurologic rehabilitation Editorial overview. Current Opinion in Neurology, 1993, 6, 753-755.   | 1.8 | 3         |
| 286 | Measurement in neurologic rehabilitation. Current Opinion in Neurology, 1993, 6, 778-784.   | 1.8 | 19        |
| 287 | Long-term survival after first-ever stroke: the Oxfordshire Community Stroke Project Stroke, 1993, 24, 796-800.   | 1.0 | 522       |
| 288 | Is stroke rehabilitation worthwhile?. Current Opinion in Neurology and Neurosurgery, 1993, 6, 78-82.  | 0.4 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Left on the right: allochiria in a case of left visuo-spatial neglect Journal of Neurology,<br>Neurosurgery and Psychiatry, 1992, 55, 717-719.                                | 0.9 | 89        |
| 290 | Physiotherapy intervention late after stroke and mobility BMJ: British Medical Journal, 1992, 304, 609-613.   | 2.4 | 253       |
| 291 | Functional outcome of lower limb amputees with peripheral vascular disease. Clinical Rehabilitation, 1992, 6, 13-21.  | 1.0 | 40        |
| 292 | Visuo-spatial neglect: qualitative differences and laterality of cerebral lesion Journal of Neurology,<br>Neurosurgery and Psychiatry, 1992, 55, 1060-1068.                   | 0.9 | 55        |
| 293 | First steps towards an interdisciplinary approach to rehabilitation. Clinical Rehabilitation, 1992, 6, 237-244.   | 1.0 | 59        |
| 294 | Enhanced physical therapy improves recovery of arm function after stroke. A randomised controlled trial Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 530-535. | 0.9 | 284       |
| 295 | Stroke: rehabilitation and long-term care. Lancet, The, 1992, 339, 791-793.   | 6.3 | 85        |
| 296 | Contrapositioning in a case of visual neglect. Neuropsychological Rehabilitation, 1992, 2, 125-135.   | 1.0 | 22        |
| 297 | Evaluation of Neuropsychological Therapies: The Importance of Measurement. , 1992, , 88-95.   |     | 0         |
| 298 | Measurement in neurological rehabilitation. Current Opinion in Neurology and Neurosurgery, 1992, 5, 682-6.  | 0.4 | 95        |
| 299 | Evaluating outcome in stroke rehabilitation (quality control and clinical audit). Scandinavian Journal of Rehabilitation Medicine Supplement, 1992, 26, 97-104.               | 0.0 | 8         |
| 300 | The Rivermead Mobility Index: A further development of the Rivermead Motor Assessment.<br>International Disability Studies, 1991, 13, 50-54.                                  | 0.4 | 596       |
| 301 | Residual mobility problems after stroke. International Disability Studies, 1991, 13, 12-15.   | 0.4 | 27        |
| 302 | Persistent metabolic sequelae of severe head injury in humansin vivo. Acta Neurochirurgica, 1990, 104,<br>1-7.  | 0.9 | 26        |
| 303 | Influence of cognitive function on social, domestic, and leisure activities of community-dwelling older people. International Disability Studies, 1990, 12, 169-172.          | 0.4 | 41        |
| 304 | Designing district disability services -the Oxford experience. Clinical Rehabilitation, 1990, 4, 147-158.   | 1.0 | 12        |
| 305 | Do visual field deficits exacerbate visuo-spatial neglect?. Journal of Neurology, Neurosurgery and<br>Psychiatry, 1990, 53, 487-491.  | 0.9 | 84        |
| 306 | Mobility after stroke: Reliability of measures of impairment and disability. International Disability<br>Studies, 1990, 12, 6-9.  | 0.4 | 521       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Organization of stroke care services. Clinical Rehabilitation, 1989, 3, 227-233.   | 1.0 | 7         |
| 308 | The development of a disease classification system, based on the International Classification of<br>Diseases, for use by neurologists Journal of Neurology, Neurosurgery and Psychiatry, 1989, 52,<br>449-458. | 0.9 | 8         |
| 309 | Selected cognitive losses after stroke: Frequency, recovery and prognostic importance. International Disability Studies, 1989, 11, 34-39.  | 0.4 | 26        |
| 310 | VISUOSPATIAL NEGLECT: UNDERLYING FACTORS AND TEST SENSITIVITY. Lancet, The, 1989, 334, 908-911.  | 6.3 | 298       |
| 311 | Measuring arm impairment and disability after stroke. International Disability Studies, 1989, 11, 89-92.   | 0.4 | 105       |
| 312 | The Barthel ADL Index: A standard measure of physical disability?. International Disability Studies, 1988, 10, 64-67.  | 0.4 | 1,250     |
| 313 | The Barthel ADL Index: A reliability study. International Disability Studies, 1988, 10, 61-63.   | 0.4 | 2,084     |
| 314 | Recovery of cognitive function soon after stroke: a study of visual neglect, attention span and verbal recall Journal of Neurology, Neurosurgery and Psychiatry, 1988, 51, 10-13.                              | 0.9 | 60        |
| 315 | MEASUREMENT IN REHABILITATION. Age and Ageing, 1988, 17, 289-292.  | 0.7 | 17        |
| 316 | Dysphagia in acute stroke BMJ: British Medical Journal, 1987, 295, 411-414.  | 2.4 | 565       |
| 317 | Neurological rehabilitation. International Disability Studies, 1987, 9, 45-47.   | 0.4 | 6         |
| 318 | The natural history of visual neglect after stroke Indications from two methods of assessment.<br>International Disability Studies, 1987, 9, 55-59.  | 0.4 | 73        |
| 319 | Selection of aphasic stroke patients for intensive speech therapy Journal of Neurology,<br>Neurosurgery and Psychiatry, 1987, 50, 1488-1492.   | 0.9 | 17        |
| 320 | Arm function after stroke: measurement and recovery over the first three months Journal of Neurology, Neurosurgery and Psychiatry, 1987, 50, 714-719.  | 0.9 | 470       |
| 321 | Functional abilities after stroke: measurement, natural history and prognosis Journal of Neurology,<br>Neurosurgery and Psychiatry, 1987, 50, 177-182.   | 0.9 | 757       |
| 322 | Depressed Mood After Stroke. British Journal of Psychiatry, 1987, 151, 200-205.  | 1.7 | 271       |
| 323 | Motor loss and swallowing difficulty after stroke: frequency, recovery, and prognosis Acta<br>Neurologica Scandinavica, 1987, 76, 50-54.   | 1.0 | 142       |
| 324 | Walking after stroke. Measurement and recovery over the first 3 months. Journal of Rehabilitation Medicine, 1987, 19, 25-30.   | 1.1 | 346       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Aphasia after stroke: natural history and associated deficits Journal of Neurology, Neurosurgery<br>and Psychiatry, 1986, 49, 11-16.                               | 0.9 | 360       |
| 326 | Driving after a Stroke. Journal of the Royal Society of Medicine, 1986, 79, 200-203.   | 1.1 | 116       |
| 327 | Effects of living with and looking after survivors of a stroke BMJ: British Medical Journal, 1986, 293, 418-420.   | 2.4 | 134       |
| 328 | Aphasia after stroke: a detailed study of recovery in the first 3 months. International Rehabilitation Medicine, 1986, 8, 162-165.                                 | 0.6 | 31        |
| 329 | Memory disturbance after stroke: frequency and associated losses. International Rehabilitation Medicine, 1986, 8, 60-64.   | 0.6 | 48        |
| 330 | Epidemiology of some neurological diseases with special reference to work load on the NHS.<br>International Rehabilitation Medicine, 1986, 8, 129-137.             | 0.6 | 50        |
| 331 | The Frenchay Aphasia Screening Test: a short, simple test for aphasia appropriate for non-specialists.<br>International Rehabilitation Medicine, 1986, 8, 166-170. | 0.6 | 210       |
| 332 | Loss of arm function after stroke: measurement, frequency, and recovery. International<br>Rehabilitation Medicine, 1986, 8, 69-73.                                 | 0.6 | 401       |
| 333 | Services for stroke patients one year after stroke Journal of Epidemiology and Community Health, 1986, 40, 161-165.  | 2.0 | 31        |
| 334 | Acute stroke. Practitioner, 1986, 230, 133-6.  | 0.3 | 0         |
| 335 | Stroke: associations with age, sex, and side of weakness. Archives of Physical Medicine and Rehabilitation, 1986, 67, 540-5.                                       | 0.5 | 33        |
| 336 | Hospital admission for acute stroke: who, for how long, and to what effect?. Journal of Epidemiology and Community Health, 1985, 39, 347-352.                      | 2.0 | 49        |
| 337 | Recovery after stroke–the first 3 months Journal of Neurology, Neurosurgery and Psychiatry, 1985, 48, 7-13.  | 0.9 | 311       |
| 338 | Social activities after stroke: Measurement and natural history using the Frenchay Activities Index.<br>International Rehabilitation Medicine, 1985, 7, 176-181.   | 0.6 | 335       |
| 339 | CONTROLLED TRIAL OF A HOME-CARE SERVICE FOR ACUTE STROKE PATIENTS. Lancet, The, 1985, 325, 323-326.  | 6.3 | 103       |
| 340 | Use of hospital resources by acute stroke patients. Journal of the Royal College of Physicians of<br>London, 1985, 19, 48-52.                                      | 0.2 | 15        |
| 341 | Outlook after an acute stroke: urinary incontinence and loss of consciousness compared in 532 patients. The Quarterly Journal of Medicine, 1985, 56, 601-8.        | 1.0 | 51        |
| 342 | STROKE: THE INFLUENCE OF AGE UPON OUTCOME. Age and Ageing, 1984, 13, 357-362.  | 0.7 | 48        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | LONG-TERM SURVIVAL AFTER STROKE. Age and Ageing, 1984, 13, 76-82.  | 0.7 | 43        |
| 344 | Therapy after stroke: Amounts, determinants and effects. International Rehabilitation Medicine, 1984,<br>6, 105-110.   | 0.6 | 59        |
| 345 | Stroke: influence of patient's sex and side of weakness on outcome. Archives of Physical Medicine and Rehabilitation, 1984, 65, 513-6.                           | 0.5 | 56        |
| 346 | The hemiplegic arm after stroke: measurement and recovery Journal of Neurology, Neurosurgery and Psychiatry, 1983, 46, 521-524.                                  | 0.9 | 501       |
| 347 | WHY ADMIT STROKE PATIENTS TO HOSPITAL?. Lancet, The, 1983, 321, 807-809.   | 6.3 | 20        |
| 348 | Recovery after stroke. Journal of Neurology, Neurosurgery and Psychiatry, 1983, 46, 5-8.   | 0.9 | 419       |
| 349 | An assessment of the value of a domiciliary care and rehabilitation service for acute stroke.<br>International Journal of Rehabilitation Research, 1983, 6, 510. | 0.7 | 1         |
| 350 | Predicting Barthel ADL score at 6 months after an acute stroke. Archives of Physical Medicine and Rehabilitation, 1983, 64, 24-8.                                | 0.5 | 197       |
| 351 | Neurological emergencies BMJ: British Medical Journal, 1981, 283, 858-858.   | 2.4 | 0         |