Flavio D Fuchs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2965207/publications.pdf

Version: 2024-02-01

145 papers 7,156 citations

36 h-index 79 g-index

149 all docs

149 docs citations

149 times ranked 11210 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | 2022 World Hypertension League, Resolve To Save Lives and International Society of Hypertension dietary sodium (salt) global call to action. Journal of Human Hypertension, 2023, 37, 428-437. | 2.2 | 22 |
| 2 | Thiazide diuretics alone or in combination with a potassium-sparing diuretic on blood pressure-lowering in patients with primary hypertension: protocol for a systematic review and network meta-analysis. Systematic Reviews, 2022, 11, 23. | 5.3 | 6 |
| 3 | Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension and diabetes mellitus: results from the PREVER-treatment randomized controlled trial. Acta Diabetologica, 2021, 58, 215-220. | 2.5 | 6 |
| 4 | Response to the letter to the editor entitled â€~Angiotensin-II receptor blockers or angiotensin converting enzyme inhibitors for the treatment of hypertension amid COVID-19 pandemic'. Expert Review of Cardiovascular Therapy, 2021, 19, 189-190. | 1.5 | 1 |
| 5 | The effect of continuous positive airway pressure on blood pressure in patients with obstructive sleep apnea and uncontrolled hypertension - Study design and challenges during the COVID-19 pandemic. Clinics, 2021, 76, e2926. | 1.5 | O |
| 6 | Renin-Angiotensin-Aldosterone System Inhibitors in COVID-19: A Review. Clinics, 2021, 76, e2342. | 1.5 | 8 |
| 7 | Diretrizes Brasileiras de Hipertensão Arterial – 2020. Arquivos Brasileiros De Cardiologia, 2021, 116, 516-658. | 0.8 | 340 |
| 8 | Development, Validation, and Reproducibility of Food Group-Based Frequency Questionnaires for Clinical Use in Brazil: A Pre-Hypertension and Hypertension Diet Assessment. Nutrients, 2021, 13, 3881. | 4.1 | 6 |
| 9 | The Effect of Alcohol on Blood Pressure and Hypertension. Current Hypertension Reports, 2021, 23, 42. | 3.5 | 35 |
| 10 | Quality of life in patients with stable coronary artery disease submitted to percutaneous, surgical, and medical therapies: a cohort study. Health and Quality of Life Outcomes, 2021, 19, 261. | 2.4 | 1 |
| 11 | High Blood Pressure and Cardiovascular Disease. Hypertension, 2020, 75, 285-292. | 2.7 | 728 |
| 12 | <p>Effectiveness of Clinical, Surgical and Percutaneous Treatment to Prevent Cardiovascular Events in Patients Referred for Elective Coronary Angiography: An Observational Study</p> . Vascular Health and Risk Management, 2020, Volume 16, 285-297. | 2.3 | 6 |
| 13 | The role of angiotensin receptor blockers in CVD risk management. Expert Review of Cardiovascular Therapy, 2020, 18, 181-185. | 1.5 | 6 |
| 14 | Effect of metformin on blood pressure in patients with hypertension: a randomized clinical trial. Endocrine, 2019, 63, 252-258. | 2.3 | 7 |
| 15 | Stage I hypertension is associated with impaired systolic function by strain imaging compared with prehypertension: A report from the prever study. Journal of Clinical Hypertension, 2019, 21, 1705-1710. | 2.0 | 6 |
| 16 | Response to Letter to the Editor: New Insights and Old Questions in Acute Stroke Blood Pressure Control. Neurocritical Care, 2019, 30, 698-699. | 2.4 | 0 |
| 17 | <p>Self-reported adherence to physical activity recommendations compared to the IPAQ interview in patients with hypertension</p> . Patient Preference and Adherence, 2019, Volume 13, 209-214. | 1.8 | 7 |
| 18 | Efficacy of chlorthalidone and hydrochlorothiazide in combination with amiloride in multiple doses on blood pressure in patients with primary hypertension: a protocol for a factorial randomized controlled trial. Trials, 2019, 20, 736. | 1.6 | 1 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Early Manipulation of Arterial Blood Pressure in Acute Ischemic Stroke (MAPAS): Results of a Randomized Controlled Trial. Neurocritical Care, 2019, 30, 372-379. | 2.4 | 22 |
| 20 | Spironolactone Versus Clonidine as a Fourth-Drug Therapy for Resistant Hypertension. Hypertension, 2018, 71, 681-690. | 2.7 | 123 |
| 21 | Diuretic or sodium-restricted diet for obstructive sleep apneaâ€"a randomized trial. Sleep, 2018, 41, . | 1.1 | 29 |
| 22 | Echocardiographic Left Ventricular Reverse Remodeling After 18 Months of Antihypertensive Treatment in Stage I Hypertension. Results From the Prever-Treatment Study. American Journal of Hypertension, 2018, 31, 321-328. | 2.0 | 10 |
| 23 | Effectiveness of low-dose diuretics for blood pressure reduction to optimal values in prehypertension. Journal of Hypertension, 2018, 36, 933-938. | 0.5 | 5 |
| 24 | Partial anomalous pulmonary venous connection in a 72-year-old woman: A case report. SAGE Open Medical Case Reports, 2018, 6, 2050313X1878764. | 0.3 | 1 |
| 25 | Diuretics are Similar to Losartan on Echocardiographic Target-Organ Damage in Stage I Hypertension. PREVER-Treatment Study. Arquivos Brasileiros De Cardiologia, 2018, 112, 87-90. | 0.8 | O |
| 26 | Technologies for Innovative Monitoring to Reduce Blood Pressure and Change Lifestyle Using Mobile Phones in Adult and Elderly Populations (TIM Study): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e169. | 1.0 | 3 |
| 27 | Influence of high risk of obstructive sleep apnea on adherence to antihypertensive treatment in outpatients. Journal of Clinical Hypertension, 2017, 19, 534-539. | 2.0 | 13 |
| 28 | Association of workplace and population characteristics with prevalence of hypertension among Brazilian industry workers: a multilevel analysis. BMJ Open, 2017, 7, e015755. | 1.9 | 10 |
| 29 | Adiposity phenotypes are associated with type-2 diabetes: LAP index, body adiposity index, and neck circumference. Atherosclerosis, 2017, 266, 145-150. | 0.8 | 21 |
| 30 | Response to the letter entitled "Obstructive sleep apnea, excessive daytime sleepiness, and adherence to antihypertensive treatment: Questionnaire surveyâ€. Journal of Clinical Hypertension, 2017, 19, 1384-1384. | 2.0 | 0 |
| 31 | Disrupted day–night pattern of cardiovascular death in obstructive sleep apnea. Sleep Medicine, 2017, 38, 144-150. | 1.6 | 15 |
| 32 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19 \text{\^A} \cdot 1$ million participants. Lancet, The, 2017, 389, 37-55. | 13.7 | 1,667 |
| 33 | Hypertension Management in Brazil: Usual Practice in Primary Care—A Meta-Analysis. International Journal of Hypertension, 2017, 2017, 1-9. | 1.3 | 22 |
| 34 | The effectiveness of an educational intervention for sodium restriction in patients with hypertension: study protocol for a randomized controlled trial. Trials, 2017, 18, 347. | 1.6 | 3 |
| 35 | Obstructive sleep apnea—Hypertension link: almost there?. Journal of Thoracic Disease, 2017, 9, 3537-3540. | 1.4 | 5 |
| 36 | Syntax Score and Major Adverse Cardiac Events in Patients with Suspected Coronary Artery Disease: Results from a Cohort Study in a University-Affiliated Hospital in Southern Brazil. Arquivos Brasileiros De Cardiologia, 2016, 107, 207-215. | 0.8 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension. Journal of Hypertension, 2016, 34, 798-806. | 0.5 | 17 |
| 38 | Sleep duration and mortality in the elderly: a systematic review with meta-analysis. BMJ Open, 2016, 6, e008119. | 1.9 | 185 |
| 39 | Effectiveness of Chlorthalidone Plus Amiloride for the Prevention of Hypertension: The PREVERâ€Prevention Randomized Clinical Trial. Journal of the American Heart Association, 2016, 5, . | 3.7 | 47 |
| 40 | Prehypertension Is Associated With Abnormalities of Cardiac Structure and Function in the Atherosclerosis Risk in Communities Study. American Journal of Hypertension, 2016, 29, 568-574. | 2.0 | 46 |
| 41 | Alcohol Drinking Pattern: A Comparison between HIV-Infected Patients and Individuals from the General Population. PLoS ONE, 2016, 11, e0158535. | 2.5 | 19 |
| 42 | Chlorthalidone Plus Amiloride Reduces the Central Systolic Blood Pressure in Stage 1 Hypertension Patients. Cardiology Research, 2016, 7, 196-201. | 1.1 | 5 |
| 43 | Are Retinal Vessels Calibers Influenced by Blood Pressure Measured at the Time of Retinography Acquisition?. PLoS ONE, 2015, 10, e0136678. | 2.5 | 4 |
| 44 | Effect of diuretics and sodium-restricted diet on sleep apnea severity: study protocol for a randomized controlled trial. Trials, 2015, 16, 188. | 1.6 | 9 |
| 45 | Obstructive sleep apnoea should be deemed a cardiovascular disease. Heart, 2015, 101, 1261-1262. | 2.9 | 8 |
| 46 | Preventing the Progression of Prehypertension to Hypertension: Role of Antihypertensives. Current Hypertension Reports, 2015, 17, 505. | 3.5 | 18 |
| 47 | Association between plasma adiponectin and arteriolar vesselÂcaliberÂamong elderly hypertensive subjects. Journal of the American Society of Hypertension, 2015, 9, 620-627.e1. | 2.3 | 10 |
| 48 | Relationship Between Alcohol Consumption and Cardiac Structure and Function in the Elderly. Circulation: Cardiovascular Imaging, 2015, 8, . | 2.6 | 36 |
| 49 | Angiotensin receptor blockers for prevention of cardiovascular disease: where does the evidence stand?. Open Heart, 2015, 2, e000236. | 2.3 | 10 |
| 50 | It Takes the Right Medications to Prevent a Million Heart Attacks and Strokes. Postgraduate Medicine, 2014, 126, 164-167. | 2.0 | 0 |
| 51 | The effect of antihypertensive agents on sleep apnea: protocol for a randomized controlled trial. Trials, 2014, 15, 1. | 1.6 | 80 |
| 52 | Optimal aspirin dose in acute coronary syndromes: an emerging consensus. Future Cardiology, 2014, 10, 291-300. | 1.2 | 8 |
| 53 | Influence of sleep apnea severity on blood pressure variability of patients with hypertension. Sleep and Breathing, 2014, 18, 397-401. | 1.7 | 39 |
| 54 | Abstract 20260: The Effect of Lifestyle Recommendations on Blood Pressure and Blood Pressure Control in Patients With Stage I Hypertension: The Prever Treatment Trial. Circulation, 2014, 130, . | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Assessment of primary health care received by the elderly and health related quality of life: a cross-sectional study. BMC Public Health, 2013, 13, 605. | 2.9 | 15 |
| 56 | Effects of FTO RS9939906 and MC4R RS17782313 on obesity, type 2 diabetes mellitus and blood pressure in patients with hypertension. Cardiovascular Diabetology, 2013, 12, 103. | 6.8 | 45 |
| 57 | Association between carotid intima-media thickness and retinal arteriolar and venular diameter in patients with hypertension: AÂcross-sectional study. Atherosclerosis, 2013, 229, 134-138. | 0.8 | 15 |
| 58 | Beyond Medications and Diet: Alternative Approaches to Lowering Blood Pressure. Hypertension, 2013, 61, 1360-1383. | 2.7 | 458 |
| 59 | Improved diagnostic accuracy of a 3-day protocol of home blood pressure monitoring for the diagnosis of arterial hypertension. Blood Pressure Monitoring, 2013, 18, 119-126. | 0.8 | 17 |
| 60 | The role of angiotensin receptor blockers in the prevention of cardiovascular and renal disease: time for reassessment?. Evidence-Based Medicine, 2013, 18, 44-47. | 0.6 | 11 |
| 61 | Prevalence of Hypertension Among Elderly Persons in Urban Brazil: A Systematic Review With Meta-Analysis. American Journal of Hypertension, 2013, 26, 541-548. | 2.0 | 67 |
| 62 | Association of Blood Pressure and Hypertension with Alcohol Consumption in HIV-Infected White and Nonwhite Patients. Scientific World Journal, The, 2013, 2013, 1-8. | 2.1 | 6 |
| 63 | Long-Term Effectiveness of Non-Drug Recommendations to Treat Hypertension in a Clinical Setting. American Journal of Hypertension, 2012, 25, 1202-1208. | 2.0 | 15 |
| 64 | Health-related quality of life and awareness of hypertension. Journal of Hypertension, 2012, 30, 629. | 0.5 | 6 |
| 65 | Association between hypertension and musculoskeletal complaints. Journal of Hypertension, 2012, 30, 2112-2117. | 0.5 | 21 |
| 66 | Efficacy of isolated home blood pressure monitoring for blood pressure control. Journal of Hypertension, 2012, 30, 75-80. | 0.5 | 32 |
| 67 | Fruits and vegetables intake and characteristics associated among adolescents from Southern Brazil. Nutrition Journal, 2012, 11, 95. | 3.4 | 13 |
| 68 | Trends in Prevalence of Hypertension in Brazil: A Systematic Review with Meta-Analysis. PLoS ONE, 2012, 7, e48255. | 2.5 | 129 |
| 69 | Proof of concept in cardiovascular risk: the paradoxical findings in blood pressure and lipid abnormalities. Vascular Health and Risk Management, 2012, 8, 437. | 2.3 | 13 |
| 70 | Prevalência de hipertensão resistente em adultos não idosos: estudo prospectivo em contexto ambulatorial. Arquivos Brasileiros De Cardiologia, 2012, 99, 630-635. | 0.8 | 16 |
| 71 | Obstructive sleep apnea, detected by the Berlin Questionnaire: an associated risk factor for coronary artery disease. Cadernos De Saude Publica, 2012, 28, 1530-1538. | 1.0 | 9 |
| 72 | The Association between Socioeconomic Characteristics and Consumption of Food Items among Brazilian Industry Workers. Scientific World Journal, The, 2012, 2012, 1-14. | 2.1 | 6 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 73 | Population-Attributable Risks for Ischemic Stroke in a Community in South Brazil: A Case-Control Study. PLoS ONE, 2012, 7, e35680. | 2.5 | 20 |
| 74 | Prevention of hypertension in patients with pre-hypertension: protocol for the PREVER-prevention trial. Trials, 2011, 12, 65. | 1.6 | 26 |
| 75 | The Influence of Cognition, Anxiety and Psychiatric Disorders over Treatment Adherence in Uncontrolled Hypertensive Patients. PLoS ONE, 2011, 6, e22925. | 2.5 | 20 |
| 76 | Health-related quality of life and hypertension: a systematic review and meta-analysis of observational studies. Journal of Hypertension, 2011, 29, 179-188. | 0.5 | 173 |
| 77 | Erectile Dysfunction and Coronary Artery Disease: An Association of Higher Risk in Younger Men. Journal of Sexual Medicine, 2011, 8, 1445-1453. | 0.6 | 36 |
| 78 | A comparison between diuretics and angiotensin-receptor blocker agents in patients with stage I hypertension (PREVER-treatment trial): study protocol for a randomized double-blind controlled trial. Trials, 2011, 12, 53. | 1.6 | 7 |
| 79 | Acute ingestion of alcohol and cardiac autonomic modulation in healthy volunteers. Alcohol, 2011, 45, 123-129. | 1.7 | 23 |
| 80 | Risk factors for cardiovascular disease in the very elderly: results of a cohort study in a city in southern Brazil. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 369-377. | 2.8 | 24 |
| 81 | Computer-Assisted Methods to Evaluate Retinal Vascular Caliber: What Are They Measuring?. Investigative Ophthalmology and Visual Science, 2011, 52, 810-815. | 3.3 | 26 |
| 82 | Why Do Black Americans Have Higher Prevalence of Hypertension?. Hypertension, 2011, 57, 379-380. | 2.7 | 62 |
| 83 | Accuracy of Anthropometric Indexes of Obesity to Predict Diabetes Mellitus Type 2 Among Men and Women With Hypertension. American Journal of Hypertension, 2011, 24, 175-180. | 2.0 | 12 |
| 84 | Association between different measurements of blood pressure variability by ABP monitoring and ankle-brachial index. BMC Cardiovascular Disorders, 2010, 10, 55. | 1.7 | 14 |
| 85 | Co-Infection by Hepatitis C Virus in HIV-Infected Patients in Southern Brazil: Genotype Distribution and Clinical Correlates. PLoS ONE, 2010, 5, e10494. | 2.5 | 25 |
| 86 | Corporate influence over planning and presentation of clinical trials: beauty and the beast. Expert Review of Cardiovascular Therapy, 2010, 8, 7-9. | 1.5 | 2 |
| 87 | Does the blood pressure-lowering effect of statins contribute to their beneficial cardiovascular effects?. Expert Review of Cardiovascular Therapy, 2010, 8, 775-779. | 1.5 | 10 |
| 88 | Correction of the hypertensive response in the treadmill testing by the work performance improves the prediction of hypertension by ambulatory blood pressure monitoring and incidence of cardiac abnormalities by echocardiography: Results of an eight year follow-up study. International Journal of Cardiology, 2010, 141, 243-249. | 1.7 | 13 |
| 89 | Prehypertension: the Rationale for Early Drug Therapy. Cardiovascular Therapeutics, 2010, 28, 339-343. | 2.5 | 23 |
| 90 | Performance of the ISAAC Questionnaire to Establish the Prevalence of Asthma in Adolescents: A Population-Based Study. Journal of Asthma, 2010, 47, 166-169. | 1.7 | 34 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 91 | Shift Work Is Not Associated with High Blood Pressure or Prevalence of Hypertension. PLoS ONE, 2010, 5, e15250. | 2.5 | 41 |
| 92 | Influence of depression and early adverse experiences on illicit drug dependence: a case-control study. Revista Brasileira De Psiquiatria, 2009, 31, 106-113. | 1.7 | 12 |
| 93 | Cardiovascular Risk Attributable to Diabetes in Southern Brazil: A population-based cohort study. Diabetes Care, 2009, 32, 854-856. | 8.6 | 9 |
| 94 | Diuretics: still essential drugs for the management of hypertension. Expert Review of Cardiovascular Therapy, 2009, 7, 591-598. | 1.5 | 13 |
| 95 | Diagnosis of Obstructive Sleep Apnea Syndrome and Its Outcomes With Home Portable Monitoring. Chest, 2009, 135, 330-336. | 0.8 | 112 |
| 96 | Reposição hormonal e doença cardiovascular: uma diretriz contrária à evidência. Arquivos Brasileiros De Cardiologia, 2009, 93, e11-3. | 0.8 | 1 |
| 97 | Stressful life events and current psychological distress are associated with self-reported hypertension but not with true hypertension: results from a cross-sectional population-based study. BMC Public Health, 2008, 8, 357. | 2.9 | 22 |
| 98 | Relationship of Alcohol Consumption and Type of Alcoholic Beverage Consumed With Plasma Lipid Levels: Differences Between Whites and African Americans of the ARIC Study. Annals of Epidemiology, 2008, 18, 101-107. | 1.9 | 66 |
| 99 | The ADVANCE trial. Lancet, The, 2008, 371, 25. | 13.7 | 6 |
| 100 | Blood Pressure-Lowering Efficacy of Amiloride versus Enalapril as Add-On Drugs in Patients with Uncontrolled Blood Pressure Receiving Hydrochlorothiazide. Clinical and Experimental Hypertension, 2008, 30, 553-564. | 1.3 | 27 |
| 101 | Risk for Obstructive Sleep Apnea by Berlin Questionnaire, But Not Daytime Sleepiness, Is Associated With Resistant Hypertension: A Case-control Study. American Journal of Hypertension, 2008, 21, 832-835. | 2.0 | 84 |
| 102 | Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study. Cadernos De Saude Publica, 2008, 24, s285-s293. | 1.0 | 31 |
| 103 | What is next when the first blood pressure-lowering drug is not sufficient?. Expert Review of Cardiovascular Therapy, 2007, 5, 435-439. | 1.5 | 4 |
| 104 | Why Is Nondipping in Ambulatory Blood Pressure Monitoring Not Prognostic in Poor Sleepers?. Hypertension, 2007, 50, e20; author reply e21. | 2.7 | 1 |
| 105 | Obstructive Sleep Apnea and Resistant Hypertension. Chest, 2007, 132, 1858-1862. | 0.8 | 229 |
| 106 | Detection of Arteriolar Narrowing in Fundoscopic Examination: Evidence of a Low Performance of Direct Ophthalmoscopy in Comparison With a Microdensitometric Method. American Journal of Hypertension, 2007, 20, 501-505. | 2.0 | 10 |
| 107 | Is the cardioprotective effect of alcohol real?. Alcohol, 2007, 41, 399-402. | 1.7 | 52 |
| 108 | Alcohol consumption, cardiovascular health, and endothelial function markers. Alcohol, 2007, 41, 479-488. | 1.7 | 65 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 109 | Adverse events of blood-pressure-lowering drugs: evidence of high incidence in a clinical setting. European Journal of Clinical Pharmacology, 2007, 63, 973-978. | 1.9 | 26 |
| 110 | The efficacy of the combination of sertraline with buspirone for smoking cessation. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 383-388. | 3.2 | 13 |
| 111 | Development and validity of a method for the evaluation of printed education material. Pharmacy Practice, 2007, 5, 89-94. | 1.5 | 11 |
| 112 | ASCOT-BPLA. Lancet, The, 2006, 367, 205. | 13.7 | 6 |
| 113 | Pharmaceutical Care Program for Patients With Uncontrolled HypertensionReport of a Double-Blind Clinical Trial With Ambulatory Blood Pressure Monitoring. American Journal of Hypertension, 2006, 19, 528-533. | 2.0 | 50 |
| 114 | The efficacy of herbal medicines in clinical models: The case of jambolan. Journal of Ethnopharmacology, 2006, 108, 16-19. | 4.1 | 18 |
| 115 | Incidence of hypertension by alcohol consumption: is it modified by race?. Journal of Hypertension, 2006, 24, 1489-1492. | 0.5 | 28 |
| 116 | Changing drinking pattern does not influence health perception: a longitudinal study of the atherosclerosis risk in communities study. Journal of Epidemiology and Community Health, 2006, 60, 345-350. | 3.7 | 6 |
| 117 | Methicillin Resistance and Its Relation to Prognosis in Patients with Ventilator-Associated Pneumonia: Still an Unsolved Issue. Clinical Infectious Diseases, 2006, 42, 1343-1343. | 5.8 | 1 |
| 118 | Are the Eutrophic Effects of Angiotensin Receptor Blockers Real?. Hypertension, 2006, 48, E18; author reply E19. | 2.7 | 2 |
| 119 | Anthropometric Indices and the Incidence of Hypertension: A Comparative Analysis. Obesity, 2005, 13, 1515-1517. | 4.0 | 77 |
| 120 | Vascular Effects of Alcoholic Beverages. Hypertension, 2005, 45, 851-852. | 2.7 | 29 |
| 121 | Measuring arteriolar-to-venous ratio in retinal photography of patients with hypertension: Development and application of a new semi-automated method. American Journal of Hypertension, 2005, 18, 417-421. | 2.0 | 36 |
| 122 | JNC-7 versus renin-based strategies for optimal antihypertensive drug treatment. American Journal of Hypertension, 2005, 18, 572-572. | 2.0 | 2 |
| 123 | Prognostic factors for amputation or death in patients submitted to vascular surgery for acute limb ischemia. Vascular Health and Risk Management, 2005, 1, 345-349. | 2.3 | 19 |
| 124 | Association between Alcoholic Beverage Consumption and Incidence of Coronary Heart Disease in Whites and Blacks: The Atherosclerosis Risk in Communities Study. American Journal of Epidemiology, 2004, 160, 466-474. | 3.4 | 84 |
| 125 | Common blood pressure treatments lower the risk of major cardiovascular events. Evidence-Based Healthcare and Public Health, 2004, 8, 153-155. | 0.0 | 0 |
| 126 | Is hypertensive response in treadmill testing better identified with correction for working capacity? A study with clinical, echocardiographic and ambulatory blood pressure correlates. Blood Pressure, 2004, 13, 225-229. | 1.5 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Blood pressure-lowering drugs: essential therapy for some patients with normal blood pressure. Expert Review of Cardiovascular Therapy, 2004, 2, 771-775. | 1.5 | 13 |
| 128 | Association between different measurements of obesity and the incidence of hypertension. American Journal of Hypertension, 2004, 17, 50-53. | 2.0 | 96 |
| 129 | Oral contraceptives: a risk factor for uncontrolled blood pressure among hypertensive women. Contraception, 2003, 67, 19-24. | 1.5 | 49 |
| 130 | Risk factors for cardiovascular disease in a Brazilian population-based cohort study. International Journal of Cardiology, 2003, 90, 205-211. | 1.7 | 25 |
| 131 | Diuretics: drugs of choice for the initial management of patients with hypertension. Expert Review of Cardiovascular Therapy, 2003 , 1 , $35-41$. | 1.5 | 14 |
| 132 | Prevalence of and Risk Factors for HIV Infection in Individuals Testing for HIV at Counseling Centers in Brazil. Sexually Transmitted Diseases, 2003, 30, 166-173. | 1.7 | 24 |
| 133 | Red wine with the noon meal lowers post-meal blood pressure: a randomized trial in centrally obese, hypertensive patients Journal of Studies on Alcohol and Drugs, 2002, 63, 247-251. | 2.3 | 28 |
| 134 | Migraine is more frequent in individuals with optimal and normal blood pressure: a population-based study. Journal of Hypertension, 2002, 20, 1303-1306. | 0.5 | 78 |
| 135 | Reliability of race assessment based on the race of the ascendants: a cross-sectional study. BMC Public Health, 2002, 2, 1. | 2.9 | 44 |
| 136 | Diuretics: again the first step in the treatment of most patients with hypertension., 2001, 2, 244. | | 5 |
| 137 | Health-Associated Changes in Drinking: A Period Prevalence Study of the Atherosclerosis Risk in Communities (ARIC) Cohort (1987–1995). Preventive Medicine, 2000, 31, 81-89. | 3.4 | 15 |
| 138 | Absence of antihyperglycemic effect of jambolan in experimental and clinical models. Journal of Ethnopharmacology, 2000, 71, 343-347. | 4.1 | 69 |
| 139 | The classics. Journal of Clinical Epidemiology, 2000, 53, 335-342. | 5.0 | 23 |
| 140 | Is Epistaxis Evidence of End-Organ Damage in Patients With Hypertension?. Laryngoscope, 1999, 109, 1111-1115. | 2.0 | 62 |
| 141 | The Effects of Two Aerobic Training Intensities on Ambulatory Blood Pressure in Hypertensive Patients. Journal of Clinical Epidemiology, 1999, 52, 637-642. | 5.0 | 45 |
| 142 | A Study of the Association between Epistaxis and the Severity of Hypertension. American Journal of Rhinology & Allergy, 1998, 12, 269-272. | 2.2 | 35 |
| 143 | Alcohol intake and blood pressure. Journal of Hypertension, 1998, 16, 175-180. | 0.5 | 89 |
| 144 | Blood pressure effects of antihypertensive drugs and changes in lifestyle in a Brazilian hypertensive cohort. Journal of Hypertension, 1997, 15, 783-792. | 0.5 | 27 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The effect of Syzygium cumini (L.) skeels on post-prandial blood glucose levels in non-diabetic rats and rats with streptozotocin-induced diabetes mellitus. Journal of Ethnopharmacology, 1997, 56, 209-213. | 4.1 | 50 |