Peter Ladlow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2967230/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Low-Load Resistance Training With Blood Flow Restriction Improves Clinical Outcomes in Musculoskeletal Rehabilitation: A Single-Blind Randomized Controlled Trial. Frontiers in Physiology, 2018, 9, 1269.	2.8	76
2	Dysautonomia following COVID-19 is not associated with subjective limitations or symptoms but is associated with objective functional limitations. Heart Rhythm, 2022, 19, 613-620.	0.7	60
3	Functional and Mental Health Status of United Kingdom Military Amputees Postrehabilitation. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2048-2054.	0.9	39
4	Influence of Immediate and Delayed Lower-Limb Amputation Compared with Lower-Limb Salvage on Functional and Mental Health Outcomes Post-Rehabilitation in the U.K. Military. Journal of Bone and Joint Surgery - Series A, 2016, 98, 1996-2005.	3.0	36
5	Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial. Lancet Public Health, The, 2022, 7, e316-e326.	10.0	26
6	Impact of anatomical placement of an accelerometer on prediction of physical activity energy expenditure in lower-limb amputees. PLoS ONE, 2017, 12, e0185731.	2.5	14
7	The Tribulations of Trials: Lessons Learnt Recruiting 777 Older Adults Into REtirement in ACTion (REACT), a Trial of a Community, Group-Based Active Aging Intervention Targeting Mobility Disability. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2387-2395.	3.6	13
8	Integration of strength training into UK Defence Rehabilitation practice: current trends and future challenges. BMJ Military Health, 2022, 168, 314-319.	0.9	12
9	The effects of low-intensity blood flow restricted exercise compared with conventional resistance training on the clinical outcomes of active UK military personnel following a 3-week in-patient rehabilitation programme: protocol for a randomized controlled feasibility study. Pilot and Feasibility Studies. 2017. 3. 71.	1.2	10
10	Cognitive functional therapy (CFT)-based rehabilitation improves clinical outcomes in UK military personnel with persistent low back pain. BMJ Military Health, 2020, 166, 336-341.	0.9	10
11	Predicting ambulatory energy expenditure in lower limb amputees using multi-sensor methods. PLoS ONE, 2019, 14, e0209249.	2.5	9
12	Passive-dynamic ankle-foot orthosis improves medium-term clinical outcomes after severe lower extremity trauma. Journal of the Royal Army Medical Corps, 2019, 165, 330-337.	0.8	8
13	Validity Of The Actiheart Monitor For Predicting Physical Activity Energy Expenditure In Lower-limb Amputees Medicine and Science in Sports and Exercise, 2016, 48, 982-983.	0.4	0