Helmar Bornemann-Cimenti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2970134/publications.pdf

Version: 2024-02-01

76 papers

812 citations

567281 15 h-index 610901 24 g-index

96 all docs 96 docs citations

96 times ranked 761 citing authors

#	Article	IF	CITATIONS
1	Combined femoral and popliteal nerve block is superior to local periarticular infiltration anaesthesia for postoperative pain control after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 4046-4053.	4.2	2
2	Prospective, randomized, controlled, double-blind, multi-center, multinational study on the safety and efficacy of 6% Hydroxyethyl starch (HES) sOlution versus an Electrolyte solutioN In patients undergoing eleCtive abdominal Surgery: study protocol for the PHOENICS study. Trials, 2022, 23, 168.	1.6	5
3	Citation of retracted research: a case-controlled, ten-year follow-up scientometric analysis of Scott S. Reuben's malpractice. Scientometrics, 2022, 127, 2611-2620.	3.0	8
4	Migraine, interferon \hat{I}^21a and siponimod immunomodulator therapies. BMC Anesthesiology, 2022, 22, 95.	1.8	1
5	Preemptive local analgesia at vaginal hysterectomy: a systematic review. International Urogynecology Journal, 2022, 33, 2357-2366.	1.4	3
6	Letter to the Editor regarding "Symptom management to alleviate thirst and dry mouth in critically ill patients: A randomised controlled trial― Australian Critical Care, 2022, , .	1.3	0
7	The Internet's Interest in Autism Peaks in April: A Google Trends Analysis. Journal of Autism and Developmental Disorders, 2022, , .	2.7	3
8	Evaluation of the usefulness of non-invasive serum haemoglobin measurement in a perioperative setting in a prospective observational study. Scientific Reports, 2022, 12, .	3.3	4
9	Perioperative use of physostigmine to reduce opioid consumption and peri-incisional hyperalgesia: a randomised controlled trial. British Journal of Anaesthesia, 2021, 126, 700-705.	3.4	9
10	Optimizing peer review to minimize the risk of retracting COVID-19-related literature. Medicine, Health Care and Philosophy, 2021, 24, 21-26.	1.8	29
11	Randomised controlled pilot trial of concepts for analgesia and sedation during placement of peripheral regional anaesthesia before operations. European Journal of Anaesthesiology, 2021, 38, 183-184.	1.7	3
12	Influence of personalised music and ice-tea options on post-operative well-being in the post anaesthesia care unit after general or regional anaesthesia. A pre-post-analysis by means of a questionnaire. Intensive and Critical Care Nursing, 2021, 63, 102998.	2.9	13
13	Google Trends for Pain Search Terms in the World's Most Populated Regions Before and After the First Recorded COVID-19 Case: Infodemiological Study. Journal of Medical Internet Research, 2021, 23, e27214.	4.3	16
14	Prämptive lokale Analgesie bei der vaginalen Hysterektomie:Ein Systematic Review. , 2021, 81, .		0
15	Biological, psychological, and social factors associated with worsening of chronic pain during the first wave of the COVID-19 pandemic: a cross-sectional survey. British Journal of Anaesthesia, 2021, 127, e37-e39.	3.4	8
16	Comparing the Impact of Multi-Session Left Dorsolateral Prefrontal and Primary Motor Cortex Neuronavigated Repetitive Transcranial Magnetic Stimulation (nrTMS) on Chronic Pain Patients. Brain Sciences, 2021, 11, 961.	2.3	11
17	Wellbeing of ICU patients with COVID-19. Intensive and Critical Care Nursing, 2021, 65, 103050.	2.9	4
18	Pain, nausea, vomiting, thirst, cold, … the challenge of well-being in post-operative patients. Intensive and Critical Care Nursing, 2021, 66, 103090.	2.9	12

#	Article	IF	CITATIONS
19	Influence of intraoperative administration of glycopyrronium on early post-operative thirst, dry mouth and wellbeing. A post hoc analysis of an interventional study. Intensive and Critical Care Nursing, 2021, 66, 103078.	2.9	5
20	The Effect of Low-Level Light Therapy on Capsaicin-Induced Peripheral and Central Sensitization in Healthy Volunteers: A Double-Blinded, Randomized, Sham-Controlled Trial. Pain and Therapy, 2020, 9, 717-726.	3.2	3
21	Adult patients' wellbeing and disturbances during early recovery in the post anaesthesia care unit. A cross-sectional study. Intensive and Critical Care Nursing, 2020, 61, 102912.	2.9	16
22	A novel metric for reporting acute postoperative pain correlates more closely with patient satisfaction. British Journal of Anaesthesia, 2020, 124, e228-e229.	3.4	2
23	Opioid-induced constipation: a narrative review of therapeutic options in clinical management. Korean Journal of Pain, 2019, 32, 69-78.	2.2	15
24	Diagnosing allodynia requires the assessment of pain. Pain, 2019, 160, 985-985.	4.2	О
25	Establishing Rules for Ethicists and Ethics Organizations in Academic Publishing to Avoid Conflicts of Interest, Favoritism, Cronyism and Nepotism. Kome, 2019, 7, 110-125.	0.5	8
26	Platelet Inhibition and Bleeding in Patients Undergoing Non-Cardiac Surgeryâ€"The BIANCA Observational Study. Thrombosis and Haemostasis, 2018, 118, 864-872.	3.4	17
27	The main concerns of European anaesthesiology postgraduate trainees: A European survey. Trends in Anaesthesia and Critical Care, 2018, 18, 3-9.	0.9	3
28	Establishing Sensible and Practical Guidelines for Desk Rejections. Science and Engineering Ethics, 2018, 24, 1347-1365.	2.9	18
29	Metabolic Disorders and Critically Ill Patients. Anesthesia and Analgesia, 2018, 127, e43.	2.2	O
30	Gender Distribution of Authorship in Pain Publications Is More Balanced than in Other Scientific Fields. Pain Medicine, 2018, 19, 2104-2105.	1.9	4
31	Pain medication and long QT syndrome. Korean Journal of Pain, 2018, 31, 3-9.	2.2	11
32	Limitations, Transparency, and Conclusions. JAMA Facial Plastic Surgery, 2018, 20, 337-338.	2.1	0
33	Spirituality in pain medicine: A randomized experiment of pain perception, heart rate and religious spiritual well-being by using a single session meditation methodology. PLoS ONE, 2018, 13, e0203336.	2.5	19
34	Standardised pain management decreases expenses on analgesics. European Journal of Anaesthesiology, 2018, 35, 548-550.	1.7	1
35	59: Vaginal hysterectomy versus total laparoscopic hysterectomy for benign indications: A randomized trial. American Journal of Obstetrics and Gynecology, 2017, 216, S608-S609.	1.3	O
36	Why do some retracted papers continue to be cited?. Scientometrics, 2017, 110, 365-370.	3.0	58

#	Article	IF	CITATIONS
37	Neuraxial anesthesia in patients with multiple sclerosis $\hat{a} \in \hat{a}$ a systematic review. Brazilian Journal of Anesthesiology (Elsevier), 2017, 67, 404-410.	0.4	6
38	Early Onset and Treatment of Phantom Limb Pain Following Surgical Amputation. Pain Medicine, 2017, 18, 2510-2512.	1.9	4
39	The vertical obturator nerve block. European Journal of Anaesthesiology, 2016, 33, 602-604.	1.7	O
40	Impact of Treatment with Naloxegol for Opioid-Induced Constipation on Patients' Health State Utility. Advances in Therapy, 2016, 33, 1331-1346.	2.9	3
41	Perpetuation of Retracted Publications Using the Example of the Scott S. Reuben Case: Incidences, Reasons and Possible Improvements. Science and Engineering Ethics, 2016, 22, 1063-1072.	2.9	57
42	The effects of minimal-dose versus low-dose S-ketamine on opioid consumption, hyperalgesia, and postoperative delirium: a triple-blinded, randomized, active- and placebo-controlled clinical trial. Minerva Anestesiologica, 2016, 82, 1069-1076.	1.0	29
43	Transcutaneous Peripheral Nerve Stimulation for Occipitalis Nerve Block. Headache, 2015, 55, 1012-1013.	3.9	0
44	Bringing Retracted Papers Into Focus. Clinical and Experimental Otorhinolaryngology, 2015, 8, 81.	2.1	2
45	The Effect of the Modified Lateral Suprascapular Block on Shoulder Function in Patients With Chronic Shoulder Pain. Anesthesiology and Pain Medicine, 2015, 5, e31640.	1.3	4
46	Avoiding Perpetuating Fraudulent Publications in Addendum to Sagit M et al. Journal of Craniofacial Surgery, 2014, 25, 717.	0.7	2
47	The influence of sexes on postoperative pain. European Journal of Anaesthesiology, 2014, 31, 222.	1.7	2
48	Fentanyl for the Treatment of Tumor-Related Breakthrough Pain. Deutsches Ärzteblatt International, 2013, 110, 271-7.	0.9	13
49	Different Propofol–Remifentanil or Sevoflurane–Remifentanil Bispectral Index Levels for Electrocorticographic Spike Identification during Epilepsy Surgery. Anesthesiology, 2013, 119, 582-592.	2.5	12
50	In Reply. Deutsches Ärzteblatt International, 2013, 110, 598.	0.9	0
51	Preoperative pregabalin administration significantly reduces postoperative opioid consumption and mechanical hyperalgesia after transperitoneal nephrectomy. British Journal of Anaesthesia, 2012, 108, 845-849.	3.4	54
52	The influence of preoperative hypnosis on perioperative anxiety - a systematic review of the current literature. European Journal of Anaesthesiology, 2012, 29, 8.	1.7	0
53	The toxic effect of ketamine on the central nervous system - potential hazard or safe to use?. European Journal of Anaesthesiology, 2012, 29, 108.	1.7	0
54	Effect of sugammadex or neostigmine neuromuscular block reversal on bispectral index monitoring of propofol/remifentanil anaesthesia. British Journal of Anaesthesia, 2012, 108, 602-606.	3.4	44

#	Article	IF	CITATIONS
55	Does an intradural space really exist?. International Journal of Obstetric Anesthesia, 2011, 20, 89.	0.4	1
56	T724 IS THE USE OF EPIDUROSCOPY EVIDENCE-BASED? A SYSTEMATIC REVIEW. European Journal of Pain Supplements, 2011, 5, 101-102.	0.0	0
57	F523 OPTIMIZING IN-PATIENT PAIN MANAGEMENT AT THE UNIVERSITY HOSPITAL OF GRAZ. European Journal of Pain Supplements, 2011, 5, 165-165.	0.0	0
58	F532 HOW DO HEADS OF ANAESTHESIA DEPARTMENTS RATE THE PAIN MANAGEMENT ABILITIES OF THEIR RESIDENTS?. European Journal of Pain Supplements, 2011, 5, 167-168.	0.0	0
59	A Previously Unreported Differential Diagnosis of the Complex Regional Pain Syndrome. Pain Medicine, 2011, 12, 1682-1683.	1.9	1
60	Différences géographiques dans les courbes de réponse de l'indice bispectral en fonction de la concentration de propofol estimée par anesthésie intraveineuse à objectif de concentration. Canadian Journal of Anaesthesia, 2011, 58, 364-370.	1.6	10
61	Anesthesia employees' satisfaction after three years of continuing optimization of the intrahospital pain management. European Journal of Anaesthesiology, 2011, 28, 212.	1.7	0
62	No regional difference in cisatracurium dose–response and time-course-of-action between patients in China and Bosnia. British Journal of Anaesthesia, 2011, 106, 331-335.	3.4	3
63	Opioid dose ratios in pain therapy - An evidence-based contemplation. European Journal of Anaesthesiology, 2010, 27, 25-26.	1.7	1
64	The patient with coronary stents and antiplatelet agents: what to do and how to deal?. European Journal of Anaesthesiology, 2010, 27, 406-410.	1.7	8
65	The influence of preoperative pregabalin administration on postoperative opioid consumption - A pilot study. European Journal of Anaesthesiology, 2010, 27, 201-202.	1.7	0
66	BIS-Vista™ Occipital Montage in Patients Undergoing Neurosurgical Procedures during Propofol–Remifentanil Anesthesia. Anesthesiology, 2010, 112, 645-651.	2.5	29
67	Bispectral Index Monitoring of a Case of delayed Recovery in a Patient with acute Hypercarbia. British Journal of Anaesthesia, 2010, 105, .	3.4	1
68	The utility of using bispectral index monitoring as an early intraoperative indicator of initial poor graft function after orthotopic or split-graft liver transplantation. Gut, 2009, 58, 605-606.	12.1	10
69	Effect of somatostatin analogue octreotide on pain relief after major abdominal surgery. European Journal of Pain, 2009, 13, 861-864.	2.8	20
70	Effect of Flumazenil on Bispectral Index Monitoring in Unpremedicated Patients. Anesthesiology, 2009, 110, 1036-1040.	2.5	22
71	Comparison of a new neuromuscular transmission monitor compressomyograph with mechanomyograph. British Journal of Anaesthesia, 2008, 100, 344-350.	3.4	9
72	Influence of acute normovolaemic haemodilution on the dose–response relationship and time course of action of cisatracurium besylate. British Journal of Anaesthesia, 2007, 98, 342-346.	3.4	7

#	Article	IF	CITATIONS
73	Sensitivity and specificity of bispectral index for classification of overt hepatic encephalopathy: a multicentre, observer blinded, validation study. Gut, 2007, 57, 77-83.	12.1	32
74	Geographic Regional Differences in Rocuronium Bromide Dose–Response Relation and Time Course of Action. Anesthesiology, 2006, 104, 950-953.	2.5	32
75	Electromagnetic Emission of High-Energy Extracorporeal Shockwave Lithotripsy to the Shoulder does not Cause Disruption of Bispectral Index Monitoring of Propofol or Sevoflurane Anesthesia. Anesthesia and Analgesia, 2006, 103, 254-256.	2.2	O
76	Bispectral-Index-Guided Versus Clinically Guided Remifentanil/Propofol Analgesia/Sedation for Interventional Radiological Procedures: An Observer-Blinded Randomized Study. Anesthesia and Analgesia, 2006, 103, 378-384.	2.2	31