Jane Speight

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2971734/publications.pdf Version: 2024-02-01



IANE SPEICHT

#	Article	IF	CITATIONS
1	The impact of hypoglycaemia on quality of life among adults with type 1 diabetes: Results from "YourSAY: Hypoglycaemia― Journal of Diabetes and Its Complications, 2023, 37, 108232.	2.3	5
2	Online psychological interventions to reduce symptoms of depression, anxiety, and general distress in those with chronic health conditions: a systematic review and meta-analysis of randomized controlled trials. Psychological Medicine, 2022, 52, 548-573.	4.5	41
3	Changes in quality of life following hypoglycaemia in adults with type 2 diabetes: A systematic review of longitudinal studies. Diabetic Medicine, 2022, 39, e14706.	2.3	9
4	Weight Stigma and Diabetes Stigma: Implications for Weight-Related Health Behaviors in Adults With Type 2 Diabetes. Clinical Diabetes, 2022, 40, 51-61.	2.2	11
5	Unmet support needs relating to hypoglycaemia among adults with type 1 diabetes: Results of a multiâ€country webâ€based qualitative study. Diabetic Medicine, 2022, 39, e14727.	2.3	5
6	A PSAD Group response to the consensus report on the definition and interpretation of remission in type 2 diabetes: a psychosocial perspective is needed. Diabetologia, 2022, 65, 406-408.	6.3	3
7	The impact of hypoglycaemia in children and adolescents with type 1 diabetes on parental quality of life and related outcomes: A systematic review. Pediatric Diabetes, 2022, 23, 390-405.	2.9	5
8	â€~l need someone to believe in me and walk the journey with me': A qualitative analysis of preferred approaches to weight management discussions in clinical care among adults with type 2 diabetes. Diabetic Medicine, 2022, 39, e14790.	2.3	5
9	Investigating the day-to-day impact of hypoglycaemia in adults with type 1 or type 2 diabetes: design and validation protocol of the Hypo-METRICS application. BMJ Open, 2022, 12, e051651.	1.9	13
10	Web-based intervention to reduce psychological barriers to insulin therapy among adults with non-insulin-treated type 2 diabetes: study protocol for a two-armed randomised controlled trial of â€~ <i>ls insulin right for me?</i>	1.9	3
11	Driving with Type 1 Diabetes: Real-World Evidence to Support Starting Glucose Level and Frequency of Monitoring During Journeys. Diabetes Technology and Therapeutics, 2022, 24, 350-356.	4.4	1
12	â€~ls insulin right for me?': Feasibility of a pilot randomised controlled trial and acceptability of a webâ€based intervention to reduce psychological barriers to insulin therapy among adults with type 2 diabetes. Diabetic Medicine, 2022, 39, e14759.	2.3	6
13	Management of type 2 diabetes in young adults aged 18–30 years: ADS/ADEA/APEG consensus statement. Medical Journal of Australia, 2022, 216, 422-429.	1.7	7
14	Effect of routinely assessing and addressing depression and diabetes distress on clinical outcomes among adults with type 2 diabetes: a systematic review. BMJ Open, 2022, 12, e054650.	1.9	12
15	Hypoâ€METRICS: Hypoglycaemia—MEasurement, ThResholds and ImpaCtS—A multiâ€country clinical study to define the optimal threshold and duration of sensorâ€detected hypoglycaemia that impact the experience of hypoglycaemia, quality of life and health economic outcomes: The study protocol. Diabetic Medicine. 2022. 39.	2.3	11
16	The information-motivation-behavioral skills model explains physical activity levels for adults with type 2 diabetes across all weight classes. Psychology, Health and Medicine, 2021, 26, 381-394.	2.4	12
17	Less Nocturnal Hypoglycemia but Equivalent Time in Range Among Adults with Type 1 Diabetes Using Insulin Pumps Versus Multiple Daily Injections. Diabetes Technology and Therapeutics, 2021, 23, 460-466.	4.4	7
18	Protocol for a cluster randomised controlled trial of the DAFNE <i>plus</i> (Dose Adjustment For) Tj ETQq0 0 0 r	gBT /Over 1.9	lock 10 Tf 50 6

self-management in adults with type 1 diabetes. BMJ Open, 2021, 11, e040438.

#	Article	IF	CITATIONS
19	A comparison of the acceptability and psychometric properties of scales assessing the impact of type 1 diabetes on quality of life—Results of â€~YourSAY: Quality of Life'. Diabetic Medicine, 2021, 38, e14524.	2.3	6
20	The suitability of patient-reported outcome measures used to assess the impact of hypoglycaemia on quality of life in people with diabetes: a systematic review using COSMIN methods. Diabetologia, 2021, 64, 1213-1225.	6.3	12
21	Effect of routinely assessing and addressing depression and diabetes distress using patient-reported outcome measures in improving outcomes among adults with type 2 diabetes: a systematic review protocol. BMJ Open, 2021, 11, e044888.	1.9	6
22	Our language matters: Improving communication with and about people with diabetes. A position statement by Diabetes Australia. Diabetes Research and Clinical Practice, 2021, 173, 108655.	2.8	26
23	Developing a novel diabetes distress e-learning program for diabetes educators: an intervention mapping approach. Translational Behavioral Medicine, 2021, 11, 1264-1273.	2.4	3
24	Symptoms of depression and anxiety in adults with type 1 diabetes: Associations with self-care behaviour, glycaemia and incident complications over four years – Results from diabetes MILES–Australia. Journal of Affective Disorders, 2021, 282, 803-811.	4.1	8
25	The impact of hypoglycaemia on quality of life outcomes among adults with type 1 diabetes: A systematic review. Diabetes Research and Clinical Practice, 2021, 174, 108752.	2.8	20
26	Medication Intake, Perceived Barriers, and Their Correlates Among Adults With Type 1 and Type 2 Diabetes: Results From Diabetes MILES – The Netherlands. Frontiers in Clinical Diabetes and Healthcare, 2021, 2, .	0.8	2
27	Does nocturnal hypoglycaemia really improve quality of life?. Diabetologia, 2021, 64, 1893-1894.	6.3	1
28	Impact of the COVIDâ€19 pandemic and lockdown restrictions on psychosocial and behavioural outcomes among Australian adults with type 2 diabetes: Findings from the PREDICT cohort study. Diabetic Medicine, 2021, 38, e14611.	2.3	36
29	Data on diabetes-specific distress are needed to improve the quality of diabetes care. Lancet, The, 2021, 397, 2149.	13.7	4
30	Why #WeAreNotWaiting—Motivations and Self-Reported Outcomes Among Users of Open-source Automated Insulin Delivery Systems: Multinational Survey. Journal of Medical Internet Research, 2021, 23, e25409.	4.3	37
31	How Adults with Type 1 Diabetes Are Navigating the Challenges of Open-Source Artificial Pancreas Systems: A Qualitative Study. Diabetes Technology and Therapeutics, 2021, 23, 546-554.	4.4	18
32	The impact of hypoglycaemia on the quality of life of family members of adults with type 1 or type 2 diabetes: A qualitative systematic review. Diabetic Medicine, 2021, 38, e14666.	2.3	11
33	â€~Never again will I be carefree': a qualitative study of the impact of hypoglycemia on quality of life among adults with type 1 diabetes. BMJ Open Diabetes Research and Care, 2021, 9, e002322.	2.8	14
34	â€~Is Insulin Right for Me?' Development of a theory-informed, web-based resource for reducing psychological barriers to insulin therapy in type 2 diabetes. BMJ Open, 2021, 11, e045853.	1.9	4
35	Impact of quarterly professional-mode flash glucose monitoring in adults with type 2 diabetes in general practice (GP-OSMOTIC): Secondary psychological and self-care outcomes of a pragmatic, open-label, 12-month, randomised controlled trial. Diabetes Research and Clinical Practice, 2021, 179, 108994.	2.8	0
36	â€~For me, it didn't seem as drastic a step as being controlled by insulin': A qualitative investigation of expectations and experiences of nonâ€insulin injectable therapy among adults with type 2 diabetes. Diabetic Medicine. 2021 e14681.	2.3	1

#	Article	IF	CITATIONS
37	â€We're all on the same team'. Perspectives on the future of artificial pancreas systems by adults in Australia with type 1 diabetes using openâ€source technologies: A qualitative study. Diabetic Medicine, 2021, , e14708.	2.3	4
38	Effect of a Hybrid Closed-Loop System on Glycemic and Psychosocial Outcomes in Children and Adolescents With Type 1 Diabetes. JAMA Pediatrics, 2021, 175, 1227.	6.2	54
39	Costâ€effectiveness of professionalâ€mode flash glucose monitoring in general practice among adults with type 2 diabetes: Evidence from the GPâ€OSMOTIC trial. Diabetic Medicine, 2021, , e14747.	2.3	1
40	The impact of hypoglycemia on quality of life and related outcomes in children and adolescents with type 1 diabetes: A systematic review. PLoS ONE, 2021, 16, e0260896.	2.5	9
41	Barriers to and enablers of type 2 diabetes screening among women with prior gestational diabetes: A systematic review update and qualitative synthesis applying the Theoretical Domains Framework. Diabetic Medicine, 2021, , e14772.	2.3	6
42	Diabetes Distress During COVID-19: Three Brief â€~Snapshot' Surveys of Adults With Diabetes Calling the Australian National Diabetes Services Scheme Helpline. Frontiers in Clinical Diabetes and Healthcare, 2021, 2, .	0.8	1
43	Predictors of Recurrent Severe Hypoglycemia in Adults With Type 1 Diabetes and Impaired Awareness of Hypoglycemia During the HypoCOMPaSS Study. Diabetes Care, 2020, 43, 44-52.	8.6	18
44	Back to the future: 25 years of â€~Guidelines for encouraging psychological wellâ€being' among people affected by diabetes. Diabetic Medicine, 2020, 37, 1225-1229.	2.3	34
45	Use of professional-mode flash glucose monitoring, at 3-month intervals, in adults with type 2 diabetes in general practice (CP-OSMOTIC): a pragmatic, open-label, 12-month, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 17-26.	11.4	30
46	'I wish my health professionals understood that it's not just all about your HbA _{1c} !'. Qualitative responses from the second Diabetes MILES – Australia (MILESâ€2) study. Diabetic Medicine, 2020, 37, 971-981.	2.3	42
47	Assessing the impact of diabetes on quality of life: what have the past 25 years taught us?. Diabetic Medicine, 2020, 37, 483-492.	2.3	62
48	Six Months of Hybrid Closed-Loop Versus Manual Insulin Delivery With Fingerprick Blood Glucose Monitoring in Adults With Type 1 Diabetes: A Randomized, Controlled Trial. Diabetes Care, 2020, 43, 3024-3033.	8.6	85
49	Characterization of pre-transplant psychosocial burden in an integrated national islet transplant program. Islets, 2020, 12, 21-31.	1.8	3
50	Weight stigma and diabetes stigma in U.S. adults with type 2 diabetes: Associations with diabetes self-care behaviors and perceptions of health care. Diabetes Research and Clinical Practice, 2020, 168, 108387.	2.8	31
51	Social support and self-care outcomes in adults with diabetes: The mediating effects of self-efficacy and diabetes distress. Results of the second diabetes MILES – Australia (MILES-2) study. Diabetes Research and Clinical Practice, 2020, 166, 108314.	2.8	30
52	Psychosocial Moderators of the Impact of Diabetes Stigma: Results From the Second Diabetes MILES – Australia (MILES-2) Study. Diabetes Care, 2020, 43, 2651-2659.	8.6	35
53	Supporting people with diabetes during a pandemic. Diabetic Medicine, 2020, 37, 1155-1156.	2.3	12
54	Psychological correlates of disordered eating in youth with type 1 diabetes: Results from diabetes MILES Youth—Australia. Pediatric Diabetes, 2020, 21, 664-672.	2.9	10

#	Article	IF	CITATIONS
55	Effect of a tailored leaflet to promote diabetic retinopathy screening among young adults with type 2 diabetes: a randomised controlled trial. BMC Ophthalmology, 2020, 20, 80.	1.4	6
56	Screening, assessment and management of type 2 diabetes mellitus in children and adolescents: Australasian Paediatric Endocrine Group guidelines. Medical Journal of Australia, 2020, 213, 30-43.	1.7	20
57	Oh sugar! How diabetes campaigns can be damaging to the cause they aim to serve. Lancet Diabetes and Endocrinology,the, 2020, 8, 566-567.	11.4	6
58	Adults With Diabetes Distress Often Want to Talk With Their Health Professionals About It: Findings From an Audit of 4 Australian Specialist Diabetes Clinics. Canadian Journal of Diabetes, 2020, 44, 473-480.	0.8	26
59	How psychosocial and behavioural research has shaped our understanding of diabetes. Diabetic Medicine, 2020, 37, 377-379.	2.3	6
60	Reducing the burden of hypoglycaemia in people with diabetes through increased understanding: design of the Hypoglycaemia REdefining SOLutions for better liVEs (Hypoâ€RESOLVE) project. Diabetic Medicine, 2020, 37, 1066-1073.	2.3	27
61	Depressive and anxiety symptoms and following of the Dutch Dietary Guidelines 2015 in adults with diabetes: Results from Diabetes MILES-The Netherlands. Journal of Psychosomatic Research, 2020, 135, 110160.	2.6	5
62	The Diabetes and Emotional Health Handbook and Toolkit for Health Professionals Supporting Adults With Type 1 and Type 2 Diabetes: Formative Evaluation. JMIR Formative Research, 2020, 4, e15007.	1.4	32
63	User Experiences With a Type 2 Diabetes Coaching App: Qualitative Study. JMIR Diabetes, 2020, 5, e16692.	1.9	21
64	Acceptability of an Embodied Conversational Agent for Type 2 Diabetes Self-Management Education and Support via a Smartphone App: Mixed Methods Study. JMIR MHealth and UHealth, 2020, 8, e17038.	3.7	28
65	My Diabetes Coach, a Mobile App–Based Interactive Conversational Agent to Support Type 2 Diabetes Self-Management: Randomized Effectiveness-Implementation Trial. Journal of Medical Internet Research, 2020, 22, e20322.	4.3	59
66	Guiding Glucose Management Discussions Among Adults With Type 2 Diabetes in General Practice: Development and Pretesting of a Clinical Decision Support Tool Prototype Embedded in an Electronic Medical Record. JMIR Formative Research, 2020, 4, e17785.	1.4	5
67	Development and Psychometric Validation of the Novel Glucose Monitoring Experiences Questionnaire Among Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2019, 21, 691-701.	4.4	12
68	Satisfaction with the Use of Different Technologies for Insulin Delivery and Glucose Monitoring Among Adults with Long-Standing Type 1 Diabetes and Problematic Hypoglycemia: 2-Year Follow-Up in the HypoCOMPaSS Randomized Clinical Trial. Diabetes Technology and Therapeutics, 2019, 21, 619-626.	4.4	12
69	Impact of severe hypoglycaemia on psychological outcomes in adults with Type 2 diabetes: a systematic review. Diabetic Medicine, 2019, 36, 1082-1091.	2.3	24
70	Cognitions Associated With Hypoglycemia Awareness Status and Severe Hypoglycemia Experience in Adults With Type 1 Diabetes. Diabetes Care, 2019, 42, 1854-1864.	8.6	30
71	Update on the General Practice Optimising Structured Monitoring to Improve Clinical Outcomes in Type 2 Diabetes (GP-OSMOTIC) trial: statistical analysis plan for a multi-centre randomised controlled trial. Trials, 2019, 20, 93.	1.6	4
72	PAID-11: A brief measure of diabetes distress validated in adults with type 1 diabetes. Diabetes Research and Clinical Practice, 2019, 149, 27-38.	2.8	8

#	Article	IF	CITATIONS
73	What Do Adults with Type 2 Diabetes Want from the "Perfect―App? Results from the Second Diabetes MILES: Australia (MILES-2) Study. Diabetes Technology and Therapeutics, 2019, 21, 393-399.	4.4	36
74	Comorbid elevated symptoms of anxiety and depression in adults with type 1 or type 2 diabetes: Results from the International Diabetes MILES Study. Journal of Diabetes and Its Complications, 2019, 33, 523-529.	2.3	36
75	Modeling Interactions Between Latent Variables in Research on Type D Personality: A Monte Carlo Simulation and Clinical Study of Depression and Anxiety. Multivariate Behavioral Research, 2019, 54, 637-665.	3.1	24
76	Assessing the perceived impact of diabetes on quality of life: Psychometric validation of the DAWN2 Impact of Diabetes Profile in the second Diabetes MILES – Australia (MILES-2) survey. Diabetes Research and Clinical Practice, 2019, 150, 253-263.	2.8	27
77	Comment on the consensus report on the management of hyperglycaemia in Type 2 diabetes by the American Diabetes Association and the European Association for the Study of Diabetes. Diabetic Medicine, 2019, 36, 911-912.	2.3	1
78	Positive reinforcement by general practitioners is associated with greater physical activity in adults with type 2 diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000701.	2.8	4
79	How has psychoâ€behavioural research advanced our understanding of hypoglycaemia in type 1 diabetes?. Diabetic Medicine, 2019, 37, 409-417.	2.3	15
80	Is Self-Compassion Related to Behavioural, Clinical and Emotional Outcomes in Adults with Diabetes? Results from the Second Diabetes MILES—Australia (MILES-2) Study. Mindfulness, 2019, 10, 1222-1231.	2.8	14
81	Prospective memory slips are associated with forgetting to take glucoseâ€lowering therapies among adults with diabetes: results from the second Diabetes <scp>MILES</scp> – Australia (<scp>MILES</scp> â€2) survey. Diabetic Medicine, 2019, 36, 569-577.	2.3	4
82	809-P: Comparison of the Acceptability and Psychometric Properties of Scales Assessing the Impact of Type 1 Diabetes on Quality of Life: Results of the Your SAY: QoL Study. Diabetes, 2019, 68, 809-P.	0.6	3
83	Sustained Reduction in Severe Hypoglycemia in Adults With Type 1 Diabetes Complicated by Impaired Awareness of Hypoglycemia: Two-Year Follow-up in the HypoCOMPaSS Randomized Clinical Trial. Diabetes Care, 2018, 41, 1600-1607.	8.6	58
84	Mindfulness and fear of hypoglycaemia in parents of children with Type 1 diabetes: results from Diabetes <scp>MILES</scp> Youth – The Netherlands. Diabetic Medicine, 2018, 35, 650-657.	2.3	18
85	Diabetes distress is more strongly associated with HbA1c than depressive symptoms in adolescents with type 1 diabetes: Results from Diabetes MILES Youth-Australia. Pediatric Diabetes, 2018, 19, 840-847.	2.9	70
86	Diabetes stigma is associated with negative treatment appraisals among adults with insulinâ€ŧreated Type 2 diabetes: results from the second Diabetes MILES – Australia (MILESâ€2) survey. Diabetic Medicine, 2018, 35, 658-662.	2.3	33
87	Stigma Perceived and Experienced by Adults with Type 1 Diabetes: Linguistic Adaptation and Psychometric Validation of the Danish Version of the Type 1 Diabetes Stigma Assessment Scale (DSAS-1) Tj ETQ	q1 2.10. 78	43 ₽4 rgBT /○
88	What is the best measure for assessing diabetes distress? A comparison of the Problem Areas in Diabetes and Diabetes Distress Scale: results from Diabetes MILES–Australia. Journal of Health Psychology, 2018, 23, 667-680.	2.3	39
89	Diabetes structured self-management education programmes: a narrative review and current innovations. Lancet Diabetes and Endocrinology,the, 2018, 6, 130-142.	11.4	233
90	Distal technologies and type 1 diabetes management. Lancet Diabetes and Endocrinology,the, 2018, 6, 143-156.	11.4	49

#	Article	IF	CITATIONS
91	Emotional Well-Being Factors Associated with Sexual Dysfunction in Adults with Type 1 or Type 2 Diabetes: Results from Diabetes MILES—Australia. International Journal of Sexual Health, 2018, 30, 237-249.	2.3	6
92	Technology and chronic disease management – Authors' reply. Lancet Diabetes and Endocrinology,the, 2018, 6, 91-92.	11.4	0
93	Adherence to diabetic eye examination guidelines in Australia: the National Eye Health Survey. Medical Journal of Australia, 2018, 208, 97-97.	1.7	0
94	Translation and implementation of the Australianâ€led PCOS guideline: clinical summary and translation resources from the International Evidenceâ€based Guideline for the Assessment and Management of Polycystic Ovary Syndrome. Medical Journal of Australia, 2018, 209, S3-S8.	1.7	95
95	Type D personality and social relations in adults with diabetes: results from diabetes MILES – The Netherlands. Psychology and Health, 2018, 33, 1456-1471.	2.2	15
96	Clinical and Psychosocial Factors Influencing Retinal Screening Uptake Among Young Adults with Type 2 Diabetes. Current Diabetes Reports, 2018, 18, 41.	4.2	6
97	Depression and diabetes distress in adults with type 2 diabetes: results from the Australian National Diabetes Audit (ANDA) 2016. Scientific Reports, 2018, 8, 7846.	3.3	80
98	A tailored intervention to promote uptake of retinal screening among young adults with type 2 diabetes - an intervention mapping approach. BMC Health Services Research, 2018, 18, 396.	2.2	69
99	GP-OSMOTIC trial protocol: an individually randomised controlled trial to determine the effect of retrospective continuous glucose monitoring (r-CGM) on HbA1c in adults with type 2 diabetes in general practice. BMJ Open, 2018, 8, e021435.	1.9	8
100	Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndromeâ€â€¡. Human Reproduction, 2018, 33, 1602-1618.	0.9	1,015
101	Quality of Life and Person-Centered Outcomes: Considerations for Behavioral Medicine. , 2018, , 987-1019.		1
102	Effect of 6 months of hybrid closed-loop insulin delivery in adults with type 1 diabetes: a randomised controlled trial protocol. BMJ Open, 2018, 8, e020274.	1.9	7
103	â€~Are you sure you're going to have another one of those?': A qualitative analysis of the social control and social support models in type 2 diabetes. Journal of Health Psychology, 2017, 22, 1819-1829.	2.3	23
104	What is diabetes distress and how can we measure it? A narrative review and conceptual model. Journal of Diabetes and Its Complications, 2017, 31, 898-911.	2.3	100
105	Predictors of insulin uptake among adults with type 2 diabetes in the Stepping Up Study. Diabetes Research and Clinical Practice, 2017, 133, 204-210.	2.8	8
106	Problem-solving therapy for adults with diabetic retinopathy and diabetes-specific distress: a pilot randomized controlled trial. BMJ Open Diabetes Research and Care, 2017, 5, e000307.	2.8	22
107	Cohort profiles of the cross-sectional and prospective participant groups in the second Diabetes MILES—Australia (MILES-2) study. BMJ Open, 2017, 7, e012926.	1.9	19
108	Strengths, Risk Factors, and Resilient Outcomes in Adolescents With Type 1 Diabetes: Results From Diabetes MILES Youth–Australia. Diabetes Care, 2017, 40, 849-855.	8.6	21

#	Article	IF	CITATIONS
109	Assessing Psychological Insulin Resistance in Type 2 Diabetes: a Critical Comparison of Measures. Current Diabetes Reports, 2017, 17, 46.	4.2	11
110	"lt Is Definitely a Game Changerâ€: A Qualitative Study of Experiences with In-home Overnight Closed-Loop Technology Among Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2017, 19, 410-416.	4.4	28
111	Language, the "Diabetes Restricted Code/Dialect,―and What It Means for People With Diabetes and Clinicians. The Diabetes Educator, 2017, 43, 18-26.	2.5	17
112	What factors influence uptake of retinal screening among young adults with type 2 diabetes? A qualitative study informed by the theoretical domains framework. Journal of Diabetes and Its Complications, 2017, 31, 997-1006.	2.3	42
113	Associations Between Physical Activity and Depressive Symptoms by Weight Status Among Adults With Type 2 Diabetes: Results From Diabetes MILES–Australia. Journal of Physical Activity and Health, 2017, 14, 195-202.	2.0	7
114	Severe hypoglycemia, impaired awareness of hypoglycemia, and self-monitoring in adults with type 1 diabetes: Results from Diabetes MILES—Australia. Journal of Diabetes and Its Complications, 2017, 31, 577-582.	2.3	27
115	The Use of Mobile Applications Among Adults with Type 1 and Type 2 Diabetes: Results from the Second MILES—Australia (MILES-2) Study. Diabetes Technology and Therapeutics, 2017, 19, 730-738.	4.4	50
116	The language of diabetes: the good, the bad and the ugly. Diabetic Medicine, 2017, 34, 1495-1497.	2.3	11
117	Gender differences in disordered eating behaviors and body dissatisfaction among adolescents with type 1 diabetes: Results from diabetes MILES youth—Australia. International Journal of Eating Disorders, 2017, 50, 1183-1193.	4.0	58
118	Measuring Type 1 diabetes stigma: development and validation of the Type 1 Diabetes Stigma Assessment Scale (DSAS-1). Diabetic Medicine, 2017, 34, 1773-1782.	2.3	39
119	Cut Points for Identifying Clinically Significant Diabetes Distress in Adolescents With Type 1 Diabetes Using the PAID-T: Results From Diabetes MILES Youth–Australia. Diabetes Care, 2017, 40, 1462-1468.	8.6	31
120	Validation of the WHO-5 as a first-step screening instrument for depression in adults with diabetes: Results from Diabetes MILES – Australia. Diabetes Research and Clinical Practice, 2017, 132, 27-35.	2.8	58
121	Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. BMJ: British Medical Journal, 2017, 356, j783.	2.3	46
122	Behavioural innovation is key to improving the health of one million Australians living with type 2 diabetes. Medical Journal of Australia, 2017, 206, 142-142.	1.7	0
123	Behavioural innovation is key to improving the health of one million Australians living with type 2 diabetes. Medical Journal of Australia, 2016, 205, 149-151.	1.7	9
124	Well, I Wouldn't be Any Worse Off, Would I, Than I am Now? A Qualitative Study of Decision-Making, Hopes, and Realities of Adults With Type 1 Diabetes Undergoing Islet Cell Transplantation. Transplantation Direct, 2016, 2, e72.	1.6	12
125	Characterizing problematic hypoglycaemia: iterative design and preliminary psychometric validation of the Hypoglycaemia Awareness Questionnaire (HypoAâ€Q). Diabetic Medicine, 2016, 33, 376-385.	2.3	39
126	Suicidal ideation reported by adults with Type 1 or Type 2 diabetes: results from Diabetes <scp>MILES</scp> —Australia. Diabetic Medicine, 2016, 33, 1582-1589.	2.3	23

#	Article	lF	CITATIONS
127	Building the evidence for integrated care for type 2 diabetes: a pilot study. Australian Journal of Primary Health, 2016, 22, 409.	0.9	6
128	The impact of insulin therapy and attitudes towards insulin intensification among adults with type 2 diabetes: A qualitative study. Journal of Diabetes and Its Complications, 2016, 30, 1151-1157.	2.3	16
129	Low–Blood Glucose Avoidance Training Improves Glycemic Variability in Adults With Type 1 Diabetes Complicated by Impaired Awareness of Hypoglycemia: HypoCOMPaSS Trial. Diabetes Care, 2016, 39, e56-e58.	8.6	9
130	Inconsistent blood glucose checking before driving among drivers with type 1 diabetes: Results from the Australian YourSAY: Glucose Monitoring study. Diabetes Research and Clinical Practice, 2016, 121, 173-177.	2.8	2
131	Measuring the Stigma Surrounding Type 2 Diabetes: Development and Validation of the Type 2 Diabetes Stigma Assessment Scale (DSAS-2). Diabetes Care, 2016, 39, 2141-2148.	8.6	68
132	The Association of Mindful Parenting with Glycemic Control and Quality of Life in Adolescents with Type 1 Diabetes: Results from Diabetes MILES—The Netherlands. Mindfulness, 2016, 7, 1227-1237.	2.8	12
133	Diabetes MILES Youth–Australia: methods and sample characteristics of a national survey of the psychological aspects of living with type 1 diabetes in Australian youth and their parents. BMC Psychology, 2016, 4, 42.	2.1	26
134	Glycemia, Treatment Satisfaction, Cognition, and Sleep Quality in Adults and Adolescents with Type 1 Diabetes When Using a Closed-Loop System Overnight Versus Sensor-Augmented Pump with Low-Glucose Suspend Function: A Randomized Crossover Study. Diabetes Technology and Therapeutics, 2016, 18, 772-783.	4.4	77
135	The Use of Mobile Applications Among Adolescents with Type 1 Diabetes: Results from Diabetes MILES Youth—Australia. Diabetes Technology and Therapeutics, 2016, 18, 813-819.	4.4	16
136	The pregnancy journey for women with type 1 diabetes: a qualitative model from contemplation to motherhood. Practical Diabetes, 2016, 33, 194.	0.3	10
137	<scp>DAWN</scp> 2 shines more light on the psychological burden of living with diabetes and on the correlates of quality psychological care. Diabetic Medicine, 2016, 33, 1172-1173.	2.3	4
138	Structured type 1 diabetes education delivered in routine care in Australia reduces diabetes-related emergencies and severe diabetes-related distress: The OzDAFNE program. Diabetes Research and Clinical Practice, 2016, 112, 65-72.	2.8	45
139	Does self-efficacy mediate the cross-sectional relationship between perceived quality of health care and self-management of diabetes? Results from Diabetes MILES – Australia. Psychology and Health, 2016, 31, 592-604.	2.2	7
140	Diabetes Distress Among Adolescents with Type 1 Diabetes: a Systematic Review. Current Diabetes Reports, 2016, 16, 9.	4.2	222
141	Willingness to initiate insulin among adults with type 2 diabetes in Australian primary care: Results from the Stepping Up Study. Diabetes Research and Clinical Practice, 2016, 114, 126-135.	2.8	16
142	Explaining psychological insulin resistance in adults with non-insulin-treated type 2 diabetes: The roles of diabetes distress and current medication concerns. Results from Diabetes MILES—Australia. Primary Care Diabetes, 2016, 10, 75-82.	1.8	18
143	Subjective Wellbeing Among Adults with Diabetes: Results from Diabetes MILES—Australia. Journal of Happiness Studies, 2016, 17, 1205-1217.	3.2	12
144	Depression, anxiety and self are behaviours of young adults with Type 2 diabetes: results from the International Diabetes Management and Impact for Longâ€ŧerm Empowerment and Success (<scp>MILES</scp>) Study. Diabetic Medicine, 2015, 32, 133-140.	2.3	69

#	Article	IF	CITATIONS
145	Prioritization of psychological wellâ€being in the care of diabetes: moving beyond excuses, bringing solutions. Diabetic Medicine, 2015, 32, 1393-1394.	2.3	12
146	Fear of hypoglycaemia in adults with TypeÂ1 diabetes: results from Diabetes <scp>MILES</scp> – The Netherlands. Diabetic Medicine, 2015, 32, 1289-1296.	2.3	31
147	Intensifying insulin regimen after basal insulin optimization in adults with type 2 diabetes: a 24â€week, randomized, open″abel trial comparing insulin glargine plus insulin glulisine with biphasic insulin aspart (<scp>L</scp> anScape). Diabetes, Obesity and Metabolism, 2015, 17, 1133-1141.	4.4	39
148	Systematic development of a theory-informed multifaceted behavioural intervention to increase physical activity of adults with type 2 diabetes in routine primary care: Movement as Medicine for Type 2 Diabetes. Implementation Science, 2015, 11, 99.	6.9	19
149	Testing times! Choosing Wisely when it comes to monitoring type 2 diabetes. Medical Journal of Australia, 2015, 203, 354-356.	1.7	13
150	Suicidal ideation or non-suicidal self-harm? A mismatch between the DSM-IV criterion and PHQ-9 item nine. Diabetes Research and Clinical Practice, 2015, 108, e5-e6.	2.8	4
151	Negative appraisals of insulin therapy are common among adults with TypeÂ2 diabetes using insulin: Results from Diabetes MILES – Australia crossâ€sectional survey. Diabetic Medicine, 2015, 32, 1297-1303.	2.3	36
152	Subjective sleep impairment in adults with type 1 or type 2 diabetes: Results from Diabetes MILES—The Netherlands. Diabetes Research and Clinical Practice, 2015, 109, 466-475.	2.8	53
153	Type D personality, suboptimal health behaviors and emotional distress in adults with diabetes: Results from Diabetes MILES–The Netherlands. Diabetes Research and Clinical Practice, 2015, 108, 94-105.	2.8	48
154	The association between mindfulness and emotional distress in adults with diabetes: Could mindfulness serve as a buffer? Results from Diabetes MILES: The Netherlands. Journal of Behavioral Medicine, 2015, 38, 251-260.	2.1	34
155	The association between types of eating behaviour and dispositional mindfulness in adults with diabetes. Results from Diabetes MILES. The Netherlands. Appetite, 2015, 87, 288-295.	3.7	38
156	Explaining engagement in self-monitoring among participants of the DESMOND Self-monitoring Trial: a qualitative interview study. Family Practice, 2015, 32, 596-602.	1.9	10
157	Selfâ€monitoring of blood glucose versus selfâ€monitoring of urine glucose in adults with newly diagnosed Type 2 diabetes receiving structured education: a cluster randomized controlled trial. Diabetic Medicine, 2015, 32, 414-422.	2.3	16
158	Modeling predictors of changes in glycemic control and diabetes-specific quality of life amongst adults with type 1 diabetes 1Âyear after structured education in flexible, intensive insulin therapy. Journal of Behavioral Medicine, 2015, 38, 817-829.	2.1	15
159	First do no harm: a response to Louise Ansari, Diabetes UK. BMJ, The, 2014, 348, g153-g153.	6.0	3
160	Response to Comment on Little et al. Recovery of Hypoglycemia Awareness in Long-standing Type 1 Diabetes: A Multicenter 2 × 2 Factorial Randomized Controlled Trial Comparing Insulin Pump With Multiple Daily Injections and Continuous With Conventional Glucose Self-monitoring (HypoCOMPaSS). Diabetes Care 2014:37:2114–2122. Diabetes Care, 2014, 37, e272-e273.	8.6	2
161	'I'm not a druggie, I'm just a diabetic': a qualitative study of stigma from the perspective of adults with type 1 diabetes. BMJ Open, 2014, 4, e005625-e005625.	1.9	130
162	Severe obesity and diabetes selfâ€care attitudes, behaviours and burden: implications for weight management from a matched caseâ€controlled study. Results from Diabetes <scp>MILES</scp> —Australia. Diabetic Medicine, 2014, 31, 232-240.	2.3	19

#	Article	IF	CITATIONS
163	Associations between economic hardship and markers of selfâ€management in adults with type 2 diabetes: results from Diabetes MILES – Australia. Australian and New Zealand Journal of Public Health, 2014, 38, 466-472.	1.8	14
164	Substantial reductions in the number of diabetic ketoacidosis and severe hypoglycaemia episodes requiring emergency treatment lead to reduced costs after structured education in adults with Type 1 diabetes. Diabetic Medicine, 2014, 31, 847-853.	2.3	90
165	Diabetes in people with an intellectual disability: a systematic review of prevalence, incidence and impact. Diabetic Medicine, 2014, 31, 897-904.	2.3	54
166	Severe hypoglycaemia in type 1 diabetes mellitus: underlying drivers and potential strategies for successful prevention. Diabetes/Metabolism Research and Reviews, 2014, 30, 175-190.	4.0	36
167	Further investigation of the psychometric properties of the insulin treatment appraisal scale among insulin-using and non-insulin-using adults with type 2 diabetes: results from diabetes MILES – Australia. Health and Quality of Life Outcomes, 2014, 12, 87.	2.4	20
168	Severe hypoglycaemia and its association with psychological well-being in Australian adults with type 1 diabetes attending specialist tertiary clinics. Diabetes Research and Clinical Practice, 2014, 103, 430-436.	2.8	74
169	Can primary care team-based transition to insulin improve outcomes in adults with type 2 diabetes: the stepping up to insulin cluster randomized controlled trial protocol. Implementation Science, 2014, 9, 20.	6.9	14
170	Recovery of Hypoglycemia Awareness in Long-standing Type 1 Diabetes: A Multicenter 2 × 2 Factorial Randomized Controlled Trial Comparing Insulin Pump With Multiple Daily Injections and Continuous With Conventional Glucose Self-monitoring (HypoCOMPaSS). Diabetes Care, 2014, 37, 2114-2122.	8.6	183
171	Cognitive, behavioural and psychological barriers to the prevention of severe hypoglycaemia: A qualitative study of adults with type 1 diabetes. SAGE Open Medicine, 2014, 2, 205031211452744.	1.8	21
172	Self-reported access to and quality of healthcare for diabetes: do the severely obese experience equal access?. Australian Family Physician, 2014, 43, 552-6.	0.5	1
173	Psychometric validation of the Self-Care Inventory-Revised (SCI-R) in UK adults with type 2 diabetes using data from the AT.LANTUS Follow-on study. Health and Quality of Life Outcomes, 2013, 11, 24.	2.4	16
174	Transition to motherhood in type 1 diabetes: design of the pregnancy and postnatal well-being in transition questionnaires. BMC Pregnancy and Childbirth, 2013, 13, 54.	2.4	16
175	Structured Type 1 Diabetes Education Delivered Within Routine Care. Diabetes Care, 2013, 36, 270-272.	8.6	127
176	Social Stigma in Diabetes. Patient, 2013, 6, 1-10.	2.7	244
177	Does the shortage of diabetes specialists in regional and rural Australia matter? Results from Diabetes MILES—Australia. Diabetes Research and Clinical Practice, 2013, 100, 222-229.	2.8	14
178	The Challenges and Future Considerations Regarding Pregnancy-Related Outcomes in Women with Pre-Existing Diabetes. Current Diabetes Reports, 2013, 13, 869-876.	4.2	21
179	Psychosocial issues of women with type 1 diabetes transitioning to motherhood: a structured literature review. BMC Pregnancy and Childbirth, 2013, 13, 218.	2.4	34
180	Challenging evidence and assumptions: is there a role for self-monitoring of blood glucose in people with type 2 diabetes not using insulin?. Current Medical Research and Opinion, 2013, 29, 161-168.	1.9	18

#	Article	IF	CITATIONS
181	Severely obese people with diabetes experience impaired emotional well-being associated with socioeconomic disadvantage: Results from diabetes MILES – Australia. Diabetes Research and Clinical Practice, 2013, 101, 131-140.	2.8	27
182	Assessing the impact of diabetes on the quality of life of older adults living in a care home: validation of the ADDQoL Senior. Diabetic Medicine, 2013, 30, 74-80.	2.3	25
183	â€~I call it the blame and shame disease': a qualitative study about perceptions of social stigma surrounding type 2 diabetes. BMJ Open, 2013, 3, e003384.	1.9	229
184	Restoration of Self-Awareness of Hypoglycemia in Adults With Long-Standing Type 1 Diabetes. Diabetes Care, 2013, 36, 4063-4070.	8.6	46
185	The needs, concerns, and characteristics of younger Australian adults with Type 2 diabetes. Diabetic Medicine, 2013, 30, 620-626.	2.3	54
186	Feedback of personal retinal images appears to have a motivational impact in people with nonâ€proliferative diabetic retinopathy and suboptimal HbA _{1c} : findings of a pilot study. Diabetic Medicine, 2013, 30, 1122-1125.	2.3	15
187	Diabetes care provision: barriers, enablers and service needs of young adults with TypeÂ1 diabetes from a region of social disadvantage. Diabetic Medicine, 2013, 30, 878-884.	2.3	38
188	The costâ€effectiveness of the Dose Adjustment for Normal Eating (<scp>DAFNE</scp>) structured education programme: an update using the Sheffield TypeÂ1 Diabetes Policy Model. Diabetic Medicine, 2013, 30, 1236-1244.	2.3	37
189	Comments on Petrak et al.'s "Psychological Insulin Resistance in Type 2 Diabetes Patients Regarding Oral Antidiabetes Treatment, Subcutaneous Insulin Injections, or Inhaled Insulin†Considerations for Language and Communication. Diabetes Technology and Therapeutics, 2013, 15, 1053-1054.	4.4	2
190	Linguistic and Psychometric Validation of the Diabetes-Specific Quality-of-Life Scale in U.K. English for Adults With Type 1 Diabetes. Diabetes Care, 2013, 36, 1117-1125.	8.6	26
191	Managing diabetes and preventing complications: what makes the difference?. Medical Journal of Australia, 2013, 198, 16-17.	1.7	12
192	Generic and diabetesâ€specific wellâ€being in the AT.LANTUS Followâ€on study: further psychometric validation of the Wâ€BQ28 indicates its utility in research and clinical practice in Type 2 diabetes in the UK. Diabetic Medicine, 2012, 29, e345-53.	2.3	8
193	Content Validity of Visual Analog Scales to Assess Symptom Severity of Acute Angioedema Attacks in Adults with Hereditary Angioedema. Patient, 2012, 5, 113-126.	2.7	18
194	Diabetes Australia position statement. A new language for diabetes: Improving communications with and about people with diabetes. Diabetes Research and Clinical Practice, 2012, 97, 425-431.	2.8	78
195	Does self monitoring of blood glucose as opposed to urinalysis provide additional benefit in patients newly diagnosed with type 2 diabetes receiving structured education? The DESMOND SMBG randomised controlled trial protocol. BMC Family Practice, 2012, 13, 18.	2.9	10
196	Comparison of Optimised MDI versus Pumps with or without Sensors in Severe Hypoglycaemia (the) Tj ETQq0 C) 0 rgBT /O	verlock 10 Tf
197	Diabetes MILES – The Netherlands: rationale, design and sample characteristics of a national survey examining the psychosocial aspects of living with diabetes in Dutch adults. BMC Public Health, 2012, 12, 925.	2.9	28

198Patientâ€reported outcomes in trials of incretinâ€based therapies in patients with type 2 diabetes mellitus.
Diabetes, Obesity and Metabolism, 2012, 14, 882-892.4.449

#	Article	IF	CITATIONS
199	The impact of hypoglycaemia on quality of life and related patientâ€reported outcomes in Type 2 diabetes: a narrative review. Diabetic Medicine, 2012, 29, 293-302.	2.3	128
20	Diabetes MILES-Australia (management and impact for long-term empowerment and success): methods and sample characteristics of a national survey of the psychological aspects of living with type 1 or type 2 diabetes in Australian adults. BMC Public Health, 2012, 12, 120.	2.9	51
20	Individual responsibility for reducing obesity: the unintended consequences of well intended messages. Medical Journal of Australia, 2011, 195, 386-386.	1.7	4
20	The Suitability of Polycystic Ovary Syndrome-Specific Questionnaires for Measuring the Impact of PCOS on Quality of Life in Clinical Trials. Value in Health, 2010, 13, 440-446.	0.3	25
203	Patientâ€reported outcomes following islet cell or pancreas transplantation (alone or after kidney) in Type 1 diabetes: a systematic review. Diabetic Medicine, 2010, 27, 812-822.	2.3	56
204	Overcoming barriers to diabetes care: Perceived communication issues of healthcare professionals attending a pilot Diabetes UK training programme. Diabetes Research and Clinical Practice, 2010, 87, e11-e14.	2.8	15
20	Long-term biomedical and psychosocial outcomes following DAFNE (Dose Adjustment For Normal) Tj ETQq1 1 0 controlled Type 1 diabetes. Diabetes Research and Clinical Practice, 2010, 89, 22-29.	.784314 i 2.8	rgBT /Overloc 137
20	6 Quality of Life in Restless Legs Syndrome. Patient, 2010, 3, 185-203.	2.7	1
20'	FDA guidance on patient reported outcomes. BMJ: British Medical Journal, 2010, 340, c2921-c2921.	2.3	140
20	Not all roads lead to Rome—a review of quality of life measurement in adults with diabetes. Diabetic Medicine, 2009, 26, 315-327.	2.3	202
20	The use of hypothetical scenarios and importance weightings when measuring the impact of diabetes on quality of life. A response to Brose <i>et al.</i> . Diabetic Medicine, 2009, 26, 1077-1079.	2.3	3
210	Wouldn't it be NICE to consider patients' views when rationing health care?. BMJ: British Medical Journal, 2009, 338, b85-b85.	2.3	11
211	Quality of life and impact of continuous subcutaneous insulin infusion for children and their parents. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2008, 25, 278-283.	0.2	29
212	PDB55 PSYCHOMETRIC STRENGTH OF CURRENT TREATMENT SATISFACTION QUESTIONNAIRES IN NON-INSULIN TREATED TYPE 2 DIABETES. Value in Health, 2008, 11, A513-A514.	0.3	0
213	PMC54 THE RIGOUR, FLEXIBILITY AND EASE OF IMPLEMENTATION OF SYSTEMATIC SEARCH STRATEGIES—DOWE NEED AN INDUSTRY STANDARD METHODOLOGY?. Value in Health, 2008, 11, A575-A576	0.3	0
214	Understanding and Assessing theÂlmpact of Alcoholism on QualityÂof Life. Patient, 2008, 1, 151-163.	2.7	8
215	PDB71 PILOT STUDY OF CLINICIAN ATTITUDES TO PUMP THERAPY: INTERNATIONAL DIFFERENCES AND THE NEED FORA GREATER UNDERSTANDING OF THE PATIENT PERSPECTIVE. Value in Health, 2007, 10, A276.	0.3	0
216	Does one size really fit all? Only by considering individual preferences and priorities will the true impact of insulin pump therapy on quality of life be determined. Diabetic Medicine, 2007, 24, 693-695.	2.3	12

#	Article	IF	CITATIONS
217	Assessing Patient Satisfaction: Concepts, Applications, and Measurement. Value in Health, 2005, 8, S6-S8.	0.3	45
218	The Renal Treatment Satisfaction Questionnaire (RTSQ): A measure of satisfaction with treatment for chronic kidney failure. American Journal of Kidney Diseases, 2005, 45, 572-579.	1.9	58
219	Assessing the Impact of Diabetes Screening on Quality of Life or Quality of Health?: Semantics are important. Diabetes Care, 2002, 25, 1893-1894.	8.6	7
220	Patient perceptions of diabetes and diabetes therapy: assessing quality of life. Diabetes/Metabolism Research and Reviews, 2002, 18, S64-S69.	4.0	266
221	The ADKnowl: identifying knowledge deficits in diabetes care. Diabetic Medicine, 2001, 18, 626-633.	2.3	95
222	Mindfulness in Relation to Diet Quality in Adults with Type 1 and Type 2 Diabetes: Results from Diabetes MILES-The Netherlands. Mindfulness, 0, , 1.	2.8	0