

# Fernando A Soares

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2975724/publications.pdf>

Version: 2024-02-01

389  
papers

10,034  
citations

46984

47  
h-index

79644

73  
g-index

395  
all docs

395  
docs citations

395  
times ranked

14723  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phyllodes tumours of the breast: a consensus review. <i>Histopathology</i> , 2016, 68, 5-21.	1.6	329
2	Absence of TMPRSS2:ERG fusions and PTEN losses in prostate cancer is associated with a favorable outcome. <i>Modern Pathology</i> , 2008, 21, 1451-1460.	2.9	254
3	Prognostic Implications of Altered Human Epidermal Growth Factor Receptors (HERs) in Gastric Carcinomas: HER2 and HER3 Are Predictors of Poor Outcome. <i>Journal of Clinical Oncology</i> , 2011, 29, 3030-3036.	0.8	217
4	The fusion of two worlds: Non-coding RNAs and extracellular vesicles - diagnostic and therapeutic implications (Review). <i>International Journal of Oncology</i> , 2015, 46, 17-27.	1.4	192
5	GLUT1 expression in malignant tumors and its use as an immunodiagnostic marker. <i>Clinics</i> , 2011, 66, 965-972.	0.6	183
6	Gene Expression Profile Associated with Response to Doxorubicin-Based Therapy in Breast Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 7434-7443.	3.2	168
7	Penile Squamous Cell Carcinoma Clinicopathological Features, Nodal Metastasis and Outcome in 333 Cases. <i>Journal of Urology</i> , 2009, 182, 528-534.	0.2	136
8	Histologic Grade and Perineural Invasion are More Important Than Tumor Thickness as Predictor of Nodal Metastasis in Penile Squamous Cell Carcinoma Invading 5 to 10 mm. <i>American Journal of Surgical Pathology</i> , 2008, 32, 974-979.	2.1	133
9	Glut1 and Glut3 as Potential Prognostic Markers for Oral Squamous Cell Carcinoma. <i>Molecules</i> , 2010, 15, 2374-2387.	1.7	129
10	Infiltration of a mixture of immune cells may be related to good prognosis in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012, 77, 918-925.	1.2	124
11	Evidence that molecular changes in cells occur before morphological alterations during the progression of breast ductal carcinoma. <i>Breast Cancer Research</i> , 2008, 10, R87.	2.2	122
12	Gene expression patterns through oral squamous cell carcinoma development: PD-L1 expression in primary tumor and circulating tumor cells. <i>Oncotarget</i> , 2015, 6, 20902-20920.	0.8	96
13	Prognostic value of NDRG1 and SPARC protein expression in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 1-14.	1.1	95
14	The Prognostic Index. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1049-1057.	2.1	93
15	Prognostication of prostate cancer based on TOP2A protein and gene assessment: TOP2A in prostate cancer. <i>Journal of Translational Medicine</i> , 2013, 11, 36.	1.8	86
16	Digital slides: Present status of a tool for consultation, teaching, and quality control in pathology. <i>Pathology Research and Practice</i> , 2009, 205, 735-741.	1.0	80
17	HOXA1 is overexpressed in oral squamous cell carcinomas and its expression is correlated with poor prognosis. <i>BMC Cancer</i> , 2012, 12, 146.	1.1	79
18	Computed tomography guided needle biopsy: experience from 1,300 procedures. <i>Sao Paulo Medical Journal</i> , 2006, 124, 10-14.	0.4	76

#	ARTICLE	IF	CITATIONS
19	E-cadherin, MMP-2, and MMP-9 as prognostic markers in penile cancer: Analysis of 125 patients. <i>Urology</i> , 2006, 67, 797-802.	0.5	75
20	Down-regulation of PHLDA1 gene expression is associated with breast cancer progression. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 49-56.	1.1	74
21	<scp>ERBB</scp>4 confers metastatic capacity in Ewing sarcoma. <i>EMBO Molecular Medicine</i> , 2013, 5, 1087-1102.	3.3	71
22	Epigenetic Silencing of CRABP2 and MX1 in Head and Neck Tumors. <i>Neoplasia</i> , 2009, 11, 1329-IN9.	2.3	70
23	Comprehensive Analysis of BRCA1, BRCA2 and TP53 Germline Mutation and Tumor Characterization: A Portrait of Early-Onset Breast Cancer in Brazil. <i>PLoS ONE</i> , 2013, 8, e57581.	1.1	70
24	Differentiated thyroid carcinomas may elude the immune system by B7H1 upregulation. <i>Endocrine-Related Cancer</i> , 2013, 20, 103-110.	1.6	69
25	Epigenetic silencing of the adhesion molecule ADAM23 is highly frequent in breast tumors. <i>Oncogene</i> , 2004, 23, 1481-1488.	2.6	68
26	High-risk human papillomavirus in oral squamous cell carcinoma of young patients. <i>International Journal of Cancer</i> , 2012, 130, 1726-1732.	2.3	68
27	Primary Oral Mucosal Melanoma: A Series of 35 New Cases From South America. <i>American Journal of Dermatopathology</i> , 2009, 31, 323-330.	0.3	65
28	Tumor microenvironment composition in pediatric classical Hodgkin lymphoma is modulated by age and Epstein-Barr virus infection. <i>International Journal of Cancer</i> , 2012, 131, 1142-1152.	2.3	65
29	The influence of transforming growth factor- $\beta$ , cyclooxygenase-2, matrix metalloproteinase (MMP)-7, MMP-9 and CXCR4 proteins involved in epithelial-mesenchymal transition on overall survival of patients with gastric cancer. <i>Histopathology</i> , 2012, 61, 153-161.	1.6	65
30	Estrogen receptor alpha/beta ratio and estrogen receptor beta as predictors of endocrine therapy responsiveness—a randomized neoadjuvant trial comparison between anastrozole and tamoxifen for the treatment of postmenopausal breast cancer. <i>BMC Cancer</i> , 2013, 13, 425.	1.1	64
31	Colorectal Cancer "Methylator Phenotype": Fact or Artifact?. <i>Neoplasia</i> , 2005, 7, 331-335.	2.3	63
32	Evaluation of gene amplification and protein expression of HER-2/neu in esophageal squamous cell carcinoma using Fluorescence in situ Hybridization (FISH) and immunohistochemistry. <i>BMC Cancer</i> , 2009, 9, 6.	1.1	63
33	Warty-basaloid carcinoma: clinicopathological features of a distinctive penile neoplasm. Report of 45 cases. <i>Modern Pathology</i> , 2010, 23, 896-904.	2.9	62
34	<scp>BRAF</scp>V600E expression correlates with ameloblastoma aggressiveness. <i>Histopathology</i> , 2017, 70, 473-484.	1.6	60
35	Comparative analysis of amplified and nonamplified RNA for hybridization in cDNA microarray. <i>Analytical Biochemistry</i> , 2003, 321, 244-251.	1.1	58
36	Pseudoglandular (Adenoid, Acantholytic) Penile Squamous Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2009, 33, 551-555.	2.1	57

#	ARTICLE	IF	CITATIONS
37	Evaluation of cell cycle protein expression in gastric cancer: cyclin B1 expression and its prognostic implication. <i>Human Pathology</i> , 2010, 41, 1120-1127.	1.1	57
38	Pulmonary leukostasis without hyperleukocytosis: A clinicopathologic study of 16 cases. <i>American Journal of Hematology</i> , 1992, 40, 28-32.	2.0	55
39	Biological Markers and Prognosis in Recurrent Oral Cancer After Salvage Surgery. <i>JAMA Otolaryngology</i> , 2008, 134, 743.	1.5	54
40	Thymoma: a clinicopathological correlation of 1470 cases. <i>Human Pathology</i> , 2018, 73, 7-15.	1.1	54
41	Expression of Cancer/Testis Antigens is Correlated with Improved Survival in Glioblastoma. <i>Oncotarget</i> , 2013, 4, 636-646.	0.8	54
42	MT1G Hypermethylation: A Potential Prognostic Marker for Hepatoblastoma. <i>Pediatric Research</i> , 2010, 67, 387-393.	1.1	53
43	Molecular Classifiers for Gastric Cancer and Nonmalignant Diseases of the Gastric Mucosa. <i>Cancer Research</i> , 2004, 64, 1255-1265.	0.4	52
44	Front pattern of invasion in squamous cell carcinoma of the penis: New prognostic factor for predicting risk of lymph node metastases. <i>Urology</i> , 2006, 68, 148-153.	0.5	52
45	Reciprocal changes in gene expression profiles of cocultured breast epithelial cells and primary fibroblasts. <i>International Journal of Cancer</i> , 2009, 125, 2767-2777.	2.3	52
46	TWIST1 is a molecular marker for a poor prognosis in oral cancer and represents a potential therapeutic target. <i>Cancer</i> , 2014, 120, 352-362.	2.0	52
47	Clinicopathological significance of ubiquitin-specific protease 2a (USP2a), fatty acid synthase (FASN), and ErbB2 expression in oral squamous cell carcinomas. <i>Oral Oncology</i> , 2009, 45, e134-e139.	0.8	51
48	SAGE analysis highlights the importance of p53, ddx5, mapkapk2 and ranbp2 to multiple myeloma tumorigenesis. <i>Cancer Letters</i> , 2009, 278, 41-48.	3.2	51
49	High Levels of Hsp90 Co-chaperone p23 Promote Tumor Progression and Poor Prognosis in Breast Cancer by Increasing Lymph Node Metastases and Drug Resistance. <i>Cancer Research</i> , 2010, 70, 8446-8456.	0.4	51
50	CD8+ tumour-infiltrating lymphocytes and COX2 expression may predict relapse in differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2015, 83, 246-253.	1.2	50
51	Prevalence of the TP53 p.R337H Mutation in Breast Cancer Patients in Brazil. <i>PLoS ONE</i> , 2014, 9, e99893.	1.1	49
52	Papillary Squamous Cell Carcinoma, Not Otherwise Specified (NOS) of the Penis: Clinicopathologic Features, Differential Diagnosis, and Outcome of 35 Cases. <i>American Journal of Surgical Pathology</i> , 2010, 34, 223-230.	2.1	47
53	Foxp3 expression is associated with aggressiveness in differentiated thyroid carcinomas. <i>Clinics</i> , 2012, 67, 483-488.	0.6	47
54	Glioblastomas: correlation between oligodendroglial components, genetic abnormalities, and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 481-490.	1.4	46

#	ARTICLE	IF	CITATIONS
55	Cytokeratin-based CTC counting unrelated to clinical follow up. Journal of Thoracic Disease, 2013, 5, 593-9.	0.6	46
56	Concomitant expression of epithelial-mesenchymal transition biomarkers in breast ductal carcinoma: association with progression. Oncology Reports, 2010, 23, 313-20.	1.2	46
57	Human salivary gland morphogenesis: myoepithelial cell maturation assessed by immunohistochemical markers. Histopathology, 2010, 57, 410-417.	1.6	45
58	Clinical significance of molecular alterations in histologically negative surgical margins of head and neck cancer patients. Oral Oncology, 2012, 48, 240-248.	0.8	45
59	IL-2, IL-5, TNF- $\alpha$ and IFN- $\gamma$ mRNA expression in epidermal keratinocytes of systemic lupus erythematosus skin lesions. Clinics, 2011, 66, 77-82.	0.6	44
60	Identification of Genes Associated with Local Aggressiveness and Metastatic Behavior in Soft Tissue Tumors. Translational Oncology, 2010, 3, 23-IN5.	1.7	43
61	Cancer stem cell immunophenotypes in oral squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2011, 40, 135-142.	1.4	43
62	Sex with Animals (SWA): Behavioral Characteristics and Possible Association with Penile Cancer. A Multicenter Study. Journal of Sexual Medicine, 2012, 9, 1860-1867.	0.3	42
63	Morphometric evaluation of tumor matrix metalloproteinase 9 predicts survival after surgical resection of adenocarcinoma of the lung. Clinical Cancer Research, 2003, 9, 3098-104.	3.2	42
64	SATR-1 hypomethylation is a common and early event in breast cancer. Cancer Genetics and Cytogenetics, 2006, 165, 135-143.	1.0	41
65	Down-regulation of the candidate tumor suppressor gene PAR-4 is associated with poor prognosis in breast cancer. International Journal of Oncology, 2010, 37, 41-9.	1.4	41
66	Expression of Bcl-2 family proteins and association with clinicopathological characteristics of oral squamous cell carcinoma. Histopathology, 2010, 57, 304-316.	1.6	41
67	Oral squamous cell carcinoma: status of tight junction claudins in the different histopathological patterns and relationship with clinical parameters. A tissue-microarray-based study of 136 cases. Journal of Clinical Pathology, 2010, 63, 609-614.	1.0	41
68	Penile Cancer: Epidemiology and Treatment. Current Oncology Reports, 2011, 13, 231-239.	1.8	41
69	Phosphodiesterase 11A ( <i>PDE11A</i> ) Genetic Variants May Increase Susceptibility to Prostatic Cancer. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E135-E140.	1.8	41
70	Profile of patients with penile cancer in the region with the highest worldwide incidence. Scientific Reports, 2020, 10, 2965.	1.6	41
71	Human salivary gland branching morphogenesis: morphological localization of claudins and its parallel relation with developmental stages revealed by expression of cytoskeleton and secretion markers. Histochemistry and Cell Biology, 2007, 128, 361-369.	0.8	40
72	ErbB family immunohistochemical expression in colorectal cancer patients with higher risk of recurrence after radical surgery. International Journal of Colorectal Disease, 2009, 24, 1059-1068.	1.0	40

#	ARTICLE	IF	CITATIONS
73	<i>CCND1</i> amplification and protein overexpression in oral squamous cell carcinoma of young patients. <i>Head and Neck</i> , 2011, 33, 1413-1419.	0.9	39
74	Tyrosine kinase receptor expression in chordomas: phosphorylated AKT correlates inversely with outcome. <i>Human Pathology</i> , 2013, 44, 1747-1755.	1.1	39
75	Fas, FasL, and cleaved caspases 8 and 3 in glioblastomas: A tissue microarray-based study. <i>Pathology Research and Practice</i> , 2014, 210, 267-273.	1.0	39
76	Genome-Wide Screening of mRNA Expression in Leprosy Patients. <i>Frontiers in Genetics</i> , 2015, 6, 334.	1.1	39
77	Do Proliferating Cell Nuclear Antigen and MIB-1/Ki-67 Have Prognostic Value in Penile Squamous Cell Carcinoma?. <i>Urology</i> , 2007, 70, 137-142.	0.5	38
78	Infections with multiple high-risk HPV types are associated with high-grade and persistent low-grade intraepithelial lesions of the cervix. <i>Cancer Cytopathology</i> , 2017, 125, 138-143.	1.4	38
79	Presence of Myofibroblasts and Expression of Matrix Metalloproteinase-2 (MMP-2) in Ameloblastomas Correlate with Rupture of the Osseous Cortical. <i>Pathology and Oncology Research</i> , 2009, 15, 231-240.	0.9	37
80	Activation of sonic hedgehog signaling in oral squamous cell carcinomas: a preliminary study. <i>Human Pathology</i> , 2011, 42, 1484-1490.	1.1	37
81	Pathological factors, behavior, and histological prognostic risk groups in subtypes of penile squamous cell carcinomas (SCC). <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 222-231.	1.0	37
82	Inhibition of the AnxA1/FPR1 autocrine axis reduces MDA-MB-231 breast cancer cell growth and aggressiveness in vitro and in vivo. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1368-1382.	1.9	36
83	Fulminant Disseminated Pulmonary Adiaspiromycosis in Humans. <i>American Journal of Tropical Medicine and Hygiene</i> , 1992, 46, 146-150.	0.6	36
84	Caspase expression in oral squamous cell carcinoma. <i>Head and Neck</i> , 2011, 33, 1191-1198.	0.9	35
85	Prognostic impact of the cancer stem cell related markers ALDH1 and EZH2 in triple negative and basal-like breast cancers. <i>Pathology</i> , 2012, 44, 303-312.	0.3	35
86	Overexpression of Fos-related antigen-1 in head and neck squamous cell carcinoma. <i>International Journal of Experimental Pathology</i> , 2005, 86, 205-212.	0.6	34
87	Expression Profile of Malignant and Nonmalignant Lesions of Esophagus and Stomach: Differential Activity of Functional Modules Related to Inflammation and Lipid Metabolism. <i>Cancer Research</i> , 2005, 65, 7127-7136.	0.4	34
88	TP53 mutation p.R337H in gastric cancer tissues of a 12-year-old male child - evidence for chimerism involving a common mutant founder haplotype: case report. <i>BMC Cancer</i> , 2011, 11, 449.	1.1	34
89	Breast implant-associated anaplastic large cell lymphoma in a Li-FRAUMENI patient: a case report. <i>Diagnostic Pathology</i> , 2018, 13, 10.	0.9	34
90	Molecular Profiling of Isolated Histological Components of Wilms Tumor Implicates a Common Role for the Wnt Signaling Pathway in Kidney and Tumor Development. <i>Oncology</i> , 2008, 75, 81-91.	0.9	33

#	ARTICLE	IF	CITATIONS
91	Increased expression of CD4+CD25+FOXP3+ regulatory T cells correlates with Epstein-Barr virus and has no impact on survival in patients with classical Hodgkin lymphoma in Brazil. <i>Medical Oncology</i> , 2012, 29, 3614-3619.	1.2	33
92	Prognostication of OCT4 isoform expression in prostate cancer. <i>Tumor Biology</i> , 2013, 34, 2665-2673.	0.8	33
93	Characterization of a cancer/testis (CT) antigen gene family capable of eliciting humoral response in cancer patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18066-18071.	3.3	32
94	Use of sodium iodide symporter expression in differentiated thyroid carcinomas. <i>Clinical Endocrinology</i> , 2011, 75, 247-254.	1.2	32
95	Palliative pelvic exenteration for patients with gynecological malignancies. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1107-1112.	0.8	32
96	Optimizing nucleic acid extraction from thyroid fine-needle aspiration cells in stained slides, formalin-fixed/paraffin-embedded tissues, and long-term stored blood samples. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2012, 56, 618-626.	1.3	32
97	AMP-activated protein kinase signaling is upregulated in papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2013, 169, 521-528.	1.9	32
98	A microRNA signature profile in EBV+ diffuse large B-cell lymphoma of the elderly. <i>Oncotarget</i> , 2014, 5, 11813-11826.	0.8	32
99	Vascular Density (Tumor Angiogenesis) in Non-Hodgkin's Lymphomas and Follicular Hyperplasia: A Morphometric Study. <i>Leukemia and Lymphoma</i> , 2000, 40, 157-166.	0.6	31
100	Multiple mutations in the Kras gene in colorectal cancer: review of the literature with two case reports. <i>International Journal of Colorectal Disease</i> , 2011, 26, 1241-1248.	1.0	31
101	Common chromosomal imbalances and stemness-related protein expression markers in endometriotic lesions from different anatomical sites: the potential role of stem cells. <i>Human Reproduction</i> , 2012, 27, 3187-3197.	0.4	31
102	Moesin expression by tumor cells is an unfavorable prognostic biomarker for oral cancer. <i>BMC Cancer</i> , 2018, 18, 53.	1.1	31
103	The Value of a Tumor Bank in the Development of Cancer Research in Brazil: 13 Years of Experience at the A C Camargo Hospital. <i>Biopreservation and Biobanking</i> , 2012, 10, 168-173.	0.5	30
104	Differentially expressed genes in gastric tumors identified by cDNA array. <i>Cancer Letters</i> , 2003, 190, 199-211.	3.2	29
105	The Transcripts of SFRP1, CEP63 and EIF4G2 Genes Are Frequently Downregulated in Transitional Cell Carcinomas of the Bladder. <i>Oncology</i> , 2005, 69, 445-454.	0.9	29
106	Expression of PAR-4 and PHLDA1 is prognostic for overall and disease-free survival in oral squamous cell carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 31-39.	1.4	29
107	Expression of stem cell markers in oral cavity and oropharynx squamous cell carcinoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 113-122.	0.2	29
108	CIP4 promotes metastasis in triple-negative breast cancer and is associated with poor patient prognosis. <i>Oncotarget</i> , 2015, 6, 9397-9408.	0.8	29



#	ARTICLE	IF	CITATIONS
109	Primary Diffuse Large B-Cell Lymphoma of Bone Displays Preferential Rearrangements of the c- <i>MYC</i> or <i>BCL2</i> Gene. <i>American Journal of Clinical Pathology</i> , 2008, 129, 723-726.	0.4	28
110	NDRG1 protein overexpression in malignant thyroid neoplasms. <i>Clinics</i> , 2010, 65, 757-762.	0.6	28
111	Gene expression analysis of blastemal component reveals genes associated with relapse mechanism in Wilms tumour. <i>European Journal of Cancer</i> , 2011, 47, 2715-2722.	1.3	28
112	Transcriptional profiles of <i>SHH</i> pathway genes in keratocystic odontogenic tumor and ameloblastoma. <i>Journal of Oral Pathology and Medicine</i> , 2014, 43, 619-626.	1.4	28
113	Pathologic and immunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. <i>Tumor Biology</i> , 2015, 36, 2509-2516.	0.8	28
114	SOD2 immunorexpression predicts lymph node metastasis in penile cancer. <i>BMC Clinical Pathology</i> , 2015, 15, 3.	1.8	28
115	A genomic case study of desmoplastic small round cell tumor: comprehensive analysis reveals insights into potential therapeutic targets and development of a monitoring tool for a rare and aggressive disease. <i>Human Genomics</i> , 2016, 10, 36.	1.4	28
116	AIDS-Related Lymphoma in Brazil: Histopathology, Immunophenotype, and Association With Epstein-Barr Virus. <i>American Journal of Clinical Pathology</i> , 1996, 105, 230-237.	0.4	27
117	Immunohistochemical expression of p63 in pleomorphic adenomas and carcinomas ex-pleomorphic adenomas of salivary glands. <i>Oral Oncology</i> , 2006, 42, 154-160.	0.8	27
118	Nucleophosmin, p53, and Ki-67 expression patterns on an oral squamous cell carcinoma tissue microarray. <i>Human Pathology</i> , 2010, 41, 1079-1086.	1.1	27
119	Human Papilloma Virus: Prevalence, distribution and predictive value to lymphatic metastasis in penile carcinoma. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 542-550.	0.7	27
120	Cox-2, EGFR, and ERBB-2 Expression in Cervical Intraepithelial Neoplasia and Cervical Cancer Using an Automated Imaging System. <i>International Journal of Gynecological Pathology</i> , 2014, 33, 225-234.	0.9	27
121	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the $\alpha$ -tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014, 116, 440-447.	0.9	27
122	Expression of the NEK family in normal and cancer tissue: an immunohistochemical study. <i>BMC Cancer</i> , 2020, 20, 23.	1.1	27
123	Hepatoblastomas and Liver Development: A Study of Cytokeratin Immunorexpression in Twenty-Nine Hepatoblastomas. <i>Pediatric and Developmental Pathology</i> , 2006, 9, 196-202.	0.5	26
124	Downregulation of CD9 protein expression is associated with aggressive behavior of oral squamous cell carcinoma. <i>Oral Oncology</i> , 2010, 46, 166-171.	0.8	26
125	Ezrin Expression as a Prognostic Marker in Colorectal Adenocarcinoma. <i>Pathology and Oncology Research</i> , 2011, 17, 827-833.	0.9	26
126	Interleukin 10 expression is related to aggressiveness and poor prognosis of patients with thyroid cancer. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 141-148.	2.0	26



#	ARTICLE	IF	CITATIONS
127	MiR-223-5p works as an oncomiR in vulvar carcinoma by TP63 suppression. <i>Oncotarget</i> , 2016, 7, 49217-49231.	0.8	26
128	Differential expression of IGFBP-5 and two human ESTs in thyroid glands with goiter, adenoma and papillary or follicular carcinomas. <i>Cancer Letters</i> , 2003, 191, 193-202.	3.2	25
129	The Addition of Ifosfamide/Etoposide to Cisplatin/Teniposide Improves the Survival of Children With Retinoblastoma and Orbital Involvement. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 700-704.	0.3	25
130	Infiltration of a mixture of different immune cells may be related to molecular profile of differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2012, 19, L31-L36.	1.6	25
131	BRCA1 and $\gamma$ H2AX as independent prognostic markers in oral squamous cell carcinoma. <i>Oncoscience</i> , 2014, 1, 383-391.	0.9	25
132	Primary lymphoma of the right atrium with fatal neoplastic pulmonary embolism. <i>American Heart Journal</i> , 1992, 124, 1088-1090.	1.2	24
133	Quantitative real-time RT-PCR and chromogenic in situ hybridization: precise methods to detect HER-2 status in breast carcinoma. <i>BMC Cancer</i> , 2009, 9, 90.	1.1	24
134	CD44+/CD133+ immunophenotype and matrix metalloproteinase-9: Influence on prognosis in early-stage oral squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1718-1726.	0.9	24
135	Expression of stem cell-regulating miRNAs in oral cavity and oropharynx squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 647-654.	1.4	24
136	Differential Expression of MicroRNAs in Leprosy Skin Lesions. <i>Frontiers in Immunology</i> , 2017, 8, 1035.	2.2	24
137	Could miRNA Signatures be Useful for Predicting Uterine Sarcoma and Carcinosarcoma Prognosis and Treatment?. <i>Cancers</i> , 2018, 10, 315.	1.7	24
138	Comparison of biological behavior between early-stage adenocarcinoma and squamous cell carcinoma of the uterine cervix. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 215-223.	0.5	23
139	MDM2, P53, P21WAF1 and pAKT protein levels in genesis and behaviour of adenoid cystic carcinoma. <i>Cancer Epidemiology</i> , 2009, 33, 142-146.	0.8	23
140	Identification of FAM46D as a novel cancer/testis antigen using EST data and serological analysis. <i>Genomics</i> , 2009, 94, 153-160.	1.3	23
141	Claudin-7 down-regulation is an important feature in oral squamous cell carcinoma. <i>Histopathology</i> , 2010, 57, 689-698.	1.6	23
142	Differential expression of HIF-1 $\pm$ in CD44+CD24-/low breast ductal carcinomas. <i>Diagnostic Pathology</i> , 2011, 6, 73.	0.9	23
143	ROCK1 as a novel prognostic marker in vulvar cancer. <i>BMC Cancer</i> , 2014, 14, 822.	1.1	23
144	Prognostic Value of ADAMTS Proteases and Their Substrates in Epithelial Ovarian Cancer. <i>Pathobiology</i> , 2016, 83, 316-326.	1.9	23

#	ARTICLE	IF	CITATIONS
145	Dedifferentiated liposarcoma of the oral cavity with angiosarcomatous dedifferentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 456-459.	1.4	22
146	Expression of Transforming Growth Factor- $\beta$ 1, $\beta$ 2, and $\beta$ 3 in Human Developing Teeth: Immunolocalization According to the Odontogenesis Phases. <i>Pediatric and Developmental Pathology</i> , 2008, 11, 206-212.	0.5	22
147	Muc-1 Expression May Help Characterize Thyroid Nodules but Does Not Predict Patients' Outcome. <i>Endocrine Pathology</i> , 2010, 21, 242-249.	5.2	22
148	Nitric Oxide Synthases, Cyclooxygenase-2, Nitrotyrosine, and Angiogenesis in Chondrosarcoma and Their Relation to Prognosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1738-1746.	1.4	22
149	Loss of RKIP expression during the carcinogenic evolution of endometrial cancer. <i>Journal of Clinical Pathology</i> , 2012, 65, 122-128.	1.0	22
150	Cadherin-catenin adhesion system and mucin expression: a comparison between young and older patients with gastric carcinoma. <i>Gastric Cancer</i> , 2008, 11, 149-159.	2.7	21
151	Role of immunoexpression of nitric oxide synthases by Hodgkin and Reed-Sternberg cells on apoptosis deregulation and on clinical outcome of classical Hodgkin lymphoma. <i>Molecular and Cellular Biochemistry</i> , 2009, 321, 95-102.	1.4	21
152	A clinical, pathologic, and molecular study of p53 and murine double minute 2 in penile carcinogenesis and its relation to prognosis. <i>Human Pathology</i> , 2012, 43, 481-488.	1.1	21
153	Prognostic significance of c-KIT in vulvar cancer: bringing this molecular marker from bench to bedside. <i>Journal of Translational Medicine</i> , 2012, 10, 150.	1.8	21
154	Expression of apoptosis-regulating miRNAs and target mRNAs in oral squamous cell carcinoma. <i>Cancer Genetics</i> , 2015, 208, 382-389.	0.2	21
155	Mutational Profile and New IASLC/ATS/ERS Classification Provide Additional Prognostic Information about Lung Adenocarcinoma: A Study of 125 Patients from Brazil. <i>Oncology</i> , 2015, 89, 175-186.	0.9	21
156	Design of a miRNA sponge for the miR-17 miRNA family as a therapeutic strategy against vulvar carcinoma. <i>Molecular and Cellular Probes</i> , 2015, 29, 420-426.	0.9	21
157	Immunohistochemistry of apoptosis-related proteins in retinoblastoma. <i>Pathology Research and Practice</i> , 2016, 212, 1144-1150.	1.0	21
158	Elevated $\langle scp \rangle$ VEGFA $\langle /scp \rangle$ mRNA levels in oral squamous cell carcinomas and tumor margins: a preliminary study. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 481-485.	1.4	21
159	Biological Applications of a Chimeric Probe for the Assessment of Galectin-3 Ligands. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 1015-1026.	1.3	20
160	Is galectin-3 a good method for the detection of malignancy in patients with thyroid nodules and a cytologic diagnosis of "follicular neoplasm"? A critical appraisal of the evidence. <i>Head and Neck</i> , 2007, 29, 1046-1054.	0.9	20
161	Ion channelopathies in endocrinology: recent genetic findings and pathophysiological insights. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2010, 54, 673-681.	1.3	20
162	Role of Fos-related antigen 1 in the progression and prognosis of ductal breast carcinoma. <i>Histopathology</i> , 2011, 58, 617-625.	1.6	20

#	ARTICLE	IF	CITATIONS
163	Prognostic impact of MUM1 expression by immunohistochemistry on primary mediastinal large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 1495-1503.	0.6	20
164	Breast cancer tissue slices as a model for evaluation of response to rapamycin. <i>Cell and Tissue Research</i> , 2013, 352, 671-684.	1.5	20
165	Prognostication of Vulvar Cancer Based on p14ARF Status: Molecular Assessment of Transcript and Protein. <i>Annals of Surgical Oncology</i> , 2013, 20, 31-39.	0.7	20
166	microRNA Portraits in Human Vulvar Carcinoma. <i>Cancer Prevention Research</i> , 2013, 6, 1231-1241.	0.7	20
167	Dermcidin exerts its oncogenic effects in breast cancer via modulation of ERBB signaling. <i>BMC Cancer</i> , 2015, 15, 70.	1.1	20
168	Overexpression of ANXA1 in Penile Carcinomas Positive for High-Risk HPVs. <i>PLoS ONE</i> , 2013, 8, e53260.	1.1	20
169	RAS mutations vary between lesions in synchronous primary Colorectal Cancer: Testing only one lesion is not sufficient to guide anti-EGFR treatment decisions.. <i>Oncoscience</i> , 2015, 2, 125-130.	0.9	20
170	Significant overexpression of oligophrenin-1 in colorectal tumors detected by cDNA microarray analysis. <i>Cancer Letters</i> , 2001, 172, 67-73.	3.2	19
171	Sarcomas Often Express Constitutive Nitric Oxide Synthases (NOS) But Infrequently Inducible NOS. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006, 14, 404-410.	0.6	19
172	Significance of topoisomerase III $\beta$ expression in breast ductal carcinomas: strong associations with disease-specific survival and metastasis. <i>Human Pathology</i> , 2010, 41, 1624-1630.	1.1	19
173	Cell cycle characteristics and Epstein-Barr virus are differentially associated with aggressive and non-aggressive subsets of Hodgkin lymphoma in pediatric patients. <i>Leukemia and Lymphoma</i> , 2010, 51, 1513-1526.	0.6	19
174	Development of human minor salivary glands: expression of mucins according to stage of morphogenesis. <i>Journal of Anatomy</i> , 2011, 219, 410-417.	0.9	19
175	Surgical implications of mesenteric lymph node metastasis from advanced ovarian cancer after bowel resection. <i>Journal of Surgical Oncology</i> , 2011, 104, 250-254.	0.8	19
176	Low prevalence of HPV in Brazilian children with retinoblastoma. <i>Journal of Medical Virology</i> , 2011, 83, 115-118.	2.5	19
177	Conservative Management of Extramammary Paget Disease With Imiquimod. <i>Journal of Lower Genital Tract Disease</i> , 2012, 16, 59-63.	0.9	19
178	Tumor histologic grade is the most important prognostic factor in patients with penile cancer and clinically negative lymph nodes not submitted to regional lymphadenectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 1136-1143.	0.7	19
179	Penile metastasis of chondrosarcoma of the jaw. <i>Urology</i> , 2003, 61, 837.	0.5	18
180	Developing human minor salivary glands: morphological parallel relation between the expression of TGF-beta isoforms and cytoskeletal markers of glandular maturation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 427-434.	1.4	18

#	ARTICLE	IF	CITATIONS
181	Glial fibrillary acidic protein in tumor types with cartilaginous differentiation. <i>Modern Pathology</i> , 2009, 22, 1321-1327.	2.9	18
182	Evaluation of Reliability of FISH Versus Brightfield Dual-probe In Situ Hybridization (BDISH) for Frontline Assessment of HER2 Status in Breast Cancer Samples in a Community Setting. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1489-1496.	2.1	18
183	Immunohistochemical evaluation of MMP-2, MMP-9 and CD31/microvascular density in squamous cell carcinomas of the floor of the mouth. <i>Brazilian Dental Journal</i> , 2013, 24, 3-9.	0.5	18
184	Immunohistochemical investigation of the angiogenic proteins VEGF, HIF-1 $\alpha$ and CD34 in invasive ductal carcinoma of the breast. <i>Acta Histochemica</i> , 2014, 116, 148-157.	0.9	18
185	Decreased Expression of Stem Cell Markers by Simvastatin in 7,12-dimethylbenz(a)anthracene (DMBA)-induced Breast Cancer. <i>Toxicologic Pathology</i> , 2015, 43, 400-410.	0.9	18
186	MicroRNAs expression pattern related to mast cell activation and angiogenesis in paraffin-embedded salivary gland tumors. <i>Pathology Research and Practice</i> , 2017, 213, 1470-1476.	1.0	18
187	Markers of vascular differentiation, proliferation and tissue remodeling in juvenile nasopharyngeal angiofibromas. <i>Experimental and Therapeutic Medicine</i> , 2010, 1, 921-926.	0.8	17
188	HOXB7 expression is a prognostic factor for oral squamous cell carcinoma. <i>Histopathology</i> , 2012, 60, 662-665.	1.6	17
189	MGMT and PTEN as potential prognostic markers in breast cancer. <i>Experimental and Molecular Pathology</i> , 2012, 92, 20-26.	0.9	17
190	Characterization of Sociodemographic and Clinicopathological Features in Brazilian Patients with Vulvar Squamous Cell Carcinoma. <i>Gynecologic and Obstetric Investigation</i> , 2013, 75, 53-60.	0.7	17
191	Cooverexpression of ERBB1 and ERBB4 receptors predicts poor clinical outcome in pN+ oral squamous cell carcinoma with extranodal spread. <i>Clinical and Experimental Metastasis</i> , 2014, 31, 307-316.	1.7	17
192	Pattern of invasion is the most important prognostic factor in patients with penile cancer submitted to lymph node dissection and pathological absence of lymph node metastasis. <i>BJU International</i> , 2015, 116, 584-589.	1.3	17
193	Epithelial-mesenchymal transition (EMT) phenotype at invasion front of squamous cell carcinoma of the penis influences oncological outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 433.e19-433.e26.	0.8	17
194	Altered expression of apoptosis-regulating miRNAs in salivary gland tumors suggests their involvement in salivary gland tumorigenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 291-299.	1.4	17
195	Carcinoembryonic antigen (CEA) mimicry by an anti-idiotypic scFv isolated from anti-Id 6.C4 hybridoma. <i>Journal of Biotechnology</i> , 2007, 127, 615-625.	1.9	16
196	Mdm2, p53, p21 and pAKT protein pathways in benign neoplasms of the salivary gland. <i>Oral Oncology</i> , 2008, 44, 903-908.	0.8	16
197	P53 and Expression of Immunological Markers May Identify Early Stage Thyroid Tumors. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-9.	3.3	16
198	EGFR expression in vulvar cancer: clinical implications and tumor heterogeneity. <i>Human Pathology</i> , 2014, 45, 917-925.	1.1	16

#	ARTICLE	IF	CITATIONS
199	May Sonic Hedgehog proteins be markers for malignancy in uterine smooth muscle tumors?. Human Pathology, 2016, 50, 43-50.	1.1	16
200	COX-2 as a determinant of lower disease-free survival for patients affected by ameloblastoma. Pathology Research and Practice, 2018, 214, 907-913.	1.0	16
201	Downregulation of AGR2, p21, and cyclin D and alterations in p53 function were associated with tumor progression and chemotherapy resistance in epithelial ovarian carcinoma. Cancer Medicine, 2018, 7, 3188-3199.	1.3	16
202	Let-7 miRNAs Expression Profile and Its Potential Prognostic Role in Uterine Leiomyosarcoma. Cells, 2019, 8, 1452.	1.8	16
203	Analysis of human kallikrein 7 expression as a potential biomarker in cervical neoplasia. International Journal of Cancer, 2010, 127, 485-490.	2.3	15
204	Interleukin-10 but not interleukin-18 may be associated with the immune response against well-differentiated thyroid cancer. Clinics, 2011, 66, 1203-1208.	0.6	15
205	Deregulated Expression of Superoxide Dismutase-2 Correlates with Different Stages of Cervical Neoplasia. Disease Markers, 2011, 30, 275-281.	0.6	15
206	Immunohistochemical analysis of vascular density and area in colorectal carcinoma using different markers and comparison with clinicopathologic prognostic factors. Tumor Biology, 2011, 32, 527-534.	0.8	15
207	EBV-Associated Polymorphic Posttransplant Lymphoproliferative Disorder Presenting as Gingival Ulcers. International Journal of Surgical Pathology, 2011, 19, 241-246.	0.4	15
208	Hyaluronidase splice variants are associated with histology and outcome in adenocarcinoma and squamous cell carcinoma of the lung. Human Pathology, 2012, 43, 675-683.	1.1	15
209	Mutational status of VHL gene and its clinical importance in renal clear cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 465, 321-330.	1.4	15
210	Total Gastrectomy for Gastric Cancer: An Analysis of Postoperative and Long-Term Outcomes Through Time. Annals of Surgical Oncology, 2015, 22, 750-757.	0.7	15
211	Clinical Aspects of Tumour Involvement of the Pulmonary Vessels. Acta Oncologica, 1992, 31, 519-523.	0.8	14
212	Claudin expression is dysregulated in prostate adenocarcinomas but does not correlate with main clinicopathological parameters. Pathology, 2011, 43, 143-148.	0.3	14
213	The relationship between lymphatic vascular density and vascular endothelial growth factor A (VEGF-A) expression with clinical-pathological features and survival in pancreatic adenocarcinomas. Diagnostic Pathology, 2013, 8, 170.	0.9	14
214	TGIF1 splicing variant 8 is overexpressed in oral squamous cell carcinoma and is related to pathologic and clinical behavior. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 116, 614-625.	0.2	14
215	Epidermal growth factor receptor as an adverse survival predictor in squamous cell carcinoma of the penis. Human Pathology, 2017, 61, 97-104.	1.1	14
216	Relapse in dermatofibrosarcoma protuberans: A histological and molecular analysis. Journal of Surgical Oncology, 2018, 117, 845-850.	0.8	14

#	ARTICLE	IF	CITATIONS
217	Rosai-Dorfman's Disease of the Breast. <i>American Journal of Surgical Pathology</i> , 1999, 23, 359-360.	2.1	14
218	Histological classification of 1,025 cases of Hodgkin's lymphoma from the State of São Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2005, 123, 134-136.	0.4	14
219	Pulmonary tumour embolism from squamous cell carcinoma of the oesophagus. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 495-498.	0.9	13
220	Antibodies against the cancer testis antigen CTSPA1 are frequently found in prostate cancer patients and are an independent prognostic factor for biochemical recurrence. <i>International Journal of Cancer</i> , 2008, 122, 2385-2390.	2.3	13
221	Cortactin is associated with perineural invasion in the deep invasive front area of laryngeal carcinomas. <i>Human Pathology</i> , 2011, 42, 1221-1229.	1.1	13
222	Evaluation of prognostic factors in stage IIA breast tumors and their correlation with mortality risk. <i>Clinics</i> , 2011, 66, 607-612.	0.6	13
223	Down-regulation of ANAPC13 and CLTCL1: Early Events in the Progression of Preinvasive Ductal Carcinoma of the Breast. <i>Translational Oncology</i> , 2012, 5, 113-IN8.	1.7	13
224	Metalloproteinases 2 and 9 and their tissue inhibitors 1 and 2 are increased in vulvar lichen sclerosus. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 96-101.	0.5	13
225	NF- $\kappa$ B and COX-2 Expression in Nonmalignant Endometrial Lesions and Cancer. <i>American Journal of Clinical Pathology</i> , 2014, 141, 196-203.	0.4	13
226	Best practice for PTEN gene and protein assessment in anatomic pathology. <i>Acta Histochemica</i> , 2014, 116, 25-31.	0.9	13
227	Phosphodiesterase sequence variants may predispose to prostate cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 519-530.	1.6	13
228	High CD90 (THY-1) expression positively correlates with cell transformation and worse prognosis in basal-like breast cancer tumors. <i>PLoS ONE</i> , 2018, 13, e0199254.	1.1	13
229	In situ T regulatory cells and Th17 cytokines in paired samples of leprosy type 1 and type 2 reactions. <i>PLoS ONE</i> , 2018, 13, e0196853.	1.1	13
230	Hedgehog pathway activation in oral squamous cell carcinoma: cancer-associated fibroblasts exhibit nuclear GLI-1 localization. <i>Journal of Molecular Histology</i> , 2020, 51, 675-684.	1.0	13
231	Pulmonary tumor embolism from squamous cell carcinoma of the vulva. <i>Gynecologic Oncology</i> , 1990, 38, 141-143.	0.6	12
232	Severe myocarditis and esophagitis during reversible long standing Chagas' disease recrudescence in immunocompromised host. <i>International Journal of Cardiology</i> , 1995, 49, 271-273.	0.8	12
233	Pruritic papular eruption of the acquired immunodeficiency syndrome: predominance of CD8+ cells. <i>International Journal of Dermatology</i> , 2000, 39, 873-874.	0.5	12
234	Identification of protein expression signatures in gastric carcinomas using clustering analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 378-384.	1.4	12



#	ARTICLE	IF	CITATIONS
235	Does Histologic Type Correlate to Outcome after Pelvic Exenteration for Cervical and Vaginal Cancer?. <i>Annals of Surgical Oncology</i> , 2013, 20, 1694-1700.	0.7	12
236	Adhesion Molecules in Primary Oral Mucosal Melanoma. <i>American Journal of Dermatopathology</i> , 2013, 35, 541-554.	0.3	12
237	Dynamic dialog between cytokeratin 18 and annexin A1 in breast cancer: A transcriptional disequilibrium. <i>Acta Histochemica</i> , 2014, 116, 1178-1184.	0.9	12
238	Predictors of Cancer-specific Mortality After Disease Recurrence in Patients with Squamous Cell Carcinoma of the Penis. <i>European Urology</i> , 2014, 66, 811-814.	0.9	12
239	Double-hit lymphomas: clinical, morphological, immunohistochemical and cytogenetic study in a series of Brazilian patients with high-grade non-Hodgkin lymphoma. <i>Diagnostic Pathology</i> , 2017, 12, 3.	0.9	12
240	Podoplanin, ezrin, and Rho-A proteins may have joint participation in tumor invasion of lip cancer. <i>Clinical Oral Investigations</i> , 2017, 21, 1647-1657.	1.4	12
241	Prostaglandin $\alpha$ 2D2 expression is prognostic in high-grade serous ovarian cancer. <i>Oncology Reports</i> , 2019, 41, 2254-2264.	1.2	12
242	Solitary Plasmocytoma of Bone in an Adolescent. <i>Journal of Pediatric Hematology/Oncology</i> , 1998, 20, 574-576.	0.3	11
243	Synchronous ameloblastoma and orthokeratinized odontogenic cyst of the mandible. <i>Journal of Oral Pathology and Medicine</i> , 2006, 35, 573-575.	1.4	11
244	Immunoblastic morphology in diffuse large B-cell lymphoma is associated with a nongerminal center immunophenotypic profile. <i>Leukemia and Lymphoma</i> , 2007, 48, 892-896.	0.6	11
245	Detection of Epstein-Barr virus in children and adolescents with Burkitt's lymphoma by <i>in situ</i> hybridization using tissue microarrays. <i>Hematology</i> , 2008, 13, 114-118.	0.7	11
246	Prognostic Significance of GRP78 Expression Patterns in Breast Cancer Patients Receiving Adjuvant Chemotherapy. <i>International Journal of Biological Markers</i> , 2011, 26, 188-196.	0.7	11
247	Absence of TGF- $\beta$ RII predicts bone and lung metastasis and is associated with poor prognosis in stage III breast tumors. <i>Cancer Biomarkers</i> , 2012, 11, 209-217.	0.8	11
248	Prognostication of Soft Tissue Sarcomas Based on Chromosome 17q Gene and Protein Status: Evaluation of TOP2A, HER-2/neu, and Survivin. <i>Annals of Surgical Oncology</i> , 2012, 19, 1790-1799.	0.7	11
249	CD24 and CD44 in salivary gland pleomorphic adenoma and in human salivary gland morphogenesis: differential markers of glandular structure or stem cell indicators?. <i>Histopathology</i> , 2013, 62, 1075-1082.	1.6	11
250	A novel highly reactive Fab antibody for breast cancer tissue diagnostics and staging also discriminates a subset of good prognostic triple-negative breast cancers. <i>Cancer Letters</i> , 2014, 343, 275-285.	3.2	11
251	Study of Biomolecular and Clinical Prognostic Factors in Patients With Cancer of the Vulva Undergoing Surgical Treatment. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 766-772.	1.2	11
252	An Integrative Approach Uncovers Biomarkers that Associate with Clinically Relevant Disease Outcomes in Vulvar Carcinoma. <i>Molecular Cancer Research</i> , 2016, 14, 720-729.	1.5	11



#	ARTICLE	IF	CITATIONS
253	Comparative analysis of basaloid and conventional squamous cell carcinomas of the esophagus: prognostic relevance of clinicopathological features and protein expression. <i>Tumor Biology</i> , 2016, 37, 6691-6699.	0.8	11
254	Deregulated expression of superoxide dismutase-2 correlates with different stages of cervical neoplasia. <i>Disease Markers</i> , 2011, 30, 275-81.	0.6	11
255	Translocation (1;5)(q32;q35) in CD30+ anaplastic large cell non-Hodgkin lymphoma of childhood: A case report. <i>Cancer Genetics and Cytogenetics</i> , 1996, 86, 83-85.	1.0	10
256	Expression profile of malignant and non-malignant diseases of the thyroid gland reveals altered expression of a common set of genes in goiter and papillary carcinomas. <i>Cancer Letters</i> , 2005, 227, 59-73.	3.2	10
257	Langerhans cell histiocytosis and its relationship with Epstein-Barr virus. <i>Human Pathology</i> , 2006, 37, 1508-1509.	1.1	10
258	CD20 expression by Hodgkin-Reed-Sternberg cells in classical Hodgkin lymphoma is related to reduced overall survival in young adult patients. <i>Leukemia and Lymphoma</i> , 2008, 49, 2198-2202.	0.6	10
259	Clinical Utility of KAP-1 Expression in Thyroid Lesions. <i>Endocrine Pathology</i> , 2013, 24, 77-82.	5.2	10
260	KRAS insertions in colorectal cancer: What do we know about unusual KRAS mutations?. <i>Experimental and Molecular Pathology</i> , 2014, 96, 257-260.	0.9	10
261	Head and neck squamous cell carcinoma lymphatic spread and survival: Relevance of vascular endothelial growth factor family for tumor evaluation. <i>Head and Neck</i> , 2015, 37, 1410-1416.	0.9	10
262	The sonic hedgehog signaling pathway contributes to the development of salivary gland neoplasms regardless of perineural infiltration. <i>Tumor Biology</i> , 2016, 37, 9587-9601.	0.8	10
263	Immunohistochemical determination of estrogen receptor- $\alpha$ in vaginal and tumor tissues of healthy andTVT-affected bitches and their relation to serum concentrations of estradiol-17 $\beta$ and progesterone. <i>Theriogenology</i> , 2006, 66, 1587-1592.	0.9	9
264	Nerve Sheath Myxoma of the Gingiva: Report of a Rare Case and Review of the Literature. <i>Journal of Periodontology</i> , 2007, 78, 1639-1643.	1.7	9
265	Marginal zone lymphoma of mucosa-associated lymphoid tissue with prominent plasma cell differentiation affecting the palatine tonsil: histopathological and immunohistochemical analysis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 113, 526-532.	0.2	9
266	Cell cycle suppressor proteins are not related to HPV status or clinical outcome in patients with vulvar carcinoma. <i>Tumor Biology</i> , 2013, 34, 3713-3720.	0.8	9
267	Loss of Caspase 7 Expression Is Associated With Poor Prognosis in Renal Cell Carcinoma Clear Cell Subtype. <i>Urology</i> , 2013, 82, 974.e1-974.e7.	0.5	9
268	The immune landscape of the microenvironment of thyroid cancer is closely related to differentiation status. <i>Cancer Cell International</i> , 2021, 21, 387.	1.8	9
269	A prospective study of the morphological aspects of tumor involvement of the pulmonary vessels. <i>Pathology</i> , 1992, 24, 150-154.	0.3	9
270	Fatal Pulmonary Tumor Embolism Caused by Chondroblastic Osteosarcoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 661-661.	1.2	9

#	ARTICLE	IF	CITATIONS
271	mutation status is highly homogeneous between areas of the primary tumor and the corresponding metastasis of colorectal adenocarcinomas: one less problem in patient care. American Journal of Cancer Research, 2017, 7, 1978-1989.	1.4	9
272	Primary Hodgkin's Lymphoma of the Rectum: An Unusual Presentation. Journal of Clinical Oncology, 2011, 29, e268-e270.	0.8	8
273	Reactive Tonsillar Enlargement Showing Strong 18F-Fdg Uptake During the Follow-Up of Follicular Lymphoma. Head and Neck Pathology, 2013, 7, 258-262.	1.3	8
274	Decreased $CD1a^{+}$ , $CD83^{+}$ and factor XIIIa <sup>+</sup> dendritic cells in cervical lymph nodes and palatine tonsils of AIDS patients. Histopathology, 2014, 64, 234-241.	1.6	8
275	RECK is not an independent prognostic marker for breast cancer. BMC Cancer, 2015, 15, 660.	1.1	8
276	Breast Carcinoma-associated Fibroblasts Share Similar Biomarker Profiles in Matched Lymph Node Metastasis. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 712-720.	0.6	8
277	TOP2A copy number and TOP2A expression in uterine benign smooth muscle tumours and leiomyosarcoma. Journal of Clinical Pathology, 2016, 69, 884-889.	1.0	8
278	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival.. Acta Histochemica, 2016, 118, 176-182.	0.9	8
279	Immune Escape Mechanism is Impaired in the Microenvironment of Thyroid Lymph Node Metastasis. Endocrine Pathology, 2017, 28, 369-372.	5.2	8
280	Frequency of EBV associated classical Hodgkin lymphoma decreases over a 54-year period in a Brazilian population. Scientific Reports, 2018, 8, 1849.	1.6	8
281	Immunoexpression of claudins 4 and 7 among invasive breast carcinoma subtypes: A large diagnostic study using tissue microarray. Molecular and Clinical Oncology, 2018, 9, 377-388.	0.4	8
282	Claudin-4 Expression Is Associated With Disease-Free Survival in Breast Carcinoma-in-Situ: Mean Follow-up of 8.2 Years. Clinical Breast Cancer, 2018, 18, e1111-e1116.	1.1	8
283	Typical and atypical carcinoid tumors of the lung: a clinicopathological correlation of 783 cases with emphasis on histological features. Human Pathology, 2020, 98, 98-109.	1.1	8
284	A comparative study of AJCC and the modified staging system in pT2/pT3 penile squamous cell carcinoma—a validation on an external data set. Histopathology, 2022, 80, 566-574.	1.6	8
285	Differential expression of apoptosis related proteins and nitric oxide synthases in Epstein Barr associated gastric carcinomas. World Journal of Gastroenterology, 2006, 12, 4959.	1.4	8
286	The expression of metalloproteinases-2 and -9 is different according to the patterns of growth and invasion in squamous cell carcinoma of the penis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 637-646.	1.4	7
287	Prognostic impact of adenomatous polyposis coli gene expression in osteosarcoma of the extremities. European Journal of Cancer, 2010, 46, 3307-3315.	1.3	7
288	Ameloblastomas: clinical-histopathological evaluation of 85 cases with emphasis on squamous metaplasia and keratinization aspects. Acta Odontologica Scandinavica, 2013, 71, 1651-1655.	0.9	7

#	ARTICLE	IF	CITATIONS
289	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 167.	1.0	7
290	Case report: Chondrosarcoma of the head and neck. <i>Human Pathology: Case Reports</i> , 2017, 7, 4-7.	0.2	7
291	Profile of apoptotic proteins in oral squamous cell carcinoma: A cluster analysis of 171 cases. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	7
292	Mammaglobin and DOGâ€1 expression in polymorphous lowâ€grade adenocarcinoma: an appraisal of its origin and morphology. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 182-187.	1.4	7
293	Inflammatory pseudotumor-like follicular dendritic cell tumor: an underdiagnosed neoplasia. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	7
294	NDRG4 promoter hypermethylation is a mechanistic biomarker associated with metastatic progression in breast cancer patients. <i>Npj Breast Cancer</i> , 2019, 5, 11.	2.3	7
295	The stem cell markers expression CD44v6 and podoplanin in lip cancer: clinical significance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 745-754.	1.4	7
296	CORRESPONDENCE RE: CARPENTIERI DF, NICHOLS K, CHOU PM, MATHEWS M, PAWEL B, HUFF D. THE EXPRESSION OF WT1 IN THE DIFFERENTIATION OF RHABDOMYOSARCOMA FROM OTHER PEDIATRIC SMALL ROUND BLUE CELL TUMORS. <i>MOD PATHOL</i> 2002;15(10):1080-6.. <i>Modern Pathology</i> , 2003, 16, 1178-1179.	2.9	7
297	Intensity of cervical inflammatory reaction as a risk factor for recurrence of carcinoma of the uterine cervix in stages IB and IIA. <i>Sao Paulo Medical Journal</i> , 2007, 125, 231-236.	0.4	7
298	FT-Raman spectroscopy study of human breast tissue. , 2004, , .		6
299	Gingival metastasis from non-small cell undifferentiated carcinoma of the lung mimicking a pyogenic granuloma. <i>Oral Oncology</i> , 2006, 42, 36-39.	0.7	6
300	Evaluation of O6-methylguanine-DNA methyltransferase by immunohistochemistry: Best clinical and research practices. <i>Pathology Research and Practice</i> , 2011, 207, 492-497.	1.0	6
301	Functional microarray analysis suggests repressed cell-cell signaling and cell survival-related modules inhibit progression of head and neck squamous cell carcinoma. <i>BMC Medical Genomics</i> , 2011, 4, 33.	0.7	6
302	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. <i>Acta Histochemica</i> , 2012, 114, 226-231.	0.9	6
303	Topoisomerase expression in oral squamous cell carcinoma: relationship with cancer stem cells profiles and lymph node metastasis. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 762-768.	1.4	6
304	Chromosomal imbalances exclusively detected in invasive front area are associated with poor outcome in laryngeal carcinomas from different anatomical sites. <i>Tumor Biology</i> , 2013, 34, 3015-3026.	0.8	6
305	Survival in patients with oral and maxillofacial diffuse large B-cell lymphoma. <i>Brazilian Oral Research</i> , 2013, 27, 349-355.	0.6	6
306	AnÃlise do gene PTEN por hibridizaÃo in situ fluorescente no carcinoma de cÃlulas renais. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2013, 40, 471-475.	0.3	6

#	ARTICLE	IF	CITATIONS
307	Matrix Metalloproteinase-9 Expression by Hodgkin-Reed-Sternberg Cells Is Associated with Reduced Overall Survival in Young Adult Patients with Classical Hodgkin Lymphoma. PLoS ONE, 2013, 8, e74793.	1.1	6
308	The relationship between ezrin and podoplanin expressions in keratocystic odontogenic tumors. BMC Oral Health, 2014, 14, 150.	0.8	6
309	CD8+ TIL Recruitment May Revert the Association of MAGE A3 with Aggressive Features in Thyroid Tumors. Journal of Immunology Research, 2014, 2014, 1-8.	0.9	6
310	Association of the p53 codon 72 polymorphism with clinicopathological characteristics of colorectal cancer through mRNA analysis. Oncology Reports, 2014, 31, 1396-1406.	1.2	6
311	Prognostic significance of hMSH2, hMSH3, and hMSH6 expression in ameloblastoma. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2017, 124, 286-295.	0.2	6
312	Is <scp>DNA</scp> ploidy related to smoking?. Journal of Oral Pathology and Medicine, 2017, 46, 961-966.	1.4	6
313	Detection of Putative Stem-cell Markers in Invasive Ductal Carcinoma of the Breast by Immunohistochemistry: Does It Improve Prognostic/Predictive Assessments?. Applied Immunohistochemistry and Molecular Morphology, 2018, 26, 760-768.	0.6	6
314	World Health Organization Classification of tumors of hematopoietic and lymphoid tissues, 4th edition, 2008 â€” major changes from the 3rd edition, 2001. Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira, 2011, 57, 66-73.	0.3	6
315	EMT in salivary gland tumors: the expression of microRNAs miR-155 and miR-200c is associated with clinical-pathological parameters. Molecular Biology Reports, 2022, 49, 2157-2167.	1.0	6
316	Accumulation of brown adipose tissue in patients with Chagas heart disease. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1991, 85, 605-607.	0.7	5
317	Massive intracranial immature teratoma: report of a case with polyhydramnios and intense pelvic pain. Arquivos De Neuro-Psiquiatria, 1996, 54, 309-312.	0.3	5
318	Insulin-like Growth Factor II Messenger RNA-binding Protein 3 in Salivary Gland Tumors. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 422-426.	0.6	5
319	Prognostic value of GRIM-19, NF-Î²B and IKK2 in patients with high-grade serous ovarian cancer. Pathology Research and Practice, 2018, 214, 187-194.	1.0	5
320	miRNAs 144-3p, 34a-5p, and 206 are a useful signature for distinguishing uterine leiomyosarcoma from other smooth muscle tumors. Surgical and Experimental Pathology, 2019, 2, .	0.2	5
321	Apoptotic signaling in salivary mucoepidermoid carcinoma. Head and Neck, 2019, 41, 2904-2913.	0.9	5
322	Single nucleotide variants in immune-response genes and the tumor microenvironment composition predict progression of mantle cell lymphoma. BMC Cancer, 2021, 21, 209.	1.1	5
323	A call to action: molecular pathology in Brazil. Surgical and Experimental Pathology, 2021, 4, .	0.2	5
324	Letter to the Editor. Pediatric and Developmental Pathology, 2004, 7, 668-669.	0.5	4

#	ARTICLE	IF	CITATIONS
325	C-erbB-2 expression is a better predictor for survival than galectin-3 or p53 in early-stage breast cancer. <i>Oncology Reports</i> , 2007, 18, 121.	1.2	4
326	Classificação dos tumores hematopoiéticos e linfoides de acordo com a OMS: padronização da nomenclatura em língua portuguesa, 4ª edição. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2011, 47, 643-648.	0.3	4
327	Short-term anastrozole therapy reduces Ki-67 and progesterone receptor expression in invasive breast cancer: a prospective, placebo-controlled, double-blind trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 897-905.	1.2	4
328	Prognostic value of nuclear factor $\beta$ expression in patients with advanced cervical cancer undergoing radiation therapy followed by hysterectomy. <i>Journal of Clinical Pathology</i> , 2012, 65, 614-618.	1.0	4
329	The impact of immunohistochemical expression of nitric oxide synthases on clinical and pathological features of renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1197-1203.	1.2	4
330	HER2 expression in Brazilian patients with estrogen and progesterone receptor-negative breast carcinoma. <i>Acta Histochemica</i> , 2013, 115, 120-127.	0.9	4
331	KRAS gene mutation in a series of unselected colorectal carcinoma patients with prognostic morphological correlations: A pyrosequencing method improved by nested PCR. <i>Experimental and Molecular Pathology</i> , 2015, 98, 563-567.	0.9	4
332	Noncurative Resection for Gastric Cancer Patients: Who Could Benefit?. <i>Annals of Surgical Oncology</i> , 2016, 23, 1212-1219.	0.7	4
333	Expanding morphological and clinical aspects of hereditary leiomyomatosis and renal cell carcinoma (HLRCC): a case report in a patient with unusual morphology and clinical presentation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 775-779.	1.4	4
334	A cohort study among 402 patients with penile cancer in Maranhão, Northeast Brazil with the highest worldwide incidence. <i>BMC Research Notes</i> , 2020, 13, 442.	0.6	4
335	ROR $\alpha$ may Influence the Microenvironment of Thyroid Cancer Predicting Favorable Prognosis. <i>Scientific Reports</i> , 2020, 10, 4142.	1.6	4
336	Cytokeratin immunoprofile of primary and metastatic adenoid cystic carcinoma of salivary glands: a report of two cases. <i>Autopsy and Case Reports</i> , 2016, 6, 57-63.	0.2	4
337	Disparities in Epidemiological Profile of Gastric Adenocarcinoma in Selected Cities of Brazil. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 2253-2258.	0.5	4
338	An integrative microenvironment approach for follicular lymphoma: roles of inflammatory cell subsets and immune-response polymorphisms on disease clinical course. <i>Oncotarget</i> , 2020, 11, 3153-3173.	0.8	4
339	Relationship between B-cell-specific Moloney murine leukemia virus integration site 1 (BMI-1) and homologous recombination regulatory genes in invasive ductal breast carcinomas. <i>Histology and Histopathology</i> , 2012, 27, 1353-9.	0.5	4
340	Subacute cor pulmonale in children: Report of two cases. <i>Pediatric Pulmonology</i> , 1992, 12, 52-57.	1.0	3
341	Cardiomyopathy in rats with Walker 256 tumor: The potential role of microvascular disease in its genesis. <i>Cardiovascular Pathology</i> , 1996, 5, 39-46.	0.7	3
342	Pan-cytokeratin immunoeexpression in Wilms' tumors: a simple approach for understanding tumor epithelial differentiation. <i>Sao Paulo Medical Journal</i> , 2004, 122, 181-183.	0.4	3

#	ARTICLE	IF	CITATIONS
343	Avaliaç�o de resposta patol�gica em c�ncer de mama ap�s quimioterapia neoadjuvante: padronizaç�o de protocolo adaptado. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2012, 48, 447-453.	0.3	3
344	MYC is expressed in the stromal and epithelial cells of primary breast carcinoma and paired nodal metastases. <i>Molecular and Clinical Oncology</i> , 2015, 3, 506-514.	0.4	3
345	Pancreatic mucinous cystadenoma with serum CA 19��9 over 1,000,000 U/mL: a case report and review of the literature. <i>World Journal of Surgical Oncology</i> , 2015, 13, 78.	0.8	3
346	Fatal hepatocellular carcinoma presenting with oral metastasis in a patient with synchronic primary malignancies of prostate and liver. <i>Gerodontology</i> , 2017, 34, 272-275.	0.8	3
347	Association of <i>BAX</i> G(�248)A and <i>BCL2</i> C(�717)A polymorphisms with outcome in diffuse large B�cell lymphoma patients. <i>British Journal of Haematology</i> , 2017, 177, 650-654.	1.2	3
348	Quantification of histopathological changes in patients with psoriasis before and after phototherapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 354-359.	0.7	3
349	Single-nucleotide variants in <i>TGFB1</i> , <i>TGFBR2</i> , <i>IL17A</i> , and <i>IL17F</i> immune response genes contribute to follicular lymphoma susceptibility and aggressiveness. <i>Blood Cancer Journal</i> , 2020, 10, 97.	2.8	3
350	Moesin Involvement in Oral Carcinogenesis of the Lower Lip. <i>Anticancer Research</i> , 2018, 38, 2755-2760.	0.5	3
351	Histiocitose de c�lulas de Langerhans com envolvimento ungueal em crian�a: relato de caso. <i>Anais Brasileiros De Dermatologia</i> , 2006, 81, 559-562.	0.5	2
352	Detecç�o de micromet�stases em c�ncer de pulm�o n�o-pequenas c�lulas est�dio pNO: um m�todo alternativo combinando imunohistoqu�mica e an�lise em microsc�pios. <i>Jornal Brasileiro De Pneumologia</i> , 2008, 34, 129-135.	0.4	2
353	Concomitant detection of hematological neoplasm and carcinoma: report on seven cases. <i>Sao Paulo Medical Journal</i> , 2008, 126, 245-247.	0.4	2
354	Stromal and epithelial cells react differentially to c-kit in fibroepithelial tumors of the breast. <i>Molecular Medicine Reports</i> , 2008, 1, 857-61.	1.1	2
355	Extent of pelvic lymphadenectomy in women with squamous cell carcinoma of the uterine cervix: Is there any prognostic value?. <i>Journal of Surgical Oncology</i> , 2009, 100, 252-257.	0.8	2
356	Is the Expression of Inducible (iNOS) and Endothelial (eNOS) Nitric Oxide Synthases an Early Event in Breast Carcinogenesis?. <i>Breast Journal</i> , 2010, 16, no-no.	0.4	2
357	19 SEX WITH ANIMALS (SWA): CHARACTERISTICS AND POSSIBLE ASSOCIATIONS WITH PENILE CANCER AND SEXUALLY TRANSMITTED DISEASES. ACTUAL RESULTS OF A MULTICENTRIC BRAZILIAN CASE-CONTROL STUDY. <i>Journal of Urology</i> , 2010, 183, .	0.2	2
358	Comment on: EGFR mutational status in Brazilian patients with penile carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 857-859.	1.5	2
359	Training in molecular pathology during residency: the experience of a Brazilian hospital. <i>Journal of Clinical Pathology</i> , 2014, 67, 647-648.	1.0	2
360	Challenges in Developing a Cancer Oriented-Biobank: Experience from a 17 Year-Old Cancer Biobank in Sao Paulo, Brazil. <i>Advances in Experimental Medicine and Biology</i> , 2015, 864, 115-123.	0.8	2



#	ARTICLE	IF	CITATIONS
361	Tumor banking for health research in Brazil and Latin America: time to leave the cradle. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	2
362	Assessment of HER-2 status in invasive breast cancer in Brazil. <i>Revista Da Associação Médica Brasileira</i> , 2017, 63, 566-574.	0.3	2
363	Prognostic importance of <sc>FGF</sc>2 and <sc>FGFR</sc>1 expression for patients affected by ameloblastoma. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 417-424.	1.4	2
364	Immunoexpression of proteins involved in cytoskeleton remodeling in benign odontogenic lesions. <i>Archives of Oral Biology</i> , 2018, 87, 151-156.	0.8	2
365	Expression of DNMTs and H3K9ac in Ameloblastoma and Ameloblastic Carcinoma. <i>Frontiers in Oral Health</i> , 2021, 2, 751162.	1.2	2
366	Wnt pathway is affected by endocrine therapy in breast carcinomas. <i>Basic and Applied Pathology</i> , 2011, 4, 38-45.	0.2	1
367	Ulceration in bladder cancer associates with extravascular disease, independent of cell cycle, or hypoxia pathways status. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 484.e9-484.e17.	0.8	1
368	Biobanking and cytopathology: Challenges and opportunities from a Brazilian perspective. <i>Cancer Cytopathology</i> , 2017, 125, 373-377.	1.4	1
369	Mixed papillary-sarcomatoid carcinoma of the penis: report of an aggressive subtype. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 815-818.	1.4	1
370	Intramammary sentinel lymph node with capsular extravasation in breast cancer. <i>Annals of Surgical Treatment and Research</i> , 2017, 92, 376.	0.4	1
371	Characteristics of follicular and mantle cell lymphoma in Brazil: prognostic impact of clinical parameters and treatment conditions in two hospitals. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 343-353.	0.1	1
372	Pseudoangiosarcomatous squamous cell carcinoma: first case report on penis. <i>Translational Andrology and Urology</i> , 2021, 10, 1803-1806.	0.6	1
373	Assessment of TSPAN Expression Profile and Their Role in the VSCC Prognosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5015.	1.8	1
374	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	0.7	1
375	50% versus 70%: is there a difference between these BCL2 cut-offs in immunohistochemistry for diffuse large B-cell lymphomas (DLBCL)?. <i>Surgical and Experimental Pathology</i> , 2020, 3, .	0.2	1
376	Fas expression in DLBCL. <i>American Journal of Hematology</i> , 2007, 82, 331-332.	2.0	0
377	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	0.7	0
378	Menopausal status: A possible predictive factor for recurrence in women with cancer of the uterine cervix without pelvic lymph node metastasis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 146, 204-209.	0.5	0



#	ARTICLE	IF	CITATIONS
379	Erratum to "Significance of topoisomerase III <sup>2</sup> expression in breast ductal carcinomas: strong associations with disease-specific survival and metastasis" [Hum Pathol 2010;41:1624-1630]. Human Pathology, 2012, 43, 618.	1.1	0
380	Hospital A.C.Camargo. BMC Proceedings, 2013, 7, .	1.8	0
381	High-risk human papillomaviruses in two different primary tumors in the same patient. International Journal of Urology, 2013, 20, 1046-1048.	0.5	0
382	Head and Neck: Primary oral mucosal melanoma. Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2017, , .	0.1	0
383	Diagnostic utility of DREAM gene mRNA levels in thyroid tumours. Archives of Endocrinology and Metabolism, 2018, 62, 205-211.	0.3	0
384	Clinical utility of the immunohistochemical co-expression of p53 and MDM2 in thyroid follicular lesions. Annals of Diagnostic Pathology, 2021, 53, 151766.	0.6	0
385	Correlation Between Anthropometric Measures and Biomarker Changes After Neoadjuvant Therapy With Tamoxifen or Anastrozole in Postmenopausal Women With Breast Cancer. World Journal of Oncology, 2010, 1, 111-117.	0.6	0
386	Differentially expressed genes and lincRNAs throughout oral squamous cell carcinoma development. FASEB Journal, 2012, 26, lb461.	0.2	0
387	Regulatory T Lymphocytes and Tumor-Associated Macrophages Have No Impact On Treatment Response and Survival in Brazilian Patients with Classical Hodgkin Lymphoma. Blood, 2012, 120, 4777-4777.	0.6	0
388	Claudin-5 and Cancer Metastasis. Cancer Metastasis - Biology and Treatment, 2013, , 263-274.	0.1	0
389	From Tissue Samples to Tumor Markers. , 2007, , 17-28.		0