

Fernando A Soares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2975724/publications.pdf>

Version: 2024-02-01

389
papers

10,034
citations

47006

47
h-index

79698

73
g-index

395
all docs

395
docs citations

395
times ranked

14723
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparative study of AJCC and the modified staging system in pT2/pT3 penile squamous cell carcinoma—a validation on an external data set. <i>Histopathology</i> , 2022, 80, 566-574.	2.9	8
2	EMT in salivary gland tumors: the expression of microRNAs miR-155 and miR-200c is associated with clinical-pathological parameters. <i>Molecular Biology Reports</i> , 2022, 49, 2157-2167.	2.3	6
3	Single nucleotide variants in immune-response genes and the tumor microenvironment composition predict progression of mantle cell lymphoma. <i>BMC Cancer</i> , 2021, 21, 209.	2.6	5
4	Pseudoangiosarcomatous squamous cell carcinoma: first case report on penis. <i>Translational Andrology and Urology</i> , 2021, 10, 1803-1806.	1.4	1
5	Assessment of TSPAN Expression Profile and Their Role in the VSCC Prognosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5015.	4.1	1
6	The immune landscape of the microenvironment of thyroid cancer is closely related to differentiation status. <i>Cancer Cell International</i> , 2021, 21, 387.	4.1	9
7	Clinical utility of the immunohistochemical co-expression of p53 and MDM2 in thyroid follicular lesions. <i>Annals of Diagnostic Pathology</i> , 2021, 53, 151766.	1.3	0
8	A call to action: molecular pathology in Brazil. <i>Surgical and Experimental Pathology</i> , 2021, 4, .	0.6	5
9	Expression of DNMTs and H3K9ac in Ameloblastoma and Ameloblastic Carcinoma. <i>Frontiers in Oral Health</i> , 2021, 2, 751162.	3.0	2
10	Expression of the NEK family in normal and cancer tissue: an immunohistochemical study. <i>BMC Cancer</i> , 2020, 20, 23.	2.6	27
11	Single-nucleotide variants in TGFB1, TGFB2, IL17A, and IL17F immune response genes contribute to follicular lymphoma susceptibility and aggressiveness. <i>Blood Cancer Journal</i> , 2020, 10, 97.	6.2	3
12	Hedgehog pathway activation in oral squamous cell carcinoma: cancer-associated fibroblasts exhibit nuclear GLI-1 localization. <i>Journal of Molecular Histology</i> , 2020, 51, 675-684.	2.2	13
13	A cohort study among 402 patients with penile cancer in Maranhão, Northeast Brazil with the highest worldwide incidence. <i>BMC Research Notes</i> , 2020, 13, 442.	1.4	4
14	Typical and atypical carcinoid tumors of the lung: a clinicopathological correlation of 783 cases with emphasis on histological features. <i>Human Pathology</i> , 2020, 98, 98-109.	2.0	8
15	ROR γ t may Influence the Microenvironment of Thyroid Cancer Predicting Favorable Prognosis. <i>Scientific Reports</i> , 2020, 10, 4142.	3.3	4
16	Profile of patients with penile cancer in the region with the highest worldwide incidence. <i>Scientific Reports</i> , 2020, 10, 2965.	3.3	41
17	An integrative microenvironment approach for follicular lymphoma: roles of inflammatory cell subsets and immune-response polymorphisms on disease clinical course. <i>Oncotarget</i> , 2020, 11, 3153-3173.	1.8	4
18	50% versus 70%: is there a difference between these BCL2 cut-offs in immunohistochemistry for diffuse large B-cell lymphomas (DLBCL)? <i>Surgical and Experimental Pathology</i> , 2020, 3, .	0.6	1

#	ARTICLE	IF	CITATIONS
19	miRNAs 144-3p, 34a-5p, and 206 are a useful signature for distinguishing uterine leiomyosarcoma from other smooth muscle tumors. <i>Surgical and Experimental Pathology</i> , 2019, 2, .	0.6	5
20	Quantification of histopathological changes in patients with psoriasis before and after phototherapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 354-359.	1.5	3
21	NDRG4 promoter hypermethylation is a mechanistic biomarker associated with metastatic progression in breast cancer patients. <i>Npj Breast Cancer</i> , 2019, 5, 11.	5.2	7
22	Prostaglandin $\frac{1}{2}$ D2 expression is prognostic in high-grade serous ovarian cancer. <i>Oncology Reports</i> , 2019, 41, 2254-2264.	2.6	12
23	Apoptotic signaling in salivary mucoepidermoid carcinoma. <i>Head and Neck</i> , 2019, 41, 2904-2913.	2.0	5
24	The stem cell markers expression CD44v6 and podoplanin in lip cancer: clinical significance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 745-754.	2.8	7
25	Let-7 miRNA [™] s Expression Profile and Its Potential Prognostic Role in Uterine Leiomyosarcoma. <i>Cells</i> , 2019, 8, 1452.	4.1	16
26	Disparities in Epidemiological Profile of Gastric Adenocarcinoma in Selected Cities of Brazil. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 2253-2258.	1.2	4
27	Characteristics of follicular and mantle cell lymphoma in Brazil: prognostic impact of clinical parameters and treatment conditions in two hospitals. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 343-353.	0.2	1
28	Prognostic importance of $\langle \text{scp} \rangle \text{FGF} \langle / \text{scp} \rangle 2$ and $\langle \text{scp} \rangle \text{FGFR} \langle / \text{scp} \rangle 1$ expression for patients affected by ameloblastoma. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 417-424.	2.7	2
29	Frequency of EBV associated classical Hodgkin lymphoma decreases over a 54-year period in a Brazilian population. <i>Scientific Reports</i> , 2018, 8, 1849.	3.3	8
30	Immunoexpression of proteins involved in cytoskeleton remodeling in benign odontogenic lesions. <i>Archives of Oral Biology</i> , 2018, 87, 151-156.	1.8	2
31	COX-2 as a determinant of lower disease-free survival for patients affected by ameloblastoma. <i>Pathology Research and Practice</i> , 2018, 214, 907-913.	2.3	16
32	Relapse in dermatofibrosarcoma protuberans: A histological and molecular analysis. <i>Journal of Surgical Oncology</i> , 2018, 117, 845-850.	1.7	14
33	Detection of Putative Stem-cell Markers in Invasive Ductal Carcinoma of the Breast by Immunohistochemistry: Does It Improve Prognostic/Predictive Assessments?. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 760-768.	1.2	6
34	Thymoma: a clinicopathological correlation of 1470 cases. <i>Human Pathology</i> , 2018, 73, 7-15.	2.0	54
35	Prognostic value of GRIM-19, NF- κ B and IKK2 in patients with high-grade serous ovarian cancer. <i>Pathology Research and Practice</i> , 2018, 214, 187-194.	2.3	5
36	Diagnostic utility of DREAM gene mRNA levels in thyroid tumours. <i>Archives of Endocrinology and Metabolism</i> , 2018, 62, 205-211.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Immunoeexpression of claudins 4 and 7 among invasive breast carcinoma subtypes: A large diagnostic study using tissue microarray. <i>Molecular and Clinical Oncology</i> , 2018, 9, 377-388.	1.0	8
38	Could miRNA Signatures be Useful for Predicting Uterine Sarcoma and Carcinosarcoma Prognosis and Treatment?. <i>Cancers</i> , 2018, 10, 315.	3.7	24
39	Expanding morphological and clinical aspects of hereditary leiomyomatosis and renal cell carcinoma (HLRCC): a case report in a patient with unusual morphology and clinical presentation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 775-779.	2.8	4
40	Downregulation of $\langle \text{sc} \rangle \text{AGR} \langle / \text{sc} \rangle > 2$, p21, and cyclin D and alterations in p53 function were associated with tumor progression and chemotherapy resistance in epithelial ovarian carcinoma. <i>Cancer Medicine</i> , 2018, 7, 3188-3199.	2.8	16
41	High CD90 (THY-1) expression positively correlates with cell transformation and worse prognosis in basal-like breast cancer tumors. <i>PLoS ONE</i> , 2018, 13, e0199254.	2.5	13
42	Claudin-4 Expression Is Associated With Disease-Free Survival in Breast Carcinoma-in-Situ: Mean Follow-up of 8.2 Years. <i>Clinical Breast Cancer</i> , 2018, 18, e1111-e1116.	2.4	8
43	Inhibition of the AnxA1/FPR1 autocrine axis reduces MDA-MB-231 breast cancer cell growth and aggressiveness in vitro and in vivo. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 1368-1382.	4.1	36
44	In situ T regulatory cells and Th17 cytokines in paired samples of leprosy type 1 and type 2 reactions. <i>PLoS ONE</i> , 2018, 13, e0196853.	2.5	13
45	Moesin expression by tumor cells is an unfavorable prognostic biomarker for oral cancer. <i>BMC Cancer</i> , 2018, 18, 53.	2.6	31
46	Breast implant-associated anaplastic large cell lymphoma in a Li-FRAUMENI patient: a case report. <i>Diagnostic Pathology</i> , 2018, 13, 10.	2.0	34
47	Moesin Involvement in Oral Carcinogenesis of the Lower Lip. <i>Anticancer Research</i> , 2018, 38, 2755-2760.	1.1	3
48	Case report: Chondrosarcoma of the head and neck. <i>Human Pathology: Case Reports</i> , 2017, 7, 4-7.	0.2	7
49	Fatal hepatocellular carcinoma presenting with oral metastasis in a patient with synchronic primary malignancies of prostate and liver. <i>Gerodontology</i> , 2017, 34, 272-275.	2.0	3
50	Epidermal growth factor receptor as an adverse survival predictor in squamous cell carcinoma of the penis. <i>Human Pathology</i> , 2017, 61, 97-104.	2.0	14
51	Double-hit lymphomas: clinical, morphological, immunohistochemical and cytogenetic study in a series of Brazilian patients with high-grade non-Hodgkin lymphoma. <i>Diagnostic Pathology</i> , 2017, 12, 3.	2.0	12
52	Prognostic significance of hMSH2, hMSH3, and hMSH6 expression in ameloblastoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 124, 286-295.	0.4	6
53	Profile of apoptotic proteins in oral squamous cell carcinoma: A cluster analysis of 171 cases. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	7
54	Biobanking and cytopathology: Challenges and opportunities from a Brazilian perspective. <i>Cancer Cytopathology</i> , 2017, 125, 373-377.	2.4	1

#	ARTICLE	IF	CITATIONS
55	Tumor banking for health research in Brazil and Latin America: time to leave the cradle. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	2
56	Altered expression of apoptosis-regulating miRNAs in salivary gland tumors suggests their involvement in salivary gland tumorigenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 291-299.	2.8	17
57	Is <scp>DNA</scp> ploidy related to smoking?. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 961-966.	2.7	6
58	Immune Escape Mechanism is Impaired in the Microenvironment of Thyroid Lymph Node Metastasis. <i>Endocrine Pathology</i> , 2017, 28, 369-372.	9.0	8
59	MicroRNAs expression pattern related to mast cell activation and angiogenesis in paraffin-embedded salivary gland tumors. <i>Pathology Research and Practice</i> , 2017, 213, 1470-1476.	2.3	18
60	Mixed papillary-sarcomatoid carcinoma of the penis: report of an aggressive subtype. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 815-818.	2.8	1
61	Infections with multiple high-risk HPV types are associated with high-grade and persistent low-grade intraepithelial lesions of the cervix. <i>Cancer Cytopathology</i> , 2017, 125, 138-143.	2.4	38
62	Association of <i><scp>BAX</scp></i> G(â~248)A and <i><scp>BCL</scp>2</i> C(â~717)A polymorphisms with outcome in diffuse large B-cell lymphoma patients. <i>British Journal of Haematology</i> , 2017, 177, 650-654.	2.5	3
63	Mammaglobin and DOGâ€1 expression in polymorphous low-grade adenocarcinoma: an appraisal of its origin and morphology. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 182-187.	2.7	7
64	<scp>BRAF</scp>â€V600E expression correlates with ameloblastoma aggressiveness. <i>Histopathology</i> , 2017, 70, 473-484.	2.9	60
65	Expression of stem cell markers in oral cavity and oropharynx squamous cell carcinoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 113-122.	0.4	29
66	Interleukin 10 expression is related to aggressiveness and poor prognosis of patients with thyroid cancer. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 141-148.	4.2	26
67	Podoplanin, ezrin, and Rho-A proteins may have joint participation in tumor invasion of lip cancer. <i>Clinical Oral Investigations</i> , 2017, 21, 1647-1657.	3.0	12
68	Differential Expression of MicroRNAs in Leprosy Skin Lesions. <i>Frontiers in Immunology</i> , 2017, 8, 1035.	4.8	24
69	Intramammary sentinel lymph node with capsular extravasation in breast cancer. <i>Annals of Surgical Treatment and Research</i> , 2017, 92, 376.	1.0	1
70	Inflammatory pseudotumor-like follicular dendritic cell tumor: an underdiagnosed neoplasia. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	7
71	Assessment of HER-2 status in invasive breast cancer in Brazil. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2017, 63, 566-574.	0.7	2
72	Head and Neck: Primary oral mucosal melanoma. <i>Atlas of Genetics and Cytogenetics in Oncology and Haematology</i> , 2017, , .	0.1	0

#	ARTICLE	IF	CITATIONS
73	mutation status is highly homogeneous between areas of the primary tumor and the corresponding metastasis of colorectal adenocarcinomas: one less problem in patient care. American Journal of Cancer Research, 2017, 7, 1978-1989.	1.4	9
74	Tumor histologic grade is the most important prognostic factor in patients with penile cancer and clinically negative lymph nodes not submitted to regional lymphadenectomy. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 1136-1143.	1.5	19
75	Prognostic Value of ADAMTS Proteases and Their Substrates in Epithelial Ovarian Cancer. Pathobiology, 2016, 83, 316-326.	3.8	23
76	Breast Carcinoma-associated Fibroblasts Share Similar Biomarker Profiles in Matched Lymph Node Metastasis. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 712-720.	1.2	8
77	Expression of stem cell-regulating miRNAs in oral cavity and oropharynx squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2016, 45, 647-654.	2.7	24
78	TOP2A copy number and TOP2A expression in uterine benign smooth muscle tumours and leiomyosarcoma. Journal of Clinical Pathology, 2016, 69, 884-889.	2.0	8
79	An Integrative Approach Uncovers Biomarkers that Associate with Clinically Relevant Disease Outcomes in Vulvar Carcinoma. Molecular Cancer Research, 2016, 14, 720-729.	3.4	11
80	Ulceration in bladder cancer associates with extravesical disease, independent of cell cycle, or hypoxia pathways status. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 484.e9-484.e17.	1.6	1
81	Immunohistochemistry of apoptosis-related proteins in retinoblastoma. Pathology Research and Practice, 2016, 212, 1144-1150.	2.3	21
82	Phyllodes tumours of the breast: a consensus review. Histopathology, 2016, 68, 5-21.	2.9	329
83	Epithelial-mesenchymal transition (EMT) phenotype at invasion front of squamous cell carcinoma of the penis influences oncological outcomes. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 433.e19-433.e26.	1.6	17
84	A genomic case study of desmoplastic small round cell tumor: comprehensive analysis reveals insights into potential therapeutic targets and development of a monitoring tool for a rare and aggressive disease. Human Genomics, 2016, 10, 36.	2.9	28
85	Elevated VEGFA mRNA levels in oral squamous cell carcinomas and tumor margins: a preliminary study. Journal of Oral Pathology and Medicine, 2016, 45, 481-485.	2.7	21
86	Insulin-like Growth Factor II Messenger RNA-binding Protein 3 in Salivary Gland Tumors. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 422-426.	1.2	5
87	Noncurative Resection for Gastric Cancer Patients: Who Could Benefit?. Annals of Surgical Oncology, 2016, 23, 1212-1219.	1.5	4
88	The sonic hedgehog signaling pathway contributes to the development of salivary gland neoplasms regardless of perineural infiltration. Tumor Biology, 2016, 37, 9587-9601.	1.8	10
89	Comparative analysis of basaloid and conventional squamous cell carcinomas of the esophagus: prognostic relevance of clinicopathological features and protein expression. Tumor Biology, 2016, 37, 6691-6699.	1.8	11
90	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival.. Acta Histochemica, 2016, 118, 176-182.	1.8	8

#	ARTICLE	IF	CITATIONS
91	May Sonic Hedgehog proteins be markers for malignancy in uterine smooth muscle tumors?. Human Pathology, 2016, 50, 43-50.	2.0	16
92	MiR-223-5p works as an oncomiR in vulvar carcinoma by TP63 suppression. Oncotarget, 2016, 7, 49217-49231.	1.8	26
93	Cytokeratin immunoprofile of primary and metastatic adenoid cystic carcinoma of salivary glands: a report of two cases. Autopsy and Case Reports, 2016, 6, 57-63.	0.6	4
94	MYC is expressed in the stromal and epithelial cells of primary breast carcinoma and paired nodal metastases. Molecular and Clinical Oncology, 2015, 3, 506-514.	1.0	3
95	RECK is not an independent prognostic marker for breast cancer. BMC Cancer, 2015, 15, 660.	2.6	8
96	Head and neck squamous cell carcinoma lymphatic spread and survival: Relevance of vascular endothelial growth factor family for tumor evaluation. Head and Neck, 2015, 37, 1410-1416.	2.0	10
97	Genome-Wide Screening of mRNA Expression in Leprosy Patients. Frontiers in Genetics, 2015, 6, 334.	2.3	39
98	Phosphodiesterase sequence variants may predispose to prostate cancer. Endocrine-Related Cancer, 2015, 22, 519-530.	3.1	13
99	The fusion of two worlds: Non-coding RNAs and extracellular vesicles - diagnostic and therapeutic implications (Review). International Journal of Oncology, 2015, 46, 17-27.	3.3	192
100	Pathologic and immunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. Tumor Biology, 2015, 36, 2509-2516.	1.8	28
101	Pattern of invasion is the most important prognostic factor in patients with penile cancer submitted to lymph node dissection and pathological absence of lymph node metastasis. BJU International, 2015, 116, 584-589.	2.5	17
102	Pathological factors, behavior, and histological prognostic risk groups in subtypes of penile squamous cell carcinomas (SCC). Seminars in Diagnostic Pathology, 2015, 32, 222-231.	1.5	37
103	Expression of apoptosis-regulating miRNAs and target mRNAs in oral squamous cell carcinoma. Cancer Genetics, 2015, 208, 382-389.	0.4	21
104	KRAS gene mutation in a series of unselected colorectal carcinoma patients with prognostic morphological correlations: A pyrosequencing method improved by nested PCR. Experimental and Molecular Pathology, 2015, 98, 563-567.	2.1	4
105	Mutational Profile and New IASLC/ATS/ERS Classification Provide Additional Prognostic Information about Lung Adenocarcinoma: A Study of 125 Patients from Brazil. Oncology, 2015, 89, 175-186.	1.9	21
106	Dermcidin exerts its oncogenic effects in breast cancer via modulation of ERBB signaling. BMC Cancer, 2015, 15, 70.	2.6	20
107	SOD2 immunoexpression predicts lymph node metastasis in penile cancer. BMC Clinical Pathology, 2015, 15, 3.	1.8	28
108	Pancreatic mucinous cystadenoma with serum CA 19-9 over 1,000,000 U/mL: a case report and review of the literature. World Journal of Surgical Oncology, 2015, 13, 78.	1.9	3

#	ARTICLE	IF	CITATIONS
109	Challenges in Developing a Cancer Oriented-Biobank: Experience from a 17 Year-Old Cancer Biobank in Sao Paulo, Brazil. <i>Advances in Experimental Medicine and Biology</i> , 2015, 864, 115-123.	1.6	2
110	Design of a miRNA sponge for the miR-17 miRNA family as a therapeutic strategy against vulvar carcinoma. <i>Molecular and Cellular Probes</i> , 2015, 29, 420-426.	2.1	21
111	<scp>CD</scp>8+ tumourâ€infiltrating lymphocytes and COX2 expression may predict relapse in differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2015, 83, 246-253.	2.4	50
112	Total Gastrectomy for Gastric Cancer: An Analysis of Postoperative and Long-Term Outcomes Through Time. <i>Annals of Surgical Oncology</i> , 2015, 22, 750-757.	1.5	15
113	Decreased Expression of Stem Cell Markers by Simvastatin in 7,12-dimethylbenz(a)anthracene (DMBA)â€induced Breast Cancer. <i>Toxicologic Pathology</i> , 2015, 43, 400-410.	1.8	18
114	RAS mutations vary between lesions in synchronous primary Colorectal Cancer: Testing only one lesion is not sufficient to guide anti-EGFR treatment decisions.. <i>Oncoscience</i> , 2015, 2, 125-130.	2.2	20
115	CIP4 promotes metastasis in triple-negative breast cancer and is associated with poor patient prognosis. <i>Oncotarget</i> , 2015, 6, 9397-9408.	1.8	29
116	Gene expression patterns through oral squamous cell carcinoma development: PD-L1 expression in primary tumor and circulating tumor cells. <i>Oncotarget</i> , 2015, 6, 20902-20920.	1.8	96
117	The relationship between ezrin and podoplanin expressions in keratocystic odontogenic tumors. <i>BMC Oral Health</i> , 2014, 14, 150.	2.3	6
118	CD8+ TIL Recruitment May Revert the Association of MAGE A3 with Aggressive Features in Thyroid Tumors. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.	2.2	6
119	NF-ÎB and COX-2 Expression in Nonmalignant Endometrial Lesions and Cancer. <i>American Journal of Clinical Pathology</i> , 2014, 141, 196-203.	0.7	13
120	Transcriptional profiles of <scp>SHH</scp> pathway genes in keratocystic odontogenic tumor and ameloblastoma. <i>Journal of Oral Pathology and Medicine</i> , 2014, 43, 619-626.	2.7	28
121	ROCK1 as a novel prognostic marker in vulvar cancer. <i>BMC Cancer</i> , 2014, 14, 822.	2.6	23
122	Cox-2, EGFR, and ERBB-2 Expression in Cervical Intraepithelial Neoplasia and Cervical Cancer Using an Automated Imaging System. <i>International Journal of Gynecological Pathology</i> , 2014, 33, 225-234.	1.4	27
123	A novel highly reactive Fab antibody for breast cancer tissue diagnostics and staging also discriminates a subset of good prognostic triple-negative breast cancers. <i>Cancer Letters</i> , 2014, 343, 275-285.	7.2	11
124	Immunohistochemical investigation of the angiogenic proteins VEGF, HIF-1Î± and CD34 in invasive ductal carcinoma of the breast. <i>Acta Histochemica</i> , 2014, 116, 148-157.	1.8	18
125	Best practice for PTEN gene and protein assessment in anatomic pathology. <i>Acta Histochemica</i> , 2014, 116, 25-31.	1.8	13
126	TWIST1 is a molecular marker for a poor prognosis in oral cancer and represents a potential therapeutic target. <i>Cancer</i> , 2014, 120, 352-362.	4.1	52

#	ARTICLE	IF	CITATIONS
127	Cooverexpression of ERBB1 and ERBB4 receptors predicts poor clinical outcome in pN+ oral squamous cell carcinoma with extranodal spread. <i>Clinical and Experimental Metastasis</i> , 2014, 31, 307-316.	3.3	17
128	KRAS insertions in colorectal cancer: What do we know about unusual KRAS mutations?. <i>Experimental and Molecular Pathology</i> , 2014, 96, 257-260.	2.1	10
129	Training in molecular pathology during residency: the experience of a Brazilian hospital. <i>Journal of Clinical Pathology</i> , 2014, 67, 647-648.	2.0	2
130	Fas, FasL, and cleaved caspases 8 and 3 in glioblastomas: A tissue microarray-based study. <i>Pathology Research and Practice</i> , 2014, 210, 267-273.	2.3	39
131	Dynamic dialog between cytokeratin 18 and annexin A1 in breast cancer: A transcriptional disequilibrium. <i>Acta Histochemica</i> , 2014, 116, 1178-1184.	1.8	12
132	Mutational status of VHL gene and its clinical importance in renal clear cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 321-330.	2.8	15
133	CD44+/CD133+ immunophenotype and matrix metalloproteinase-9: Influence on prognosis in early-stage oral squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1718-1726.	2.0	24
134	Decreased <sc>CD</sc>1a⁺, <sc>CD</sc>83⁺ and factor XIIIa⁺ dendritic cells in cervical lymph nodes and palatine tonsils of <sc>AIDS</sc> patients. <i>Histopathology</i> , 2014, 64, 234-241.	2.9	8
135	EGFR expression in vulvar cancer: clinical implications and tumor heterogeneity. <i>Human Pathology</i> , 2014, 45, 917-925.	2.0	16
136	Predictors of Cancer-specific Mortality After Disease Recurrence in Patients with Squamous Cell Carcinoma of the Penis. <i>European Urology</i> , 2014, 66, 811-814.	1.9	12
137	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the -triple-negative-tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014, 116, 440-447.	1.8	27
138	Association of the p53 codon 72 polymorphism with clinicopathological characteristics of colorectal cancer through mRNA analysis. <i>Oncology Reports</i> , 2014, 31, 1396-1406.	2.6	6
139	Study of Biomolecular and Clinical Prognostic Factors in Patients With Cancer of the Vulva Undergoing Surgical Treatment. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 766-772.	2.5	11
140	Prevalence of the TP53 p.R337H Mutation in Breast Cancer Patients in Brazil. <i>PLoS ONE</i> , 2014, 9, e99893.	2.5	49
141	BRCA1 and H2AX as independent prognostic markers in oral squamous cell carcinoma. <i>Oncoscience</i> , 2014, 1, 383-391.	2.2	25
142	A microRNA signature profile in EBV+ diffuse large B-cell lymphoma of the elderly. <i>Oncotarget</i> , 2014, 5, 11813-11826.	1.8	32
143	Prognostication of prostate cancer based on TOP2A protein and gene assessment: TOP2A in prostate cancer. <i>Journal of Translational Medicine</i> , 2013, 11, 36.	4.4	86
144	Chromosomal imbalances exclusively detected in invasive front area are associated with poor outcome in laryngeal carcinomas from different anatomical sites. <i>Tumor Biology</i> , 2013, 34, 3015-3026.	1.8	6

#	ARTICLE	IF	CITATIONS
145	Reactive Tonsillar Enlargement Showing Strong 18F-Fdg Uptake During the Follow-Up of Follicular Lymphoma. <i>Head and Neck Pathology</i> , 2013, 7, 258-262.	2.6	8
146	Breast cancer tissue slices as a model for evaluation of response to rapamycin. <i>Cell and Tissue Research</i> , 2013, 352, 671-684.	2.9	20
147	Hospital A.C.Camargo. <i>BMC Proceedings</i> , 2013, 7, .	1.6	0
148	Prognostication of OCT4 isoform expression in prostate cancer. <i>Tumor Biology</i> , 2013, 34, 2665-2673.	1.8	33
149	Cell cycle suppressor proteins are not related to HPV status or clinical outcome in patients with vulvar carcinoma. <i>Tumor Biology</i> , 2013, 34, 3713-3720.	1.8	9
150	Clinical Utility of KAP-1 Expression in Thyroid Lesions. <i>Endocrine Pathology</i> , 2013, 24, 77-82.	9.0	10
151	Expression of PAR-4 and PHLDA1 is prognostic for overall and disease-free survival in oral squamous cell carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 31-39.	2.8	29
152	The impact of immunohistochemical expression of nitric oxide synthases on clinical and pathological features of renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1197-1203.	2.2	4
153	Loss of Caspase 7 Expression Is Associated With Poor Prognosis in Renal Cell Carcinoma Clear Cell Subtype. <i>Urology</i> , 2013, 82, 974.e1-974.e7.	1.0	9
154	Ameloblastomas: clinical-histopathological evaluation of 85 cases with emphasis on squamous metaplasia and keratinization aspects. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 1651-1655.	1.6	7
155	The relationship between lymphatic vascular density and vascular endothelial growth factor A (VEGF-A) expression with clinical-pathological features and survival in pancreatic adenocarcinomas. <i>Diagnostic Pathology</i> , 2013, 8, 170.	2.0	14
156	Prognostication of Vulvar Cancer Based on p14ARF Status: Molecular Assessment of Transcript and Protein. <i>Annals of Surgical Oncology</i> , 2013, 20, 31-39.	1.5	20
157	Does Histologic Type Correlate to Outcome after Pelvic Exenteration for Cervical and Vaginal Cancer?. <i>Annals of Surgical Oncology</i> , 2013, 20, 1694-1700.	1.5	12
158	Differentiated thyroid carcinomas may elude the immune system by B7H1 upregulation. <i>Endocrine-Related Cancer</i> , 2013, 20, 103-110.	3.1	69
159	Tyrosine kinase receptor expression in chordomas: phosphorylated AKT correlates inversely with outcome. <i>Human Pathology</i> , 2013, 44, 1747-1755.	2.0	39
160	HER2 expression in Brazilian patients with estrogen and progesterone receptor-negative breast carcinoma. <i>Acta Histochemica</i> , 2013, 115, 120-127.	1.8	4
161	TGIF1 splicing variant 8 is overexpressed in oral squamous cell carcinoma and is related to pathologic and clinical behavior. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 116, 614-625.	0.4	14
162	<sc>CD</sc>24 and <sc>CD</sc>44 in salivary gland pleomorphic adenoma and in human salivary gland morphogenesis: differential markers of glandular structure or stem cell indicators?. <i>Histopathology</i> , 2013, 62, 1075-1082.	2.9	11

#	ARTICLE	IF	CITATIONS
163	microRNA Portraits in Human Vulvar Carcinoma. <i>Cancer Prevention Research</i> , 2013, 6, 1231-1241.	1.5	20
164	AMP-activated protein kinase signaling is upregulated in papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2013, 169, 521-528.	3.7	32
165	Adhesion Molecules in Primary Oral Mucosal Melanoma. <i>American Journal of Dermatopathology</i> , 2013, 35, 541-554.	0.6	12
166	Characterization of Sociodemographic and Clinicopathological Features in Brazilian Patients with Vulvar Squamous Cell Carcinoma. <i>Gynecologic and Obstetric Investigation</i> , 2013, 75, 53-60.	1.6	17
167	High-risk human papillomaviruses in two different primary tumors in the same patient. <i>International Journal of Urology</i> , 2013, 20, 1046-1048.	1.0	0
168	ERBB4 confers metastatic capacity in Ewing sarcoma. <i>EMBO Molecular Medicine</i> , 2013, 5, 1087-1102.	6.9	71
169	Comment on: EGFR mutational status in Brazilian patients with penile carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 857-859.	3.4	2
170	Estrogen receptor alpha/beta ratio and estrogen receptor beta as predictors of endocrine therapy responsiveness—a randomized neoadjuvant trial comparison between anastrozole and tamoxifen for the treatment of postmenopausal breast cancer. <i>BMC Cancer</i> , 2013, 13, 425.	2.6	64
171	Survival in patients with oral and maxillofacial diffuse large B-cell lymphoma. <i>Brazilian Oral Research</i> , 2013, 27, 349-355.	1.4	6
172	Immunohistochemical evaluation of MMP-2, MMP-9 and CD31/microvascular density in squamous cell carcinomas of the floor of the mouth. <i>Brazilian Dental Journal</i> , 2013, 24, 3-9.	1.1	18
173	Análise do gene PTEN por hibridização in situ fluorescente no carcinoma de células renais. <i>Revista Do Colégio Brasileiro De Cirurgias</i> , 2013, 40, 471-475.	0.6	6
174	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 167.	2.2	7
175	Matrix Metalloproteinase-9 Expression by Hodgkin-Reed-Sternberg Cells Is Associated with Reduced Overall Survival in Young Adult Patients with Classical Hodgkin Lymphoma. <i>PLoS ONE</i> , 2013, 8, e74793.	2.5	6
176	Human Papilloma Virus: Prevalence, distribution and predictive value to lymphatic metastasis in penile carcinoma. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 542-550.	1.5	27
177	P53 and Expression of Immunological Markers May Identify Early Stage Thyroid Tumors. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-9.	3.3	16
178	Overexpression of ANXA1 in Penile Carcinomas Positive for High-Risk HPVs. <i>PLoS ONE</i> , 2013, 8, e53260.	2.5	20
179	Comprehensive Analysis of BRCA1, BRCA2 and TP53 Germline Mutation and Tumor Characterization: A Portrait of Early-Onset Breast Cancer in Brazil. <i>PLoS ONE</i> , 2013, 8, e57581.	2.5	70
180	Expression of Cancer/Testis Antigens is Correlated with Improved Survival in Glioblastoma. <i>Oncotarget</i> , 2013, 4, 636-646.	1.8	54

#	ARTICLE	IF	CITATIONS
181	Cytokeratin-based CTC counting unrelated to clinical follow up. Journal of Thoracic Disease, 2013, 5, 593-9.	1.4	46
182	Claudin-5 and Cancer Metastasis. Cancer Metastasis - Biology and Treatment, 2013, , 263-274.	0.1	0
183	The Value of a Tumor Bank in the Development of Cancer Research in Brazil: 13 Years of Experience at the A C Camargo Hospital. Biopreservation and Biobanking, 2012, 10, 168-173.	1.0	30
184	Prognostic value of nuclear factor κ B expression in patients with advanced cervical cancer undergoing radiation therapy followed by hysterectomy. Journal of Clinical Pathology, 2012, 65, 614-618.	2.0	4
185	Infiltration of a mixture of different immune cells may be related to molecular profile of differentiated thyroid cancer. Endocrine-Related Cancer, 2012, 19, L31-L36.	3.1	25
186	Conservative Management of Extramammary Paget Disease With Imiquimod. Journal of Lower Genital Tract Disease, 2012, 16, 59-63.	1.9	19
187	Evaluation of Reliability of FISH Versus Brightfield Dual-probe In Situ Hybridization (BDISH) for Frontline Assessment of HER2 Status in Breast Cancer Samples in a Community Setting. American Journal of Surgical Pathology, 2012, 36, 1489-1496.	3.7	18
188	Absence of TGF- β RII predicts bone and lung metastasis and is associated with poor prognosis in stage III breast tumors. Cancer Biomarkers, 2012, 11, 209-217.	1.7	11
189	Prognostic impact of the cancer stem cell related markers ALDH1 and EZH2 in triple negative and basal-like breast cancers. Pathology, 2012, 44, 303-312.	0.6	35
190	Loss of RKIP expression during the carcinogenic evolution of endometrial cancer. Journal of Clinical Pathology, 2012, 65, 122-128.	2.0	22
191	Down-regulation of ANAPC13 and CLTCL1: Early Events in the Progression of Preinvasive Ductal Carcinoma of the Breast. Translational Oncology, 2012, 5, 113-IN8.	3.7	13
192	Hyaluronidase splice variants are associated with histology and outcome in adenocarcinoma and squamous cell carcinoma of the lung. Human Pathology, 2012, 43, 675-683.	2.0	15
193	A clinical, pathologic, and molecular study of p53 and murine double minute 2 in penile carcinogenesis and its relation to prognosis. Human Pathology, 2012, 43, 481-488.	2.0	21
194	Erratum to "Significance of topoisomerase III β expression in breast ductal carcinomas: strong associations with disease-specific survival and metastasis" [Hum Pathol 2010;41:1624-1630]. Human Pathology, 2012, 43, 618.	2.0	0
195	Metalloproteinases 2 and 9 and their tissue inhibitors 1 and 2 are increased in vulvar lichen sclerosus. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 161, 96-101.	1.1	13
196	HOXA1 is overexpressed in oral squamous cell carcinomas and its expression is correlated with poor prognosis. BMC Cancer, 2012, 12, 146.	2.6	79
197	Prognostic significance of c-KIT in vulvar cancer: bringing this molecular marker from bench to bedside. Journal of Translational Medicine, 2012, 10, 150.	4.4	21
198	Infiltration of a mixture of immune cells may be related to good prognosis in patients with differentiated thyroid carcinoma. Clinical Endocrinology, 2012, 77, 918-925.	2.4	124

#	ARTICLE	IF	CITATIONS
199	Marginal zone lymphoma of mucosa-associated lymphoid tissue with prominent plasma cell differentiation affecting the palatine tonsil: histopathological and immunohistochemical analysis. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2012, 113, 526-532.	0.4	9
200	Increased expression of CD4+CD25+FOXP3+ regulatory T cells correlates with Epstein-Barr virus and has no impact on survival in patients with classical Hodgkin lymphoma in Brazil. Medical Oncology, 2012, 29, 3614-3619.	2.5	33
201	Common chromosomal imbalances and stemness-related protein expression markers in endometriotic lesions from different anatomical sites: the potential role of stem cells. Human Reproduction, 2012, 27, 3187-3197.	0.9	31
202	Optimizing nucleic acid extraction from thyroid fine-needle aspiration cells in stained slides, formalin-fixed/paraffin-embedded tissues, and long-term stored blood samples. Arquivos Brasileiros De Endocrinologia E Metabologia, 2012, 56, 618-626.	1.3	32
203	Avaliação de resposta patológica em câncer de mama após quimioterapia neoadjuvante: padronização de protocolo adaptado. Jornal Brasileiro De Patologia E Medicina Laboratorial, 2012, 48, 447-453.	0.3	3
204	Tumor microenvironment composition in pediatric classical Hodgkin lymphoma is modulated by age and Epstein-Barr virus infection. International Journal of Cancer, 2012, 131, 1142-1152.	5.1	65
205	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. Acta Histochemica, 2012, 114, 226-231.	1.8	6
206	Identification of protein expression signatures in gastric carcinomas using clustering analysis. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 378-384.	2.8	12
207	HOXB7 expression is a prognostic factor for oral squamous cell carcinoma. Histopathology, 2012, 60, 662-665.	2.9	17
208	The influence of transforming growth factor- β 1, cyclooxygenase-2, matrix metalloproteinase (MMP)-7, MMP-9 and CXCR4 proteins involved in epithelial-mesenchymal transition on overall survival of patients with gastric cancer. Histopathology, 2012, 61, 153-161.	2.9	65
209	Sex with Animals (SWA): Behavioral Characteristics and Possible Association with Penile Cancer. A Multicenter Study. Journal of Sexual Medicine, 2012, 9, 1860-1867.	0.6	42
210	Topoisomerase expression in oral squamous cell carcinoma: relationship with cancer stem cells profiles and lymph node metastasis. Journal of Oral Pathology and Medicine, 2012, 41, 762-768.	2.7	6
211	Clinical significance of molecular alterations in histologically negative surgical margins of head and neck cancer patients. Oral Oncology, 2012, 48, 240-248.	1.5	45
212	MGMT and PTEN as potential prognostic markers in breast cancer. Experimental and Molecular Pathology, 2012, 92, 20-26.	2.1	17
213	Prognostication of Soft Tissue Sarcomas Based on Chromosome 17q Gene and Protein Status: Evaluation of TOP2A, HER-2/neu, and Survivin. Annals of Surgical Oncology, 2012, 19, 1790-1799.	1.5	11
214	High-risk human papillomavirus in oral squamous cell carcinoma of young patients. International Journal of Cancer, 2012, 130, 1726-1732.	5.1	68
215	Foxp3 expression is associated with aggressiveness in differentiated thyroid carcinomas. Clinics, 2012, 67, 483-488.	1.5	47
216	Differentially expressed genes and lincRNAs throughout oral squamous cell carcinoma development. FASEB Journal, 2012, 26, lb461.	0.5	0

#	ARTICLE	IF	CITATIONS
217	Regulatory T Lymphocytes and Tumor-Associated Macrophages Have No Impact On Treatment Response and Survival in Brazilian Patients with Classical Hodgkin Lymphoma. <i>Blood</i> , 2012, 120, 4777-4777.	1.4	0
218	Relationship between B-cell-specific Moloney murine leukemia virus integration site 1 (BMI-1) and homologous recombination regulatory genes in invasive ductal breast carcinomas. <i>Histology and Histopathology</i> , 2012, 27, 1353-9.	0.7	4
219	Gene expression analysis of blastemal component reveals genes associated with relapse mechanism in Wilms tumour. <i>European Journal of Cancer</i> , 2011, 47, 2715-2722.	2.8	28
220	Cortactin is associated with perineural invasion in the deep invasive front area of laryngeal carcinomas. <i>Human Pathology</i> , 2011, 42, 1221-1229.	2.0	13
221	Activation of sonic hedgehog signaling in oral squamous cell carcinomas: a preliminary study. <i>Human Pathology</i> , 2011, 42, 1484-1490.	2.0	37
222	Evaluation of O6-methylguanine-DNA methyltransferase by immunohistochemistry: Best clinical and research practices. <i>Pathology Research and Practice</i> , 2011, 207, 492-497.	2.3	6
223	Wnt pathway is affected by endocrine therapy in breast carcinomas. <i>Basic and Applied Pathology</i> , 2011, 4, 38-45.	0.2	1
224	IL-2, IL-5, TNF- α and IFN- γ mRNA expression in epidermal keratinocytes of systemic lupus erythematosus skin lesions. <i>Clinics</i> , 2011, 66, 77-82.	1.5	44
225	Interleukin-10 but not interleukin-18 may be associated with the immune response against well-differentiated thyroid cancer. <i>Clinics</i> , 2011, 66, 1203-1208.	1.5	15
226	Classificação dos tumores hematopoéticos e linfóides de acordo com a OMS: padronização da nomenclatura em língua portuguesa, 4ª edição. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2011, 47, 643-648.	0.3	4
227	Evaluation of prognostic factors in stage IIA breast tumors and their correlation with mortality risk. <i>Clinics</i> , 2011, 66, 607-612.	1.5	13
228	GLUT1 expression in malignant tumors and its use as an immunodiagnostic marker. <i>Clinics</i> , 2011, 66, 965-972.	1.5	183
229	Deregulated Expression of Superoxide Dismutase-2 Correlates with Different Stages of Cervical Neoplasia. <i>Disease Markers</i> , 2011, 30, 275-281.	1.3	15
230	Prognostic Significance of GRP78 Expression Patterns in Breast Cancer Patients Receiving Adjuvant Chemotherapy. <i>International Journal of Biological Markers</i> , 2011, 26, 188-196.	1.8	11
231	Claudin expression is dysregulated in prostate adenocarcinomas but does not correlate with main clinicopathological parameters. <i>Pathology</i> , 2011, 43, 143-148.	0.6	14
232	Use of sodium iodide symporter expression in differentiated thyroid carcinomas. <i>Clinical Endocrinology</i> , 2011, 75, 247-254.	2.4	32
233	Role of Folate-related antigen 1 in the progression and prognosis of ductal breast carcinoma. <i>Histopathology</i> , 2011, 58, 617-625.	2.9	20
234	Development of human minor salivary glands: expression of mucins according to stage of morphogenesis. <i>Journal of Anatomy</i> , 2011, 219, 410-417.	1.5	19

#	ARTICLE	IF	CITATIONS
235	Cancer stem cell immunophenotypes in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2011, 40, 135-142.	2.7	43
236	Differential expression of HIF-1 \pm in CD44+CD24-/low breast ductal carcinomas. <i>Diagnostic Pathology</i> , 2011, 6, 73.	2.0	23
237	Prognostic value of NDRG1 and SPARC protein expression in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 1-14.	2.5	95
238	Short-term anastrozole therapy reduces Ki-67 and progesterone receptor expression in invasive breast cancer: a prospective, placebo-controlled, double-blind trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 897-905.	2.5	4
239	Multiple mutations in the Kras gene in colorectal cancer: review of the literature with two case reports. <i>International Journal of Colorectal Disease</i> , 2011, 26, 1241-1248.	2.2	31
240	Palliative pelvic exenteration for patients with gynecological malignancies. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1107-1112.	1.7	32
241	Ezrin Expression as a Prognostic Marker in Colorectal Adenocarcinoma. <i>Pathology and Oncology Research</i> , 2011, 17, 827-833.	1.9	26
242	Immunohistochemical analysis of vascular density and area in colorectal carcinoma using different markers and comparison with clinicopathologic prognostic factors. <i>Tumor Biology</i> , 2011, 32, 527-534.	1.8	15
243	Penile Cancer: Epidemiology and Treatment. <i>Current Oncology Reports</i> , 2011, 13, 231-239.	4.0	41
244	TP53 mutation p.R337H in gastric cancer tissues of a 12-year-old male child - evidence for chimerism involving a common mutant founder haplotype: case report. <i>BMC Cancer</i> , 2011, 11, 449.	2.6	34
245	Functional microarray analysis suggests repressed cell-cell signaling and cell survival-related modules inhibit progression of head and neck squamous cell carcinoma. <i>BMC Medical Genomics</i> , 2011, 4, 33.	1.5	6
246	Surgical implications of mesenteric lymph node metastasis from advanced ovarian cancer after bowel resection. <i>Journal of Surgical Oncology</i> , 2011, 104, 250-254.	1.7	19
247	Low prevalence of HPV in Brazilian children with retinoblastoma. <i>Journal of Medical Virology</i> , 2011, 83, 115-118.	5.0	19
248	Caspase expression in oral squamous cell carcinoma. <i>Head and Neck</i> , 2011, 33, 1191-1198.	2.0	35
249	<i>CCND1</i> amplification and protein overexpression in oral squamous cell carcinoma of young patients. <i>Head and Neck</i> , 2011, 33, 1413-1419.	2.0	39
250	Phosphodiesterase 11A (<i>PDE11A</i>) Genetic Variants May Increase Susceptibility to Prostatic Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E135-E140.	3.6	41
251	Prognostic impact of MUM1 expression by immunohistochemistry on primary mediastinal large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 1495-1503.	1.3	20
252	Primary Hodgkin's Lymphoma of the Rectum: An Unusual Presentation. <i>Journal of Clinical Oncology</i> , 2011, 29, e268-e270.	1.6	8

#	ARTICLE	IF	CITATIONS
253	Prognostic Implications of Altered Human Epidermal Growth Factor Receptors (HERs) in Gastric Carcinomas: HER2 and HER3 Are Predictors of Poor Outcome. <i>Journal of Clinical Oncology</i> , 2011, 29, 3030-3036.	1.6	217
254	EBV-Associated Polymorphic Posttransplant Lymphoproliferative Disorder Presenting as Gingival Ulcers. <i>International Journal of Surgical Pathology</i> , 2011, 19, 241-246.	0.8	15
255	World Health Organization Classification of tumors of hematopoietic and lymphoid tissues, 4th edition, 2008 – major changes from the 3rd edition, 2001. <i>Revista Da Associação Médica Brasileira</i> , 2011, 57, 66-73.	0.7	6
256	Deregulated expression of superoxide dismutase-2 correlates with different stages of cervical neoplasia. <i>Disease Markers</i> , 2011, 30, 275-81.	1.3	11
257	Papillary Squamous Cell Carcinoma, Not Otherwise Specified (NOS) of the Penis: Clinicopathologic Features, Differential Diagnosis, and Outcome of 35 Cases. <i>American Journal of Surgical Pathology</i> , 2010, 34, 223-230.	3.7	47
258	Markers of vascular differentiation, proliferation and tissue remodeling in juvenile nasopharyngeal angiofibromas. <i>Experimental and Therapeutic Medicine</i> , 2010, 1, 921-926.	1.8	17
259	Down-regulation of the candidate tumor suppressor gene PAR-4 is associated with poor prognosis in breast cancer. <i>International Journal of Oncology</i> , 2010, 37, 41-9.	3.3	41
260	Muc-1 Expression May Help Characterize Thyroid Nodules but Does Not Predict Patients' Outcome. <i>Endocrine Pathology</i> , 2010, 21, 242-249.	9.0	22
261	Downregulation of CD9 protein expression is associated with aggressive behavior of oral squamous cell carcinoma. <i>Oral Oncology</i> , 2010, 46, 166-171.	1.5	26
262	Analysis of human kallikrein 7 expression as a potential biomarker in cervical neoplasia. <i>International Journal of Cancer</i> , 2010, 127, 485-490.	5.1	15
263	Is the Expression of Inducible (iNOS) and Endothelial (eNOS) Nitric Oxide Synthases an Early Event in Breast Carcinogenesis?. <i>Breast Journal</i> , 2010, 16, no-no.	1.0	2
264	Expression of Bcl-2 family proteins and association with clinicopathological characteristics of oral squamous cell carcinoma. <i>Histopathology</i> , 2010, 57, 304-316.	2.9	41
265	Human salivary gland morphogenesis: myoepithelial cell maturation assessed by immunohistochemical markers. <i>Histopathology</i> , 2010, 57, 410-417.	2.9	45
266	Claudin-7 downregulation is an important feature in oral squamous cell carcinoma. <i>Histopathology</i> , 2010, 57, 689-698.	2.9	23
267	Ion channelopathies in endocrinology: recent genetic findings and pathophysiological insights. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2010, 54, 673-681.	1.3	20
268	Glut1 and Glut3 as Potential Prognostic Markers for Oral Squamous Cell Carcinoma. <i>Molecules</i> , 2010, 15, 2374-2387.	3.8	129
269	NDRG1 protein overexpression in malignant thyroid neoplasms. <i>Clinics</i> , 2010, 65, 757-762.	1.5	28
270	Oral squamous cell carcinoma: status of tight junction claudins in the different histopathological patterns and relationship with clinical parameters. A tissue-microarray-based study of 136 cases. <i>Journal of Clinical Pathology</i> , 2010, 63, 609-614.	2.0	41

#	ARTICLE	IF	CITATIONS
271	High Levels of Hsp90 Cochaperone p23 Promote Tumor Progression and Poor Prognosis in Breast Cancer by Increasing Lymph Node Metastases and Drug Resistance. <i>Cancer Research</i> , 2010, 70, 8446-8456.	0.9	51
272	Wartyâ€“basaloid carcinoma: clinicopathological features of a distinctive penile neoplasm. Report of 45 cases. <i>Modern Pathology</i> , 2010, 23, 896-904.	5.5	62
273	19 SEX WITH ANIMALS (SWA): CHARACTERISTICS AND POSSIBLE ASSOCIATIONS WITH PENILE CANCER AND SEXUALLY TRANSMITTED DISEASES. ACTUAL RESULTS OF A MULTICENTRIC BRAZILIAN CASE-CONTROL STUDY. <i>Journal of Urology</i> , 2010, 183, .	0.4	2
274	Identification of Genes Associated with Local Aggressiveness and Metastatic Behavior in Soft Tissue Tumors. <i>Translational Oncology</i> , 2010, 3, 23-IN5.	3.7	43
275	Nitric Oxide Synthases, Cyclooxygenase-2, Nitrotyrosine, and Angiogenesis in Chondrosarcoma and Their Relation to Prognosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 1738-1746.	3.0	22
276	Nucleophosmin, p53, and Ki-67 expression patterns on an oral squamous cell carcinoma tissue microarray. <i>Human Pathology</i> , 2010, 41, 1079-1086.	2.0	27
277	Evaluation of cell cycle protein expression in gastric cancer: cyclin B1 expression and its prognostic implication. <i>Human Pathology</i> , 2010, 41, 1120-1127.	2.0	57
278	Significance of topoisomerase III β expression in breast ductal carcinomas: strong associations with disease-specific survival and metastasis. <i>Human Pathology</i> , 2010, 41, 1624-1630.	2.0	19
279	Prognostic impact of adenomatous polyposis coli gene expression in osteosarcoma of the extremities. <i>European Journal of Cancer</i> , 2010, 46, 3307-3315.	2.8	7
280	Cell cycle characteristics and Epsteinâ€“Barr virus are differentially associated with aggressive and non-aggressive subsets of Hodgkin lymphoma in pediatric patients. <i>Leukemia and Lymphoma</i> , 2010, 51, 1513-1526.	1.3	19
281	MT1G Hypermethylation: A Potential Prognostic Marker for Hepatoblastoma. <i>Pediatric Research</i> , 2010, 67, 387-393.	2.3	53
282	Correlation Between Anthropometric Measures and Biomarker Changes After Neoadjuvant Therapy With Tamoxifen or Anastrozole in Postmenopausal Women With Breast Cancer. <i>World Journal of Oncology</i> , 2010, 1, 111-117.	1.5	0
283	Concomitant expression of epithelial-mesenchymal transition biomarkers in breast ductal carcinoma: association with progression. <i>Oncology Reports</i> , 2010, 23, 313-20.	2.6	46
284	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	1.8	0
285	Clinicopathological significance of ubiquitin-specific protease 2a (USP2a), fatty acid synthase (FASN), and ErbB2 expression in oral squamous cell carcinomas. <i>Oral Oncology</i> , 2009, 45, e134-e139.	1.5	51
286	Evaluation of gene amplification and protein expression of HER-2/neu in esophageal squamous cell carcinoma using Fluorescence in situ Hybridization (FISH) and immunohistochemistry. <i>BMC Cancer</i> , 2009, 9, 6.	2.6	63
287	Quantitative real-time RT-PCR and chromogenic in situ hybridization: precise methods to detect HER-2 status in breast carcinoma. <i>BMC Cancer</i> , 2009, 9, 90.	2.6	24
288	Reciprocal changes in gene expression profiles of cocultured breast epithelial cells and primary fibroblasts. <i>International Journal of Cancer</i> , 2009, 125, 2767-2777.	5.1	52

#	ARTICLE	IF	CITATIONS
289	Extent of pelvic lymphadenectomy in women with squamous cell carcinoma of the uterine cervix: Is there any prognostic value?. <i>Journal of Surgical Oncology</i> , 2009, 100, 252-257.	1.7	2
290	ErbB family immunohistochemical expression in colorectal cancer patients with higher risk of recurrence after radical surgery. <i>International Journal of Colorectal Disease</i> , 2009, 24, 1059-1068.	2.2	40
291	Role of immunoexpression of nitric oxide synthases by Hodgkin and Reed-Sternberg cells on apoptosis deregulation and on clinical outcome of classical Hodgkin lymphoma. <i>Molecular and Cellular Biochemistry</i> , 2009, 321, 95-102.	3.1	21
292	Presence of Myofibroblasts and Expression of Matrix Metalloproteinase-2 (MMP-2) in Ameloblastomas Correlate with Rupture of the Osseous Cortical. <i>Pathology and Oncology Research</i> , 2009, 15, 231-240.	1.9	37
293	Glial fibrillary acidic protein in tumor types with cartilaginous differentiation. <i>Modern Pathology</i> , 2009, 22, 1321-1327.	5.5	18
294	Digital slides: Present status of a tool for consultation, teaching, and quality control in pathology. <i>Pathology Research and Practice</i> , 2009, 205, 735-741.	2.3	80
295	MDM2, P53, P21WAF1 and pAKT protein levels in genesis and behaviour of adenoid cystic carcinoma. <i>Cancer Epidemiology</i> , 2009, 33, 142-146.	1.9	23
296	Menopausal status: A possible predictive factor for recurrence in women with cancer of the uterine cervix without pelvic lymph node metastasis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 146, 204-209.	1.1	0
297	SAGE analysis highlights the importance of p53, ddx5, mapkapk2 and ranbp2 to multiple myeloma tumorigenesis. <i>Cancer Letters</i> , 2009, 278, 41-48.	7.2	51
298	Identification of FAM46D as a novel cancer/testis antigen using EST data and serological analysis. <i>Genomics</i> , 2009, 94, 153-160.	2.9	23
299	Epigenetic Silencing of CRABP2 and MX1 in Head and Neck Tumors. <i>Neoplasia</i> , 2009, 11, 1329-IN9.	5.3	70
300	Penile Squamous Cell Carcinoma Clinicopathological Features, Nodal Metastasis and Outcome in 333 Cases. <i>Journal of Urology</i> , 2009, 182, 528-534.	0.4	136
301	Primary Oral Mucosal Melanoma: A Series of 35 New Cases From South America. <i>American Journal of Dermatopathology</i> , 2009, 31, 323-330.	0.6	65
302	The Prognostic Index. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1049-1057.	3.7	93
303	Pseudoglandular (Adenoid, Acantholytic) Penile Squamous Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2009, 33, 551-555.	3.7	57
304	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	1.8	1
305	Cadherin-catenin adhesion system and mucin expression: a comparison between young and older patients with gastric carcinoma. <i>Gastric Cancer</i> , 2008, 11, 149-159.	5.3	21
306	Developing human minor salivary glands: morphological parallel relation between the expression of TGF-beta isoforms and cytoskeletal markers of glandular maturation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 427-434.	2.8	18

#	ARTICLE	IF	CITATIONS
307	Glioblastomas: correlation between oligodendroglial components, genetic abnormalities, and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 481-490.	2.8	46
308	Antibodies against the cancer testis antigen CTSPA-1 are frequently found in prostate cancer patients and are an independent prognostic factor for biochemical recurrence. <i>International Journal of Cancer</i> , 2008, 122, 2385-2390.	5.1	13
309	Absence of TMPRSS2:ERG fusions and PTEN losses in prostate cancer is associated with a favorable outcome. <i>Modern Pathology</i> , 2008, 21, 1451-1460.	5.5	254
310	Mdm2, p53, p21 and pAKT protein pathways in benign neoplasms of the salivary gland. <i>Oral Oncology</i> , 2008, 44, 903-908.	1.5	16
311	Evidence that molecular changes in cells occur before morphological alterations during the progression of breast ductal carcinoma. <i>Breast Cancer Research</i> , 2008, 10, R87.	5.0	122
312	Comparison of biological behavior between early-stage adenocarcinoma and squamous cell carcinoma of the uterine cervix. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 215-223.	1.1	23
313	Expression of Transforming Growth Factor- β 1, β 2, and β 3 in Human Developing Teeth: Immunolocalization According to the Odontogenesis Phases. <i>Pediatric and Developmental Pathology</i> , 2008, 11, 206-212.	1.0	22
314	Primary Diffuse Large B-Cell Lymphoma of Bone Displays Preferential Rearrangements of the c-MYC or BCL2 Gene. <i>American Journal of Clinical Pathology</i> , 2008, 129, 723-726.	0.7	28
315	Detection of Epstein-Barr virus in children and adolescents with Burkitt's lymphoma by <i>in situ</i> hybridization using tissue microarrays. <i>Hematology</i> , 2008, 13, 114-118.	1.5	11
316	CD20 expression by Hodgkin-Reed-Sternberg cells in classical Hodgkin lymphoma is related to reduced overall survival in young adult patients. <i>Leukemia and Lymphoma</i> , 2008, 49, 2198-2202.	1.3	10
317	Molecular Profiling of Isolated Histological Components of Wilms Tumor Implicates a Common Role for the Wnt Signaling Pathway in Kidney and Tumor Development. <i>Oncology</i> , 2008, 75, 81-91.	1.9	33
318	Biological Markers and Prognosis in Recurrent Oral Cancer After Salvage Surgery. <i>JAMA Otolaryngology</i> , 2008, 134, 743.	1.2	54
319	Histologic Grade and Perineural Invasion are More Important Than Tumor Thickness as Predictor of Nodal Metastasis in Penile Squamous Cell Carcinoma Invading 5 to 10 mm. <i>American Journal of Surgical Pathology</i> , 2008, 32, 974-979.	3.7	133
320	Detectão de micrometástases em câncer de pulmão não-pequenas células estágio pN0: um método alternativo combinando imunohistoquímica e análise em microsséries. <i>Jornal Brasileiro De Pneumologia</i> , 2008, 34, 129-135.	0.7	2
321	Concomitant detection of hematological neoplasm and carcinoma: report on seven cases. <i>Sao Paulo Medical Journal</i> , 2008, 126, 245-247.	0.9	2
322	Stromal and epithelial cells react differentially to c-kit in fibroepithelial tumors of the breast. <i>Molecular Medicine Reports</i> , 2008, 1, 857-61.	2.4	2
323	Biological Applications of a Chimeric Probe for the Assessment of Galectin-3 Ligands. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 1015-1026.	2.5	20
324	C-erbB-2 expression is a better predictor for survival than galectin-3 or p53 in early-stage breast cancer. <i>Oncology Reports</i> , 2007, 18, 121.	2.6	4

#	ARTICLE	IF	CITATIONS
325	The Addition of Ifosfamide/Etoposide to Cisplatin/Teniposide Improves the Survival of Children With Retinoblastoma and Orbital Involvement. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 700-704.	0.6	25
326	Do Proliferating Cell Nuclear Antigen and MIB-1/Ki-67 Have Prognostic Value in Penile Squamous Cell Carcinoma?. <i>Urology</i> , 2007, 70, 137-142.	1.0	38
327	Carcinoembryonic antigen (CEA) mimicry by an anti-idiotypic scFv isolated from anti-Id 6.C4 hybridoma. <i>Journal of Biotechnology</i> , 2007, 127, 615-625.	3.8	16
328	Immunoblastic morphology in diffuse large B-cell lymphoma is associated with a nongerminal center immunophenotypic profile. <i>Leukemia and Lymphoma</i> , 2007, 48, 892-896.	1.3	11
329	Nerve Sheath Myxoma of the Gingiva: Report of a Rare Case and Review of the Literature. <i>Journal of Periodontology</i> , 2007, 78, 1639-1643.	3.4	9
330	Fas expression in DLBCL. <i>American Journal of Hematology</i> , 2007, 82, 331-332.	4.1	0
331	Is galectin-3 a good method for the detection of malignancy in patients with thyroid nodules and a cytologic diagnosis of "follicular neoplasm"? A critical appraisal of the evidence. <i>Head and Neck</i> , 2007, 29, 1046-1054.	2.0	20
332	Down-regulation of PHLDA1 gene expression is associated with breast cancer progression. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 49-56.	2.5	74
333	Human salivary gland branching morphogenesis: morphological localization of claudins and its parallel relation with developmental stages revealed by expression of cytoskeleton and secretion markers. <i>Histochemistry and Cell Biology</i> , 2007, 128, 361-369.	1.7	40
334	Intensity of cervical inflammatory reaction as a risk factor for recurrence of carcinoma of the uterine cervix in stages IB and IIA. <i>Sao Paulo Medical Journal</i> , 2007, 125, 231-236.	0.9	7
335	From Tissue Samples to Tumor Markers. , 2007, , 17-28.		0
336	Langerhans cell histiocytosis and its relationship with Epstein-Barr virus. <i>Human Pathology</i> , 2006, 37, 1508-1509.	2.0	10
337	Gingival metastasis from non-small cell undifferentiated carcinoma of the lung mimicking a pyogenic granuloma. <i>Oral Oncology</i> , 2006, 42, 36-39.	0.7	6
338	Immunohistochemical determination of estrogen receptor- \pm in vaginal and tumor tissues of healthy and TVT-affected bitches and their relation to serum concentrations of estradiol-17 β and progesterone. <i>Theriogenology</i> , 2006, 66, 1587-1592.	2.1	9
339	E-cadherin, MMP-2, and MMP-9 as prognostic markers in penile cancer: Analysis of 125 patients. <i>Urology</i> , 2006, 67, 797-802.	1.0	75
340	Front pattern of invasion in squamous cell carcinoma of the penis: New prognostic factor for predicting risk of lymph node metastases. <i>Urology</i> , 2006, 68, 148-153.	1.0	52
341	Computed tomography guided needle biopsy: experience from 1,300 procedures. <i>Sao Paulo Medical Journal</i> , 2006, 124, 10-14.	0.9	76
342	Histiocitose de c�lulas de Langerhans com envolvimento ungueal em crian�a: relato de caso. <i>Anais Brasileiros De Dermatologia</i> , 2006, 81, 559-562.	1.1	2

#	ARTICLE	IF	CITATIONS
343	Sarcomas Often Express Constitutive Nitric Oxide Synthases (NOS) But Infrequently Inducible NOS. Applied Immunohistochemistry and Molecular Morphology, 2006, 14, 404-410.	1.2	19
344	Synchronous ameloblastoma and orthokeratinized odontogenic cyst of the mandible. Journal of Oral Pathology and Medicine, 2006, 35, 573-575.	2.7	11
345	The expression of metaloproteinases-2 and -9 is different according to the patterns of growth and invasion in squamous cell carcinoma of the penis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 637-646.	2.8	7
346	SATR-1 hypomethylation is a common and early event in breast cancer. Cancer Genetics and Cytogenetics, 2006, 165, 135-143.	1.0	41
347	Immunohistochemical expression of p63 in pleomorphic adenomas and carcinomas ex-pleomorphic adenomas of salivary glands. Oral Oncology, 2006, 42, 154-160.	1.5	27
348	Hepatoblastomas and Liver Development: A Study of Cytokeratin Immunoexpression in Twenty-Nine Hepatoblastomas. Pediatric and Developmental Pathology, 2006, 9, 196-202.	1.0	26
349	Characterization of a cancer/testis (CT) antigen gene family capable of eliciting humoral response in cancer patients. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18066-18071.	7.1	32
350	Differential expression of apoptosis related proteins and nitric oxide synthases in Epstein Barr associated gastric carcinomas. World Journal of Gastroenterology, 2006, 12, 4959.	3.3	8
351	Overexpression of Fos-related antigen-1 in head and neck squamous cell carcinoma. International Journal of Experimental Pathology, 2005, 86, 205-212.	1.3	34
352	Dedifferentiated liposarcoma of the oral cavity with angiosarcomatous dedifferentiation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 456-459.	2.8	22
353	Gene Expression Profile Associated with Response to Doxorubicin-Based Therapy in Breast Cancer. Clinical Cancer Research, 2005, 11, 7434-7443.	7.0	168
354	Expression Profile of Malignant and Nonmalignant Lesions of Esophagus and Stomach: Differential Activity of Functional Modules Related to Inflammation and Lipid Metabolism. Cancer Research, 2005, 65, 7127-7136.	0.9	34
355	The Transcripts of <i>SFRP1</i> , <i>CEP63</i> and <i>EIF4G2</i> Genes Are Frequently Downregulated in Transitional Cell Carcinomas of the Bladder. Oncology, 2005, 69, 445-454.	1.9	29
356	Colorectal Cancer "Methylator Phenotype": Fact or Artifact?. Neoplasia, 2005, 7, 331-335.	5.3	63
357	Expression profile of malignant and non-malignant diseases of the thyroid gland reveals altered expression of a common set of genes in goiter and papillary carcinomas. Cancer Letters, 2005, 227, 59-73.	7.2	10
358	Histological classification of 1,025 cases of Hodgkin's lymphoma from the State of São Paulo, Brazil. Sao Paulo Medical Journal, 2005, 123, 134-136.	0.9	14
359	Pan-cytokeratin immunoexpression in Wilms' tumors: a simple approach for understanding tumor epithelial differentiation. Sao Paulo Medical Journal, 2004, 122, 181-183.	0.9	3
360	Molecular Classifiers for Gastric Cancer and Nonmalignant Diseases of the Gastric Mucosa. Cancer Research, 2004, 64, 1255-1265.	0.9	52

#	ARTICLE	IF	CITATIONS
361	Epigenetic silencing of the adhesion molecule ADAM23 is highly frequent in breast tumors. <i>Oncogene</i> , 2004, 23, 1481-1488.	5.9	68
362	Letter to the Editor. <i>Pediatric and Developmental Pathology</i> , 2004, 7, 668-669.	1.0	4
363	FT-Raman spectroscopy study of human breast tissue. , 2004, , .		6
364	Comparative analysis of amplified and nonamplified RNA for hybridization in cDNA microarray. <i>Analytical Biochemistry</i> , 2003, 321, 244-251.	2.4	58
365	Penile metastasis of chondrosarcoma of the jaw. <i>Urology</i> , 2003, 61, 837.	1.0	18
366	Differentially expressed genes in gastric tumors identified by cDNA array. <i>Cancer Letters</i> , 2003, 190, 199-211.	7.2	29
367	Differential expression of IGFBP-5 and two human ESTs in thyroid glands with goiter, adenoma and papillary or follicular carcinomas. <i>Cancer Letters</i> , 2003, 191, 193-202.	7.2	25
368	CORRESPONDENCE RE: CARPENTIERI DF, NICHOLS K, CHOU PM, MATHEWS M, PAWEL B, HUFF D. THE EXPRESSION OF WT1 IN THE DIFFERENTIATION OF RHABDOMYOSARCOMA FROM OTHER PEDIATRIC SMALL ROUND BLUE CELL TUMORS. <i>MOD PATHOL</i> 2002;15(10):1080-6.. <i>Modern Pathology</i> , 2003, 16, 1178-1179.	5.5	7
369	Morphometric evaluation of tumor matrix metalloproteinase 9 predicts survival after surgical resection of adenocarcinoma of the lung. <i>Clinical Cancer Research</i> , 2003, 9, 3098-104.	7.0	42
370	Significant overexpression of oligophrenin-1 in colorectal tumors detected by cDNA microarray analysis. <i>Cancer Letters</i> , 2001, 172, 67-73.	7.2	19
371	Pruritic papular eruption of the acquired immunodeficiency syndrome: predominance of CD8+ cells. <i>International Journal of Dermatology</i> , 2000, 39, 873-874.	1.0	12
372	Vascular Density (Tumor Angiogenesis) in Non-Hodgkin's Lymphomas and Florid Follicular Hyperplasia: A Morphometric Study. <i>Leukemia and Lymphoma</i> , 2000, 40, 157-166.	1.3	31
373	Fatal Pulmonary Tumor Embolism Caused by Chondroblastic Osteosarcoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2000, 124, 661-661.	2.5	9
374	Rosai-Dorfman's Disease of the Breast. <i>American Journal of Surgical Pathology</i> , 1999, 23, 359-360.	3.7	14
375	Solitary Plasmacytoma of Bone in an Adolescent. <i>Journal of Pediatric Hematology/Oncology</i> , 1998, 20, 574-576.	0.6	11
376	Cardiomyopathy in rats with Walker 256 tumor: The potential role of microvascular disease in its genesis. <i>Cardiovascular Pathology</i> , 1996, 5, 39-46.	1.6	3
377	Massive intracranial immature teratoma: report of a case with polyhydramnios and intense pelvic pain. <i>Arquivos De Neuro-Psiquiatria</i> , 1996, 54, 309-312.	0.8	5
378	AIDS-Related Lymphoma in Brazil: Histopathology, Immunophenotype, and Association With Epstein-Barr Virus. <i>American Journal of Clinical Pathology</i> , 1996, 105, 230-237.	0.7	27

#	ARTICLE	IF	CITATIONS
379	Translocation (1;5)(q32;q35) in CD30+ anaplastic large cell non-Hodgkin lymphoma of childhood: A case report. <i>Cancer Genetics and Cytogenetics</i> , 1996, 86, 83-85.	1.0	10
380	Severe myocarditis and esophagitis during reversible long standing Chagas' disease recrudescence in immunocompromised host. <i>International Journal of Cardiology</i> , 1995, 49, 271-273.	1.7	12
381	Clinical Aspects of Tumour Involvement of the Pulmonary Vessels. <i>Acta OncolÃ³gica</i> , 1992, 31, 519-523.	1.8	14
382	Primary lymphoma of the right atrium with fatal neoplastic pulmonary embolism. <i>American Heart Journal</i> , 1992, 124, 1088-1090.	2.7	24
383	Subacute cor pulmonale in children: Report of two cases. <i>Pediatric Pulmonology</i> , 1992, 12, 52-57.	2.0	3
384	Pulmonary leukostasis without hyperleukocytosis: A clinicopathologic study of 16 cases. <i>American Journal of Hematology</i> , 1992, 40, 28-32.	4.1	55
385	A prospective study of the morphological aspects of tumor involvement of the pulmonary vessels. <i>Pathology</i> , 1992, 24, 150-154.	0.6	9
386	Fulminant Disseminated Pulmonary Adiaspiromycosis in Humans. <i>American Journal of Tropical Medicine and Hygiene</i> , 1992, 46, 146-150.	1.4	36
387	Pulmonary tumour embolism from squamous cell carcinoma of the oesophagus. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 495-498.	0.7	13
388	Accumulation of brown adipose tissue in patients with Chagas heart disease. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1991, 85, 605-607.	1.8	5
389	Pulmonary tumor embolism from squamous cell carcinoma of the vulva. <i>Gynecologic Oncology</i> , 1990, 38, 141-143.	1.4	12