
## Eberhard Morgenroth

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2977809/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Performance and dynamics of active greywater heat recovery in buildings. Applied Energy, 2022, 305, 117677.   | 10.1 | 8         |
| 2  | Cross flow frequency determines the physical structure and cohesion of membrane biofilms<br>developed during gravity-driven membrane ultrafiltration of river water: Implication for hydraulic<br>resistance. Journal of Membrane Science, 2022, 643, 120079. | 8.2  | 9         |
| 3  | Low maintenance gravity-driven membrane filtration using hollow fibers: Effect of reducing space<br>for biofilm growth and control strategies on permeate flux. Science of the Total Environment, 2022,<br>811, 152307.                                       | 8.0  | 11        |
| 4  | Microbial conversion pathways of particulate organic substrate conversion in aerobic granular<br>sludge systems: limited anaerobic conversion and the essential role of flocs. Environmental Science:<br>Water Research and Technology, 2022, 8, 1236-1251.   | 2.4  | 2         |
| 5  | Tracing N2O formation in full-scale wastewater treatment with natural abundance isotopes indicates control by organic substrate and process settings. Water Research X, 2022, 15, 100130.   | 6.1  | 12        |
| 6  | How to get your feet wet: Integrating urban water and building engineering for low-energy domestic hot water systems. Energy and Buildings, 2022, 271, 112318.  | 6.7  | 3         |
| 7  | Socio-technical analysis of a sanitation innovation in a peri-urban household in Durban, South Africa.<br>Science of the Total Environment, 2021, 755, 143284.  | 8.0  | 13        |
| 8  | Make your research more accessible. Water Research, 2021, 188, 116453.  | 11.3 | 0         |
| 9  | Disruptions in loading and aeration impact effluent chlorine demand during biological greywater recycling. Water Research X, 2021, 11, 100087.  | 6.1  | 3         |
| 10 | Predictive models using "cheap and easy―field measurements: Can they fill a gap in planning,<br>monitoring, and implementing fecal sludge management solutions?. Water Research, 2021, 196, 116997.   | 11.3 | 13        |
| 11 | Integrating granular activated carbon (GAC) to gravity-driven membrane (GDM) to improve its flux stabilization: Respective roles of adsorption and biodegradation by GAC. Science of the Total Environment, 2021, 768, 144758.                                | 8.0  | 22        |
| 12 | Making Waves: Why water reuse frameworks need to co-evolve with emerging small-scale technologies. Water Research X, 2021, 11, 100094.  | 6.1  | 15        |
| 13 | Linking seasonal N2O emissions and nitrification failures to microbial dynamics in a SBR wastewater treatment plant. Water Research X, 2021, 11, 100098.  | 6.1  | 26        |
| 14 | Transformation of TiO2 (nano)particles during sewage sludge incineration. Journal of Hazardous<br>Materials, 2021, 411, 124932.   | 12.4 | 5         |
| 15 | The value of human data annotation for machine learning based anomaly detection in environmental systems. Water Research, 2021, 206, 117695.  | 11.3 | 14        |
| 16 | Estimation of countrywide N2O emissions from wastewater treatment in Switzerland using long-term monitoring data. Water Research X, 2021, 13, 100122.   | 6.1  | 28        |
| 17 | Robustness of mainstream anammox activity at bench and pilot scale. Science of the Total Environment, 2021, 796, 148920.  | 8.0  | 13        |
| 18 | Innovation for improved hand hygiene: Field testing the Autarky handwashing station in collaboration with informal settlement residents in Durban, South Africa. Science of the Total Environment, 2021, 796, 149024  | 8.0  | 4         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Stagnation leads to short-term fluctuations in the effluent water quality of biofilters: A problem for greywater reuse?. Water Research X, 2021, 13, 100120.  | 6.1  | 12        |
| 20 | Biological activated carbon filter for greywater post-treatment: Long-term TOC removal with adsorption and biodegradation. Water Research X, 2021, 13, 100113.  | 6.1  | 10        |
| 21 | Release of gold (Au), silver (Ag) and cerium dioxide (CeO2) nanoparticles from sewage sludge incineration ash. Environmental Science: Nano, 2021, 8, 3220-3232.   | 4.3  | 4         |
| 22 | On-site urine treatment combining Ca(OH)2 dissolution and dehydration with ambient air. Water Research X, 2021, 13, 100124.   | 6.1  | 8         |
| 23 | Modelling hydrolysis: Simultaneous versus sequential biodegradation of the hydrolysable fractions.<br>Waste Management, 2020, 101, 150-160.   | 7.4  | 13        |
| 24 | Influence of intermittent flow on removal of organics in a biological activated carbon filter (BAC)<br>used as post-treatment for greywater. Water Research X, 2020, 9, 100078.                                     | 6.1  | 6         |
| 25 | Particulate substrate retention in plug-flow and fully-mixed conditions during operation of aerobic granular sludge systems. Water Research X, 2020, 9, 100075.   | 6.1  | 10        |
| 26 | Rethinking wastewater risks and monitoring in light of the COVID-19 pandemic. Nature Sustainability, 2020, 3, 981-990.  | 23.7 | 195       |
| 27 | Competitive co-adsorption of bacteriophage MS2 and natural organic matter onto multiwalled carbon nanotubes. Water Research X, 2020, 9, 100058.   | 6.1  | 13        |
| 28 | Linking transformations of organic carbon to post-treatment performance in a biological water recycling system. Science of the Total Environment, 2020, 721, 137489.  | 8.0  | 9         |
| 29 | Acknowledging excellent reviewers and associate editors. Water Research X, 2020, 7, 100046.   | 6.1  | 0         |
| 30 | A Research Agenda for the Future of Urban Water Management: Exploring the Potential of Nongrid,<br>Small-Grid, and Hybrid Solutions. Environmental Science & Technology, 2020, 54, 5312-5322.                       | 10.0 | 73        |
| 31 | Modeling the water-energy nexus in households. Energy and Buildings, 2020, 225, 110262.   | 6.7  | 13        |
| 32 | Limited simultaneous nitrification-denitrification (SND) in aerobic granular sludge systems treating<br>municipal wastewater: Mechanisms and practical implications. Water Research X, 2020, 7, 100048.             | 6.1  | 77        |
| 33 | Acknowledging excellent reviewers and associate editors. Water Research, 2020, 173, 115560.   | 11.3 | 0         |
| 34 | Synchrotron hard X-ray chemical imaging of trace element speciation in heterogeneous samples:<br>development of criteria for uncertainty analysis. Journal of Analytical Atomic Spectrometry, 2020, 35,<br>567-579. | 3.0  | 6         |
| 35 | Practical implementation of true on-site water recycling systems for hand washing and toilet flushing. Water Research X, 2020, 7, 100051.   | 6.1  | 14        |
| 36 | Make your research more accessible. Water Research X, 2020, 9, 100082.  | 6.1  | 0         |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Editorial note. Water Research, 2019, 162, 276.  | 11.3 | 0         |
| 38 | Transformation of Nanoscale and Ionic Cu and Zn during the Incineration of Digested Sewage Sludge<br>(Biosolids). Environmental Science & Technology, 2019, 53, 11704-11713.                                       | 10.0 | 19        |
| 39 | Stabilizing control of a urine nitrification process in the presence of sensor drift. Water Research, 2019, 165, 114958.   | 11.3 | 9         |
| 40 | Evaluation of conceptual model and predictors of faecal sludge dewatering performance in Senegal and Tanzania. Water Research, 2019, 167, 115101.  | 11.3 | 35        |
| 41 | Biomass segregation between biofilm and flocs improves the control of nitrite-oxidizing bacteria in mainstream partial nitritation and anammox processes. Water Research, 2019, 154, 104-116.                      | 11.3 | 191       |
| 42 | Comparing the anti-bacterial performance of chlorination and electrolysis post-treatments in a hand washing water recycling system. Water Research X, 2019, 2, 100020.   | 6.1  | 19        |
| 43 | Organic substrate diffusibility governs microbial community composition, nutrient removal performance and kinetics of granulation of aerobic granular sludge. Water Research X, 2019, 4, 100033.                   | 6.1  | 85        |
| 44 | Source Community and Assembly Processes Affect the Efficiency of Microbial Microcystin<br>Degradation on Drinking Water Filtration Membranes. Frontiers in Microbiology, 2019, 10, 843.                            | 3.5  | 4         |
| 45 | Biofilm compressibility in ultrafiltration: A relation between biofilm morphology, mechanics and hydraulic resistance. Water Research, 2019, 157, 335-345.   | 11.3 | 30        |
| 46 | Gravity-driven membrane filtration for water and wastewater treatment: A review. Water Research, 2019, 149, 553-565.   | 11.3 | 306       |
| 47 | The WaterHub Modules: Material and Energy Flow Analysis of Domestic Hot Water Systems. , 2019, , .   |      | 2         |
| 48 | Pore‣cale Hydrodynamics in a Progressively Bioclogged Threeâ€Dimensional Porous Medium: 3â€D Particle<br>Tracking Experiments and Stochastic Transport Modeling. Water Resources Research, 2018, 54,<br>2183-2198. | 4.2  | 34        |
| 49 | Biofilms in 3D porous media: Delineating the influence of the pore network geometry, flow and mass transfer on biofilm development. Water Research, 2018, 134, 280-291.  | 11.3 | 71        |
| 50 | A framework for good biofilm reactor modeling practice (GBRMP). Water Science and Technology, 2018, 77, 1149-1164.   | 2.5  | 32        |
| 51 | Linking composition of extracellular polymeric substances (EPS) to the physical structure and hydraulic resistance of membrane biofilms. Water Research, 2018, 132, 211-221.                                       | 11.3 | 161       |
| 52 | Stratification in the physical structure and cohesion of membrane biofilms — Implications for hydraulic resistance. Journal of Membrane Science, 2018, 564, 897-904.   | 8.2  | 33        |
| 53 | Chemical composition, nutrient-balancing and biological treatment of hand washing greywater.<br>Water Research, 2018, 144, 752-762.  | 11.3 | 33        |
| 54 | Physical structure determines compression of membrane biofilms during Gravity Driven Membrane<br>(GDM) ultrafiltration. Water Research, 2018, 143, 539-549.  | 11.3 | 35        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Effect of biofilm structural deformation on hydraulic resistance during ultrafiltration: A numerical and experimental study. Water Research, 2018, 145, 375-387.  | 11.3 | 41        |
| 56 | Combustion of Sewage Sludge: Kinetics and Speciation of the Combustible. Energy & Fuels, 2018, 32, 10656-10667.   | 5.1  | 10        |
| 57 | Early testing of new sanitation technology for urban slums: The case of the Blue Diversion Toilet.<br>Science of the Total Environment, 2017, 576, 264-272.   | 8.0  | 33        |
| 58 | From biofilm ecology to reactors: a focused review. Water Science and Technology, 2017, 75, 1753-1760.  | 2.5  | 79        |
| 59 | Biofilm carrier migration model describes reactor performance. Water Science and Technology, 2017, 75, 2818-2828.   | 2.5  | 10        |
| 60 | Modeling hydraulic transport and anaerobic uptake by PAOs and GAOs during wastewater feeding in EBPR granular sludge reactors. Biotechnology and Bioengineering, 2017, 114, 1688-1702.                            | 3.3  | 23        |
| 61 | Growth of <i>Nitrosococcus</i> -Related Ammonia Oxidizing Bacteria Coincides with Extremely Low<br>pH Values in Wastewater with High Ammonia Content. Environmental Science & Technology, 2017,<br>51, 6857-6866. | 10.0 | 64        |
| 62 | Modeling in-sewer transformations at catchment scale – implications on drug consumption estimates<br>in wastewater-based epidemiology. Water Research, 2017, 122, 655-668.  | 11.3 | 58        |
| 63 | Comparing the Resistance, Resilience, and Stability of Replicate Moving Bed Biofilm and Suspended<br>Growth Combined Nitritation–Anammox Reactors. Environmental Science & Technology, 2017, 51,<br>5108-5117.    | 10.0 | 82        |
| 64 | Removal rates and energy demand of the electrochemical oxidation of ammonia and organic<br>substances in real stored urine. Environmental Science: Water Research and Technology, 2017, 3,<br>480-491.            | 2.4  | 34        |
| 65 | Robust planning of sanitation services in urban informal settlements: An analytical framework.<br>Water Research, 2017, 110, 297-312.   | 11.3 | 16        |
| 66 | Emerging outcomes from a cross-disciplinary doctoral programme on water resource systems. Water Policy, 2017, 19, 463-478.  | 1.5  | 7         |
| 67 | Controlling Bacterial Pathogens in Water for Reuse: Treatment Technologies for Water<br>Recirculation in the Blue Diversion Autarky Toilet. Frontiers in Environmental Science, 2017, 5, 90.                      | 3.3  | 18        |
| 68 | Biofilm imaging in porous media by laboratory X-Ray tomography: Combining a non-destructive contrast agent with propagation-based phase-contrast imaging tools. PLoS ONE, 2017, 12, e0180374.                     | 2.5  | 40        |
| 69 | Microbial activity balance in size fractionated suspended growth biomass from full-scale sidestream combined nitritation-anammox reactors. Bioresource Technology, 2016, 218, 38-45.                              | 9.6  | 63        |
| 70 | Influence of Different Sewer Biofilms on Transformation Rates of Drugs. Environmental Science<br>& Technology, 2016, 50, 13351-13360.   | 10.0 | 58        |
| 71 | Degradation of the unbiodegradable particulate fraction (XU) from different activated sludges during batch digestion tests at ambient temperature. Water Research, 2016, 98, 206-214.                             | 11.3 | 5         |
| 72 | Effect of short term external perturbations on bacterial ecology and activities in a partial nitritation and anammox reactor. Bioresource Technology, 2016, 219, 527-535.   | 9.6  | 48        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Formation of aerobic granules for the treatment of real and low-strength municipal wastewater<br>using a sequencing batch reactor operated at constant volume. Water Research, 2016, 105, 341-350.                       | 11.3 | 133       |
| 74 | Operating a pilot-scale nitrification/distillation plant for complete nutrient recovery from urine.<br>Water Science and Technology, 2016, 73, 215-222.  | 2.5  | 92        |
| 75 | The composition and compression of biofilms developed on ultrafiltration membranes determine hydraulic biofilm resistance. Water Research, 2016, 102, 63-72.   | 11.3 | 60        |
| 76 | Mainstream partial nitritation and anammox: long-term process stability and effluent quality at low temperatures. Water Research, 2016, 101, 628-639.  | 11.3 | 420       |
| 77 | Response of Simulated Drinking Water Biofilm Mechanical and Structural Properties to Long-Term<br>Disinfectant Exposure. Environmental Science & Technology, 2016, 50, 1779-1787.  | 10.0 | 66        |
| 78 | Impact of aeration shear stress on permeate flux and fouling layer properties in a low pressure<br>membrane bioreactor for the treatment of grey water. Journal of Membrane Science, 2016, 510, 382-390.                 | 8.2  | 100       |
| 79 | Locally produced natural conditioners for dewatering of faecal sludge. Environmental Technology<br>(United Kingdom), 2016, 37, 2802-2814.  | 2.2  | 29        |
| 80 | Effect of humic acid on the kinetics of silver nanoparticle sulfidation. Environmental Science: Nano, 2016, 3, 203-212.  | 4.3  | 59        |
| 81 | An energy-efficient membrane bioreactor for on-site treatment and recovery of wastewater. Journal of Water Sanitation and Hygiene for Development, 2015, 5, 448-455.   | 1.8  | 26        |
| 82 | Blue Diversion: a new approach to sanitation in informal settlements. Journal of Water Sanitation and Hygiene for Development, 2015, 5, 64-71.   | 1.8  | 23        |
| 83 | Considering microbial and aggregate heterogeneity in biofilm reactor models: how far do we need to go?. Water Science and Technology, 2015, 72, 1692-1699.   | 2.5  | 7         |
| 84 | On-site treatment of used wash-water using biologically activated membrane bioreactors operated at<br>different solids retention times. Journal of Water Sanitation and Hygiene for Development, 2015, 5,<br>544-552.    | 1.8  | 9         |
| 85 | Activity and growth of anammox biomass on aerobically pre-treated municipal wastewater. Water<br>Research, 2015, 80, 325-336.  | 11.3 | 195       |
| 86 | Direct electrochemical oxidation of ammonia on graphite as a treatment option for stored source-separated urine. Water Research, 2015, 69, 284-294.  | 11.3 | 90        |
| 87 | Modeling the low pH limit of Nitrosomonas eutropha in high-strength nitrogen wastewaters. Water<br>Research, 2015, 83, 161-170.  | 11.3 | 56        |
| 88 | Role of Biofilm Roughness and Hydrodynamic Conditions in <i>Legionella pneumophila</i> Adhesion<br>to and Detachment from Simulated Drinking Water Biofilms. Environmental Science & Technology,<br>2015, 49, 4274-4282. | 10.0 | 91        |
| 89 | Inhibition of Direct Electrolytic Ammonia Oxidation Due to a Change in Local pH. Electrochimica Acta, 2015, 165, 348-355.  | 5.2  | 42        |
| 90 | Effect of particulate organic substrate on aerobic granulation and operating conditions of sequencing batch reactors. Water Research, 2015, 85, 158-166.   | 11.3 | 93        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Observability of anammox activity in single-stage nitritation/anammox reactors using mass balances.<br>Environmental Science: Water Research and Technology, 2015, 1, 523-534.  | 2.4  | 5         |
| 92  | Bacterial growth in batch-operated membrane filtration systems for drinking water treatment.<br>Separation and Purification Technology, 2015, 156, 165-174.   | 7.9  | 10        |
| 93  | Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated<br>Electro-Oxidation of Urine on Active and Nonactive Type Anodes. Environmental Science &<br>Technology, 2015, 49, 11062-11069.  | 10.0 | 76        |
| 94  | Effect of Ozone Treatment on Nano-Sized Silver Sulfide in Wastewater Effluent. Environmental<br>Science & Technology, 2015, 49, 10911-10919.  | 10.0 | 38        |
| 95  | Biofilm increases permeate quality by organic carbon degradation in low pressure ultrafiltration.<br>Water Research, 2015, 85, 512-520.   | 11.3 | 64        |
| 96  | The effect of different aeration conditions in activated sludge – Side-stream system on sludge production, sludge degradation rates, active biomass and extracellular polymeric substances. Water Research, 2015, 85, 46-56.  | 11.3 | 43        |
| 97  | Impact of coexistence of flocs and biofilm on performance of combined nitritation-anammox granular sludge reactors. Water Research, 2015, 68, 127-139.  | 11.3 | 131       |
| 98  | Resiliency of Anammox against External Stress Factors – Effects of Temperature and Wastewater<br>Constituents. Proceedings of the Water Environment Federation, 2015, 2015, 1986-1993.  | 0.0  | 0         |
| 99  | An interactive framework of process engineering and systems microbiology toward improved performance of aerobic-anaerobic ammonium oxidation for energy-efficient nitrogen removal from wastewater. Proceedings of the Water Environment Federation, 2015, 2015, 1-8. | 0.0  | 0         |
| 100 | How far can genetic signatures be used to anticipate and trigger the behavior of environmental<br>biotechnology systems in the water engineering domain?. Proceedings of the Water Environment<br>Federation, 2015, 2015, 6170-6170.                                  | 0.0  | 1         |
| 101 | Biodegradation of Microcystins during Gravity-Driven Membrane (GDM) Ultrafiltration. PLoS ONE, 2014, 9, e111794.  | 2.5  | 35        |
| 102 | Successful application of nitritation/anammox toÂwastewater with elevated organic carbon to ammonia ratios. Water Research, 2014, 49, 316-326.  | 11.3 | 250       |
| 103 | Effect of fouling layer spatial distribution on permeate flux: A theoretical and experimental study.<br>Journal of Membrane Science, 2014, 471, 130-137.  | 8.2  | 51        |
| 104 | Inorganic particles increase biofilm heterogeneity and enhance permeate flux. Water Research, 2014, 64, 177-186.  | 11.3 | 51        |
| 105 | Presence of biofilms on ultrafiltration membrane surfaces increases the quality of permeate produced during ultra-low pressure gravity-driven membrane filtration. Water Research, 2014, 60, 164-173.   | 11.3 | 89        |
| 106 | Sulfidation Kinetics of Silver Nanoparticles Reacted with Metal Sulfides. Environmental Science &<br>Technology, 2014, 48, 4885-4892.   | 10.0 | 93        |
| 107 | Biofilm formation and permeate quality improvement in Gravity Driven Membrane ultrafiltration.<br>Water Science and Technology: Water Supply, 2014, 14, 274-282.  | 2.1  | 20        |
| 108 | Towards Community Systems Microbiology for the Optimization of Aerobic-Anaerobic Ammonium<br>Oxidation Processes. Proceedings of the Water Environment Federation, 2014, 2014, 2645-2649.   | 0.0  | 0         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | A consolidated approach of flocculent and granular sludge systems under the perspective of<br>bacterial resource management. Proceedings of the Water Environment Federation, 2014, 2014,<br>5008-5009.   | 0.0  | 6         |
| 110 | Two-Stage Acidic–Alkaline Hydrothermal Pretreatment of Lignocellulose for the High Recovery of<br>Cellulose and Hemicellulose Sugars. Applied Biochemistry and Biotechnology, 2013, 169, 1069-1087.   | 2.9  | 31        |
| 111 | Urban water management to increase sustainability of cities. Water Research, 2013, 47, 7149.  | 11.3 | 5         |
| 112 | Lignocellulosic hydrolysates and extracellular electron shuttles for H2 production using<br>co-culture fermentation with Clostridium beijerinckii and Geobacter metallireducens. Bioresource<br>Technology, 2013, 147, 89-95.   | 9.6  | 29        |
| 113 | Exogenous anthrahydroquinone-2,6-disulfonate specifically increases xylose utilization during mixed sugar fermentation by Clostridium beijerinckii NCIMB 8052. International Journal of Hydrogen Energy, 2013, 38, 2719-2727.   | 7.1  | 8         |
| 114 | Activity of metazoa governs biofilm structure formation and enhances permeate flux during<br>Gravity-Driven Membrane (GDM) filtration. Water Research, 2013, 47, 2085-2095.   | 11.3 | 136       |
| 115 | Roles of ionic strength and biofilm roughness on adhesion kinetics of Escherichia coli onto groundwater biofilm grown on PVC surfaces. Water Research, 2013, 47, 2531-2542.   | 11.3 | 86        |
| 116 | Interactions between <i>Clostridium beijerinckii</i> and <i>Geobacter metallireducens</i> in<br>coâ€culture fermentation with anthrahydroquinoneâ€2, 6â€disulfonate (AH <sub>2</sub> QDS) for<br>enhanced biohydrogen production from xylose. Biotechnology and Bioengineering, 2013, 110, 164-172. | 3.3  | 31        |
| 117 | Rethinking wastewater characterisation methods for activated sludge systems – a position paper.<br>Water Science and Technology, 2013, 67, 2363-2373.   | 2.5  | 21        |
| 118 | Anaerobic biodegradation of methyl tert-butyl ether and tert-butyl alcohol in petrochemical wastewater. Environmental Technology (United Kingdom), 2012, 33, 1937-1943.   | 2.2  | 7         |
| 119 | Anthrahydroquinone-2,6-disulfonate increases the rate of hydrogen production during Clostridium beijerinckii fermentation with glucose, xylose, and cellobiose. International Journal of Hydrogen Energy, 2012, 37, 11701-11709.  | 7.1  | 21        |
| 120 | Method to identify potential phosphorus rate-limiting conditions in post-denitrification biofilm reactors within systems designed for simultaneous low-level effluent nitrogen and phosphorus concentrations. Water Research, 2012, 46, 6228-6238.  | 11.3 | 20        |
| 121 | Predation influences the structure of biofilm developed on ultrafiltration membranes. Water Research, 2012, 46, 3323-3333.  | 11.3 | 189       |
| 122 | Backwash intensity and frequency impact the microbial community structure and function in a fixed-bed biofilm reactor. Applied Microbiology and Biotechnology, 2012, 96, 815-827.   | 3.6  | 15        |
| 123 | Combined biomimetic and inorganic acids hydrolysis of hemicellulose in Miscanthus for bioethanol production. Bioresource Technology, 2012, 110, 278-287.  | 9.6  | 30        |
| 124 | Combined Nitritation–Anammox: Advances in Understanding Process Stability. Environmental Science<br>& Technology, 2011, 45, 9735-9742.  | 10.0 | 176       |
| 125 | Anthrahydroquinone-2,6,-disulfonate (AH2QDS) increases hydrogen molar yield and xylose utilization<br>in growing cultures of Clostridium beijerinckii. Applied Microbiology and Biotechnology, 2011, 92,<br>855-864.  | 3.6  | 27        |
| 126 | Effects of the antimicrobial tylosin on the microbial community structure of an anaerobic sequencing batch reactor. Biotechnology and Bioengineering, 2011, 108, 296-305.   | 3.3  | 17        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Syntrophic acetate oxidation in two-phase (acid–methane) anaerobic digesters. Water Science and<br>Technology, 2011, 64, 1812-1820.  | 2.5  | 55        |
| 128 | Systematic evaluation of biofilm models for engineering practice: components and critical assumptions. Water Science and Technology, 2011, 64, 930-944.  | 2.5  | 45        |
| 129 | Changes in the Structure and Function of Microbial Communities in Drinking Water Treatment<br>Bioreactors upon Addition of Phosphorus. Applied and Environmental Microbiology, 2010, 76,<br>7473-7481.             | 3.1  | 60        |
| 130 | Mathematical modelling of biofilms and biofilm reactors for engineering design. Water Science and<br>Technology, 2010, 62, 1821-1836.  | 2.5  | 50        |
| 131 | Evaluating operating conditions for outcompeting nitrite oxidizers and maintaining partial nitrification in biofilm systems using biofilm modeling and Monte Carlo filtering. Water Research, 2010, 44, 1995-2009. | 11.3 | 71        |
| 132 | The influence of aeration intensity on predation and EPS production in membrane bioreactors. Water Research, 2010, 44, 2541-2553.  | 11.3 | 60        |
| 133 | Mechanisms of SMP production in membrane bioreactors: Choosing an appropriate mathematical model structure. Water Research, 2010, 44, 5240-5251.   | 11.3 | 31        |
| 134 | Wastewater treatment models in teaching and training: the mismatch between education and requirements for jobs. Water Science and Technology, 2009, 59, 745-753.   | 2.5  | 18        |
| 135 | Wastewater treatment models in teaching and training: the mismatch between education and requirements for jobs. Water Science and Technology, 2009, 60, 1721-1729.   | 2.5  | 2         |
| 136 | Analyzing characteristic length scales in biofilm structures. Biotechnology and Bioengineering, 2009, 102, 368-379.  | 3.3  | 23        |
| 137 | Biofilm monitoring on rotating discs by image analysis. Biotechnology and Bioengineering, 2009, 103, 105-116.  | 3.3  | 9         |
| 138 | Biofilm engineering: linking biofilm development at different length and time scales. Reviews in<br>Environmental Science and Biotechnology, 2009, 8, 203-208.   | 8.1  | 48        |
| 139 | Influence of shear on the production of extracellular polymeric substances in membrane bioreactors.<br>Water Research, 2009, 43, 4305-4315.  | 11.3 | 67        |
| 140 | Textural fingerprints: A comprehensive descriptor for biofilm structure development. Biotechnology and Bioengineering, 2008, 100, 889-901.   | 3.3  | 17        |
| 141 | Inhibitory effects of the macrolide antimicrobial tylosin on anaerobic treatment. Biotechnology and Bioengineering, 2008, 101, 73-82.  | 3.3  | 46        |
| 142 | Practical identifiability of biokinetic parameters of a model describing twoâ€step nitrification in biofilms. Biotechnology and Bioengineering, 2008, 101, 497-514.  | 3.3  | 40        |
| 143 | Chemisorption of oxygen onto activated carbon can enhance the stability of biological perchlorate reduction in fixed bed biofilm reactors. Water Research, 2008, 42, 3425-3434.                                    | 11.3 | 21        |
| 144 | Modelling the effect of the antimicrobial tylosin on the performance of an anaerobic sequencing batch reactor. Water Science and Technology, 2008, 57, 1699-1704.  | 2.5  | 8         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Quantitative rRNA-Targeted Solution-Based Hybridization Assay Using Peptide Nucleic Acid Molecular<br>Beacons. Applied and Environmental Microbiology, 2008, 74, 7297-7305.  | 3.1  | 6         |
| 146 | EFFECTS OF THE VETERINARY ANTIMICROBIAL TYLOSIN ON ANAEROBIC DIGESTION. Proceedings of the Water Environment Federation, 2008, 2008, 7517-7523.  | 0.0  | 0         |
| 147 | Comparing global sensitivity analysis for a biofilm model for two-step nitrification using the qualitative screening method of Morris or the quantitative variance-based Fourier Amplitude Sensitivity Test (FAST). Water Science and Technology, 2007, 56, 85-93. | 2.5  | 20        |
| 148 | Texture analysis of spatial biofilm development. Water Science and Technology, 2007, 55, 481-488.  | 2.5  | 4         |
| 149 | Methanogenic population dynamics and performance of an anaerobic membrane bioreactor (AnMBR) treating swine manure under high shear conditions. Water Research, 2007, 41, 134-144.   | 11.3 | 150       |
| 150 | Effect of backwashing on perchlorate removal in fixed bed biofilm reactors. Water Research, 2007, 41,<br>1949-1959.  | 11.3 | 22        |
| 151 | Influence of detachment on substrate removal and microbial ecology in a heterotrophic/autotrophic biofilm. Water Research, 2007, 41, 4657-4671.  | 11.3 | 90        |
| 152 | Carbohydrate storage in anaerobic sequencing batch reactors. Water Research, 2007, 41, 4721-4729.  | 11.3 | 27        |
| 153 | Estimation of kinetic parameters of a model for deammonification in biofilms and evaluation of the model. Water Science and Technology, 2007, 55, 291-299.   | 2.5  | 21        |
| 154 | Influence of cleaning frequency and membrane history on fouling in an anaerobic membrane bioreactor. Desalination, 2007, 207, 153-166.   | 8.2  | 75        |
| 155 | Influence of the Antibiotic Erythromycin on Anaerobic Treatment of a Pharmaceutical Wastewater.<br>Environmental Science & Technology, 2006, 40, 3971-3977.  | 10.0 | 110       |
| 156 | Endogenous processes during long-term starvation in activated sludge performing enhanced<br>biological phosphorus removal. Water Research, 2006, 40, 1519-1530.  | 11.3 | 118       |
| 157 | Effects of initial molecular weight on removal rate of dextran in biofilms. Water Research, 2006, 40, 1795-1804.   | 11.3 | 10        |
| 158 | The influence of particle size on microbial hydrolysis of protein particles in activated sludge. Water<br>Research, 2006, 40, 2064-2074.   | 11.3 | 65        |
| 159 | Groundbreaking papers in Water Research 1967–2006. Water Research, 2006, 40, 3313-3314.  | 11.3 | 0         |
| 160 | Modelling deammonification in biofilm systems: Sensitivity and identifiability analysis as a basis for the design of experiments for parameter estimation. Computer Aided Chemical Engineering, 2006, 21, 221-226.   | 0.5  | 5         |
| 161 | Transport of oxygen, sodium chloride, and sodium nitrate in biofilms. Chemical Engineering Science, 2006, 61, 1347-1356.   | 3.8  | 81        |
| 162 | Modeling of chord length distributions. Chemical Engineering Science, 2006, 61, 3962-3973.   | 3.8  | 39        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Antifouling nanofiltration membranes for membrane bioreactors from self-assembling graft copolymers. Journal of Membrane Science, 2006, 285, 81-89.  | 8.2  | 226       |
| 164 | Optical method for long-term and large-scale monitoring of spatial biofilm development.<br>Biotechnology and Bioengineering, 2006, 94, 773-782.  | 3.3  | 27        |
| 165 | Evaluating heterotrophic growth in a nitrifying biofilm reactor using fluorescence in situ<br>hybridization and mathematical modeling. Water Science and Technology, 2005, 52, 135-141.                        | 2.5  | 28        |
| 166 | Optimization of Enhanced Biological Phosphorus Removal after Periods of Low Loading. Water<br>Environment Research, 2005, 77, 117-127.   | 2.7  | 10        |
| 167 | Modeling Steady-State Biofilms with Dual-Substrate Limitations. Journal of Environmental Engineering, ASCE, 2005, 131, 320-326.  | 1.4  | 8         |
| 168 | Evaluation of microscopic techniques (epifluorescence microscopy, CLSM, TPE-LSM) as a basis for the quantitative image analysis of activated sludge. Water Research, 2005, 39, 456-468.                        | 11.3 | 34        |
| 169 | Quantification of detachment forces on rigid biofilm colonies in a roto-torque reactor using computational fluid dynamics tools. Water Science and Technology, 2005, 52, 149-154.                              | 2.5  | 8         |
| 170 | A mesoscale model for hydrodynamics in biofilms that takes microscopic flow effects into account.<br>Water Science and Technology, 2005, 52, 167-172.  | 2.5  | 9         |
| 171 | Results from the multi-species Benchmark Problem (BM3) using one-dimensional models. Water Science and Technology, 2004, 49, 163-168.  | 2.5  | 24        |
| 172 | Modelling a spatially heterogeneous biofilm and the bulk fluid: selected results from Benchmark<br>Problem 2 (BM2). Water Science and Technology, 2004, 49, 155-162.   | 2.5  | 18        |
| 173 | Introduction to the IWA Task Group on Biofilm Modeling. Water Science and Technology, 2004, 49, 131-136.   | 2.5  | 14        |
| 174 | International evaluation of current and future requirements for environmental engineering education. Water Science and Technology, 2004, 49, 11-18.  | 2.5  | 5         |
| 175 | Comparing biofilm models for a single species biofilm system. Water Science and Technology, 2004, 49, 145-154.   | 2.5  | 31        |
| 176 | Chemical composition associated with different particle size fractions in municipal, industrial, and agricultural wastewaters. Chemosphere, 2004, 55, 691-703.   | 8.2  | 135       |
| 177 | Influence of growth history on sloughing and erosion from biofilms. Water Research, 2004, 38, 3671-3684.   | 11.3 | 110       |
| 178 | Simulation of growth and detachment in biofilm systems under defined hydrodynamic conditions.<br>Biotechnology and Bioengineering, 2003, 81, 607-617.  | 3.3  | 188       |
| 179 | Oligonucleotide probe hybridization and modeling results suggest that populations consuming<br>readily degradable substrate have high cellular RNA levels. Water Science and Technology, 2002, 45,<br>115-126. | 2.5  | 11        |
| 180 | Model evaluation and optimisation of nutrient removal potential for sequencing batch reactors.<br>Water S A, 2002, 28, 423.  | 0.4  | 32        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | The use of mathematical models in teaching wastewater treatment engineering. Water Science and Technology, 2002, 45, 229-233.                                       | 2.5  | 24        |
| 182 | The European Perspective of MTBE as an Oxygenate in Fuels. , 2002, , .  |      | 0         |
| 183 | Use and Occurrence of Fuel Oxygenates in Europe. ACS Symposium Series, 2001, , 58-79.   | 0.5  | 17        |
| 184 | The mechanism and design of sequencing batch reactor systems for nutrient removal - the state of the art. Water Science and Technology, 2001, 43, 53-60.            | 2.5  | 68        |
| 185 | Biofilm models for the practitioner. Water Science and Technology, 2000, 41, 509-512.   | 2.5  | 37        |
| 186 | Evaluating 3-D and 1-D mathematical models for mass transport in heterogeneous biofilms. Water Science and Technology, 2000, 41, 347-356.                           | 2.5  | 31        |
| 187 | Effect of long-term idle periods on the performance of sequencing batch reactors. Water Science and Technology, 2000, 41, 105-113.                                  | 2.5  | 111       |
| 188 | Influence of detachment mechanisms on competition in biofilms. Water Research, 2000, 34, 417-426.   | 11.3 | 113       |
| 189 | Controlled biomass removal - the key parameter to achieve enhanced biological phosphorus removal in biofilm systems. Water Science and Technology, 1999, 39, 33-40. | 2.5  | 30        |
| 190 | Controlled biomass removal —the key parameter to achieve enhanced biological phosphorus removal<br>in biofilm systems. Water Science and Technology, 1999, 39, 33.  | 2.5  | 39        |
| 191 | Aerobic granulation in a sequencing batch reactor. Water Research, 1999, 33, 2283-2290.   | 11.3 | 663       |
| 192 | Sequencing Batch Reactor Technology: Concepts, Design and Experiences ( <i>Abridged</i> ). Water and Environment Journal, 1998, 12, 314-320.                        | 2.2  | 20        |
| 193 | Modeling of enhanced biological phosphorus removal in a sequencing batch biofilm reactor. Water<br>Science and Technology, 1998, 37, 583.                           | 2.5  | 14        |
| 194 | Modeling of enhanced biological phosphorus removal in a sequencing batch biofilm reactor. Water<br>Science and Technology, 1998, 37, 583-587.                       | 2.5  | 14        |
| 195 | Aerobic granular sludge in a sequencing batch reactor. Water Research, 1997, 31, 3191-3194.   | 11.3 | 499       |
| 196 | Nutrient Limitation in a Compost Biofilter Degrading Hexane. Journal of the Air and Waste<br>Management Association, 1996, 46, 300-308.                             | 1.9  | 36        |