

# Stefan Will

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2982052/publications.pdf>

Version: 2024-02-01

160  
papers

4,279  
citations

147801

31  
h-index

144013

57  
g-index

164  
all docs

164  
docs citations

164  
times ranked

2545  
citing authors

#	ARTICLE	IF	CITATIONS
1	A versatile fibre-based setup for two-line atomic fluorescence thermometry in aerosol processes. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2022, 278, 108042.	2.3	1
2	Characterisation of the transition type in optical band gap analysis of in-flame soot. <i>Combustion and Flame</i> , 2022, 243, 111986.	5.2	7
3	Measurement of Secondary Structure Changes in Poly-L-lysine and Lysozyme during Acoustically Levitated Single Droplet Drying Experiments by In Situ Raman Spectroscopy. <i>Sensors</i> , 2022, 22, 1111.	3.8	5
4	Burst-mode 1-methylnaphthalene laser-induced fluorescence: extended calibration and measurement of temperature and fuel partial density in a rapid compression machine. <i>Applied Physics B: Lasers and Optics</i> , 2022, 128, .	2.2	2
5	4D temperature measurements using tomographic two-color pyrometry. <i>Optics Express</i> , 2021, 29, 5304.	3.4	21
6	Carnot battery: Simulation and design of a reversible heat pump-organic Rankine cycle pilot plant. <i>Applied Energy</i> , 2021, 288, 116650.	10.1	42
7	Measurement of Water Mole Fraction from Acoustically Levitated Pure Water and Protein Water Solution Droplets via Tunable Diode Laser Absorption Spectroscopy (TDLAS) at 1.37 $\mu\text{m}$ . <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5036.	2.5	5
8	Simulation of the Part Load Behavior of Combined Heat Pump-Organic Rankine Cycle Systems. <i>Energies</i> , 2021, 14, 3870.	3.1	10
9	In situ characterisation of absorbing species in stationary premixed flat flames using UV-Vis absorption spectroscopy. <i>Applied Physics B: Lasers and Optics</i> , 2021, 127, 1.	2.2	4
10	Impact of Oxygenated Additives on Soot Properties during Diesel Combustion. <i>Energies</i> , 2021, 14, 147.	3.1	13
11	3D mapping of polycyclic aromatic hydrocarbons, hydroxyl radicals, and soot volume fraction in sooting flames using FRAME technique. <i>Applied Physics B: Lasers and Optics</i> , 2021, 127, 1.	2.2	3
12	Three-dimensional particle size determination in a laminar diffusion flame by tomographic laser-induced incandescence. <i>Applied Physics B: Lasers and Optics</i> , 2021, 127, .	2.2	12
13	In Situ Determination of Droplet and Nanoparticle Size Distributions in Spray Flame Synthesis by Wide-Angle Light Scattering (WALS). <i>Materials</i> , 2021, 14, 6698.	2.9	8
14	Herriott cell enhanced SMF-coupled multi-scalar combustion diagnostics in a rapid compression expansion machine by supercontinuum laser absorption spectroscopy. <i>Optics Express</i> , 2021, 29, 42184.	3.4	1
15	An optimized evaluation strategy for a comprehensive morphological soot nanoparticle aggregate characterization by electron microscopy. <i>Journal of Aerosol Science</i> , 2020, 139, 105470.	3.8	28
16	Pumped thermal energy storage with heat pump-ORC-systems: Comparison of latent and sensible thermal storages for various fluids. <i>Applied Energy</i> , 2020, 280, 115940.	10.1	51
17	Life Cycle Assessment of a Reversible Heat Pump-Organic Rankine Cycle-Heat Storage System with Geothermal Heat Supply. <i>Energies</i> , 2020, 13, 3253.	3.1	21
18	Planar droplet sizing for studying the influence of ethanol admixture on the spray structure of gasoline sprays. <i>Experiments in Fluids</i> , 2020, 61, 1.	2.4	10

#	ARTICLE	IF	CITATIONS
19	Spatially-resolved crystallinity determination of polymer welding seams by Raman-microscopy. <i>Procedia CIRP</i> , 2020, 94, 796-801.	1.9	3
20	Application of FRAME for Simultaneous LIF and LII Imaging in Sooting Flames Using a Single Camera. <i>Sensors</i> , 2020, 20, 5534.	3.8	5
21	Droplet sizing in spray flame synthesis using wide-angle light scattering (WALS). <i>Applied Physics B: Lasers and Optics</i> , 2020, 126, 1.	2.2	14
22	Laser-induced incandescence. <i>Applied Physics B: Lasers and Optics</i> , 2020, 126, 1.	2.2	0
23	Characterization of the phosphor (Sr,Ca)SiAlN <sub>3</sub> :Eu <sup>2+</sup> for temperature sensing. <i>Journal of Luminescence</i> , 2020, 226, 117487.	3.1	10
24	Design aspects of a reversible heat pump - Organic rankine cycle pilot plant for energy storage. <i>Energy</i> , 2020, 208, 118216.	8.8	33
25	Shifted-excitation rotational Raman spectroscopy and Bayesian inference for in situ temperature and composition determination in laminar flames. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2020, 249, 106996.	2.3	4
26	UV absorption cross sections of vaporized 1-methylnaphthalene at elevated temperatures. <i>Applied Physics B: Lasers and Optics</i> , 2020, 126, 1.	2.2	7
27	Inferring soot morphology through multi-angle light scattering using an artificial neural network. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2020, 251, 106957.	2.3	12
28	Characterization of fuel/water mixtures and emulsions with ethanol using laser-induced fluorescence. <i>Applied Optics</i> , 2020, 59, 1136.	1.8	15
29	Stability Analysis of the Fluorescent Tracer 1-Methylnaphthalene for IC Engine Applications by Supercontinuum Laser Absorption Spectroscopy. <i>Sensors</i> , 2020, 20, 2871.	3.8	6
30	Correlation of the kinetics of aggregation and inactivation of L-glutamate dehydrogenase during drying and particle formation of a levitated microdroplet. <i>Drying Technology</i> , 2019, 37, 164-172.	3.1	3
31	Influence of EGR and ethanol blending on soot formation in a DISI engine. <i>Proceedings of the Combustion Institute</i> , 2019, 37, 4965-4972.	3.9	17
32	Analysis of ethanol and butanol direct-injection spark-ignition sprays using two-phase structured laser illumination planar imaging droplet sizing. <i>International Journal of Spray and Combustion Dynamics</i> , 2019, 11, 175682771877249.	1.0	15
33	Soot aggregate sizing in an extended premixed flame by high-resolution two-dimensional multi-angle light scattering (2D-MALS). <i>Applied Physics B: Lasers and Optics</i> , 2019, 125, 1.	2.2	15
34	Thermal and mutual diffusivities of fuel-related binary liquid mixtures under pre-combustion conditions. <i>Fuel</i> , 2019, 242, 562-572.	6.4	27
35	(Gd,Lu)AlO <sub>3</sub> :Dy <sup>3+</sup> and (Gd,Lu) <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> :Dy <sup>3+</sup> as high-temperature thermographic phosphors. <i>Measurement Science and Technology</i> , 2019, 30, 034001.	2.6	12
36	Investigation of Soot Formation in a Novel Diesel Fuel Burner. <i>Energies</i> , 2019, 12, 1993.	3.1	7

#	ARTICLE	IF	CITATIONS
37	Can soot primary particle size distributions be determined using laser-induced incandescence?. Applied Physics B: Lasers and Optics, 2019, 125, 1.	2.2	30
38	Fluorescence characteristics of the fuel tracer 1-methylnaphthalene for the investigation of equivalence ratio and temperature in an oxygen-containing environment. Applied Physics B: Lasers and Optics, 2019, 125, 1.	2.2	4
39	Characterization of Nile Red as a Tracer for Laser-Induced Fluorescence Spectroscopy of Gasoline and Kerosene and Their Mixture with Biofuels. Sensors, 2019, 19, 2822.	3.8	16
40	Analysis of the LIF/Mie Ratio from Individual Droplets for Planar Droplet Sizing: Application to Gasoline Fuels and Their Mixtures with Ethanol. Applied Sciences (Switzerland), 2019, 9, 4900.	2.5	11
41	High-speed, inline measurement of protein activity and inactivation processes by supercontinuum attenuation spectroscopy. Analyst, The, 2019, 144, 7041-7048.	3.5	1
42	Rotational Raman spectroscopy for in situ temperature and composition determination in reactive flows. , 2019, , .		1
43	3D mapping of droplet Sauter mean diameter in sprays. Applied Optics, 2019, 58, 3775.	1.8	24
44	Untersuchung der Ru-Ä Bildung und Ru-Ä Oxidation von Ethanol- und Butanolgemischen in einem Transparentmotor mit Benzindirekteinspritzung. Proceedings, 2019, , 79-93.	0.3	0
45	Characterization of a silica-aerosol in a sintering process by wide-angle light scattering and principal component analysis. Journal of Aerosol Science, 2018, 119, 62-76.	3.8	10
46	Investigation of soot formation and oxidation of ethanol and butanol fuel blends in a DISI engine at different exhaust gas recirculation rates. Applied Energy, 2018, 209, 426-434.	10.1	36
47	In situ analysis of aerosols by Raman spectroscopy – Crystalline particle polymorphism and gas-phase temperature. Journal of Aerosol Science, 2018, 126, 143-151.	3.8	9
48	Temperature determination of superheated water vapor by rotational-vibrational Raman spectroscopy. Optics Letters, 2018, 43, 4477.	3.3	5
49	Burst-mode OH/CH <sub>2</sub> O planar laser-induced fluorescence imaging of the heat release zone in an unsteady flame. Optics Express, 2018, 26, 18105.	3.4	15
50	Generation of high-energy, kilohertz-rate narrowband tunable ultraviolet pulses using a burst-mode dye laser system. Optics Letters, 2018, 43, 1191.	3.3	22
51	Temperature-dependent luminescence characteristics of Dy <sup>3+</sup> doped in various crystalline hosts. Journal of Luminescence, 2018, 204, 64-74.	3.1	34
52	Plasma-Assisted Biomass Gasification with Focus on Carbon Conversion and Reaction Kinetics Compared to Thermal Gasification. Energies, 2018, 11, 1302.	3.1	21
53	Reversible Heat Pump – Organic Rankine Cycle Systems for the Storage of Renewable Electricity. Energies, 2018, 11, 1352.	3.1	45
54	Multiparameter Characterization of Aerosols. Chemie-Ingenieur-Technik, 2018, 90, 923-936.	0.8	14

#	ARTICLE	IF	CITATIONS
55	Analysis of LIF and Mie signals from single micrometric droplets for instantaneous droplet sizing in sprays. <i>Optics Express</i> , 2018, 26, 31750.	3.4	19
56	In situ monitoring of aerosols by Raman spectroscopy – particle polymorphism and gas-phase temperature. , 2018, , .		0
57	Characterization of YAG:Dy,Er for thermographic particle image velocimetry in a calibration cell. <i>Measurement Science and Technology</i> , 2017, 28, 025013.	2.6	9
58	Untersuchungen zum Einfluss von Ethanolzumischung auf die Ru-Ä Bildung bei der Benzindirekteinspritzung. <i>Proceedings</i> , 2017, , 425-438.	0.3	0
59	On the effect of ionic wind on structure and temperature of laminar premixed flames influenced by electric fields. <i>Combustion and Flame</i> , 2017, 176, 391-399.	5.2	37
60	Thermo-fluid dynamic model for horizontal packed bed thermal energy storages. <i>Energy Procedia</i> , 2017, 135, 51-61.	1.8	8
61	Raman microspectroscopy and multivariate data analysis: optical differentiation of aqueous d- and l-tryptophan solutions. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 30533-30539.	2.8	13
62	Investigation of mixture formation in a diesel spray by tracer-based laser-induced fluorescence using 1-methylnaphthalene. <i>Proceedings of the Combustion Institute</i> , 2017, 36, 4497-4504.	3.9	18
63	Influence of Sodium Chloride on the Formation and Dissociation Behavior of CO <sub>2</sub> Gas Hydrates. <i>Journal of Physical Chemistry B</i> , 2017, 121, 8330-8337.	2.6	19
64	High-speed combustion diagnostics in a rapid compression machine by broadband supercontinuum absorption spectroscopy. <i>Applied Optics</i> , 2017, 56, 4443.	2.1	29
65	Influence of ethanol admixture on the determination of equivalence ratios in DISI engines by laser-induced fluorescence. <i>Applied Optics</i> , 2016, 55, 8532.	2.1	6
66	Two-phase SLIPI for instantaneous LIF and Mie imaging of transient fuel sprays. <i>Optics Letters</i> , 2016, 41, 5422.	3.3	31
67	Novel electric thermophoretic sampling device with highly repeatable characteristics. <i>Review of Scientific Instruments</i> , 2016, 87, 125108.	1.3	10
68	Supercontinuum high-speed cavity-enhanced absorption spectroscopy for sensitive multispecies detection. <i>Optics Letters</i> , 2016, 41, 2322.	3.3	5
69	A shifted-excitation Raman difference spectroscopy (SERDS) evaluation strategy for the efficient isolation of Raman spectra from extreme fluorescence interference. <i>Journal of Raman Spectroscopy</i> , 2016, 47, 198-209.	2.5	70
70	Investigation of soot formation of spark-ignited ethanol-blended gasoline sprays with single- and multi-component base fuels. <i>Applied Energy</i> , 2016, 181, 278-287.	10.1	34
71	Investigations on particle diffusion in porous glass by angle-dependent dynamic light scattering. <i>Journal of Molecular Liquids</i> , 2016, 222, 972-980.	4.9	6
72	Raman excess spectroscopy vs. principal component analysis: probing the intermolecular interactions between chiral molecules and imidazolium-based ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 28370-28375.	2.8	3

#	ARTICLE	IF	CITATIONS
73	Investigating the Moisture Content of Polyamide 6 by Raman-Microscopy and Multivariate Data Analysis. <i>Physics Procedia</i> , 2016, 83, 1271-1278.	1.2	3
74	A mobile system for a comprehensive online-characterization of nanoparticle aggregates based on wide-angle light scattering and laser-induced incandescence. <i>Review of Scientific Instruments</i> , 2016, 87, 053102.	1.3	25
75	Supercontinuum based absorption spectrometer for cycle-resolved multiparameter measurements in a rapid compression machine. <i>Applied Optics</i> , 2016, 55, 4564.	2.1	18
76	Sizing aerosolized fractal nanoparticle aggregates through Bayesian analysis of wide-angle light scattering (WALS) data. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2016, 184, 27-39.	2.3	37
77	Combustion and Sooting Behavior of Spark-Ignited Ethanol/Isooctane Sprays under Stratified Charge Conditions. <i>Energy &amp; Fuels</i> , 2016, 30, 6080-6090.	5.1	13
78	Simultaneous two-dimensional measurement of fuel/air ratio and temperature in a direct-injection spark-ignition engine using a new tracer-pair laser-induced fluorescence technique. <i>International Journal of Engine Research</i> , 2016, 17, 120-128.	2.3	11
79	How Sodium Chloride Salt Inhibits the Formation of CO <sub>2</sub> Gas Hydrates. <i>Journal of Physical Chemistry B</i> , 2016, 120, 2452-2459.	2.6	65
80	Fluorescence characteristics of the fuel tracers triethylamine and trimethylamine for the investigation of fuel distribution in internal combustion engines. <i>Applied Optics</i> , 2016, 55, 1551.	2.1	10
81	Supercritical drying of aerogel: In situ analysis of concentration profiles inside the gel and derivation of the effective binary diffusion coefficient using Raman spectroscopy. <i>Journal of Supercritical Fluids</i> , 2016, 108, 1-12.	3.2	39
82	A Raman technique applicable for the analysis of the working principle of promoters and inhibitors of gas hydrate formation. <i>Journal of Raman Spectroscopy</i> , 2015, 46, 1145-1149.	2.5	10
83	The Effect of Ethanol Blending on Combustion and Soot Formation in an Optical DISI Engine Using High-speed Imaging. <i>Energy Procedia</i> , 2015, 66, 77-80.	1.8	8
84	Scale Formation and Mitigation of Mixed Salts in Horizontal Tube Falling Film Evaporators for Seawater Desalination. <i>Heat Transfer Engineering</i> , 2015, 36, 750-762.	1.9	18
85	Design and validation of a multimodal low-budget Raman microscope for liquid and solid phase applications. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
86	Potential of two-line atomic fluorescence for temperature imaging in turbulent indium-oxide-producing flames. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	1.9	4
87	Luminescence Properties of the Thermographic Phosphors Dy <sup>3+</sup> :YAG and Tm <sup>3+</sup> :YAG for the Application in High Temperature Systems. <i>Zeitschrift Fur Physikalische Chemie</i> , 2015, 229, 977-997.	2.8	7
88	Influence of electric fields on premixed laminar flames: Visualization of perturbations and potential for suppression of thermoacoustic oscillations. <i>Proceedings of the Combustion Institute</i> , 2015, 35, 3521-3528.	3.9	24
89	Temperature and water mole fraction measurements by time-domain-based supercontinuum absorption spectroscopy in a flame. <i>Applied Physics B: Lasers and Optics</i> , 2015, 118, 153-158.	2.2	27
90	Application of the tracer combination TEA/acetone for multi-parameter laser-induced fluorescence measurements in IC engines with exhaust gas recirculation. <i>Proceedings of the Combustion Institute</i> , 2015, 35, 3783-3791.	3.9	14

#	ARTICLE	IF	CITATIONS
91	Phosphor thermometry in turbulent hot gas flows applying Dy:YAG and Dy:Er:YAG particles. Measurement Science and Technology, 2015, 26, 015204.	2.6	26
92	Flame Temperature Measurements by Time-domain Based Supercontinuum Absorption Spectroscopy. Energy Procedia, 2015, 66, 129-132.	1.8	0
93	Determination of Vapor-Liquid Equilibrium Data in Microfluidic Segmented Flows at Elevated Pressures Using Raman Spectroscopy. Analytical Chemistry, 2015, 87, 8165-8172.	6.5	18
94	The effect of ethanol blending on mixture formation, combustion and soot emission studied in an optical DISI engine. Applied Energy, 2015, 156, 783-792.	10.1	60
95	Laser-induced incandescence: Particulate diagnostics for combustion, atmospheric, and industrial applications. Progress in Energy and Combustion Science, 2015, 51, 2-48.	31.2	295
96	One-dimensional Raman spectroscopy and shadowgraphy for the analysis of the evaporation behavior of acetone/water drops. International Journal of Heat and Mass Transfer, 2015, 89, 406-413.	4.8	12
97	Density, Surface Tension, and Kinematic Viscosity of Hydrofluoroethers HFE-7000, HFE-7100, HFE-7200, HFE-7300, and HFE-7500. Journal of Chemical & Engineering Data, 2015, 60, 3759-3765.	1.9	127
98	Deconvolution of Raman spectra for the quantification of ternary high-pressure phase equilibria composed of carbon dioxide, water and organic solvent. Journal of Raman Spectroscopy, 2014, 45, 246-252.	2.5	28
99	Phase-specific Raman spectroscopy for fast segmented microfluidic flows. Lab on A Chip, 2014, 14, 2910-2913.	6.0	14
100	Raman difference spectroscopy: a non-invasive method for identification of oral squamous cell carcinoma. Biomedical Optics Express, 2014, 5, 3252.	2.9	58
101	Spatially resolved flame zone classification of a flame spray nanoparticle synthesis process by combining different optical techniques. Journal of Aerosol Science, 2014, 69, 82-97.	3.8	25
102	Impact of morphological parameters onto simulated light scattering patterns. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 119, 53-66.	2.3	37
103	Temperature and multi-species measurements by supercontinuum absorption spectroscopy for IC engine applications. Optics Express, 2013, 21, 13656.	3.4	26
104	Broadband Two-Color Laser-Induced Incandescence Pyrometry Approach for Nanoparticle Characterization with Improved Sensitivity. Applied Spectroscopy, 2013, 67, 1098-1100.	2.2	3
105	Techno-economic analysis of combined concentrating solar power and desalination plant configurations in Israel and Jordan. Desalination and Water Treatment, 2012, 41, 9-25.	1.0	52
106	The General Phase Behavior of Mixtures of 1-Alkyl-3-methylimidazolium Bis[(trifluoromethyl)sulfonyl]amide Ionic Liquids with <i>n</i> -Alkyl Alcohols. ChemPhysChem, 2012, 13, 1860-1867.	2.1	42
107	Single-shot measurement of soot aggregate sizes by wide-angle light scattering (WALS). Applied Physics B: Lasers and Optics, 2012, 106, 171-183.	2.2	50
108	Liquid-Liquid Phase Behavior of Solutions of 1-Hexyl-3-methylimidazolium Bis[(trifluoromethyl)sulfonyl]amide (C <sub>6</sub> mimNTf <sub>2</sub> ) in <i>n</i> -Alkyl Alcohols. Journal of Chemical & Engineering Data, 2011, 56, 1330-1340.	1.9	27



#	ARTICLE	IF	CITATIONS
109	Liquidâ€“Liquid Phase Behavior of Solutions of 1-Butyl-3-methylimidazolium Bis((trifluoromethyl)sulfonyl)amide (C <sub>4</sub> mimNTf <sub>2</sub> ) in <i>n</i> -Alkyl Alcohols. Journal of Chemical & Engineering Data, 2011, 56, 4829-4839.	1.9	26
110	ESAâ€™s Drop Tower Utilisation Activities 2000 to 2011. Microgravity Science and Technology, 2011, 23, 409-425.	1.4	11
111	Investigations on Soot Formation in Heptane Jet Diffusion Flames by Optical Techniques. Microgravity Science and Technology, 2010, 22, 499-505.	1.4	14
112	Lichtstreuung zur Online-Charakterisierung von Nanopartikeln. Chemie-Ingenieur-Technik, 2010, 82, 1408-1409.	0.8	0
113	Wide-angle light scattering (WALS) for soot aggregate characterization. Combustion and Flame, 2010, 157, 516-522.	5.2	52
114	Liquidâˆ“Liquid Phase Behavior of Solutions of 1-Octyl- and 1-Decyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide (C <sub>8,10</sub> mimNTf <sub>2</sub> ) in <i>n</i> -Alkyl Alcohols. Journal of Chemical & Engineering Data, 2010, 55, 2030-2038.	1.9	24
115	Liquidâˆ“Liquid Phase Behavior of Solutions of 1-Dodecyl-3-methylimidazolium Bis((trifluoromethyl)sulfonyl)amide (C <sub>12</sub> mimNTf <sub>2</sub> ) in <i>n</i> -Alkyl Alcohols. Journal of Chemical & Engineering Data, 2010, 55, 4195-4205.	1.9	24
116	Laserinduzierte Inkandescenz (LII) zur PartikelgrÃ¶ÃŸenbestimmung von aggregierten RuÃŸpartikeln. Chemie-Ingenieur-Technik, 2009, 81, 803-809.	0.8	5
117	2D aggregate sizing by combining laser-induced incandescence (LII) and elastic light scattering (ELS). Applied Physics B: Lasers and Optics, 2009, 96, 583-592.	2.2	58
118	Particle diffusion in porous media investigated by dynamic light scattering. Microporous and Mesoporous Materials, 2009, 125, 63-69.	4.4	15
119	Synthesis and Characterization. Lecture Notes in Physics, 2009, , 1-82.	0.7	12
120	CO2 release in vertical tube falling film evaporators. Desalination, 2008, 222, 626-638.	8.2	4
121	Improvement in soot concentration measurements by laser-induced incandescence (LII) through a particle size correction. Combustion and Flame, 2008, 153, 650-654.	5.2	14
122	Effects of process parameters and anti-scalants on scale formation in horizontal tube falling film evaporators. Desalination, 2007, 204, 448-463.	8.2	29
123	Modeling laser-induced incandescence of soot: a summary and comparison of LII models. Applied Physics B: Lasers and Optics, 2007, 87, 503-521.	2.2	197
124	On heat conduction between laser-heated nanoparticles and a surrounding gas. Journal of Aerosol Science, 2006, 37, 1696-1716.	3.8	60
125	Laser-induced incandescence: recent trends and current questions. Applied Physics B: Lasers and Optics, 2006, 83, 333-354.	2.2	427
126	Atom optics with Boseâ€“Einstein condensates: quantum reflection and interferometry. Journal of Physics: Conference Series, 2005, 19, 139-145.	0.4	6



#	ARTICLE	IF	CITATIONS
127	The release of CO <sub>2</sub> in MSF and ME distillers and its use for the recarbonation of the distillate: a comparison. <i>Desalination</i> , 2005, 182, 99-110.	8.2	22
128	Optical diagnostics on sooting laminar diffusion flames in microgravity. <i>Microgravity Science and Technology</i> , 2005, 16, 333-337.	1.4	19
129	In-situ Measurement of Primary Particle Sizes during Carbon Black Production. <i>Chemical Engineering and Technology</i> , 2003, 26, 966-969.	1.5	18
130	Application of Laser-Induced Incandescence for the Determination of Primary Particle Sizes of Nanoparticles Demonstrated Using Carbon Blacks. <i>Chemical Engineering and Technology</i> , 2002, 25, 1160-1164.	1.5	17
131	Thermophysical properties of R143a (1,1,1-trifluoroethane). <i>International Journal of Refrigeration</i> , 2001, 24, 734-743.	3.4	10
132	Thermal Diffusivity and Sound Speed of the Refrigerant R143a (1,1,1-Trifluoroethane). <i>International Journal of Thermophysics</i> , 2001, 22, 1021-1033.	2.1	17
133	Thermophysical Properties of Fluids from Dynamic Light Scattering. <i>International Journal of Thermophysics</i> , 2001, 22, 317-338.	2.1	12
134	Thermophysical Properties of Binary and Ternary Fluid Mixtures from Dynamic Light Scattering. <i>International Journal of Thermophysics</i> , 2001, 22, 1349-1368.	2.1	27
135	Soot temperature measurements and implications for time-resolved laser-induced incandescence (TIRE-LII). <i>Combustion and Flame</i> , 2000, 120, 439-450.	5.2	111
136	Diffusion Modes of an Equimolar Methane-Ethane Mixture from Dynamic Light Scattering. <i>International Journal of Thermophysics</i> , 2000, 21, 603-620.	2.1	36
137	Saturated Liquid Viscosity and Surface Tension of Alternative Refrigerants. <i>International Journal of Thermophysics</i> , 2000, 21, 1225-1253.	2.1	73
138	Application of a New Soot Sensor for Exhaust Emission Control Based on Time Resolved Laser Induced Incandescence (TIRE-LII). , 2000, , .		25
139	Performance Characteristics of TIRE-LII Soot Diagnostics in Exhaust Gases of Diesel Engines. , 2000, , .		19
140	Simultaneous Measurement of Soot Mass Concentration and Primary Particle Size in the Exhaust of a DI Diesel Engine by Time-Resolved Laser-Induced Incandescence (TIRE-LII). , 1999, , .		36
141	Determination of several thermophysical properties of toluene using a single experimental setup. <i>Fluid Phase Equilibria</i> , 1999, 161, 337-351.	2.5	11
142	Title is missing!. <i>International Journal of Thermophysics</i> , 1999, 20, 791-803.	2.1	13
143	Die dynamische Lichtstreuung als universelle Meßtechnik zur Bestimmung von Stoffdaten am Beispiel von Toluol. <i>Chemie-Ingenieur-Technik</i> , 1999, 71, 257-261.	0.8	0
144	Thermal Diffusivity and Sound Velocity of Toluene Over a Wide Temperature Range. <i>International Journal of Thermophysics</i> , 1998, 19, 403-414.	2.1	40

#	ARTICLE	IF	CITATIONS
145	Performance characteristics of soot primary particle size measurements by time-resolved laser-induced incandescence. Applied Optics, 1998, 37, 5647.	2.1	127
146	Measurement of particle diffusion coefficients with high accuracy by dynamic light scattering. , 1997, , 110-112.		0
147	Light scattering by surface waves on a vertical layer of liquid toluene. Applied Optics, 1997, 36, 7615.	2.1	11
148	Viscosity of liquid n-heptane by dynamic light scattering. International Journal of Thermophysics, 1997, 18, 1339-1354.	2.1	17
149	Measurement of particle diffusion coefficients with high accuracy by dynamic light scattering. Progress in Colloid and Polymer Science, 1997, 104, 110-112.	0.5	2
150	Comprehensive two-dimensional soot diagnostics based on laser-induced incandescence (LII). Proceedings of the Combustion Institute, 1996, 26, 2277-2284.	0.3	77
151	Dynamic light scattering system with a novel scattering cell for the measurement of particle diffusion coefficients. Review of Scientific Instruments, 1996, 67, 3164-3169.	1.3	10
152	Korngrößenanalyse in der Prozesstechnik über die Photosedimentation. Chemie-Ingenieur-Technik, 1995, 67, 113-117.	0.8	0
153	Dynamic viscosity measurements by photon correlation spectroscopy. International Journal of Thermophysics, 1995, 16, 433-443.	2.1	20
154	Two-dimensional soot-particle sizing by time-resolved laser-induced incandescence. Optics Letters, 1995, 20, 2342.	3.3	161
155	Spectroscopic determination of selected thermophysical properties of transparent fluids. Measurement: Journal of the International Measurement Confederation, 1994, 14, 135-145.	5.0	12
156	Determination of the dynamic viscosity of transparent fluids by using dynamic light scattering. Applied Optics, 1993, 32, 3813.	2.1	24
157	Start-up and operation of an integrated 10 MW/sub p/ thin film PV module factory. , 0, , .		0
158	Systematic Investigation of the Influence of Ethanol Blending on Sooting Combustion in DISI Engines Using High-Speed Imaging and LII. , 0, , .		14
159	CHAPTER 2. Optical Methods. , 0, , 19-74.		15
160	Commonly Asked Questions in Thermodynamics. , 0, , .		0