

Ronald Ching Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2982922/publications.pdf>

Version: 2024-02-01

313
papers

29,486
citations

10986

71
h-index

5829

161
g-index

317
all docs

317
docs citations

317
times ranked

34878
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal and Neonatal 3-epi-25-hydroxyvitamin D Concentration and Factors Influencing Their Concentrations. <i>Journal of the Endocrine Society</i> , 2022, 6, bvab170.	0.2	6
2	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	8.6	37
3	Clinical Predictors and Long-term Impact of Acute Kidney Injury on Progression of Diabetic Kidney Disease in Chinese Patients With Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 520-529.	0.6	6
4	The Incidence of Adult-Onset Type 1 Diabetes: A Systematic Review From 32 Countries and Regions. <i>Diabetes Care</i> , 2022, 45, 994-1006.	8.6	48
5	Associations of the HOMA2 β and HOMA2 β R with progression to diabetes and glycaemic deterioration in young and middle-aged Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3525.	4.0	12
6	Vitamin D Levels During Pregnancy Are Associated With Offspring Telomere Length: A Longitudinal Mother-Child Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3901-e3909.	3.6	1
7	Human Serum Metabolites as Potential Mediators from Type 2 Diabetes and Obesity to COVID-19 Severity and Susceptibility: Evidence from Mendelian Randomization Study. <i>Metabolites</i> , 2022, 12, 598.	2.9	5
8	Role of maternal glucose metabolism in the association between maternal BMI and neonatal size and adiposity. <i>International Journal of Obesity</i> , 2021, 45, 515-524.	3.4	4
9	Temporal trends in rates of infection-related hospitalisations in Hong Kong people with and without diabetes, 2001–2016: a retrospective study. <i>Diabetologia</i> , 2021, 64, 109-118.	6.3	24
10	Investigating the role of <i>dachshund b</i> in the development of the pancreatic islet in zebrafish. <i>Journal of Diabetes Investigation</i> , 2021, 12, 710-727.	2.4	2
11	Association of hip fractures with cardiometabolic–renal risk factors in Southern Chinese patients with type 2 diabetes – the Hong Kong Diabetes Register. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1739-1748.	2.4	0
12	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	6.3	13
13	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	6.3	22
14	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes. <i>Nature Communications</i> , 2021, 12, 3505.	12.8	49
15	Recent updates and future perspectives on gestational diabetes mellitus: An important public health challenge. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1944-1947.	2.4	4
16	Assisted reproduction technology and long-term cardiometabolic health in the offspring. <i>PLoS Medicine</i> , 2021, 18, e1003724.	8.4	6
17	Genetic variants associated with beta-cell function and insulin sensitivity potentially influence bile acid metabolites and gestational diabetes mellitus in a Chinese population. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002287.	2.8	2
18	Metabolomics in Diabetes and Diabetic Complications: Insights from Epidemiological Studies. <i>Cells</i> , 2021, 10, 2832.	4.1	66

#	ARTICLE	IF	CITATIONS
19	Manipulating cellular microRNAs and analyzing high-dimensional gene expression data using machine learning workflows. <i>STAR Protocols</i> , 2021, 2, 100910.	1.2	1
20	Long-term maternal cardiometabolic outcomes 22 years after gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 985-993.	2.4	6
21	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020, 17, e1003367.	8.4	24
22	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	8.6	29
23	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	8.6	31
24	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	8.4	31
25	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study. <i>PLoS Medicine</i> , 2020, 17, e1003316.	8.4	27
26	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	27.8	282
27	A polysaccharide extract from the medicinal plant Maidong inhibits the IKK- $\text{NF-}\kappa\text{B}$ pathway and IL-1 β -induced islet inflammation and increases insulin secretion. <i>Journal of Biological Chemistry</i> , 2020, 295, 12573-12587.	3.4	13
28	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003052.	8.4	49
29	Serum high-density lipoprotein cholesterol is a protective predictor of executive function in older patients with diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 139-146.	2.4	14
30	Safety and tolerability of empagliflozin in East Asian patients with type 2 diabetes: Pooled analysis of phase III clinical trials. <i>Journal of Diabetes Investigation</i> , 2019, 10, 418-428.	2.4	27
31	Progression of glucose intolerance and cardiometabolic risk factors over a decade in Chinese women with polycystic ovary syndrome: A case-control study. <i>PLoS Medicine</i> , 2019, 16, e1002953.	8.4	38
32	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , 2019, 570, 71-76.	27.8	248
33	LRNA9884, a Novel Smad3-Dependent Long Noncoding RNA, Promotes Diabetic Kidney Injury in db/db Mice via Enhancing MCP-1-Dependent Renal Inflammation. <i>Diabetes</i> , 2019, 68, 1485-1498.	0.6	69
34	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2019, 42, 1042-1050.	8.6	24
35	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. <i>Scientific Reports</i> , 2019, 9, 5881.	3.3	6
36	Gender differences in the associations between insomnia and glycemic control in patients with type 2 diabetes: a cross-sectional study. <i>Sleep</i> , 2019, 42, .	1.1	8

#	ARTICLE	IF	CITATIONS
37	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. <i>Diabetes Care</i> , 2019, 42, 2022-2031.	8.6	79
38	Sudomotor dysfunction independently predicts incident cardiovascular and renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1320-1328.	0.7	6
39	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	5.2	105
40	PCNA and JNK1/Stat3 pathways respectively promotes and inhibits diabetes-associated centrosome amplification by targeting at the ROCK1/14-3-3 complex in human colon cancer HCT116 cells. <i>Journal of Cellular Physiology</i> , 2019, 234, 11511-11523.	4.1	15
41	Dapagliflozin and Cardiovascular Outcomes in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2019, 380, 347-357.	27.0	4,159
42	Hyperglycemia and Adverse Pregnancy Outcome Follow-up Study (HAPO FUS): Maternal Glycemia and Childhood Glucose Metabolism. <i>Diabetes Care</i> , 2019, 42, 381-392.	8.6	169
43	Hyperglycemia and Adverse Pregnancy Outcome Follow-up Study (HAPO FUS): Maternal Gestational Diabetes Mellitus and Childhood Glucose Metabolism. <i>Diabetes Care</i> , 2019, 42, 372-380.	8.6	313
44	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 170, 145.	3.9	53
45	Resveratrol ameliorates endothelial dysfunction in diabetic and obese mice through sirtuin 1 and peroxisome proliferator-activated receptor γ . <i>Pharmacological Research</i> , 2019, 139, 384-394.	7.1	61
46	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascular and renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3081.	4.0	8
47	The long noncoding RNA MALAT1 predicts human islet isolation quality. <i>JCI Insight</i> , 2019, 4, .	5.0	17
48	533-P: Association of Serum Branched-Chain Amino Acids with Kidney Function Decline in Type 2 Diabetes: The Hong Kong Diabetes Register. <i>Diabetes</i> , 2019, 68, .	0.6	3
49	SAT-134 Association between Serum Branched-Chain Amino Acids and Cancer Risk: The Hong Kong Diabetes Register (HKDR). <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.2	0
50	Precision medicine in diabetes prevention, classification and management. <i>Journal of Diabetes Investigation</i> , 2018, 9, 998-1015.	2.4	69
51	Epidemiology of diabetes and diabetic complications in China. <i>Diabetologia</i> , 2018, 61, 1249-1260.	6.3	312
52	Effectiveness of smartphone technologies on glycaemic control in patients with type 2 diabetes: systematic review with meta-analysis of 17 trials. <i>Obesity Reviews</i> , 2018, 19, 825-838.	6.5	53
53	Long-term risk of diabetes in women at varying durations after gestational diabetes: a systematic review and meta-analysis with more than 2 million women. <i>Obesity Reviews</i> , 2018, 19, 421-429.	6.5	174
54	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.6	136

#	ARTICLE	IF	CITATIONS
55	The proto-oncogene tyrosine protein kinase Src is essential for macrophage-myofibroblast transition during renal scarring. <i>Kidney International</i> , 2018, 93, 173-187.	5.2	94
56	MicroRNA and Diabetic Complications: A Clinical Perspective. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1041-1063.	5.4	27
57	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2018, 68, 147-156.	3.7	72
58	Oral glucose lowering with linagliptin and metformin compared with linagliptin alone as initial treatment in Asian patients with newly diagnosed type 2 diabetes and marked hyperglycemia: Subgroup analysis of a randomized clinical trial. <i>Journal of Diabetes Investigation</i> , 2018, 9, 579-586.	2.4	11
59	Novel lncRNA Erbb4-IR Promotes Diabetic Kidney Injury in <i>db/db</i> Mice by Targeting miR-29b. <i>Diabetes</i> , 2018, 67, 731-744.	0.6	148
60	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	3.0	15
61	Lifestyle Intervention for the Prevention of Diabetes in Women With Previous Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2018, 9, 583.	3.5	85
62	The impact of maternal gestational weight gain on cardiometabolic risk factors in children. <i>Diabetologia</i> , 2018, 61, 2539-2548.	6.3	47
63	Association of Gestational Diabetes With Maternal Disorders of Glucose Metabolism and Childhood Adiposity. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1005.	7.4	362
64	A proof-of-concept study to evaluate the efficacy and safety of BTI320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018, 18, 59.	2.2	2
65	Serum exosomes mediate delivery of arginase 1 as a novel mechanism for endothelial dysfunction in diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6927-E6936.	7.1	109
66	A Longitudinal Study of Thyroid Markers Across Pregnancy and the Risk of Gestational Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2447-2456.	3.6	44
67	Offspring of mothers with hyperglycaemia in pregnancy: The short term and long-term impact. What is new?. <i>Diabetes Research and Clinical Practice</i> , 2018, 145, 155-166.	2.8	22
68	Determinants of hospitalization in Chinese patients with type 2 diabetes receiving a peer support intervention and JADE integrated care: the PEARL randomised controlled trial. <i>Clinical Diabetes and Endocrinology</i> , 2018, 4, 5.	2.7	13
69	Gestational Diabetes Mellitus and Renal Function: A Prospective Study With 9- to 16-Year Follow-up After Pregnancy. <i>Diabetes Care</i> , 2018, 41, 1378-1384.	8.6	31
70	Bile acid metabolites in early pregnancy and risk of gestational diabetes in Chinese women: A nested case-control study. <i>EBioMedicine</i> , 2018, 35, 317-324.	6.1	48
71	Guidance on the management of familial hypercholesterolaemia in Hong Kong: an expert panel consensus viewpoint. <i>Hong Kong Medical Journal</i> , 2018, 24, 408-415.	0.1	11
72	High Serum Branched-Chain Amino Acids Level Independently Predicts Incident Heart Failure—The Hong Kong Diabetes Register. <i>Diabetes</i> , 2018, 67, 455-P.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Regular mailing of personalized feedback reports improves glycemic control in diabetes: <scp>A</scp> randomized controlled trial. <i>Journal of Diabetes</i> , 2017, 9, 536-538.	1.8	11
74	In Utero Exposure to Maternal Hyperglycemia Increases Childhood Cardiometabolic Risk in Offspring. <i>Diabetes Care</i> , 2017, 40, 679-686.	8.6	242
75	Genetics of Diabetic Kidney Diseaseâ€”From the Worst of Nightmares to the Light of Dawn?. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 389-393.	6.1	23
76	IFITM3, TLR3, and CD55 Gene SNPs and Cumulative Genetic Risks for Severe Outcomes in Chinese Patients With H7N9/H1N1pdm09 Influenza. <i>Journal of Infectious Diseases</i> , 2017, 216, 97-104.	4.0	54
77	Epidemiology/Genetics. <i>Diabetes</i> , 2017, 66, A399-A478.	0.6	2
78	Developmental origins of type 2 diabetes: a perspective from China. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 870-880.	2.9	18
79	A Low-Frequency Inactivating <i>AKT2</i> Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , 2017, 66, 2019-2032.	0.6	47
80	Effects of CPAP therapy on visceral fat thickness, carotid intimaâ€”media thickness and adipokines in patients with obstructive sleep apnoea. <i>Respirology</i> , 2017, 22, 786-792.	2.3	23
81	Low testosterone and clinical outcomes in Chinese men with type 2 diabetes mellitus â€” Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 97-105.	2.8	17
82	High risk of conversion to diabetes in first-degree relatives of individuals with young-onset type 2 diabetes: a 12-year follow-up analysis. <i>Diabetic Medicine</i> , 2017, 34, 1701-1709.	2.3	17
83	CDKAL1 rs7756992 is associated with diabetic retinopathy in a Chinese population with type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, 8812.	3.3	12
84	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2923.	4.0	23
85	A frameshift deletion in the sarcomere gene<i>MYL4</i> causes early-onset familial atrial fibrillation. <i>European Heart Journal</i> , 2017, 38, 27-34.	2.2	89
86	Curvilinear associations of sleep patterns during weekdays and weekends with glycemic control in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2017, 54, 151-162.	2.5	7
87	A randomized placebo controlled trial of vitamin B12 supplementation to prevent cognitive decline in older diabetic people with borderline low serum vitamin B12. <i>Clinical Nutrition</i> , 2017, 36, 1509-1515.	5.0	48
88	A multicentre demonstration project to evaluate the effectiveness and acceptability of the webâ€”based Joint Asia Diabetes Evaluation (<scp>JADE</scp>) programme with or without nurse support in Chinese patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 440-450.	2.3	24
89	PPARÎ Is Required for Exercise to Attenuate Endoplasmic Reticulum Stress and Endothelial Dysfunction in Diabetic Mice. <i>Diabetes</i> , 2017, 66, 519-528.	0.6	69
90	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. <i>Scientific Data</i> , 2017, 4, 170179.	5.3	31

#	ARTICLE	IF	CITATIONS
91	Single-nucleotide polymorphisms of IFITM3, TLR3, CD55 , and TLR4 and risk for severe outcomes in patients with influenza A (H7N9) and (H1N1) pdm09 in China: a multicentre cohort study. <i>Lancet</i> , The, 2017, 390, S1.	13.7	1
92	2016 Consensus statement on prevention of atherosclerotic cardiovascular disease in the Hong Kong population. <i>Hong Kong Medical Journal</i> , 2017, 23, 191-201.	0.1	5
93	Polycystic ovary syndrome: a common reproductive syndrome with long-term metabolic consequences. <i>Hong Kong Medical Journal</i> , 2017, 23, 622-34.	0.1	20
94	Intergenerational diabetes and obesityâ€”A cycle to break?. <i>PLoS Medicine</i> , 2017, 14, e1002415.	8.4	47
95	Quality of care in patients with diabetic kidney disease in Asia: The Joint Asia Diabetes Evaluation (<sc>JADE</sc>) Registry. <i>Diabetic Medicine</i> , 2016, 33, 1230-1239.	2.3	33
96	Genetic variants associated with gestational diabetes mellitus: a meta-analysis and subgroup analysis. <i>Scientific Reports</i> , 2016, 6, 30539.	3.3	95
97	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1
98	Interactome-transcriptome analysis discovers signatures complementary to GWAS Loci of Type 2 Diabetes. <i>Scientific Reports</i> , 2016, 6, 35228.	3.3	20
99	Emergence of Sex Differences in Insomnia Symptoms in Adolescents: A Large-Scale School-Based Study. <i>Sleep</i> , 2016, 39, 1563-1570.	1.1	134
100	Genome-wide association study in Chinese identifies new susceptibility loci associated with chronic kidney disease in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S49-S50.	2.8	0
101	Associations between insomnia and glycemic control in Hong Kong Chinese patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S158.	2.8	0
102	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016, 538, 248-252.	27.8	406
103	Genetics of cardiovascular and renal complications in diabetes. <i>Journal of Diabetes Investigation</i> , 2016, 7, 139-154.	2.4	43
104	Lifestyle intervention can reduce the risk of gestational diabetes: a metaâ€”analysis of randomized controlled trials. <i>Obesity Reviews</i> , 2016, 17, 960-969.	6.5	154
105	Clinical management of pregnancy in the obese mother: before conception, during pregnancy, and post partum. <i>Lancet Diabetes and Endocrinology</i> , the, 2016, 4, 1037-1049.	11.4	86
106	Plasma Levels of Alanine Aminotransferase in the First Trimester Identify High Risk Chinese Women for Gestational Diabetes. <i>Scientific Reports</i> , 2016, 6, 27291.	3.3	29
107	Family conflict and lower morning cortisol in adolescents and adults: modulation of puberty. <i>Scientific Reports</i> , 2016, 6, 22531.	3.3	9
108	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e5183.	1.0	14

#	ARTICLE	IF	CITATIONS
109	Natural history and outcome in chinese patients with gastroenteropancreatic neuroendocrine tumours: - a 17-year retrospective analysis. BMC Endocrine Disorders, 2016, 16, 12.	2.2	11
110	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. Nature Communications, 2016, 7, 10531.	12.8	149
111	Bone Morphogenic Protein 4-Smad ⁴ -Induced Upregulation of Platelet-Derived Growth Factor AA Impairs Endothelial Function. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 553-560.	2.4	20
112	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy ² The Hong Kong Diabetes Registry. Diabetes Research and Clinical Practice, 2016, 112, 57-64.	2.8	5
113	Modifying Effect of Body Mass Index on Survival in Elderly Type 2 Diabetic Patients: Hong Kong Diabetes Registry. Journal of the American Medical Directors Association, 2016, 17, 276.e15-276.e22.	2.5	5
114	Inhibition of miR-200c Restores Endothelial Function in Diabetic Mice Through Suppression of COX-2. Diabetes, 2016, 65, 1196-1207.	0.6	68
115	Genetic and clinical variables identify predictors for ² chronic kidney disease in type 2 diabetes. Kidney International, 2016, 89, 411-420.	5.2	22
116	Diabetes in Asia and the Pacific: Implications for the Global Epidemic. Diabetes Care, 2016, 39, 472-485.	8.6	363
117	Transancestral fine-mapping of four type 2 diabetes susceptibility loci highlights potential causal regulatory mechanisms. Human Molecular Genetics, 2016, 25, 2070-2081.	2.9	21
118	Practical considerations for the use of sodium ² -glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. Current Medical Research and Opinion, 2016, 32, 1097-1108.	1.9	14
119	The International Federation of Gynecology and Obstetrics (FIGO) recommendations on adolescent, preconception, and maternal nutrition: ² Think Nutrition First ² . International Journal of Gynecology and Obstetrics, 2015, 131, S213-53.	2.3	233
120	Non ² linear relationship between birthweight and cardiometabolic risk factors in Chinese adolescents and adults. Diabetic Medicine, 2015, 32, 220-225.	2.3	25
121	Variation in Glucose Homeostasis Traits Associated With P2RX7 Polymorphisms in Mice and Humans. Journal of Clinical Endocrinology and Metabolism, 2015, 100, E688-E696.	3.6	26
122	Incretin action on bone: An added benefit?. Journal of Diabetes Investigation, 2015, 6, 267-268.	2.4	2
123	Borderline ankle ² -brachial index is associated with increased prevalence of micro- and macrovascular complications in type 2 diabetes: A cross-sectional analysis of 12,772 patients from the Joint Asia Diabetes Evaluation Program. Diabetes and Vascular Disease Research, 2015, 12, 334-341.	2.0	18
124	Genome-Wide Association Meta-analysis Identifies Novel Variants Associated With Fasting Plasma Glucose in East Asians. Diabetes, 2015, 64, 291-298.	0.6	59
125	Testosterone level in men with type ² diabetes mellitus and related metabolic effects: A review of current evidence. Journal of Diabetes Investigation, 2015, 6, 112-123.	2.4	73
126	Maternal diabetes, gestational diabetes and the role of epigenetics in their long term effects on offspring. Progress in Biophysics and Molecular Biology, 2015, 118, 55-68.	2.9	96

#	ARTICLE	IF	CITATIONS
127	Early third trimester maternal response to glucose challenge and pregnancy outcome in Chinese women—relationship between upper distribution level and recommended diagnostic criteria. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 1133-1139.	2.9	4
128	Early gene—diet interaction between glucokinase regulatory protein (GCKR) polymorphism, vegetable and fish intakes in modulating triglyceride levels in healthy adolescents. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 951-958.	2.6	8
129	A Community-Based Study on the Association Between Insomnia and Hypothalamic-Pituitary-Adrenal Axis: Sex and Pubertal Influences. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2277-2287.	3.6	56
130	Maternal history of diabetes is associated with increased cardiometabolic risk in Chinese. <i>Nutrition and Diabetes</i> , 2014, 4, e112-e112.	3.2	19
131	Delivery of integrated diabetes care using logistics and information technology — The Joint Asia Diabetes Evaluation (JADE) program. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S295-S304.	2.8	22
132	Severe Hypoglycemia Identifies Vulnerable Patients With Type 2 Diabetes at Risk for Premature Death and All-Site Cancer: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2014, 37, 1024-1031.	8.6	61
133	Prospective Study on the Incidences of Cardiovascular-Renal Complications in Chinese Patients With Young-Onset Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 149-157.	8.6	87
134	Metabolic profiles and treatment gaps in young-onset type 2 diabetes in Asia (the JADE programme): a cross-sectional study of a prospective cohort. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 935-943.	11.4	210
135	Diabetes and pregnancy: perspectives from Asia. <i>Diabetic Medicine</i> , 2014, 31, 302-318.	2.3	92
136	Hypoglycaemia, chronic kidney disease and death in type 2 diabetes: the Hong Kong diabetes registry. <i>BMC Endocrine Disorders</i> , 2014, 14, 48.	2.2	28
137	Copy number variation analysis based on AluScan sequences. <i>Journal of Clinical Bioinformatics</i> , 2014, 4, 15.	1.2	11
138	Genetic variants for type 2 diabetes and new-onset cancer in Chinese with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 328-337.	2.8	15
139	Genome-wide association study identifies three novel loci for type 2 diabetes. <i>Human Molecular Genetics</i> , 2014, 23, 239-246.	2.9	158
140	Premature Mortality and Comorbidities in Young-onset Diabetes: A 7-Year Prospective Analysis. <i>American Journal of Medicine</i> , 2014, 127, 616-624.	1.5	110
141	Diabetes in South-East Asia: An update. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 231-237.	2.8	107
142	Effects of Telephone-Based Peer Support in Patients With Type 2 Diabetes Mellitus Receiving Integrated Care. <i>JAMA Internal Medicine</i> , 2014, 174, 972.	5.1	121
143	Renin angiotensin system inhibitors may attenuate low LDL cholesterol—related cancer risk in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 415-423.	4.0	5
144	Causes of type 2 diabetes in China. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 980-991.	11.4	137

#	ARTICLE	IF	CITATIONS
145	Whole-genome bisulfite sequencing of multiple individuals reveals complementary roles of promoter and gene body methylation in transcriptional regulation. <i>Genome Biology</i> , 2014, 15, 408.	8.8	173
146	Additive effects of blood glucose lowering drugs, statins and renin-angiotensin system blockers on all-site cancer risk in patients with type 2 diabetes. <i>BMC Medicine</i> , 2014, 12, 76.	5.5	24
147	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	21.4	959
148	Acarbose: an alternative to metformin for first-line treatment in type 2 diabetes?. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 6-7.	11.4	12
149	Additive effect of aldose reductase Z-4 microsatellite polymorphism and glycaemic control on cataract development in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 147-151.	2.3	8
150	Validation of Methods to Control for Immortal Time Bias in a Pharmacoepidemiologic Analysis of Renin-Angiotensin System Inhibitors in Type 2 Diabetes. <i>Journal of Epidemiology</i> , 2014, 24, 267-273.	2.4	21
151	An uncommon cause of Cushing's syndrome in a 70-year-old man. <i>Hong Kong Medical Journal</i> , 2014, 20, 335-338.	0.1	1
152	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	2.5	16
153	Using a multi-staged strategy based on machine learning and mathematical modeling to predict genotype-phenotype risk patterns in diabetic kidney disease: a prospective case-control cohort analysis. <i>BMC Nephrology</i> , 2013, 14, 162.	1.8	47
154	Genome-wide association study in a Chinese population identifies a susceptibility locus for type 2 diabetes at 7q32 near PAX4. <i>Diabetologia</i> , 2013, 56, 1291-1305.	6.3	94
155	Saxagliptin and Cardiovascular Outcomes in Patients with Type 2 Diabetes Mellitus. <i>New England Journal of Medicine</i> , 2013, 369, 1317-1326.	27.0	3,017
156	Type 2 diabetes in East Asians: similarities and differences with populations in Europe and the United States. <i>Annals of the New York Academy of Sciences</i> , 2013, 1281, 64-91.	3.8	606
157	Intrarenal arterial resistance is associated with microvascular complications in Chinese type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 651-658.	0.7	7
158	High risk for cardiovascular disease in Chinese type 2 diabetic patients with major depression: A 7-year prospective analysis of the Hong Kong Diabetes Registry. <i>Journal of Affective Disorders</i> , 2013, 149, 129-135.	4.1	32
159	Prediction of women's long-term cardiometabolic risks using glycemic indices during pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 484-491.	1.3	7
160	Diabetes and its comorbidities where East meets West. <i>Nature Reviews Endocrinology</i> , 2013, 9, 537-547.	9.6	124
161	Enhancers and attenuators of risk associations of chronic hepatitis B virus infection with hepatocellular carcinoma in type 2 diabetes. <i>Endocrine-Related Cancer</i> , 2013, 20, 161-171.	3.1	25
162	Risk association of HbA _{1c} variability with chronic kidney disease and cardiovascular disease in type 2 diabetes: prospective analysis of the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 384-390.	4.0	118

#	ARTICLE	IF	CITATIONS
163	Gestational Diabetes, Maternal Obesity, and the NCD Burden. <i>Clinical Obstetrics and Gynecology</i> , 2013, 56, 633-641.	1.1	52
164	Maternal Obesity and Developmental Priming of Risk of Later Disease. , 2013, , 193-212.		1
165	Genetic Associations of Type 2 Diabetes with Islet Amyloid Polypeptide Processing and Degrading Pathways in Asian Populations. <i>PLoS ONE</i> , 2013, 8, e62378.	2.5	7
166	Use of Net Reclassification Improvement (NRI) Method Confirms The Utility of Combined Genetic Risk Score to Predict Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e83093.	2.5	34
167	US Assessment of Medial Arterial Calcification: A Sensitive Marker of Diabetes-related Microvascular and Macrovascular Complications. <i>Radiology</i> , 2012, 265, 294-302.	7.3	28
168	Predictive role of multilocus genetic polymorphisms in cardiovascular disease and inflammation-related genes on chronic kidney disease in Type 2 diabetes—an 8-year prospective cohort analysis of 1163 patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 190-196.	0.7	13
169	Glucose-dependent insulinotropic peptide impairs insulin signaling via inducing adipocyte inflammation in glucose-dependent insulinotropic peptide receptor-overexpressing adipocytes. <i>FASEB Journal</i> , 2012, 26, 2383-2393.	0.5	45
170	Cardiometabolic Risk in Chinese Women with Prior Gestational Diabetes: A 15-Year Follow-Up Study. <i>Gynecologic and Obstetric Investigation</i> , 2012, 73, 168-176.	1.6	26
171	Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. <i>Nature Genetics</i> , 2012, 44, 67-72.	21.4	545
172	Synergistic effects of low LDL cholesterol with other factors for the risk of cancer in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2012, 49, 185-193.	2.5	13
173	Long-term outcomes and predictors of chronic insomnia: A prospective study in Hong Kong Chinese adults. <i>Sleep Medicine</i> , 2012, 13, 455-462.	1.6	76
174	Association between KCNQ1 genetic variants and obesity in Chinese patients with type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 2655-2659.	6.3	20
175	Cardiovascular disease risk factors are highly prevalent in the office-working population of Nanjing in China. <i>International Journal of Cardiology</i> , 2012, 155, 212-216.	1.7	17
176	The association between in utero hyperinsulinemia and adolescent arterial stiffness. <i>Diabetes Research and Clinical Practice</i> , 2012, 95, 169-175.	2.8	25
177	Use of thiazolidinedione and cancer risk in Type 2 diabetes: The Hong Kong diabetes registry. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, e13-e17.	2.8	12
178	Association of the PPARC Pro12Ala polymorphism with type 2 diabetes and incident coronary heart disease in a Hong Kong Chinese population. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 483-491.	2.8	30
179	Early life opportunities for prevention of diabetes in low and middle income countries. <i>BMC Public Health</i> , 2012, 12, 1025.	2.9	88
180	Chronic Kidney Disease and Associated Cardiovascular Risk Factors in Chinese with Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 433.	4.7	28

#	ARTICLE	IF	CITATIONS
181	Diabetes and cancer: the mechanistic implications of epidemiological analyses from the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 379-387.	4.0	40
182	Polycystic Kidney Disease Presenting With Hypertension and Hypokalemia. <i>American Journal of Kidney Diseases</i> , 2012, 59, 270-272.	1.9	5
183	Addressing different biases in analysing drug use on cancer risk in diabetes in non-clinical trial settings—what, why and how?. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 579-585.	4.4	47
184	Association of genetic variation in FTO with risk of obesity and type 2 diabetes with data from 96,551 East and South Asians. <i>Diabetologia</i> , 2012, 55, 981-995.	6.3	171
185	Validity of Glycated Hemoglobin in Screening and Diagnosing Type 2 Diabetes Mellitus in Chinese Subjects. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 41.	1.7	19
186	Diabetes-Related Distress and Physical and Psychological Health in Chinese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2011, 34, 1094-1096.	8.6	72
187	Corrigendum to “White blood cell count and renin-angiotensin system inhibitors for the risk of cancer in type 2 diabetes” [Diabetes Res. Clin. Pract. 87 (1) (2010) 117-125]. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 411.	2.8	0
188	Diabetic dyslipidaemia in Asian populations in the Western Pacific Region: What we know and don't know. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 1-13.	2.8	17
189	The reproductive and metabolic effect of rosiglitazone on Chinese women with polycystic ovarian syndrome—a double-blind randomized placebo-controlled study. <i>Fertility and Sterility</i> , 2011, 96, 445-451.e1.	1.0	11
190	Low HDL Cholesterol, Metformin Use, and Cancer Risk in Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 375-380.	8.6	65
191	Adiposity of the heart revisited: Reversal of dilated cardiomyopathy in a patient with Cushing's syndrome. <i>International Journal of Cardiology</i> , 2011, 151, e22-e23.	1.7	8
192	Associations of sleep duration with obesity and serum lipid profile in children and adolescents. <i>Sleep Medicine</i> , 2011, 12, 659-665.	1.6	133
193	Predictive role of polymorphisms in interleukin-5 receptor alpha-subunit, lipoprotein lipase, integrin A2 and nitric oxide synthase genes on ischemic stroke in type 2 diabetes—An 8-year prospective cohort analysis of 1327 Chinese patients. <i>Atherosclerosis</i> , 2011, 215, 130-135.	0.8	19
194	APOE Genotype-Function Relationship: Evidence of ϵ 491 A/T Promoter Polymorphism Modifying Transcription Control but Not Type 2 Diabetes Risk. <i>PLoS ONE</i> , 2011, 6, e24669.	2.5	6
195	Relationship of Sleep Quantity and Quality with 24-Hour Urinary Catecholamines and Salivary Awakening Cortisol in Healthy Middle-Aged Adults. <i>Sleep</i> , 2011, 34, 225-233.	1.1	111
196	Meta-analysis of trial data may support a causal role of hyperglycaemia in cancer. <i>Diabetologia</i> , 2011, 54, 709-710.	6.3	12
197	The Complexity of Vascular and Non-Vascular Complications of Diabetes: The Hong Kong Diabetes Registry. <i>Current Cardiovascular Risk Reports</i> , 2011, 5, 230-239.	2.0	56
198	Low triglyceride and nonuse of statins is associated with cancer in type 2 diabetes mellitus. <i>Cancer</i> , 2011, 117, 862-871.	4.1	21

#	ARTICLE	IF	CITATIONS
199	Sonographic Measurement of Mesenteric Fat Predicts Presence of Fatty Liver among Subjects with Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 799-807.	3.6	36
200	Chinese translation and validation of the Walking Impairment Questionnaire in patients with peripheral artery disease. <i>Vascular Medicine</i> , 2011, 16, 167-172.	1.5	15
201	Serum concentrations of insulin-like growth factor-I, insulin-like growth factor binding protein-3 and cardiovascular risk factors in adolescents. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 263-269.	1.6	17
202	Apolipoprotein M Gene (APOM) Polymorphism Modifies Metabolic and Disease Traits in Type 2 Diabetes. <i>PLoS ONE</i> , 2011, 6, e17324.	2.5	27
203	Genetic Variants of the Protein Kinase C- β 1 Gene and Development of End-Stage Renal Disease in Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 881.	7.4	58
204	Association of genetic variants of NOS1AP with type 2 diabetes in a Chinese population. <i>Diabetologia</i> , 2010, 53, 290-298.	6.3	46
205	Association between Physical Activity and Cardiovascular Risk in Chinese Youth Independent of Age and Pubertal Stage. <i>BMC Public Health</i> , 2010, 10, 303.	2.9	37
206	Genome-wide linkage scan for factors of metabolic syndrome in a Chinese population. <i>BMC Genetics</i> , 2010, 11, 14.	2.7	13
207	Lipid control and use of lipid-regulating drugs for prevention of cardiovascular events in Chinese type 2 diabetic patients: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2010, 9, 77.	6.8	35
208	Evaluation of erectile dysfunction and associated cardiovascular risk using structured questionnaires in Chinese type 2 diabetic men. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 853-860.	3.6	23
209	ORIGINAL ARTICLE: Associations of the growth hormone receptor (<i>GHR</i>) gene polymorphisms with adiposity and IGF activity in adolescents. <i>Clinical Endocrinology</i> , 2010, 73, 313-322.	2.4	7
210	A genome-wide association study in the Japanese population identifies susceptibility loci for type 2 diabetes at UBE2E2 and C2CD4A-C2CD4B. <i>Nature Genetics</i> , 2010, 42, 864-868.	21.4	245
211	Independent predictive roles of eotaxin Ala23Thr, paraoxonase β Ser311Cys and β adrenergic receptor Trp64Arg polymorphisms on cardiac disease in Type 2 Diabetes: an 8-year prospective cohort analysis of 1297 patients. <i>Diabetic Medicine</i> , 2010, 27, 376-383.	2.3	25
212	A simple risk score to identify Southern Chinese at high risk for diabetes. <i>Diabetic Medicine</i> , 2010, 27, 644-649.	2.3	33
213	Association of the POU class β homeobox β 1 gene (POU2F1) with susceptibility to Type β 2 diabetes in Chinese populations. <i>Diabetic Medicine</i> , 2010, 27, 1443-1449.	2.3	22
214	Common Polymorphisms in MTNR1B, G6PC2 and GCK Are Associated with Increased Fasting Plasma Glucose and Impaired Beta-Cell Function in Chinese Subjects. <i>PLoS ONE</i> , 2010, 5, e11428.	2.5	65
215	Implication of Genetic Variants Near <i>NEGR1</i> , <i>SEC16B</i> , <i>TMEM18</i> , <i>ETV5/DGKG</i> , <i>GNPDA2</i> , <i>LIN7C/BDNF</i> , <i>MTCH2</i> , <i>BCDIN3B</i> and <i>KCTD15</i> with Obesity and Type 2 Diabetes in 7705 Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2418-2425.	3.6	120
216	Evaluation of Functional and Malignant Adrenal Incidentalomas. <i>Archives of Internal Medicine</i> , 2010, 170, 2017.	3.8	14

#	ARTICLE	IF	CITATIONS
217	Glucose Intolerance and Cardiometabolic Risk in Adolescents Exposed to Maternal Gestational Diabetes. <i>Diabetes Care</i> , 2010, 33, 1382-1384.	8.6	97
218	Testosterone levels and cardiovascular disease. <i>Heart</i> , 2010, 96, 1787-1788.	2.9	12
219	Associations of Hyperglycemia and Insulin Usage With the Risk of Cancer in Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes</i> , 2010, 59, 1254-1260.	0.6	145
220	White blood cell count and renin-angiotensin system inhibitors for the risk of cancer in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 117-125.	2.8	15
221	Association of statin use and development of renal dysfunction in type 2 diabetes—The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 227-233.	2.8	19
222	Use of sulphonylurea and cancer in type 2 diabetes—The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 343-351.	2.8	80
223	Hypoadiponectinaemia enhances waist circumference as a predictor of glucose intolerance and clustering of risk factors in Chinese men. <i>Diabetes and Metabolism</i> , 2010, 36, 192-197.	2.9	5
224	Diabetes in Asia. <i>Lancet</i> , The, 2010, 375, 408-418.	13.7	645
225	A 21-Year-Old Pregnant Woman with Hypertension and Proteinuria. <i>PLoS Medicine</i> , 2009, 6, e1000037.	8.4	5
226	Interaction Effect of Genetic Polymorphisms in Glucokinase (<i>GCK</i>) and Glucokinase Regulatory Protein (<i>GCKR</i>) on Metabolic Traits in Healthy Chinese Adults and Adolescents. <i>Diabetes</i> , 2009, 58, 765-769.	0.6	58
227	Effect of interactions between C peptide levels and insulin treatment on clinical outcomes among patients with type 2 diabetes mellitus. <i>Cmaj</i> , 2009, 180, 919-926.	2.0	20
228	Low LDL Cholesterol, Albuminuria, and Statins for the Risk of Cancer in Type 2 Diabetes: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2009, 32, 1826-1832.	8.6	42
229	Cutoff values for central obesity in Chinese based on mesenteric fat thickness. <i>Clinical Nutrition</i> , 2009, 28, 679-683.	5.0	21
230	Phenotype-genotype interactions on renal function in type 2 diabetes: an analysis using structural equation modelling. <i>Diabetologia</i> , 2009, 52, 1543-1553.	6.3	23
231	Lack of benefits for prevention of cardiovascular disease with aspirin therapy in type 2 diabetic patients - a longitudinal observational study. <i>Cardiovascular Diabetology</i> , 2009, 8, 57.	6.8	23
232	Associations of insulin-like growth factor binding protein-3 gene polymorphisms with IGF-I activity and lipid parameters in adolescents. <i>International Journal of Obesity</i> , 2009, 33, 1446-1453.	3.4	9
233	Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. <i>Nature Genetics</i> , 2009, 41, 342-347.	21.4	709
234	A sequence variant in ZFX3 on 16q22 associates with atrial fibrillation and ischemic stroke. <i>Nature Genetics</i> , 2009, 41, 876-878.	21.4	434

#	ARTICLE	IF	CITATIONS
235	The Joint Asia Diabetes Evaluation (JADE) Program: a web-based program to translate evidence to clinical practice in Type 2 diabetes. <i>Diabetic Medicine</i> , 2009, 26, 693-699.	2.3	45
236	Effects of systolic and diastolic blood pressures on incident coronary heart disease and all-cause death in Chinese women with Type 2 diabetes: The Hong Kong Diabetes Registry. <i>Journal of Diabetes</i> , 2009, 1, 90-98.	1.8	5
237	Construction of a prediction model for type 2 diabetes mellitus in the Japanese population based on 11 genes with strong evidence of the association. <i>Journal of Human Genetics</i> , 2009, 54, 236-241.	2.3	70
238	Low plasma adiponectin level, white blood cell count and <i>Helicobacter pylori</i> titre independently predict abnormal pancreatic β -cell function. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 89-95.	2.8	34
239	Pregnancy and diabetes scenario around the world: China. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 104, S42-5.	2.3	49
240	Incidence of childhood type 1 diabetes: a worrying trend. <i>Nature Reviews Endocrinology</i> , 2009, 5, 529-530.	9.6	29
241	Pseudopseudohypoparathyroidism. <i>Lancet</i> , The, 2009, 374, 2090.	13.7	4
242	Mental Morbidities and Chronic Fatigue in Severe Acute Respiratory Syndrome Survivors. <i>Archives of Internal Medicine</i> , 2009, 169, 2142.	3.8	590
243	Development and validation of a risk score for hospitalization for heart failure in patients with Type 2 Diabetes Mellitus. <i>Cardiovascular Diabetology</i> , 2008, 7, 9.	6.8	52
244	Risk factors in V-shaped risk associations with all-cause mortality in type 2 diabetes—The Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 238-246.	4.0	51
245	Variants in <i>KCNQ1</i> are associated with susceptibility to type 2 diabetes mellitus. <i>Nature Genetics</i> , 2008, 40, 1092-1097.	21.4	694
246	Thyroid dysfunction due to over-the-counter usage of tiratricol. <i>Internal Medicine Journal</i> , 2008, 38, 611-612.	0.8	9
247	The NCEP-ATPIII but not the IDF criteria for the metabolic syndrome identify Type 2 diabetic patients at increased risk of chronic kidney disease. <i>Diabetic Medicine</i> , 2008, 25, 1419-1425.	2.3	23
248	Development and Validation of a Total Coronary Heart Disease Risk Score in Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2008, 101, 596-601.	1.6	101
249	Erectile Dysfunction Predicts Coronary Heart Disease in Type 2 Diabetes. <i>Journal of the American College of Cardiology</i> , 2008, 51, 2045-2050.	2.8	193
250	Thresholds of risk factors for ischemic stroke in type 2 diabetic patients with and without albuminuria—A non-linear approach. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 701-709.	1.4	8
251	Use of anti-diabetic drugs and glycaemic control in type 2 diabetes—The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, 346-352.	2.8	41
252	Glucose Intolerance and Cardiometabolic Risk in Children Exposed to Maternal Gestational Diabetes Mellitus in Utero. <i>Pediatrics</i> , 2008, 122, 1229-1234.	2.1	135

#	ARTICLE	IF	CITATIONS
253	DWP2-1 Cardio-metabolic-inflammatory risk predictors for heart failure in Type 2 diabetes – the Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S22.	2.8	0
254	P-85 Metabolic syndrome identifies chronic kidney disease in Chinese patients with Type 2 diabetes – a prospective study. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S86.	2.8	1
255	Implication of Genetic Variants Near <i>TCF7L2</i> , <i>SLC30A8</i> , <i>HHEX</i> , <i>CDKAL1</i> , <i>CDKN2A/B</i> , <i>IGF2BP2</i> , and <i>FTO</i> in Type 2 Diabetes and Obesity in 6,719 Asians. <i>Diabetes</i> , 2008, 57, 2226-2233.	0.6	331
256	Predicting values of lipids and white blood cell count for all-site cancer in type 2 diabetes. <i>Endocrine-Related Cancer</i> , 2008, 15, 597-607.	3.1	38
257	Metabolic Syndrome Predicts New Onset of Chronic Kidney Disease in 5,829 Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2357-2361.	8.6	160
258	Cardiovascular risks and metabolic syndrome in Hong Kong Chinese women with polycystic ovary syndrome. <i>Human Reproduction</i> , 2008, 23, 1431-1438.	0.9	84
259	Additive Interaction of Hyperglycemia and Albuminuria on Risk of Ischemic Stroke in Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2294-2300.	8.6	27
260	Development and Validation of an All-Cause Mortality Risk Score in Type 2 Diabetes – The Hong Kong Diabetes Registry. <i>Archives of Internal Medicine</i> , 2008, 168, 451.	3.8	94
261	Aldose Reductase Genotypes and Cardiorenal Complications. <i>Diabetes Care</i> , 2008, 31, 2148-2153.	8.6	32
262	Effects of albuminuria and renal dysfunction on development of dyslipidaemia in type 2 diabetes – the Hong Kong Diabetes Registry. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2834-2840.	0.7	13
263	Independent associations between low-density lipoprotein cholesterol and cancer among patients with type 2 diabetes mellitus. <i>Cmaj</i> , 2008, 179, 427-437.	2.0	73
264	Insulin regulates SOCS2 expression and the mitogenic effect of IGF-1 in mesangial cells. <i>Kidney International</i> , 2008, 74, 1434-1443.	5.2	18
265	A 50-Year-Old Woman with Recurrent Generalised Seizures. <i>PLoS Medicine</i> , 2008, 5, e186.	8.4	1
266	Effects of Insulin Replacements, Inhibitors of Angiotensin, and PKC α 's Actions to Normalize Cardiac Gene Expression and Fuel Metabolism in Diabetic Rats. <i>Diabetes</i> , 2007, 56, 1410-1420.	0.6	49
267	Effects of Treatment Targets on Subsequent Cardiovascular Events in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 953-959.	8.6	48
268	A woman with recurrent cardiac ischemia without coronary artery disease. <i>Cmaj</i> , 2007, 176, 171-173.	2.0	2
269	The Usefulness of the International Diabetes Federation and the National Cholesterol Education Program's Adult Treatment Panel III Definitions of the Metabolic Syndrome in Predicting Coronary Heart Disease in Subjects With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 1206-1211.	8.6	120
270	Acute Renal Failure Following Oral Sodium Phosphate Bowel Preparation in Diabetes. <i>Diabetes Care</i> , 2007, 30, 182-183.	8.6	19

#	ARTICLE	IF	CITATIONS
271	The Authors??? Reply. <i>Drug Safety</i> , 2007, 30, 728-729.	3.2	2
272	Replication and Identification of Novel Variants at TCF7L2 Associated with Type 2 Diabetes in Hong Kong Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3733-3737.	3.6	100
273	Drug-Induced Endocrine and Metabolic Disorders. <i>Drug Safety</i> , 2007, 30, 215-245.	3.2	42
274	A Man with Labile Blood Pressure. <i>PLoS Medicine</i> , 2007, 4, e111.	8.4	6
275	Effects of chronic hyperglycaemia on incident stroke in Hong Kong Chinese patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 220-226.	4.0	11
276	Progression to impaired glucose regulation, diabetes and metabolic syndrome in Chinese women with a past history of gestational diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 485-489.	4.0	34
277	Reference values for serum levels of insulin-like growth factor (IGF-1) and IGF-binding protein 3 (IGFBP-3) and their ratio in Chinese adolescents. <i>Clinical Biochemistry</i> , 2007, 40, 1093-1099.	1.9	31
278	Impacts of chronic kidney disease and albuminuria on associations between coronary heart disease and its traditional risk factors in type 2 diabetic patients – the Hong Kong diabetes registry. <i>Cardiovascular Diabetology</i> , 2007, 6, 37.	6.8	37
279	A variant in CDKAL1 influences insulin response and risk of type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 770-775.	21.4	966
280	Variants conferring risk of atrial fibrillation on chromosome 4q25. <i>Nature</i> , 2007, 448, 353-357.	27.8	853
281	Interactive effect of retinopathy and macroalbuminuria on all-cause mortality, cardiovascular and renal end points in Chinese patients with Type A2 diabetes mellitus. <i>Diabetic Medicine</i> , 2007, 24, 741-746.	2.3	38
282	Pancreatic islet β -cell deficit and glucose intolerance in rats with uninephrectomy. <i>Cellular and Molecular Life Sciences</i> , 2007, 64, 3119-3128.	5.4	26
283	Prediction of cardiovascular and total mortality in Chinese type 2 diabetic patients by the WHO definition for the metabolic syndrome. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 94-104.	4.4	26
284	The efficacy and tolerability of fosinopril in Chinese type 2 diabetic patients with moderate renal insufficiency. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 342-347.	4.4	19
285	Assessment of glomerular filtration rate in addition to albuminuria is important in managing type II diabetes. <i>Kidney International</i> , 2006, 69, 383-387.	5.2	38
286	Angiotensin-converting enzyme (ACE) inhibition in type 2, diabetic patients – interaction with ACE insertion/deletion polymorphism. <i>Kidney International</i> , 2006, 69, 1438-1443.	5.2	53
287	Recurrent Hypoglycaemia in a Patient with Metastatic Pancreatic Carcinoma. <i>PLoS Medicine</i> , 2006, 3, e331.	8.4	3
288	Bactericidal/permeability-increasing protein's signaling pathways and its retinal trophic and anti-angiogenic effects. <i>FASEB Journal</i> , 2006, 20, 2058-2067.	0.5	20

#	ARTICLE	IF	CITATIONS
289	Glomerular Filtration Rate, Cardiorenal End Points, and All-Cause Mortality in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 2046-2052.	8.6	196
290	Hematocrit, Independent of Chronic Kidney Disease, Predicts Adverse Cardiovascular Outcomes in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 2439-2444.	8.6	64
291	Reduction of Diabetes-Induced Oxidative Stress, Fibrotic Cytokine Expression, and Renal Dysfunction in Protein Kinase C α -Null Mice. <i>Diabetes</i> , 2006, 55, 3112-3120.	0.6	172
292	Carbamazepine and false positive dexamethasone suppression tests for Cushing's syndrome. <i>BMJ: British Medical Journal</i> , 2005, 330, 299-300.	2.3	18
293	Triglyceride predicts cardiovascular mortality and its relationship with glycaemia and obesity in Chinese type 2 diabetic patients. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 183-188.	4.0	37
294	A 67-year-old woman with recurrent hypoglycemia: non-islet cell tumour hypoglycemia. <i>Cmaj</i> , 2005, 173, 359-361.	2.0	8
295	Association of Testosterone, Insulin-Like Growth Factor-I, and C-Reactive Protein with Metabolic Syndrome in Chinese Middle-Aged Men with a Family History of Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6418-6423.	3.6	50
296	Prognostic Effect of Insertion/Deletion Polymorphism of the ACE Gene on Renal and Cardiovascular Clinical Outcomes in Chinese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 348-354.	8.6	48
297	Differential Regulation of Angiotensin II-induced Expression of Connective Tissue Growth Factor by Protein Kinase C Isoforms in the Myocardium. <i>Journal of Biological Chemistry</i> , 2005, 280, 15719-15726.	3.4	61
298	Association between tumour necrosis factor- α G-308A polymorphism and risk of nephropathy in obese Chinese type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2733-2738.	0.7	35
299	Effects of body mass index, plasma glucose and cholesterol levels on isolated systolic hypertension. <i>International Journal of Cardiology</i> , 2005, 101, 429-433.	1.7	13
300	Thyrotoxicosis and pulmonary hypertension. <i>American Journal of Medicine</i> , 2005, 118, 927-928.	1.5	23
301	Effect of Angiotensin-Converting Enzyme Inhibition on Survival in 3773 Chinese Type 2 Diabetic Patients. <i>Hypertension</i> , 2004, 44, 294-299.	2.7	33
302	The associations of body mass index, C-peptide and metabolic status in Chinese Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2004, 21, 349-353.	2.3	77
303	Increased leptin concentrations and lack of gender difference in Type 2 diabetic patients with nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2004, 64, 93-98.	2.8	10
304	A comparative study of atorvastatin and simvastatin as monotherapy for mixed hyperlipidaemia in Type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2004, 66, 97-99.	2.8	5
305	Genetic variants of hepatocyte nuclear factor-1 β in Chinese young-onset diabetic patients with nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 369-373.	2.3	6
306	LINAC Radiosurgery in Recurrent Cushing's Disease after Transsphenoidal Surgery: A Series of 5 Cases. <i>Minimally Invasive Neurosurgery</i> , 2003, 46, 327-330.	0.9	19

#	ARTICLE	IF	CITATIONS
307	The Effect of Orlistat-Induced Weight Loss, Without Concomitant Hypocaloric Diet, on Cardiovascular Risk Factors and Insulin Sensitivity in Young Obese Chinese Subjects With or Without Type 2 Diabetes. <i>Archives of Internal Medicine</i> , 2002, 162, 2428.	3.8	57
308	A woman with vomiting and hyperamylasaemia. <i>Lancet, The</i> , 2002, 359, 42.	13.7	2
309	Metastatic calcification. <i>Lancet, The</i> , 2002, 359, 293.	13.7	0
310	Recurrent optic neuromyelitis with multiple endocrinopathies and autoimmune disorders. <i>Journal of Neurology</i> , 2002, 249, 784-785.	3.6	13
311	Risk factors for cataract in Chinese patients with type 2 diabetes: evidence for the influence of the aldose reductase gene. <i>Clinical Genetics</i> , 2002, 59, 356-359.	2.0	17
312	Glycaemic control in type 2 diabetes: the impact of body weight, beta-cell function and patient education. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2000, 93, 183-190.	0.5	33
313	Diabetes in Hong Kong Chinese: evidence for familial clustering and parental effects. <i>Diabetes Care</i> , 2000, 23, 1365-1368.	8.6	46