

# Encarnacion Moyano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2985811/publications.pdf>

Version: 2024-02-01

116  
papers

4,254  
citations

81900

39  
h-index

138484

58  
g-index

116  
all docs

116  
docs citations

116  
times ranked

3942  
citing authors

#	ARTICLE	IF	CITATIONS
1	Accelerated bimolecular reactions in microdroplets studied by desorption electrospray ionization mass spectrometry. <i>Chemical Science</i> , 2011, 2, 501-510.	7.4	278
2	Analysis of bisphenols in soft drinks by on-line solid phase extraction fast liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2011, 683, 227-233.	5.4	188
3	Determination of quaternary ammonium pesticides by liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2001, 914, 111-121.	3.7	102
4	Fast liquid chromatography-tandem mass spectrometry for the analysis of bisphenol A-diglycidyl ether, bisphenol F-diglycidyl ether and their derivatives in canned food and beverages. <i>Journal of Chromatography A</i> , 2011, 1218, 1603-1610.	3.7	97
5	Trace analysis of polystyrene microplastics in natural waters. <i>Chemosphere</i> , 2019, 236, 124321.	8.2	91
6	Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection. <i>Journal of Chromatography A</i> , 2002, 961, 65-75.	3.7	90
7	LC-MS/MS analysis of organic toxics in food. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 683-703.	11.4	87
8	Ion-pair liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of quaternary ammonium herbicides. <i>Journal of Chromatography A</i> , 1999, 830, 145-154.	3.7	76
9	On-line solid phase extraction fast liquid chromatography-tandem mass spectrometry for the analysis of bisphenol A and its chlorinated derivatives in water samples. <i>Journal of Chromatography A</i> , 2010, 1217, 3511-3518.	3.7	75
10	Ultra-performance liquid chromatography-tandem mass spectrometry for the analysis of heterocyclic amines in food. <i>Journal of Chromatography A</i> , 2006, 1125, 195-203.	3.7	74
11	Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food. <i>Journal of Chromatography A</i> , 2002, 948, 267-281.	3.7	72
12	State-of-the-art of the hyphenation of capillary electrochromatography with mass spectrometry. <i>Electrophoresis</i> , 2004, 25, 1927-1948.	2.4	72
13	Formation and stability of heterocyclic amines in a meat flavour model system. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 802, 11-17.	2.3	72
14	Analysis of UV ink photoinitiators in packaged food by fast liquid chromatography at sub-ambient temperature coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 459-466.	3.7	72
15	Capillary electrophoresis-mass spectrometry for the analysis of quaternary ammonium herbicides. <i>Journal of Chromatography A</i> , 2002, 974, 243-255.	3.7	70
16	Solid-phase extraction and sample stacking-capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water. <i>Journal of Chromatography A</i> , 2002, 946, 275-282.	3.7	66
17	Pressure-assisted capillary electrophoresis-electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides. <i>Journal of Chromatography A</i> , 2001, 914, 277-291.	3.7	65
18	Liquid chromatography-atmospheric pressure ionization mass spectrometry for the determination of chloro- and nitrophenolic compounds in tap water and sea water. <i>Journal of Chromatography A</i> , 1997, 787, 79-89.	3.7	60

#	ARTICLE	IF	CITATIONS
19	Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001, 912, 353-361.	3.7	60
20	Liquid chromatography/multi-stage mass spectrometry of bisphenol A and its halogenated derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 4039-4048.	1.5	60
21	Determination of Quaternary Ammonium Herbicides by Capillary Electrophoresis/Mass Spectrometry. , 1996, 10, 1379-1385.		58
22	On-line ion-pair solid-phase extraction-liquid chromatography-mass spectrometry for the analysis of quaternary ammonium herbicides. <i>Journal of Chromatography A</i> , 2000, 869, 441-449.	3.7	58
23	Liquid chromatography multi-stage mass spectrometry for the analysis of 5-hydroxymethylfurfural in foods. <i>Journal of Chromatography A</i> , 2008, 1185, 102-108.	3.7	58
24	Analysis of chlormequat and mepiquat by hydrophilic interaction chromatography coupled to tandem mass spectrometry in food samples. <i>Journal of Chromatography A</i> , 2009, 1216, 4402-4406.	3.7	58
25	Analysis of perfluorinated phosphonic acids and perfluorooctane sulfonic acid in water, sludge and sediment by LC-MS/MS. <i>Talanta</i> , 2011, 86, 329-336.	5.5	55
26	Liquid chromatography-atmospheric-pressure chemical ionization mass spectrometry as a routine method for the analysis of mutagenic amines in beef extracts. <i>Journal of Chromatography A</i> , 1997, 778, 207-218.	3.7	54
27	Determination of acrylamide in foodstuffs by liquid chromatography ion-trap tandem mass-spectrometry using an improved clean-up procedure. <i>Analytica Chimica Acta</i> , 2006, 559, 207-214.	5.4	51
28	Evaluation of different liquid chromatography-electrospray mass spectrometry systems for the analysis of heterocyclic amines. <i>Journal of Chromatography A</i> , 2004, 1023, 67-78.	3.7	49
29	Optimization of a clean-up procedure for the determination of heterocyclic aromatic amines in urine by field-amplified sample injection-capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1032, 193-201.	3.7	49
30	Determination of heterocyclic aromatic amines in meat extracts by liquid chromatography-ion-trap atmospheric pressure chemical ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2000, 869, 307-317.	3.7	48
31	Determination of heterocyclic amines by pneumatically assisted electrospray liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 1996, 730, 185-194.	3.7	47
32	Strategies for the multi-residue analysis of 100 pesticides by liquid chromatography-triple quadrupole mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1249, 164-180.	3.7	47
33	Toxic effects of bisphenol A diglycidyl ether and derivatives in human placental cells. <i>Environmental Pollution</i> , 2019, 244, 513-521.	7.5	47
34	Determination of heterocyclic aromatic amines by capillary electrophoresis coupled to mass spectrometry using in-line preconcentration. <i>Electrophoresis</i> , 2003, 24, 3075-3082.	2.4	45
35	Recent advances in mass spectrometry analysis of phenolic endocrine disruptors and related compounds. <i>Mass Spectrometry Reviews</i> , 2010, 29, 776-805.	5.4	45
36	Liquid chromatography coupled to tandem mass spectrometry for the analysis of acrylamide in typical Spanish products. <i>Talanta</i> , 2008, 76, 389-394.	5.5	44

#	ARTICLE	IF	CITATIONS
37	Metabolomic analysis of the effects of cadmium and copper treatment in <i>Oryza sativa</i> L. using untargeted liquid chromatography coupled to high resolution mass spectrometry and all-ion fragmentation. <i>Metallomics</i> , 2017, 9, 660-675.	2.4	43
38	Determination of hydroxy polycyclic aromatic hydrocarbons by liquid chromatography-mass spectrometry Comparison of atmospheric pressure chemical ionization and electrospray. <i>Journal of Chromatography A</i> , 1996, 731, 75-84.	3.7	41
39	Ultra-high performance liquid chromatography-tandem mass spectrometry for the analysis of phenolic drugs and florfenicol-amine in foods. <i>Analyst, The</i> , 2012, 137, 2486.	3.5	41
40	Liquid chromatography-electrospray mass spectrometry with in-source fragmentation for the identification and quantification of fourteen mutagenic amines in beef extracts. <i>Journal of Chromatography A</i> , 1997, 775, 125-136.	3.7	39
41	Liquid chromatography-atmospheric pressure chemical ionization mass spectrometry for chlorinated phenolic compounds. <i>Journal of Chromatography A</i> , 1998, 823, 241-248.	3.7	39
42	Multistep mass spectrometry of heterocyclic amines in a quadrupole ion trap mass analyser. <i>Journal of Mass Spectrometry</i> , 2002, 37, 812-828.	1.6	39
43	Liquid chromatography/tandem mass spectrometry (highly selective selected reaction monitoring) for the analysis of isopropylthioxanthone in packaged food. <i>Journal of Chromatography A</i> , 2008, 1208, 182-188.	3.7	39
44	Field-simplified sample injection-micellar electrokinetic capillary chromatography for the analysis of bisphenol A, bisphenol F, and their diglycidyl ethers and derivatives in canned soft drinks. <i>Electrophoresis</i> , 2010, 31, 1550-1559.	2.4	39
45	Capillary electrophoresis-electrospray ion-trap mass spectrometry for the separation of chlorophenols. <i>Journal of Chromatography A</i> , 2000, 896, 125-133.	3.7	38
46	Atmospheric Pressure Photoionization Mass Spectrometry of Fullerenes. <i>Analytical Chemistry</i> , 2012, 84, 5316-5326.	6.5	38
47	Determination of naphthalene-derived compounds in apples by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2013, 782, 28-36.	5.4	36
48	Direct analysis in real time high-resolution mass spectrometry for high-throughput analysis of antiparasitic veterinary drugs in feed and food. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 467-475.	1.5	36
49	Gas chromatography-tandem mass spectrometry with atmospheric pressure chemical ionization for fluorotelomer alcohols and perfluorinated sulfonamides determination. <i>Journal of Chromatography A</i> , 2015, 1413, 107-116.	3.7	36
50	Determination of oxygenated and nitro-substituted polycyclic aromatic hydrocarbons by HPLC and electrochemical detection. <i>Talanta</i> , 1993, 40, 615-621.	5.5	34
51	Comparison of different commercial solid-phase extraction cartridges used to extract heterocyclic amines from a lyophilised meat extract. <i>Journal of Chromatography A</i> , 2000, 880, 101-112.	3.7	34
52	Preventing false negatives with high-resolution mass spectrometry: the benzophenone case. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 3161-3166.	1.5	34
53	Determination of heterocyclic amines by liquid chromatography-quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1054, 409-418.	3.7	33
54	Time-of-flight high resolution versus triple quadrupole tandem mass spectrometry for the analysis of quaternary ammonium herbicides in drinking water. <i>Analytica Chimica Acta</i> , 2004, 525, 183-190.	5.4	33

#	ARTICLE	IF	CITATIONS
55	Evaluation of reversed-phase columns for the analysis of heterocyclic aromatic amines by liquid chromatography–electrospray mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 802, 45-59.	2.3	32
56	Field amplified sample injection–capillary electrophoresis–tandem mass spectrometry for the analysis of acrylamide in foodstuffs. <i>Journal of Chromatography A</i> , 2007, 1159, 225-232.	3.7	32
57	Fast liquid chromatography/tandem mass spectrometry (highly selective selected reaction) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T <i>Bioanalytical Chemistry</i> , 2010, 397, 2893-2901.	3.7	31
58	Ultra-high performance liquid chromatography–atmospheric pressure chemical ionization–tandem mass spectrometry for the analysis of benzimidazole compounds in milk samples. <i>Journal of Chromatography A</i> , 2013, 1313, 119-131.	3.7	30
59	Fast liquid chromatography/multiple–stage mass spectrometry of coccidiostats. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1255-1263.	1.5	29
60	Presence of heterocyclic aromatic amines (HAs) in smoked –Provolone–cheese from Calabria (Italy). <i>Food and Chemical Toxicology</i> , 2009, 47, 321-327.	3.6	29
61	Determination of quaternary ammonium biocides by liquid chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1058, 89-95.	3.7	28
62	Survey of the occurrence of pharmaceuticals in Spanish finished drinking waters. <i>Environmental Science and Pollution Research</i> , 2014, 21, 10917-10939.	5.3	28
63	Native Colombian Fruits and Their by-Products: Phenolic Profile, Antioxidant Activity and Hypoglycaemic Potential. <i>Foods</i> , 2019, 8, 89.	4.3	27
64	Pentafluorobenzyl derivatives for the gas chromatographic determination of hydroxy-polycyclic aromatic hydrocarbons in urban aerosols. <i>Journal of Chromatography A</i> , 1995, 710, 139-147.	3.7	26
65	Analysis of amprolium by hydrophilic interaction liquid chromatography–tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 5802-5807.	3.7	26
66	Multiple-stage mass spectrometry analysis of bisphenol A diglycidyl ether, bisphenol F diglycidyl ether and their derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 3469-3477.	1.5	26
67	Determination of Chlormequat in Fruit Samples by Liquid Chromatography-Electrospray-Mass Spectrometry/Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2001, 84, 1903-1908.	1.5	25
68	Ion-trap versus quadrupole for analysis of quaternary ammonium herbicides by LC-MS. <i>Chromatographia</i> , 2001, 53, 273-278.	1.3	25
69	High mass accuracy in-source collision-induced dissociation tandem mass spectrometry and multi-step mass spectrometry as complementary tools for fragmentation studies of quaternary ammonium herbicides. <i>Journal of Mass Spectrometry</i> , 2004, 39, 873-883.	1.6	25
70	Accurate mass measurements and ultrahigh-resolution: evaluation of different mass spectrometers for daily routine analysis of small molecules in negative electrospray ionization mode. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 3595-3606.	3.7	24
71	High-performance liquid chromatography–mass spectrometry (pneumatically assisted electrospray) of hydroxy polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 1994, 683, 9-19.	3.7	23
72	Field amplified sample injection–capillary zone electrophoresis for the analysis of amprolium in eggs. <i>Electrophoresis</i> , 2013, 34, 870-876.	2.4	23

#	ARTICLE	IF	CITATIONS
73	A novel methodology for the determination of neutral perfluoroalkyl and polyfluoroalkyl substances in water by gas chromatography-atmospheric pressure photoionisation-high resolution mass spectrometry. <i>Analytica Chimica Acta</i> , 2020, 1100, 97-106.	5.4	23
74	Ion-molecule adduct formation in tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1269-1277.	3.7	22
75	Aerosol Toxins Emitted by Harmful Algal Blooms Susceptible to Complex Air-Sea Interactions. <i>Environmental Science &amp; Technology</i> , 2021, 55, 468-477.	10.0	22
76	Mixed-mode liquid chromatography coupled to tandem mass spectrometry for the analysis of aminoglycosides in meat. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 4941-4953.	3.7	21
77	Negative-ion atmospheric pressure ionisation of semi-volatile fluorinated compounds for ultra-high-performance liquid chromatography tandem mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 4913-4924.	3.7	20
78	Supercritical fluid chromatography-atmospheric pressure chemical ionisation mass spectrometry for the analysis of hydroxy polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 1997, 777, 167-176.	3.7	19
79	Solid-phase microextraction liquid chromatography/tandem mass spectrometry for the analysis of chlorophenols in environmental samples. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 39-48.	1.5	18
80	Recent advances in analytical methodologies based on mass spectrometry for the environmental analysis of halogenated organic contaminants. <i>Trends in Environmental Analytical Chemistry</i> , 2021, 30, e00122.	10.3	18
81	Determination of hydroxy-substituted polycyclic aromatic hydrocarbons by high-performance liquid chromatography with electrochemical detection. <i>Journal of Chromatography A</i> , 1995, 715, 41-48.	3.7	17
82	Determination of acridine derived compounds in charcoal-grilled meat and creosote oils by liquid chromatographic and gas chromatographic analysis. <i>Analytica Chimica Acta</i> , 1994, 295, 307-313.	5.4	16
83	Analysis of benzalkonium chloride by capillary electrophoresis-tandem mass spectrometry. <i>Electrophoresis</i> , 2006, 27, 2225-2232.	2.4	16
84	Desorption electrospray ionization-high resolution mass spectrometry for the screening of veterinary drugs in cross-contaminated feedstuffs. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 7369-7378.	3.7	15
85	Determination of ebrotidine and its metabolites by capillary electrophoresis with UV and mass spectrometry detection. <i>Journal of Chromatography A</i> , 2000, 888, 281-292.	3.7	13
86	Formation of new disinfection by-products of priority substances (Directive 2013/39/UE and Watch) Tj ETQqO 0 0 rgBT /Overlock 10 TF 5	8.3	13
87	Gas chromatography and liquid chromatography coupled to mass spectrometry for the determination of fluorotelomer olefins, fluorotelomer alcohols, perfluoroalkyl sulfonamides and sulfonamido-ethanols in water. <i>Journal of Chromatography A</i> , 2020, 1609, 460463.	3.7	13
88	Determination of benzophenone and related compounds in plastic packaged baby food by ultra-high-performance liquid chromatography coupled to tandem mass spectrometry. <i>Analytical Methods</i> , 2020, 12, 358-367.	2.7	12
89	Atmospheric pressure ionization for gas chromatography-high resolution mass spectrometry determination of polychlorinated naphthalenes in marine sediments. <i>Chemosphere</i> , 2021, 263, 127963.	8.2	12
90	Determination of capsaicinoids and carotenoids for the characterization and geographical origin authentication of paprika by UHPLC-APCI-HRMS. <i>LWT - Food Science and Technology</i> , 2021, 139, 110533.	5.2	12

#	ARTICLE	IF	CITATIONS
91	Simultaneous analysis of kasugamycin and streptomycin in vegetables by liquid chromatography-tandem mass spectrometry. <i>Analytical Methods</i> , 2015, 7, 3600-3607.	2.7	11
92	Liquid chromatography coupled to tandem and high resolution mass spectrometry for the characterisation of ofloxacin transformation products after titanium dioxide photocatalysis. <i>Journal of Chromatography A</i> , 2016, 1443, 201-210.	3.7	11
93	Determination of banned dyes in red spices by ultra-high-performance liquid chromatography-atmospheric pressure ionization-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2021, 1164, 338519.	5.4	11
94	Effect of solvent on the determination of oxo- and nitro-polycyclic aromatic hydrocarbons using capillary gas chromatography with splitless injection. <i>Journal of Chromatography A</i> , 1992, 607, 287-294.	3.7	10
95	CEC separation of heterocyclic amines using methacrylate monolithic columns. <i>Electrophoresis</i> , 2007, 28, 1704-1713.	2.4	10
96	Modified distribution in the polyphenolic profile of rosemary leaves induced by plant inoculation with an arbuscular mycorrhizal fungus. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 2966-2973.	3.5	10
97	Wide-range screening of psychoactive substances by FIA-HRMS: identification strategies. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 4567-4580.	3.7	9
98	Simultaneous analysis of natural pigments and E-141i in olive oils by liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 5577-5591.	3.7	9
99	Analytical Methods for the Determination of Plasticizers in Food and Beverages. <i>Current Analytical Chemistry</i> , 2018, 14, 306-324.	1.2	8
100	Feasibility of gas chromatography-atmospheric pressure photoionization-high-resolution mass spectrometry for the analysis of polychlorinated dibenzo-p-dioxins, dibenzofurans, and dioxin-like polychlorinated biphenyls in environmental and feed samples. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 3703-3716.	3.7	7
101	Hydrophilic interaction liquid chromatography/tandem mass spectrometry for the analysis of diallyldimethylammonium chloride in water. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 379-386.	1.5	6
102	Atmospheric pressure ionization-tandem mass spectrometry of the phenicol drug family. <i>Journal of Mass Spectrometry</i> , 2013, 48, 1241-1251.	1.6	6
103	Ambient ionization mass spectrometry in food analysis. , 2021, , 271-312.		6
104	Analysis of Dechlorane Plus and related compounds in gull eggs by GC-HRMS using a novel atmospheric pressure photoionization source. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 3421-3431.	3.7	5
105	Ultra-high-performance liquid chromatography-atmospheric pressure ionization-tandem mass spectrometry method for the migration studies of primary aromatic amines from food contact materials. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 3137-3151.	3.7	5
106	Analysis of hydroxylated phenylalkylamine stimulants in urine by GC-APPI-HRMS. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 7837-7850.	3.7	4
107	Pigment profiles of Spanish extra virgin olive oils by ultra-high-performance liquid chromatography coupled to high-resolution mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 1075-1086.	2.3	4
108	Paper spray-atmospheric pressure photoionization-high resolution mass spectrometry for the direct analysis of neutral fluorinated compounds in waterproof impregnation sprays. <i>Analytica Chimica Acta</i> , 2022, 1204, 339720.	5.4	4

#	ARTICLE	IF	CITATIONS
109	Desorption electrospray ionization-high resolution mass spectrometry for the analysis of unknown materials: The phytosanitary product case. <i>Talanta</i> , 2019, 194, 350-356.	5.5	3
110	Ionic Liquid Stationary Phase for Improving Comprehensive Two-dimensional Gas Chromatographic Separation of Polychlorinated Naphthalenes. <i>Journal of Chromatography A</i> , 2021, 1635, 461732.	3.7	3
111	Chloride-attachment atmospheric pressure photoionisation for the determination of short-chain chlorinated paraffins by gas chromatography-high-resolution mass spectrometry. <i>Analytica Chimica Acta</i> , 2021, 1172, 338673.	5.4	3
112	Ambient Ionisation-“High-Resolution Mass Spectrometry. <i>Comprehensive Analytical Chemistry</i> , 2016, 71, 51-88.	1.3	2
113	Direct Analysis of Pesticides by Stand-Alone Mass Spectrometry. , 2017, , 265-313.		2
114	Fragmentation studies of neutral per- and polyfluoroalkyl substances by atmospheric pressure ionization-multiple-stage mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7357-7373.	3.7	2
115	V Reunión Nacional de Dioxinas, Furanos y Compuestos Orgánicos Persistentes Relacionados & VIII Reunión de la Sociedad Española de Espectrometría de Masas. <i>Science of the Total Environment</i> , 2018, 640-641, 41.	8.0	0
116	Liquid Chromatography Pigment Profile for Characterization and Fraud Detection in Olive Oils. , 2021, , 21-41.		0