

Sebastian Bachmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2986185/publications.pdf>

Version: 2024-02-01

87
papers

3,121
citations

147801

31
h-index

155660

55
g-index

88
all docs

88
docs citations

88
times ranked

3098
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunosuppressive calcineurin inhibitor cyclosporine A induces proapoptotic endoplasmic reticulum stress in renal tubular cells. <i>Journal of Biological Chemistry</i> , 2022, 298, 101589.	3.4	7
2	Vascular and glomerular vs. proximal tubular components in calcineurin inhibitor-related nephrotoxicity. <i>FASEB Journal</i> , 2022, 36, .	0.5	0
3	Connexin43 is differentially distributed within renal vasculature and mediates profibrotic differentiation in medullary fibroblasts. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F17-F30.	2.7	5
4	Angiotensin II receptor blockade alleviates calcineurin inhibitor nephrotoxicity by restoring cyclooxygenase 2 expression in kidney cortex. <i>Acta Physiologica</i> , 2021, 232, e13612.	3.8	9
5	Preparation of Samples for Large-Scale Automated Electron Microscopy of Tissue and Cell Ultrastructure. <i>Microscopy and Microanalysis</i> , 2021, 27, 815-827.	0.4	16
6	WNK bodies cluster WNK4 and SPAK/OSR1 to promote NCC activation in hypokalemia. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F216-F228.	2.7	34
7	Optical Nanosensing of Lipid Accumulation due to Enzyme Inhibition in Live Cells. <i>ACS Nano</i> , 2019, 13, 9363-9375.	14.6	31
8	Vasopressin Increases Urinary Acidification via V1a Receptors in Collecting Duct Intercalated Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 946-961.	6.1	19
9	Hyperkalemia and blood pressure regulation. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, iii26-iii35.	0.7	4
10	Patients with hypokalemia develop WNK bodies in the distal convoluted tubule of the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, F292-F300.	2.7	13
11	Vasopressin V1a Receptor of Renal Collecting Duct Intercalated Cells Promotes Urinary Proton Secretion. <i>FASEB Journal</i> , 2019, 33, 862.20.	0.5	0
12	Cell-autonomous expression of membrane proteins in kidney thick ascending limb epithelium is vasopressin-dependent. <i>FASEB Journal</i> , 2019, 33, 862.15.	0.5	0
13	WNK Bodies Develop in the Distal Convoluted Tubule of the Human Kidney in Chronic Hypokalemia. <i>FASEB Journal</i> , 2019, 33, 862.13.	0.5	1
14	Inverse correlation between vascular endothelial growth factor back-filtration and capillary filtration pressures. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1514-1525.	0.7	7
15	Caveolin 1 Promotes Renal Water and Salt Reabsorption. <i>Scientific Reports</i> , 2018, 8, 545.	3.3	8
16	A novel role for Tamm-Horsfall protein (uromodulin) in the renal tubule. <i>Kidney International</i> , 2018, 94, 652-655.	5.2	4
17	Modern field emission scanning electron microscopy provides new perspectives for imaging kidney ultrastructure. <i>Kidney International</i> , 2018, 94, 625-631.	5.2	12
18	SPAK disruption increases the glomerular filtration rate. <i>FASEB Journal</i> , 2018, 32, .	0.5	0

#	ARTICLE	IF	CITATIONS
19	Impact of vasopressin on cell-autonomous expression of membrane transport proteins in rat distal nephron. <i>FASEB Journal</i> , 2018, 32, .	0.5	0
20	Comparative analysis of V1a and V1b receptor distribution in the mammalian brain. <i>FASEB Journal</i> , 2018, 32, 783.2.	0.5	0
21	Vasopressin V1a Receptor of Renal Collecting Duct Intercalated Cells Mediates Urinary Acidification. <i>FASEB Journal</i> , 2018, 32, 623.1.	0.5	0
22	Metabolic stress directs WNK kinases to aggresomes for pooling and degradation in the distal convoluted tubule of the kidney. <i>FASEB Journal</i> , 2018, 32, 816.5.	0.5	0
23	Scanning electron microscopy of thin sections: A technique to overcome limitations in kidney ultrastructural research. <i>Ultrastructural Pathology</i> , 2017, 41, 119-120.	0.9	0
24	Regulation of renal Na-(K)-Cl cotransporters by vasopressin. <i>Pflugers Archiv European Journal of Physiology</i> , 2017, 469, 889-897.	2.8	23
25	A Water-Containing Organopotassium Compound Based on Bis(4,6-di- <i>t</i> -butylbenzoxazol-2-yl)methanide and Its Unexpected Stability to Hydrolysis. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15141-15145.	13.8	21
26	Eine wasserhaltige Organokaliumverbindung basierend auf Bis(4,6-di- <i>t</i> -butylbenzoxazol-2-yl)methanid und ihre unerwartete Hydrolysebeständigkeit. <i>Angewandte Chemie</i> , 2017, 129, 15337-15342.	2.0	11
27	A Novel Bulky Heteroaromatic-Substituted Methanide Mimicking NacNac: Bis(4,6-di- <i>t</i> -butylbenzoxazol-2-yl)methanide in s-Block Metal Coordination. <i>Chemistry - A European Journal</i> , 2017, 23, 13141-13149.		21
28	From tubular sublimate nephropathy via urinary concentrating mechanism to glomerular disease—Wilhelm Kriz's contribution to modern nephrology. <i>Pflugers Archiv European Journal of Physiology</i> , 2017, 469, 847-857.	2.8	0
29	Topically applied virus-like particles containing HIV-1 Pr55gag protein reach skin antigen-presenting cells after mild skin barrier disruption. <i>Journal of Controlled Release</i> , 2017, 268, 296-304.	9.9	6
30	Demonstration of the functional impact of vasopressin signaling in the thick ascending limb by a targeted transgenic rat approach. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F411-F423.	2.7	17
31	Vasopressin lowers renal epoxyeicosatrienoic acid levels by activating soluble epoxide hydrolase. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F1198-F1210.	2.7	2
32	Solution structures of alkali metal cyclopentadienides in THF estimated by ECC-DOSY NMR-spectroscopy (incl. software). <i>Chemical Communications</i> , 2016, 52, 12861-12864.	4.1	58
33	Correlation between the chemical composition of thermoresponsive nanogels and their interaction with the skin barrier. <i>Journal of Controlled Release</i> , 2016, 243, 323-332.	9.9	42
34	New External Calibration Curves (ECCs) for the Estimation of Molecular Weights in Various Common NMR Solvents. <i>Chemistry - A European Journal</i> , 2016, 22, 8462-8465.	3.3	63
35	Calcineurin and Sorting-Related Receptor with A-Type Repeats Interact to Regulate the Renal Na ⁺ -K ⁺ -2Cl ⁻ Cotransporter. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 107-119.	6.1	30
36	Renal Deletion of 12 kDa FK506-Binding Protein Attenuates Tacrolimus-Induced Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1456-1464.	6.1	44

#	ARTICLE	IF	CITATIONS
37	Cohen Syndrome-associated Protein COH1 Physically and Functionally Interacts with the Small GTPase RAB6 at the Golgi Complex and Directs Neurite Outgrowth. <i>Journal of Biological Chemistry</i> , 2015, 290, 3349-3358.	3.4	68
38	<i>Moraxella catarrhalis</i> induces an immune response in the murine lung that is independent of human CEACAM5 expression and long-term smoke exposure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 309, L250-L261.	2.9	12
39	Short-Term Functional Adaptation of Aquaporin-1 Surface Expression in the Proximal Tubule, a Component of Glomerulotubular Balance. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1269-1278.	6.1	17
40	Annexin A2 Mediates Apical Trafficking of Renal Na ⁺ -K ⁺ -2Cl ⁻ Cotransporter. <i>Journal of Biological Chemistry</i> , 2014, 289, 9983-9997.	3.4	25
41	SPAK Differentially Mediates Vasopressin Effects on Sodium Cotransporters. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 407-418.	6.1	86
42	Deletion of von Hippel-Lindau Protein Converts Renin-Producing Cells into Erythropoietin-Producing Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 433-444.	6.1	51
43	OSR1-Sensitive Renal Tubular Phosphate Reabsorption. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 149-161.	2.0	47
44	Activation of the Bumetanide-sensitive Na ⁺ ,K ⁺ ,2Cl ⁻ Cotransporter (NKCC2) Is Facilitated by Tamm-Horsfall Protein in a Chloride-sensitive Manner. <i>Journal of Biological Chemistry</i> , 2011, 286, 30200-30210.	3.4	148
45	Localization and signaling of FPR2 in the kidney. <i>FASEB Journal</i> , 2011, 25, 666.11.	0.5	0
46	Annexin A1 inhibits macula densa Cyclooxygenase 2 and Nitric oxide Synthase 1 expression. <i>FASEB Journal</i> , 2011, 25, 1038.7.	0.5	0
47	Effect of Vasopressin on the renal distribution of Annexin A2 in Brattleboro rats. <i>FASEB Journal</i> , 2011, 25, 1038.14.	0.5	0
48	Role of SPAK in short term activation of kidney electroneutral cation-Cl ⁻ cotransporters by vasopressin. <i>FASEB Journal</i> , 2011, 25, 1038.21.	0.5	0
49	Vasopressin treatment lowers renal outer medullary epoxyeicosatrienoic acid levels in Brattleboro rats. <i>FASEB Journal</i> , 2011, 25, 665.30.	0.5	0
50	Vasopressin treatment causes widespread hypoxia in the renal medulla of Brattleboro rats. <i>FASEB Journal</i> , 2011, 25, 1038.13.	0.5	0
51	Intrarenal Renin Angiotensin System Revisited. <i>Journal of Biological Chemistry</i> , 2010, 285, 41935-41946.	3.4	128
52	Annexin A1 mediates the effects of dexamethasone on macula densa cyclooxygenase-2 expression. <i>FASEB Journal</i> , 2010, 24, 620.1.	0.5	0
53	Regulation of Annexin A1 in the macula densa: association with neuronal nitric oxide synthase and cyclooxygenase-2. <i>FASEB Journal</i> , 2010, 24, 620.2.	0.5	0
54	Effects of receptor-mediated endocytosis and tubular protein composition on volume retention in experimental glomerulonephritis. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F902-F911.	2.7	33

#	ARTICLE	IF	CITATIONS
55	Mechanisms of tubular volume retention in immune-mediated glomerulonephritis. <i>Kidney International</i> , 2009, 75, 699-710.	5.2	22
56	Renal Na ⁺ -K ⁺ -Cl ⁻ cotransporter activity and vasopressin-induced trafficking are lipid raft-dependent. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F789-F802.	2.7	66
57	Effect of iron oxide perfusion on renal micro vessel morphology, and dilatory function and endothelial mRNA expression of mouse aorta. <i>FASEB Journal</i> , 2008, 22, 761.26.	0.5	0
58	Abrogation of Protein Uptake through Megalin-Deficient Proximal Tubules Does Not Safeguard against Tubulointerstitial Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1824-1834.	6.1	87
59	Role of lipid rafts in membrane delivery of renal epithelial Na ⁺ -K ⁺ -ATPase, thick ascending limb. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R1328-R1337.	1.8	40
60	Renal and endocrine changes in rats with inherited stress-induced arterial hypertension (ISIAH). <i>Histochemistry and Cell Biology</i> , 2006, 125, 651-659.	1.7	22
61	Estimation of the mtDNA mutation rate in aging mice by proteome analysis and mathematical modeling. <i>Experimental Gerontology</i> , 2006, 41, 11-24.	2.8	30
62	Is salt-wasting the long awaited answer to the hyperuricaemia seen in uromodulin storage diseases?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2028-2029.	0.7	10
63	Vasopressin/PKA and PKC mediated translocation of renal Na ⁺ -K ⁺ -Cl ⁻ cotransporter (NKCC2) depend on Rho mediated organisation of actin cytoskeleton. <i>FASEB Journal</i> , 2006, 20, A450.	0.5	0
64	TRANSGENIC MICE EXPRESSING CRE RECOMBINASE UNDER THE CONTROL OF THE HUMAN RENIN PROMOTER. <i>FASEB Journal</i> , 2006, 20, A344.	0.5	0
65	Renal effects of Tamm-Horsfall protein (uromodulin) deficiency in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F559-F567.	2.7	127
66	Low endogenous glucocorticoid allows induction of kidney cortical cyclooxygenase-2 during postnatal rat development. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F26-F37.	2.7	22
67	Kidney-Specific Inactivation of the Megalin Gene Impairs Trafficking of Renal Inorganic Sodium Phosphate Cotransporter (NaPi-IIa). <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 892-900.	6.1	86
68	Selectively reduced expression of thick ascending limb Tamm-Horsfall protein in hypothyroid kidneys. <i>Histochemistry and Cell Biology</i> , 2004, 121, 319-327.	1.7	21
69	Hypocalcemia and osteopathy in mice with kidney-specific megalin gene defect. <i>FASEB Journal</i> , 2003, 17, 247-249.	0.5	154
70	Renal expression of sodium transporters and aquaporin-2 in hypothyroid rats. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F1097-F1104.	2.7	67
71	Key enzymes for renal prostaglandin synthesis: site-specific expression in rodent kidney (rat, mouse). <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, F19-F32.	2.7	116
72	Epithelial COX-2 Expression Is Not Regulated By Nitric Oxide in Rodent Renal Cortex. <i>Hypertension</i> , 2002, 39, 848-853.	2.7	25

#	ARTICLE	IF	CITATIONS
73	Upregulation of juxtaglomerular NOS1 and COX-2 precedes glomerulosclerosis in fawn-hooded hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, F706-F714.	2.7	35
74	Localization of thiazide-sensitive Na ⁺ -Cl ⁻ cotransport and associated gene products in mouse DCT. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F1028-F1035.	2.7	91
75	Cellular Distribution and Function of Soluble Guanylyl Cyclase in Rat Kidney and Liver. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2209-2220.	6.1	67
76	Localization of organic cation transporters OCT1 and OCT2 in rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F679-F687.	2.7	161
77	Altered Expression of Type II Sodium/Phosphate Cotransporter in Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1926-1932.	6.1	9
78	Developmental expression of sodium entry pathways in rat nephron. <i>American Journal of Physiology - Renal Physiology</i> , 1999, 276, F367-F381.	2.7	91
79	Cell localization and ontogeny of sodium transport pathways in the distal nephron: perspectives in function and failure. <i>Current Opinion in Nephrology and Hypertension</i> , 1999, 8, 31-38.	2.0	3
80	Structural and molecular dissection of the juxtaglomerular apparatus: New aspects for the role of nitric oxide. <i>Kidney International</i> , 1998, 54, S29-S33.	5.2	11
81	Immunohistochemically Detected Protein Nitration Indicates Sites of Renal Nitric Oxide Release in Goldblatt Hypertension. <i>Hypertension</i> , 1997, 30, 948-952.	2.7	50
82	Marked reduction of Tamm-Horsfall protein synthesis in hyperprostaglandin E-syndrome. <i>Kidney International</i> , 1993, 44, 401-410.	5.2	34
83	Peritoneal morphology in children treated by continuous ambulatory peritoneal dialysis. <i>Pediatric Nephrology</i> , 1992, 6, 542-546.	1.7	35
84	Expression of nitric oxide synthase in kidney macula densa cells. <i>Kidney International</i> , 1992, 42, 1017-1019.	5.2	269
85	Transgenic rats carrying the mouse renin gene—Morphological characterization of a low-renin hypertension model. <i>Kidney International</i> , 1992, 41, 24-36.	5.2	171
86	Tamm-Horsfall Protein Excretion during Chronic Alterations in Urinary Concentration and Protein Intake in the Rat. <i>Kidney and Blood Pressure Research</i> , 1991, 14, 236-245.	2.0	21
87	Histotopography and ultrastructure of the thin limbs of the loop of Henle in the hamster. <i>Cell and Tissue Research</i> , 1982, 225, 111-127.	2.9	54