Ali Al-Hamzawi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2989323/publications.pdf

Version: 2024-02-01

68 8,600 36 67
papers citations h-index g-index

71 71 71 11853
all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970. | 2.7 | 866 |
| 2 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317. | 2.7 | 825 |
| 3 | Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274. | 2.7 | 675 |
| 4 | Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124. | 1.7 | 664 |
| 5 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65. | 1.7 | 507 |
| 6 | Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697. | 6.0 | 387 |
| 7 | Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150. | 6.0 | 372 |
| 8 | Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226. | 1.8 | 355 |
| 9 | Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208. | 2.0 | 318 |
| 10 | Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465. | 6.0 | 274 |
| 11 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571. | 2.7 | 274 |
| 12 | The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143. | 2.3 | 258 |
| 13 | Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299. | 1.7 | 201 |
| 14 | Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270. | 6.0 | 179 |
| 15 | The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006. | 4.0 | 176 |
| 16 | Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307. | 4.8 | 160 |
| 17 | The cross-national epidemiology of specific phobia in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 1744-1760. | 2.7 | 148 |
| 18 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177. | 2.0 | 144 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245. | 2.7 | 108 |
| 20 | Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149. | 1.2 | 102 |
| 21 | Associations Between Subjective Social Status and <i>DSM-IV</i> Mental Disorders. JAMA Psychiatry, 2014, 71, 1400. | 6.0 | 101 |
| 22 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941. | 2.3 | 94 |
| 23 | Why medical students choose psychiatry - a 20 country cross-sectional survey. BMC Medical Education, 2014, 14, 12. | 1.0 | 85 |
| 24 | Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380. | 1.7 | 82 |
| 25 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288. | 1.6 | 79 |
| 26 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136. | 6.0 | 75 |
| 27 | Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709. | 2.9 | 69 |
| 28 | Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879. | 2.7 | 68 |
| 29 | Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49. | 1.7 | 67 |
| 30 | Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188. | 1.5 | 58 |
| 31 | The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84. | 2.2 | 58 |
| 32 | MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. Depression and Anxiety, 2014, 31, 765-777. | 2.0 | 56 |
| 33 | The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934. | 1.7 | 56 |
| 34 | Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 830. | 6.0 | 53 |
| 35 | Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567. | 1.8 | 47 |
| 36 | The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112. | 1.6 | 45 |

3

| # | Article | IF | Citations |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | A Crossâ€National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <scp>DSM</scp> â€ <scp>IV</scp> and <scp>DSM</scp> â€5: Findings from the World Mental Health Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 1728-1736. | 1.4 | 35 |
| 38 | Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110. | 0.7 | 32 |
| 39 | Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109. | 1.7 | 27 |
| 40 | Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739. | 2.7 | 27 |
| 41 | Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315. | 2.2 | 27 |
| 42 | Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459. | 1.7 | 27 |
| 43 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708. | 6.0 | 27 |
| 44 | The cross-national epidemiology of DSM-IV intermittent explosive disorder. Psychological Medicine, 2016, 46, 3161-3172. | 2.7 | 26 |
| 45 | Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212. | 1.2 | 25 |
| 46 | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101. | 2.3 | 24 |
| 47 | A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€N agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510. | 2.0 | 22 |
| 48 | The Epidemiology of Major Depressive Episode in the Iraqi General Population. PLoS ONE, 2015, 10, e0131937. | 1,1 | 21 |
| 49 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53. | 1.1 | 20 |
| 50 | The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367. | 1.6 | 19 |
| 51 | The prevalence and correlates of intermittent explosive disorder in Iraq. Acta Psychiatrica Scandinavica, 2012, 126, 219-228. | 2.2 | 18 |
| 52 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219. | 1.6 | 17 |
| 53 | Patterns and correlates of patientâ Freported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286. | 4.8 | 16 |
| 54 | Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. International Journal of Methods in Psychiatric Research, 2017, 26, . | 1.1 | 13 |

| # | Article | IF | Citations |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Fear and distress disorders as predictors of heart disease: A temporal perspective. Journal of Psychosomatic Research, 2017, 96, 67-75. | 1.2 | 13 |
| 56 | The role of common mental and physical disorders in days out of role in the Iraqi general population: Results from the WHO World Mental Health Surveys. Journal of Psychiatric Research, 2014, 53, 23-29. | 1.5 | 12 |
| 57 | Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339. | 1.2 | 12 |
| 58 | An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135. | 1.1 | 11 |
| 59 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392. | 1.1 | 10 |
| 60 | Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209. | 2.0 | 9 |
| 61 | Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095. | 1.6 | 7 |
| 62 | Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16. | 1.2 | 6 |
| 63 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158. | 1.6 | 3 |
| 64 | Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70. | 1.8 | 3 |
| 65 | Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405. | 1.6 | 2 |
| 66 | Intermittent Explosive Disorder. , 0, , 182-194. | | 1 |
| 67 | Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10. | 2.7 | 1 |
| 68 | The prevalence of depression in primary health care centers in Iraq. Indian Journal of Public Health Research and Development, 2018, 9, 384. | 0.1 | 0 |