

Gideon Grafi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2990671/publications.pdf>

Version: 2024-02-01

71
papers

2,139
citations

218677

26
h-index

243625

44
g-index

73
all docs

73
docs citations

73
times ranked

2250
citing authors

#	ARTICLE	IF	CITATIONS
1	Cereal Husks: Versatile Roles in Grain Quality and Seedling Performance. <i>Agronomy</i> , 2022, 12, 172.	3.0	2
2	What Worth the Garlic Peel. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2126.	4.1	5
3	Endophytic Bacteria Colonizing the Petiole of the Desert Plant <i>Zygophyllum dumosum</i> Boiss: Possible Role in Mitigating Stress. <i>Plants</i> , 2022, 11, 484.	3.5	3
4	Differential Response to Single and Combined Salt and Heat Stresses: Impact on Accumulation of Proteins and Metabolites in Dead Pericarps of <i>Brassica juncea</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 7076.	4.1	4
5	Single and Combined Salinity and Heat Stresses Impact Yield and Dead Pericarp Priming Activity. <i>Plants</i> , 2021, 10, 1627.	3.5	5
6	Maternal environment alters dead pericarp biochemical properties of the desert annual plant <i>Anastatica hierochuntica</i> L. <i>PLoS ONE</i> , 2020, 15, e0237045.	2.5	12
7	Plant Histone HTB (H2B) Variants in Regulating Chromatin Structure and Function. <i>Plants</i> , 2020, 9, 1435.	3.5	12
8	Dead but Not Dead End: Multifunctional Role of Dead Organs Enclosing Embryos in Seed Biology. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8024.	4.1	9
9	Extreme drought alters progeny dispersal unit properties of winter wild oat (<i>Avena sterilis</i> L.). <i>Planta</i> , 2020, 252, 77.	3.2	6
10	Title is missing!. , 2020, 15, e0237045.		0
11	Title is missing!. , 2020, 15, e0237045.		0
12	Title is missing!. , 2020, 15, e0237045.		0
13	Title is missing!. , 2020, 15, e0237045.		0
14	Epigenetic aspects of floral homeotic genes in relation to sexual dimorphism in the dioecious plant <i>Mercurialis annua</i> . <i>Journal of Experimental Botany</i> , 2019, 70, 6245-6259.	4.8	10
15	A "œmille-feuilles" of stress tolerance in the desert plant <i>Zygophyllum dumosum</i> Boiss.: Highlighting epigenetics. <i>Israel Journal of Plant Sciences</i> , 2019, 66, 52-59.	0.5	4
16	Accumulation of newly identified sulfur containing metabolites in <i>Zygophyllum dumosum</i> Boiss suggest for a role of secondary metabolism in petiole survival during the dry season. <i>Israel Journal of Plant Sciences</i> , 2019, 66, 94-102.	0.5	2
17	Continuum Modeling of Discrete Plant Communities: Why Does It Work and Why Is It Advantageous?. <i>Mathematics</i> , 2019, 7, 987.	2.2	8
18	CMT3 and SUVH4/KYP silence the exonic Eukniveel retroelement to allow for reconstitution of CMT1 mRNA. <i>Epigenetics and Chromatin</i> , 2018, 11, 69.	3.9	5

#	ARTICLE	IF	CITATIONS
19	The Dead Can Nurture: Novel Insights into the Function of Dead Organs Enclosing Embryos. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2455.	4.1	18
20	Seasonal Growth of <i>Zygophyllum dumosum</i> Boiss.: Summer Dormancy Is Associated with Loss of the Permissive Epigenetic Marker Dimethyl H3K4 and Extensive Reduction in Proteins Involved in Basic Cell Functions. <i>Plants</i> , 2018, 7, 59.	3.5	9
21	<i>Arabidopsis</i> mutants may represent recombinant introgression lines. <i>BMC Research Notes</i> , 2018, 11, 227.	1.4	1
22	Dead Pericarps of Dry Fruits Function as Long-Term Storage for Active Hydrolytic Enzymes and Other Substances That Affect Germination and Microbial Growth. <i>Plants</i> , 2017, 6, 64.	3.5	18
23	The dead seed coat functions as a long-term storage for active hydrolytic enzymes. <i>PLoS ONE</i> , 2017, 12, e0181102.	2.5	41
24	S1-Type Endonuclease 2 in Dedifferentiating <i>Arabidopsis</i> Protoplasts: Translocation to the Nucleus in Senescing Protoplasts Is Associated with De-Glycosylation. <i>PLoS ONE</i> , 2017, 12, e0170067.	2.5	9
25	The dead, hardened floral bracts of dispersal units of wild wheat function as storage for active hydrolases and in enhancing seedling vigor. <i>PLoS ONE</i> , 2017, 12, e0177537.	2.5	16
26	Activation of Tag1 transposable elements in <i>Arabidopsis</i> dedifferentiating cells and their regulation by CHROMOMETHYLASE 3-mediated CHG methylation. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 1289-1298.	1.9	9
27	Senescence Meets Dedifferentiation. <i>Plants</i> , 2015, 4, 356-368.	3.5	7
28	Internucleosomal DNA fragmentation in wild emmer wheat is catalyzed by S1-type endonucleases translocated to the nucleus upon induction of cell death. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 239-246.	1.9	11
29	Conservative harvest habit by harvester ants exploiting fields of bread wheat. <i>Israel Journal of Plant Sciences</i> , 2015, 62, 17-21.	0.5	2
30	Stress as a fundamental theme in cell plasticity. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 369-370.	1.9	3
31	Stress induces cell dedifferentiation in plants. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 378-384.	1.9	42
32	Epigenetic information can reveal phylogenetic relationships within <i>Zygophyllales</i> . <i>Plant Systematics and Evolution</i> , 2014, 300, 1819-1824.	0.9	6
33	The <i>Arabidopsis</i> STRESS RESPONSE SUPPRESSOR DEAD-RNA helicases are nucleolar and chromocenter localized proteins that undergo stress-mediated relocalization and are involved in epigenetic gene silencing. <i>Plant Journal</i> , 2014, 79, 28-43.	5.7	62
34	Stress cycles in stem cells/iPSCs development: implications for tissue repair. <i>Biogerontology</i> , 2013, 14, 603-608.	3.9	6
35	Plant Epigenetics: A Historical Perspective. <i>Signaling and Communication in Plants</i> , 2013, , 1-19.	0.7	2
36	Stress induces plant somatic cells to acquire some features of stem cells accompanied by selective chromatin reorganization. <i>Developmental Dynamics</i> , 2013, 242, 1121-1133.	1.8	26

#	ARTICLE	IF	CITATIONS
37	Ecotypic Variability in the Metabolic Response of Seeds to Diurnal Hydration—Dehydration Cycles and its Relationship to Seed Vigor. <i>Plant and Cell Physiology</i> , 2012, 53, 38-52.	3.1	32
38	Epigenetics in plant development and response to stress. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 351-352.	1.9	12
39	The Stem Cell State in Plant Development and in Response to Stress. <i>Frontiers in Plant Science</i> , 2011, 2, 53.	3.6	54
40	Plant response to stress meets dedifferentiation. <i>Planta</i> , 2011, 233, 433-438.	3.2	76
41	The complexity of cellular dedifferentiation: implications for regenerative medicine. <i>Trends in Biotechnology</i> , 2009, 27, 329-332.	9.3	21
42	The C-terminal domain of the Arabidopsis AtMBD7 protein confers strong chromatin binding activity. <i>Experimental Cell Research</i> , 2009, 315, 3554-3562.	2.6	5
43	Histone modifications associated with drought tolerance in the desert plant <i>Zygophyllum dumosum</i> Boiss. <i>Planta</i> , 2009, 231, 27-34.	3.2	35
44	Phosphorylated H3S10 occurs in distinct regions of the nucleolus in differentiated leaf cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2009, 1789, 220-224.	1.9	10
45	The maize HMGA protein is localized to the nucleolus and can be acetylated in vitro at its globular domain, and phosphorylation by CDK reduces its binding activity to AT-rich DNA. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2009, 1789, 751-757.	1.9	16
46	Senescing Cells Share Common Features with Dedifferentiating Cells. <i>Rejuvenation Research</i> , 2009, 12, 435-443.	1.8	35
47	The Three Methyl-CpG-binding Domains of AtMBD7 Control Its Subnuclear Localization and Mobility. <i>Journal of Biological Chemistry</i> , 2008, 283, 8406-8411.	3.4	15
48	Methyl-CpG-binding domain proteins in plants: interpreters of DNA methylation. <i>Trends in Plant Science</i> , 2007, 12, 80-85.	8.8	100
49	Histone methylation controls telomerase-independent telomere lengthening in cells undergoing dedifferentiation. <i>Developmental Biology</i> , 2007, 306, 838-846.	2.0	101
50	Methyl-CpG-binding domain (MBD) proteins in plants. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2007, 1769, 287-294.	2.4	42
51	Histone deacetylation is required for progression through mitosis in tobacco cells. <i>Plant Journal</i> , 2005, 41, 346-352.	5.7	43
52	DDM1 Binds Arabidopsis Methyl-CpG Binding Domain Proteins and Affects Their Subnuclear Localization. <i>Plant Cell</i> , 2005, 17, 1549-1558.	6.6	86
53	Different Domains Control the Localization and Mobility of LIKE HETEROCHROMATIN PROTEIN1 in Arabidopsis Nuclei. <i>Plant Cell</i> , 2005, 18, 133-145.	6.6	48
54	A Dominant Negative Mutant of Cyclin-Dependent Kinase A Reduces Endoreduplication but Not Cell Size or Gene Expression in Maize Endosperm. <i>Plant Cell</i> , 2004, 16, 1854-1869.	6.6	123

#	ARTICLE	IF	CITATIONS
55	Stem cells: a lesson from dedifferentiation. <i>Trends in Biotechnology</i> , 2004, 22, 388-389.	9.3	29
56	Reorganization of specific chromosomal domains and activation of silent genes in plant cells acquiring pluripotentiality. <i>Developmental Dynamics</i> , 2004, 230, 12-22.	1.8	83
57	How cells dedifferentiate: a lesson from plants. <i>Developmental Biology</i> , 2004, 268, 1-6.	2.0	126
58	Chromatin reorganization accompanying cellular dedifferentiation is associated with modifications of histone H3, redistribution of HP1, and activation of E2F-target genes. <i>Developmental Dynamics</i> , 2003, 228, 113-120.	1.8	103
59	Characterization of <i>Arabidopsis thaliana</i> methyl-CpG-binding domain (MBD) proteins. <i>Plant Journal</i> , 2003, 34, 565-572.	5.7	91
60	Phosphorylation of Histone H3 at Serine 10 Cannot Account Directly for the Detachment of Human Heterochromatin Protein 1 ^h from Mitotic Chromosomes in Plant Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 30921-30927.	3.4	26
61	Two Phases of Chromatin Decondensation during Dedifferentiation of Plant Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 22772-22778.	3.4	140
62	Clausa, a Tomato Mutant with a Wide Range of Phenotypic Perturbations, Displays a Cell Type-Dependent Expression of the Homeobox Gene <i>LeT6/TKn2</i> . <i>Plant Physiology</i> , 2000, 124, 541-552.	4.8	44
63	The retinoblastoma protein " a bridge to heterochromatin. <i>Trends in Plant Science</i> , 2000, 5, 239-240.	8.8	38
64	The High Mobility Group I/Y Protein Is Hypophosphorylated in Endoreduplicating Maize Endosperm Cells and Is Involved in Alleviating Histone H1-mediated Transcriptional Repression. <i>Journal of Biological Chemistry</i> , 2000, 275, 27494-27499.	3.4	31
65	Cell Cycle Regulation of DNA Replication: The Endoreduplication Perspective. <i>Experimental Cell Research</i> , 1998, 244, 372-378.	2.6	64
66	Activity of single-stranded DNA endonucleases in mung bean is associated with cell division. <i>Plant Molecular Biology</i> , 1995, 29, 703-710.	3.9	18
67	Alliin Lyase (Alliinase) from Garlic (<i>Allium sativum</i>). <i>Applied Biochemistry and Biotechnology</i> , 1994, 48, 149-171.	2.9	96
68	Induction of cytoplasmic factors that bind to the 3' AU-rich region of human Interferon β mRNA during early development of <i>Xenopus laevis</i> . <i>FEBS Letters</i> , 1993, 336, 403-407.	2.8	7
69	Characterization of S1/mung-bean-type nuclease activity in plant cell suspensions. <i>Plant Science</i> , 1991, 74, 107-114.	3.6	6
70	Induction of an ATP-polymerizing enzyme in TMV-infected tobacco and its homology to the human β 5? synthetase. <i>Virus Genes</i> , 1990, 4, 27-39.	1.6	6
71	Illuminating Hidden Features of Stem Cells. , 0, , .		1