

Archana Singh-Manoux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2991008/publications.pdf>

Version: 2024-02-01

441
papers

33,057
citations

2311

98
h-index

6282

158
g-index

466
all docs

466
docs citations

466
times ranked

36491
citing authors

#	ARTICLE	IF	CITATIONS
1	Subjective social status: its determinants and its association with measures of ill-health in the Whitehall II study. <i>Social Science and Medicine</i> , 2003, 56, 1321-1333.	1.8	788
2	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , 2012, 380, 1491-1497.	6.3	786
3	Association of Socioeconomic Position With Health Behaviors and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1159.	3.8	783
4	Does Subjective Social Status Predict Health and Change in Health Status Better Than Objective Status?. <i>Psychosomatic Medicine</i> , 2005, 67, 855-861.	1.3	680
5	Timing of onset of cognitive decline: results from Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2012, 344, d7622-d7622.	2.4	610
6	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603â€³838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	6.3	529
7	Dietary pattern and depressive symptoms in middle age. <i>British Journal of Psychiatry</i> , 2009, 195, 408-413.	1.7	454
8	A Novel, Open Access Method to Assess Sleep Duration Using a Wrist-Worn Accelerometer. <i>PLoS ONE</i> , 2015, 10, e0142533.	1.1	432
9	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120â€³813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , 2017, 2, e277-e285.	4.7	375
10	Trajectories of Depressive Symptoms Before Diagnosis of Dementia. <i>JAMA Psychiatry</i> , 2017, 74, 712.	6.0	361
11	Measures of frailty in population-based studies: an overview. <i>BMC Geriatrics</i> , 2013, 13, 64.	1.1	352
12	What does self rated health measure? Results from the British Whitehall II and French Gazel cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 364-372.	2.0	333
13	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health, The</i> , 2020, 5, e140-e149.	4.7	332
14	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , 2017, 47, 1342-1356.	2.7	314
15	When reciprocity fails: effort-reward imbalance in relation to coronary heart disease and health functioning within the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2002, 59, 777-784.	1.3	286
16	Body mass index and risk of dementia: Analysis of individualâ€³level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , 2018, 14, 601-609.	0.4	284
17	Metabolically healthy obesity and the risk of cardiovascular disease and type 2 diabetes: the Whitehall II cohort study. <i>European Heart Journal</i> , 2015, 36, 551-559.	1.0	283
18	Moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline: longitudinal cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2353.	2.4	279

#	ARTICLE	IF	CITATIONS
19	Metabolically Healthy Obesity and Risk of Mortality. <i>Diabetes Care</i> , 2013, 36, 2294-2300.	4.3	278
20	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet</i> , The, 2009, 374, 1889-1896.	6.3	269
21	Estimating sleep parameters using an accelerometer without sleep diary. <i>Scientific Reports</i> , 2018, 8, 12975.	1.6	269
22	Personality and All-Cause Mortality: Individual-Participant Meta-Analysis of 3,947 Deaths in 76,150 Adults. <i>American Journal of Epidemiology</i> , 2013, 178, 667-675.	1.6	257
23	Health Behaviours, Socioeconomic Status, and Mortality: Further Analyses of the British Whitehall II and the French GAZEL Prospective Cohorts. <i>PLoS Medicine</i> , 2011, 8, e1000419.	3.9	255
24	Association of sleep duration in middle and old age with incidence of dementia. <i>Nature Communications</i> , 2021, 12, 2289.	5.8	254
25	Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2709.	2.4	248
26	Social status and health: A comparison of British civil servants in Whitehall-II with European- and African-Americans in CARDIA. <i>Social Science and Medicine</i> , 2008, 66, 1034-1045.	1.8	244
27	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	4.7	241
28	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , 2018, 14, 178-186.	0.4	240
29	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 601-607.	2.2	238
30	Long Working Hours and Sleep Disturbances: The Whitehall II Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 737-745.	0.6	238
31	Bidirectional association between physical activity and symptoms of anxiety and depression: the Whitehall II study. <i>European Journal of Epidemiology</i> , 2012, 27, 537-546.	2.5	233
32	Change in Sleep Duration and Cognitive Function: Findings from the Whitehall II Study. <i>Sleep</i> , 2011, 34, 565-573.	0.6	227
33	Socioeconomic trajectories across the life course and health outcomes in midlife: evidence for the accumulation hypothesis?. <i>International Journal of Epidemiology</i> , 2004, 33, 1072-1079.	0.9	226
34	Association Between Questionnaire- and Accelerometer-Assessed Physical Activity: The Role of Sociodemographic Factors. <i>American Journal of Epidemiology</i> , 2014, 179, 781-790.	1.6	225
35	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease. <i>Epidemiology</i> , 2017, 28, 619-626.	1.2	224
36	Sleep epidemiology—a rapidly growing field. <i>International Journal of Epidemiology</i> , 2011, 40, 1431-1437.	0.9	214

#	ARTICLE	IF	CITATIONS
37	Physical Activity and Inflammatory Markers Over 10 Years. <i>Circulation</i> , 2012, 126, 928-933.	1.6	213
38	Long working hours and symptoms of anxiety and depression: a 5-year follow-up of the Whitehall II study. <i>Psychological Medicine</i> , 2011, 41, 2485-2494.	2.7	205
39	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
40	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222,120 individuals. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 27-34.	5.5	197
41	Classification and characterization of periventricular and deep white matter hyperintensities on MRI: A study in older adults. <i>NeuroImage</i> , 2018, 170, 174-181.	2.1	191
42	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	4.3	185
43	Multiple measures of socio-economic position and psychosocial health: proximal and distal measures. <i>International Journal of Epidemiology</i> , 2002, 31, 1192-1199.	0.9	184
44	Association of branched-chain amino acids and other circulating metabolites with risk of incident dementia and Alzheimer's disease: A prospective study in eight cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 723-733.	0.4	182
45	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ</i> , 2013, 347, f4746-f4746.	3.0	181
46	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c6149-c6149.	2.4	179
47	Impact of Smoking on Cognitive Decline in Early Old Age. <i>Archives of General Psychiatry</i> , 2012, 69, 627-35.	13.8	176
48	Association of personality with the development and persistence of obesity: a meta-analysis based on individual-participant data. <i>Obesity Reviews</i> , 2013, 14, 315-323.	3.1	176
49	Temporal trend in dementia incidence since 2002 and projections for prevalence in England and Wales to 2040: modelling study. <i>BMJ: British Medical Journal</i> , 2017, 358, j2856.	2.4	170
50	Predicting cognitive decline. <i>Neurology</i> , 2013, 80, 1300-1306.	1.5	169
51	Parkinson disease male-to-female ratios increase with age: French nationwide study and meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 952-957.	0.9	169
52	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
53	Interleukin-6 and C-reactive protein as predictors of cognitive decline in late midlife. <i>Neurology</i> , 2014, 83, 486-493.	1.5	167
54	Successful Aging: The Contribution of Early-Life and Midlife Risk Factors. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1098-1105.	1.3	166

#	ARTICLE	IF	CITATIONS
55	Socioeconomic Status, Structural and Functional Measures of Social Support, and Mortality. <i>American Journal of Epidemiology</i> , 2012, 175, 1275-1283.	1.6	166
56	Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension. <i>European Heart Journal</i> , 2018, 39, 3119-3125.	1.0	165
57	Role of socialization in explaining social inequalities in health. <i>Social Science and Medicine</i> , 2005, 60, 2129-2133.	1.8	156
58	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	3.0	152
59	Alternative Healthy Eating Index and mortality over 18 y of follow-up: results from the Whitehall II cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 247-253.	2.2	151
60	The association between self-rated health and mortality in different socioeconomic groups in the GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2007, 36, 1222-1228.	0.9	150
61	Midlife type 2 diabetes and poor glycaemic control as risk factors for cognitive decline in early old age: a post-hoc analysis of the Whitehall II cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 228-235.	5.5	150
62	The Natural Course of Healthy Obesity Over 20 Years. <i>Journal of the American College of Cardiology</i> , 2015, 65, 101-102.	1.2	150
63	Alcohol consumption and risk of dementia: 23 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k2927.	2.4	150
64	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 231-238.	0.9	148
65	Atrial fibrillation as a risk factor for cognitive decline and dementia. <i>European Heart Journal</i> , 2017, 38, 2612-2618.	1.0	147
66	Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. <i>Lancet Public Health</i> , 2020, 5, e42-e50.	4.7	147
67	Traffic-related Air Pollution in Relation to Cognitive Function in Older Adults. <i>Epidemiology</i> , 2014, 25, 674-681.	1.2	144
68	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. <i>PLoS ONE</i> , 2013, 8, e67323.	1.1	144
69	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 707-722.	0.4	143
70	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
71	Associations Between Change in Sleep Duration and Inflammation: Findings on C-reactive Protein and Interleukin 6 in the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2013, 178, 956-961.	1.6	139
72	Effects of Physical Activity on Cognitive Functioning in Middle Age: Evidence From the Whitehall II Prospective Cohort Study. <i>American Journal of Public Health</i> , 2005, 95, 2252-2258.	1.5	137

#	ARTICLE	IF	CITATIONS
73	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. BMC Public Health, 2012, 12, 62.	1.2	137
74	Overtime work and incident coronary heart disease: the Whitehall II prospective cohort study. European Heart Journal, 2010, 31, 1737-1744.	1.0	136
75	Influence of individual and combined healthy behaviours on successful aging. Cmaj, 2012, 184, 1985-1992.	0.9	136
76	Association Between Age at Diabetes Onset and Subsequent Risk of Dementia. JAMA - Journal of the American Medical Association, 2021, 325, 1640.	3.8	135
77	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. Scandinavian Journal of Work, Environment and Health, 2018, 44, 239-250.	1.7	135
78	Health Behaviors From Early to Late Midlife as Predictors of Cognitive Function: The Whitehall II Study. American Journal of Epidemiology, 2009, 170, 428-437.	1.6	134
79	Job strain in relation to body mass index: pooled analysis of 160,000 adults from 13 cohort studies. Journal of Internal Medicine, 2012, 272, 65-73.	2.7	132
80	Self-Rated Health and Mortality: Short- and Long-Term Associations in the Whitehall II Study. Psychosomatic Medicine, 2007, 69, 138-143.	1.3	129
81	Association Between Metabolic Syndrome and Depressive Symptoms in Middle-Aged Adults. Diabetes Care, 2009, 32, 499-504.	4.3	129
82	Alcohol consumption and cognitive decline in early old age. Neurology, 2014, 82, 332-339.	1.5	125
83	Does cognitive reserve shape cognitive decline?. Annals of Neurology, 2011, 70, 296-304.	2.8	121
84	Dietary pattern, inflammation and cognitive decline: The Whitehall II prospective cohort study. Clinical Nutrition, 2017, 36, 506-512.	2.3	119
85	Personality change associated with chronic diseases: pooled analysis of four prospective cohort studies. Psychological Medicine, 2014, 44, 2629-2640.	2.7	117
86	Association of ideal cardiovascular health at age 50 with incidence of dementia: 25 year follow-up of Whitehall II cohort study. BMJ: British Medical Journal, 2019, 366, l4414.	2.4	117
87	Socioeconomic Differences in Cardiometabolic Factors: Social Causation or Health-related Selection? Evidence From the Whitehall II Cohort Study, 1991-2004. American Journal of Epidemiology, 2011, 174, 779-789.	1.6	116
88	Forecasted trends in disability and life expectancy in England and Wales up to 2025: a modelling study. Lancet Public Health, The, 2017, 2, e307-e313.	4.7	116
89	Low HDL Cholesterol Is a Risk Factor for Deficit and Decline in Memory in Midlife. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 1556-1562.	1.1	115
90	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118,000 Working Adults. American Journal of Public Health, 2013, 103, 2090-2097.	1.5	114

#	ARTICLE	IF	CITATIONS
91	Inflammatory markers and cognitive function in middle-aged adults: The Whitehall II study. <i>Psychoneuroendocrinology</i> , 2008, 33, 1322-1334.	1.3	112
92	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ, The</i> , 2013, 346, f165-f165.	3.0	112
93	Leisure activities and cognitive function in middle age: evidence from the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 907-913.	2.0	111
94	Unhealthy behaviours and disability in older adults: Three-City Dijon cohort study. <i>BMJ, The</i> , 2013, 347, f4240-f4240.	3.0	111
95	Accelerometer assessed moderate-to-vigorous physical activity and successful ageing: results from the Whitehall II study. <i>Scientific Reports</i> , 2017, 7, 45772.	1.6	110
96	Long Working Hours and Cognitive Function: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 596-605.	1.6	109
97	Postmenopausal Hormone Therapy and Risk of Stroke. <i>Stroke</i> , 2016, 47, 1734-1741.	1.0	108
98	Clinical, socioeconomic, and behavioural factors at age 50 years and risk of cardiometabolic multimorbidity and mortality: A cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002571.	3.9	107
99	The effect of control at home on CHD events in the Whitehall II study: Gender differences in psychosocial domestic pathways to social inequalities in CHD. <i>Social Science and Medicine</i> , 2004, 58, 1501-1509.	1.8	105
100	Smoking History and Cognitive Function in Middle Age From the Whitehall II Study. <i>Archives of Internal Medicine</i> , 2008, 168, 1165.	4.3	105
101	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002862.	3.9	105
102	Optimism and Pessimism as Predictors of Change in Health After Death or Onset of Severe Illness in Family.. <i>Health Psychology</i> , 2005, 24, 413-421.	1.3	104
103	Alcohol Consumption and Cognitive Function in the Whitehall II Study. <i>American Journal of Epidemiology</i> , 2004, 160, 240-247.	1.6	103
104	The Role of Cognitive Ability (Intelligence) in Explaining the Association between Socioeconomic Position and Health: Evidence from the Whitehall II Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2005, 161, 831-839.	1.6	103
105	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. <i>European Heart Journal</i> , 2013, 34, 2697-2705.	1.0	103
106	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	1.1	102
107	Common mental disorder and obesity: insight from four repeat measures over 19 years: prospective Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3765-b3765.	2.4	100
108	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2018, 6, 705-713.	5.5	100

#	ARTICLE	IF	CITATIONS
109	Adiposity, Obesity, and Arterial Aging. <i>Hypertension</i> , 2015, 66, 294-300.	1.3	98
110	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
111	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008â€“2016. <i>Alzheimer's and Dementia</i> , 2018, 14, 933-943.	0.4	97
112	Best-practice interventions to reduce socioeconomic inequalities of coronary heart disease mortality in UK: a prospective occupational cohort study. <i>Lancet</i> , The, 2008, 372, 1648-1654.	6.3	96
113	Effect of Retirement on Sleep Disturbances: the GAZEL Prospective Cohort Study. <i>Sleep</i> , 2009, 32, 1459-1466.	0.6	96
114	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	0.9	95
115	Long-term inflammation increases risk of common mental disorder: a cohort study. <i>Molecular Psychiatry</i> , 2014, 19, 149-150.	4.1	95
116	Obesity phenotypes in midlife and cognition in early old age. <i>Neurology</i> , 2012, 79, 755-762.	1.5	94
117	Predictive utility of the Framingham general cardiovascular disease risk profile for cognitive function: evidence from the Whitehall II study. <i>European Heart Journal</i> , 2011, 32, 2326-2332.	1.0	93
118	Effect of Intensity and Type of Physical Activity on Mortality: Results From the Whitehall II Cohort Study. <i>American Journal of Public Health</i> , 2012, 102, 698-704.	1.5	93
119	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
120	Arterial Stiffness, Physical Function, and Functional Limitation. <i>Hypertension</i> , 2011, 57, 1003-1009.	1.3	92
121	Residential Surrounding Greenness and Cognitive Decline: A 10-Year Follow-up of the Whitehall II Cohort. <i>Environmental Health Perspectives</i> , 2018, 126, 077003.	2.8	90
122	Socioeconomic Position across the Lifecourse: How Does it Relate to Cognitive Function in Mid-life?. <i>Annals of Epidemiology</i> , 2005, 15, 572-578.	0.9	89
123	Association of metabolically healthy obesity with depressive symptoms: pooled analysis of eight studies. <i>Molecular Psychiatry</i> , 2014, 19, 910-914.	4.1	89
124	Psychological and Somatic Symptoms of Anxiety and Risk of Coronary Heart Disease: The Health and Social Support Prospective Cohort Study. <i>Biological Psychiatry</i> , 2010, 67, 378-385.	0.7	87
125	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012, 22, 514-518.	0.1	87
126	Decline in Fast Gait Speed as a Predictor of Disability in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1129-1136.	1.3	87

#	ARTICLE	IF	CITATIONS
127	Associations between self-reported sleep quality and white matter in community-dwelling older adults: A prospective cohort study. <i>Human Brain Mapping</i> , 2017, 38, 5465-5473.	1.9	87
128	Vascular Disease and Cognitive Function: Evidence from the Whitehall II Study. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1445-1450.	1.3	86
129	High blood pressure was associated with cognitive function in middle-age in the Whitehall II study. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1308-1315.	2.4	86
130	Generalizability of Occupational Cohort Study Findings. <i>Epidemiology</i> , 2014, 25, 932-933.	1.2	86
131	Multimodal brain-age prediction and cardiovascular risk: The Whitehall II MRI sub-study. <i>NeuroImage</i> , 2020, 222, 117292.	2.1	85
132	Diagnosis-specific sickness absence and all-cause mortality in the GAZEL study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 50-55.	2.0	84
133	Positive and negative affect and risk of coronary heart disease: Whitehall II prospective cohort study. <i>BMJ: British Medical Journal</i> , 2008, 337, a118-a118.	2.4	82
134	Study protocol: the Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014, 14, 159.	1.1	82
135	History of coronary heart disease and cognitive performance in midlife: the Whitehall II study. <i>European Heart Journal</i> , 2008, 29, 2100-2107.	1.0	81
136	Validating the Framingham Hypertension Risk Score. <i>Hypertension</i> , 2009, 54, 496-501.	1.3	81
137	Trajectories of Depressive Episodes and Hypertension Over 24 Years. <i>Hypertension</i> , 2011, 57, 710-716.	1.3	81
138	Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. <i>Environment International</i> , 2019, 122, 346-356.	4.8	81
139	Using Additional Information on Working Hours to Predict Coronary Heart Disease. <i>Annals of Internal Medicine</i> , 2011, 154, 457.	2.0	79
140	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76
141	Gait Speed and Decline in Gait Speed as Predictors of Incident Dementia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, glw110.	1.7	74
142	Prediction of brain age and cognitive age: Quantifying brain and cognitive maintenance in aging. <i>Human Brain Mapping</i> , 2021, 42, 1626-1640.	1.9	74
143	Education Attenuates the Association between Dietary Patterns and Cognition. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 147-154.	0.7	72
144	Validity of Cardiovascular Disease Event Ascertainment Using Linkage to UK Hospital Records. <i>Epidemiology</i> , 2017, 28, 735-739.	1.2	69

#	ARTICLE	IF	CITATIONS
145	Healthy obesity and objective physical activity. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 268-275.	2.2	68
146	Metabolic Syndrome Over 10 Years and Cognitive Functioning in Late Midlife. <i>Diabetes Care</i> , 2010, 33, 84-89.	4.3	67
147	Examining Overweight and Obesity as Risk Factors for Common Mental Disorders Using Fat Mass and Obesity-Associated (FTO) Genotype-Instrumented Analysis: The Whitehall II Study, 1985-2004. <i>American Journal of Epidemiology</i> , 2011, 173, 421-429.	1.6	66
148	Association of Midlife Diet With Subsequent Risk for Dementia. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 957.	3.8	66
149	Gender Differences in the Association Between Morbidity and Mortality Among Middle-Aged Men and Women. <i>American Journal of Public Health</i> , 2008, 98, 2251-2257.	1.5	65
150	Chronic inflammation as a determinant of future aging phenotypes. <i>Cmaj</i> , 2013, 185, E763-E770.	0.9	65
151	Subjective cognitive complaints and mortality: Does the type of complaint matter?. <i>Journal of Psychiatric Research</i> , 2014, 48, 73-78.	1.5	63
152	Combined impact of smoking and heavy alcohol use on cognitive decline in early old age: Whitehall II prospective cohort study. <i>British Journal of Psychiatry</i> , 2013, 203, 120-125.	1.7	62
153	Association of anthropometry and weight change with risk of dementia and its major subtypes: A meta-analysis consisting 2.8 million adults with 57 294 cases of dementia. <i>Obesity Reviews</i> , 2020, 21, e12989.	3.1	62
154	Association between common mental disorder and obesity over the adult life course. <i>British Journal of Psychiatry</i> , 2009, 195, 149-155.	1.7	61
155	Diabetes Risk Factors, Diabetes Risk Algorithms, and the Prediction of Future Frailty: The Whitehall II Prospective Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 851.e1-851.e6.	1.2	61
156	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). <i>BMJ Open</i> , 2015, 5, e005971-e005971.	0.8	61
157	Physical Activity, Sedentary Behavior, and Long-Term Changes in Aortic Stiffness: The Whitehall II Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	61
158	Association of circulating metabolites with healthy diet and risk of cardiovascular disease: analysis of two cohort studies. <i>Scientific Reports</i> , 2018, 8, 8620.	1.6	61
159	Non-response to baseline, non-response to follow-up and mortality in the Whitehall II cohort. <i>International Journal of Epidemiology</i> , 2009, 38, 831-837.	0.9	60
160	Does Overall Diet in Midlife Predict Future Aging Phenotypes? A Cohort Study. <i>American Journal of Medicine</i> , 2013, 126, 411-419.e3.	0.6	60
161	The association of APOE ϵ 4 with cognitive function over the adult life course and incidence of dementia: 20-year follow-up of the Whitehall II study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 5.	3.0	60
162	Anti-depressant medication use and C-reactive protein: Results from two population-based studies. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 168-173.	2.0	59

#	ARTICLE	IF	CITATIONS
163	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 155-159.	2.0	59
164	Association between inflammatory biomarkers and all-cause, cardiovascular and cancer-related mortality. <i>Cmaj</i> , 2017, 189, E384-E390.	0.9	59
165	Organisational justice and markers of inflammation: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 78-83.	1.3	57
166	Why Does Lung Function Predict Mortality? Results From the Whitehall II Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1415-1423.	1.6	57
167	Depressive disorder, coronary heart disease, and stroke: doseâ€“response and reverse causation effects in the Whitehall II cohort study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 340-346.	0.8	57
168	Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. <i>Environmental Pollution</i> , 2019, 255, 113231.	3.7	57
169	Carotid artery wave intensity in mid- to late-life predicts cognitive decline: the Whitehall II study. <i>European Heart Journal</i> , 2019, 40, 2300-2309.	1.0	57
170	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	0.9	56
171	Contribution of cognitive performance and cognitive decline to associations between socioeconomic factors and dementia: A cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002334.	3.9	56
172	Midlife contributors to socioeconomic differences in frailty during later life: a prospective cohort study. <i>Lancet Public Health</i> , The, 2018, 3, e313-e322.	4.7	56
173	Effect of Retirement on Alcohol Consumption: Longitudinal Evidence from the French Gazel Cohort Study. <i>PLoS ONE</i> , 2011, 6, e26531.	1.1	55
174	Antidepressant Medication Use and Risk of Hyperglycemia and Diabetes Mellitusâ€“A Noncausal Association?. <i>Biological Psychiatry</i> , 2011, 70, 978-984.	0.7	54
175	Neuroticism and Cardiovascular Disease Mortality. <i>Psychosomatic Medicine</i> , 2012, 74, 596-603.	1.3	54
176	Informal Caregiving and the Risk for Coronary Heart Disease: The Whitehall II Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 1316-1323.	1.7	54
177	Effects of depressive symptoms and coronary heart disease and their interactive associations on mortality in middle-aged adults: the Whitehall II cohort study. <i>Heart</i> , 2010, 96, 1645-1650.	1.2	53
178	Cardiovascular disease risk scores in identifying future frailty: the Whitehall II prospective cohort study. <i>Heart</i> , 2013, 99, 737-742.	1.2	53
179	Association of walking speed in late midlife with mortality: results from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 943-952.	3.0	52
180	The Association between Heart Rate Variability and Cognitive Impairment in Middle-Aged Men and Women. <i>Neuroepidemiology</i> , 2008, 31, 115-121.	1.1	50

#	ARTICLE	IF	CITATIONS
181	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 311-317.	2.0	50
182	Job strain and risk of obesity: systematic review and meta-analysis of cohort studies. <i>International Journal of Obesity</i> , 2015, 39, 1597-1600.	1.6	50
183	Vitamin D and cognitive function: A Mendelian randomisation study. <i>Scientific Reports</i> , 2017, 7, 13230.	1.6	50
184	Do Psychological Factors Affect Inflammation and Incident Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1398-1406.	1.1	49
185	Midlife stroke risk and cognitive decline: A 10-year follow-up of the Whitehall II cohort study. <i>Alzheimer's and Dementia</i> , 2013, 9, 572-579.	0.4	49
186	Does personality predict mortality? Results from the GAZEL French prospective cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 386-396.	0.9	48
187	Social Inequality in Walking Speed in Early Old Age in the Whitehall II Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 1082-1089.	1.7	48
188	Motor function in the elderly. <i>Neurology</i> , 2013, 81, 417-426.	1.5	48
189	Transitions across cognitive states and death among older adults in relation to education: A multistate survival model using data from six longitudinal studies. <i>Alzheimer's and Dementia</i> , 2018, 14, 462-472.	0.4	47
190	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	1.1	46
191	Incidence of Metabolic Risk Factors Among Healthy Obese Adults. <i>Journal of the American College of Cardiology</i> , 2015, 66, 871-873.	1.2	46
192	Association of Change in Cardiovascular Risk Factors With Incident Cardiovascular Events. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1793.	3.8	46
193	Antidepressant Use Before and After the Diagnosis of Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1471-1476.	4.3	45
194	Low Pessimism Protects Against Stroke. <i>Stroke</i> , 2010, 41, 187-190.	1.0	45
195	Association of lung function with physical, mental and cognitive function in early old age. <i>Age</i> , 2011, 33, 385-392.	3.0	45
196	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , 2012, 2, e000522.	0.8	45
197	Psychological Distress and Incidence of Type 2 Diabetes in High-Risk and Low-Risk Populations: The Whitehall II Cohort Study. <i>Diabetes Care</i> , 2014, 37, 2091-2097.	4.3	45
198	Combined effect of physical activity and leisure time sitting on long-term risk of incident obesity and metabolic risk factor clustering. <i>Diabetologia</i> , 2014, 57, 2048-2056.	2.9	45

#	ARTICLE	IF	CITATIONS
199	Sex differences and the role of education in cognitive ageing: analysis of two UK-based prospective cohort studies. <i>Lancet Public Health</i> , The, 2021, 6, e106-e115.	4.7	45
200	Persistent Depressive Symptoms and Cognitive Function in Late Midlife. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1379-1385.	1.1	45
201	Associations between Mobility, Cognition, and Brain Structure in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 155.	1.7	44
202	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019, 34, 567-577.	2.5	44
203	Cumulative exposure to high-strain and active jobs as predictors of cognitive function: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 32-37.	1.3	43
204	IQ, Socioeconomic Status, and Early Death: The US National Longitudinal Survey of Youth. <i>Psychosomatic Medicine</i> , 2009, 71, 322-328.	1.3	43
205	Does cognition predict mortality in midlife? Results from the Whitehall II cohort study. <i>Neurobiology of Aging</i> , 2010, 31, 688-695.	1.5	43
206	Hyperglycemia, Type 2 Diabetes, and Depressive Symptoms. <i>Diabetes Care</i> , 2009, 32, 1867-1869.	4.3	42
207	Overall Diet History and Reversibility of the Metabolic Syndrome Over 5 Years. <i>Diabetes Care</i> , 2010, 33, 2339-2341.	4.3	42
208	Low conscientiousness and risk of all-cause, cardiovascular and cancer mortality over 17years: Whitehall II cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 73, 98-103.	1.2	41
209	Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 1500-1506.	1.7	41
210	Cultural Variations in Social Sharing of Emotions. <i>Journal of Cross-Cultural Psychology</i> , 2001, 32, 647-661.	1.0	40
211	Association between Change in Body Composition and Change in Inflammatory Markers: An 11-Year Follow-Up in the Whitehall II Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5370-5374.	1.8	40
212	Physical Activity and Adiposity Markers at Older Ages: Accelerometer Vs Questionnaire Data. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 438.e7-438.e13.	1.2	40
213	Lifetime hypertension as a predictor of brain structure in older adults: cohort study with a 28-year follow-up. <i>British Journal of Psychiatry</i> , 2015, 206, 308-315.	1.7	40
214	The Role of Conventional Risk Factors in Explaining Social Inequalities in Coronary Heart Disease. <i>Epidemiology</i> , 2008, 19, 599-605.	1.2	39
215	Trends in the association between height and socioeconomic indicators in France, 1970â€“2003. <i>Economics and Human Biology</i> , 2010, 8, 396-404.	0.7	39
216	Age and the association between apolipoprotein E genotype and Alzheimer disease: A cerebrospinal fluid biomarkerâ€“based caseâ€“control study. <i>PLoS Medicine</i> , 2020, 17, e1003289.	3.9	39

#	ARTICLE	IF	CITATIONS
217	Does personality explain social inequalities in mortality? The French GAZEL cohort study. <i>International Journal of Epidemiology</i> , 2008, 37, 591-602.	0.9	38
218	Alcohol consumption, drinking patterns, and cognitive function in older Eastern European adults. <i>Neurology</i> , 2015, 84, 287-295.	1.5	38
219	Association between major surgical admissions and the cognitive trajectory: 19 year follow-up of Whitehall II cohort study. <i>BMJ: British Medical Journal</i> , 2019, 366, l4466.	2.4	38
220	Association of Changes in Cardiovascular Health Metrics and Risk of Subsequent Cardiovascular Disease and Mortality. <i>Journal of the American Heart Association</i> , 2020, 9, e017458.	1.6	38
221	Risk prediction models for dementia: role of age and cardiometabolic risk factors. <i>BMC Medicine</i> , 2020, 18, 107.	2.3	38
222	Psychosocial factors and public health. <i>Journal of Epidemiology and Community Health</i> , 2003, 57, 553-556.	2.0	37
223	Negative Aspects of Close Relationships as a Predictor of Increased Body Mass Index and Waist Circumference: The Whitehall II Study. <i>American Journal of Public Health</i> , 2011, 101, 1474-1480.	1.5	37
224	Decline in low-density lipoprotein cholesterol concentration: lipid-lowering drugs, diet, or physical activity? Evidence from the Whitehall II study. <i>Heart</i> , 2011, 97, 923-930.	1.2	37
225	Sleep duration over 28 years, cognition, gray matter volume, and white matter microstructure: a prospective cohort study. <i>Sleep</i> , 2020, 43, .	0.6	37
226	Cardiorespiratory risk factors as predictors of 40-year mortality in women and men. <i>Heart</i> , 2009, 95, 1250-1257.	1.2	36
227	Prevalence of educational inequalities in obesity between 1970 and 2003 in France. <i>Obesity Reviews</i> , 2009, 10, 511-518.	3.1	36
228	Does Sickness Absence Due to Psychiatric Disorder Predict Cause-specific Mortality? A 16-Year Follow-up of the GAZEL Occupational Cohort Study. <i>American Journal of Epidemiology</i> , 2010, 172, 700-707.	1.6	36
229	Healthy obesity and risk of accelerated functional decline and disability. <i>International Journal of Obesity</i> , 2017, 41, 866-872.	1.6	36
230	Effect of age and the APOE gene on metabolite concentrations in the posterior cingulate cortex. <i>NeuroImage</i> , 2017, 152, 509-516.	2.1	36
231	Association of Midlife Cardiovascular Risk Profiles With Cerebral Perfusion at Older Ages. <i>JAMA Network Open</i> , 2019, 2, e195776.	2.8	36
232	Do psychological attributes matter for adherence to antihypertensive medication? The Finnish Public Sector Cohort Study. <i>Journal of Hypertension</i> , 2008, 26, 2236-2243.	0.3	35
233	Agricultural activities and the incidence of Parkinson's disease in the general French population. <i>European Journal of Epidemiology</i> , 2017, 32, 203-216.	2.5	35
234	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 820-826.	1.3	34

#	ARTICLE	IF	CITATIONS
235	Changes in C-reactive protein levels before type 2 diabetes and cardiovascular death: the Whitehall II study. <i>European Journal of Endocrinology</i> , 2010, 163, 89-95.	1.9	34
236	Influence of retirement and work stress on headache prevalence: A longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , 2011, 31, 696-705.	1.8	34
237	Vascular Risk Status as a Predictor of Later-Life Depressive Symptoms: A Cohort Study. <i>Biological Psychiatry</i> , 2012, 72, 324-330.	0.7	34
238	No evidence of a longitudinal association between diurnal cortisol patterns and cognition. <i>Neurobiology of Aging</i> , 2014, 35, 2239-2245.	1.5	34
239	Leisure activity participation and risk of dementia. <i>Neurology</i> , 2020, 95, e2803-e2815.	1.5	34
240	Healthy behaviors at age 50 years and frailty at older ages in a 20-year follow-up of the UK Whitehall II cohort: A longitudinal study. <i>PLoS Medicine</i> , 2020, 17, e1003147.	3.9	34
241	Trajectories of the Framingham general cardiovascular risk profile in midlife and poor motor function later in life: The Whitehall II study. <i>International Journal of Cardiology</i> , 2014, 172, 96-102.	0.8	33
242	Nondiabetic Glucometabolic Status and Progression of Aortic Stiffness: The Whitehall II Study. <i>Diabetes Care</i> , 2017, 40, 599-606.	4.3	33
243	Socioeconomic status moderates the association between carotid intima-media thickness and cognition in midlife: Evidence from the Whitehall II study. <i>Atherosclerosis</i> , 2008, 197, 541-548.	0.4	32
244	Cross-cultural comparison of correlates of quality of life and health status: the Whitehall II Study (UK) and the Western New York Health Study (US). <i>European Journal of Epidemiology</i> , 2012, 27, 255-265.	2.5	32
245	Validating a widely used measure of frailty: are all sub-components necessary? Evidence from the Whitehall II cohort study. <i>Age</i> , 2013, 35, 1457-1465.	3.0	32
246	Relation between 20-year income volatility and brain health in midlife. <i>Neurology</i> , 2019, 93, e1890-e1899.	1.5	32
247	Allostatic load as a predictor of grey matter volume and white matter integrity in old age: The Whitehall II MRI study. <i>Scientific Reports</i> , 2018, 8, 6411.	1.6	31
248	Hostility and depressive mood: results from the Whitehall II prospective cohort study. <i>Psychological Medicine</i> , 2010, 40, 405-413.	2.7	30
249	Occupational solvent exposure and cognition. <i>Neurology</i> , 2012, 78, 1754-1760.	1.5	30
250	Physical Activity Patterns Over 10 Years in Relation to Body Mass Index and Waist Circumference: The Whitehall II Cohort Study. <i>Obesity</i> , 2013, 21, E755-61.	1.5	30
251	Cumulative Associations Between Midlife Health Behaviors and Physical Functioning in Early Old Age: A 17-year Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1860-1868.	1.3	30
252	Sleep duration and sleep disturbances partly explain the association between depressive symptoms and cardiovascular mortality: the Whitehall II cohort study. <i>Journal of Sleep Research</i> , 2014, 23, 94-97.	1.7	30

#	ARTICLE	IF	CITATIONS
253	APOE polymorphism, socioeconomic status and cognitive function in mid-life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 557-563.	1.6	29
254	Using Sickness Absence Records to Predict Future Depression in a Working Population: Prospective Findings From the GAZEL Cohort. <i>American Journal of Public Health</i> , 2009, 99, 1417-1422.	1.5	29
255	Midlife Risk Factors for Impaired Physical and Cognitive Functioning at Older Ages: A Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 237-242.	1.7	29
256	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	1.6	29
257	Metabolic Syndrome and Symptom Resolution in Depression. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1-e7.	1.1	29
258	Association between kidney function and incidence of dementia: 10-year follow-up of the Whitehall II cohort study. <i>Age and Ageing</i> , 2022, 51, .	0.7	29
259	Adult Education and Child Mortality in India. <i>Epidemiology</i> , 2008, 19, 294-301.	1.2	28
260	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 16-23.	2.2	28
261	Incremental Predictive Value of Adding Past Blood Pressure Measurements to the Framingham Hypertension Risk Equation. <i>Hypertension</i> , 2010, 55, 1058-1062.	1.3	28
262	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012, 33, 478-485.	1.0	28
263	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021, 374, n1804.	3.0	28
264	Association between age at onset of multimorbidity and incidence of dementia: 30 year follow-up in Whitehall II prospective cohort study. <i>BMJ, The</i> , 2022, 376, e068005.	3.0	28
265	Usefulness of a single-item measure of depression to predict mortality: the GAZEL prospective cohort study. <i>European Journal of Public Health</i> , 2012, 22, 643-647.	0.1	27
266	Alcohol consumption and cognitive performance: a Mendelian randomization study. <i>Addiction</i> , 2014, 109, 1462-1471.	1.7	27
267	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017, 12, e0185513.	1.1	27
268	Commentary: Modelling multiple pathways to explain social inequalities in health and mortality. <i>International Journal of Epidemiology</i> , 2005, 34, 638-639.	0.9	26
269	The association of cognitive performance with mental health and physical functioning strengthens with age: the Whitehall II cohort study. <i>Psychological Medicine</i> , 2010, 40, 837-845.	2.7	26
270	Does the Framingham Stroke Risk Profile predict white-matter changes in late-life depression?. <i>International Psychogeriatrics</i> , 2012, 24, 524-531.	0.6	26

#	ARTICLE	IF	CITATIONS
271	Socioeconomic and Psychosocial Adversity in Midlife and Depressive Symptoms Post Retirement: A 21-year Follow-up of the Whitehall II Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 99-109.e1.	0.6	26
272	Sub-threshold depressive symptoms and brain structure: A magnetic resonance imaging study within the Whitehall II cohort. <i>Journal of Affective Disorders</i> , 2016, 204, 219-225.	2.0	26
273	Body mass index trajectories and functional decline in older adults: Three-City Dijon cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 73-83.	2.5	26
274	Association between gait and cognition in an elderly population based sample. <i>Gait and Posture</i> , 2018, 65, 240-245.	0.6	26
275	Physical and cognitive function in midlife: reciprocal effects? A 5-year follow-up of the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 468-473.	2.0	25
276	Cognition and incident coronary heart disease in late midlife: The Whitehall II study. <i>Intelligence</i> , 2009, 37, 529-534.	1.6	25
277	The importance of cognitive ageing for understanding dementia. <i>Age</i> , 2010, 32, 509-512.	3.0	25
278	Work disability following major organisational change: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 461-464.	2.0	25
279	Prevention of dementia by targeting risk factors. <i>Lancet, The</i> , 2018, 391, 1574-1575.	6.3	25
280	Cardiometabolic dysregulation and cognitive decline: potential role of depressive symptoms. <i>British Journal of Psychiatry</i> , 2018, 212, 96-102.	1.7	25
281	Natural course of recurrent psychological distress in adulthood. <i>Journal of Affective Disorders</i> , 2011, 130, 454-461.	2.0	24
282	Association of body mass index and waist circumference with successful aging. <i>Obesity</i> , 2014, 22, 1172-1178.	1.5	24
283	Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 2014, 82, 1716-1723.	1.5	24
284	Plasma proteins, cognitive decline, and 20-year risk of dementia in the Whitehall II and Atherosclerosis Risk in Communities studies. <i>Alzheimer's and Dementia</i> , 2022, 18, 612-624.	0.4	24
285	High alcohol consumption in middle-aged adults is associated with poorer cognitive performance only in the low socio-economic group. Results from the GAZEL cohort study. <i>Addiction</i> , 2011, 106, 93-101.	1.7	23
286	Don't Let the Truth Get in the Way of a Good Story: An Illustration of Citation Bias in Epidemiologic Research. <i>American Journal of Epidemiology</i> , 2014, 180, 446-448.	1.6	23
287	5-year versus risk-category-specific screening intervals for cardiovascular disease prevention: a cohort study. <i>Lancet Public Health, The</i> , 2019, 4, e189-e199.	4.7	23
288	Negative Aspects of Close Relationships as Risk Factors for Cognitive Aging. <i>American Journal of Epidemiology</i> , 2014, 180, 1118-1125.	1.6	22

#	ARTICLE	IF	CITATIONS
289	Distinct resting-state functional connections associated with episodic and visuospatial memory in older adults. <i>NeuroImage</i> , 2017, 159, 122-130.	2.1	22
290	The age-performance relationship in the general population and strategies to delay age related decline in performance. <i>Archives of Public Health</i> , 2019, 77, 51.	1.0	22
291	Occupational Exposure to Solvents and Cognitive Performance in the GAZEL Cohort: Preliminary Results. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 12-19.	0.7	21
292	Organisational justice and cognitive function in middle-aged employees: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 552-556.	2.0	21
293	Non-Consent to a Wrist-Worn Accelerometer in Older Adults: The Role of Socio-Demographic, Behavioural and Health Factors. <i>PLoS ONE</i> , 2014, 9, e110816.	1.1	21
294	Does adding information on job strain improve risk prediction for coronary heart disease beyond the standard Framingham risk score? The Whitehall II study. <i>International Journal of Epidemiology</i> , 2011, 40, 1577-1584.	0.9	20
295	Lipid-Lowering Drugs Associated With Slower Motor Decline in the Elderly Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69A, 199-206.	1.7	20
296	Blood-Based Oxidative Stress Markers and Cognitive Performance in Early Old Age: The HAPIEE Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 297-309.	0.7	20
297	The gait speed advantage of taller stature is lost with age. <i>Scientific Reports</i> , 2018, 8, 1485.	1.6	20
298	Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 67014.	2.8	20
299	Effect of Apolipoprotein E epsilon4 on the association between health behaviors and cognitive function in late midlife. <i>Molecular Neurodegeneration</i> , 2010, 5, 23.	4.4	19
300	Do different measures of early life socioeconomic circumstances predict adult mortality? Evidence from the British Whitehall II and French GAZEL studies. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 1097-1103.	2.0	19
301	Metabolically healthy obesity and depressive symptoms: 16-year follow-up of the Gazel cohort study. <i>PLoS ONE</i> , 2017, 12, e0174678.	1.1	19
302	CSF level of β 2-amyloid peptide predicts mortality in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 29.	3.0	19
303	Association of moderate and vigorous physical activity with incidence of type 2 diabetes and subsequent mortality: 27-year follow-up of the Whitehall II study. <i>Diabetologia</i> , 2020, 63, 537-548.	2.9	19
304	Association of aortic stiffness with cognitive decline: Whitehall II longitudinal cohort study. <i>European Journal of Epidemiology</i> , 2020, 35, 861-869.	2.5	19
305	Association of trajectories of depressive symptoms with vascular risk, cognitive function and adverse brain outcomes: The Whitehall II MRI sub-study. <i>Journal of Psychiatric Research</i> , 2020, 131, 85-93.	1.5	19
306	Associations between arterial stiffening and brain structure, perfusion, and cognition in the Whitehall II Imaging Sub-study: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003467.	3.9	19

#	ARTICLE	IF	CITATIONS
307	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	2.7	18
308	Association of UV radiation with Parkinson disease incidence: A nationwide French ecologic study. <i>Environmental Research</i> , 2017, 154, 50-56.	3.7	18
309	Change in Cardiovascular Health and Incident Type 2 Diabetes and Impaired Fasting Glucose: The Whitehall II Study. <i>Diabetes Care</i> , 2019, 42, 1981-1987.	4.3	18
310	Biomarker profiles of Alzheimer's disease and dynamic of the association between cerebrospinal fluid levels of β -amyloid peptide and tau. <i>PLoS ONE</i> , 2019, 14, e0217026.	1.1	18
311	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	2.8	18
312	Longitudinal associations between diurnal cortisol variation and later-life cognitive impairment. <i>Neurology</i> , 2020, 94, e133-e141.	1.5	18
313	Socioeconomic position and cognitive decline using data from two waves: what is the role of the wave 1 cognitive measure?. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 675-680.	2.0	17
314	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , 2011, 68, 729-733.	1.3	17
315	Does midlife obesity really lower dementia risk?. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 498.	5.5	17
316	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17
317	Terminal decline in objective and self-reported measures of motor function before death: 10 year follow-up of Whitehall II cohort study. <i>BMJ</i> , 2021, 374, n1743.	3.0	17
318	Structural social relations and cognitive ageing trajectories: evidence from the Whitehall II cohort study. <i>International Journal of Epidemiology</i> , 2018, 47, 701-708.	0.9	17
319	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95 000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	1.1	17
320	Post hoc decision-making in observational epidemiology: is there need for better research standards?. <i>International Journal of Epidemiology</i> , 2013, 42, 367-370.	0.9	16
321	Interleukin-6 as a predictor of symptom resolution in psychological distress: a cohort study. <i>Psychological Medicine</i> , 2015, 45, 2137-2144.	2.7	16
322	Exploring variability in basal ganglia connectivity with functional MRI in healthy aging. <i>Brain Imaging and Behavior</i> , 2018, 12, 1822-1827.	1.1	16
323	Unfavorable and favorable changes in modifiable risk factors and incidence of coronary heart disease: The Whitehall II cohort study. <i>International Journal of Cardiology</i> , 2018, 269, 7-12.	0.8	16
324	Association of Type 2 Diabetes, According to the Number of Risk Factors Within Target Range, With Structural Brain Abnormalities, Cognitive Performance, and Risk of Dementia. <i>Diabetes Care</i> , 2021, 44, 2493-2502.	4.3	16

#	ARTICLE	IF	CITATIONS
325	Trajectories of Sleep Complaints From Early Midlife to Old Age: Longitudinal Modeling Study. <i>Sleep</i> , 2012, 35, 1559-68.	0.6	15
326	Leisure time physical activity and subsequent physical and mental health functioning among midlife Finnish, British and Japanese employees: a follow-up study in three occupational cohorts. <i>BMJ Open</i> , 2016, 6, e009788.	0.8	15
327	Underweight as a risk factor for respiratory death in the Whitehall cohort study: exploring reverse causality using a 45-year follow-up. <i>Thorax</i> , 2016, 71, 84-85.	2.7	15
328	Does Poorer Pulmonary Function Accelerate Arterial Stiffening?. <i>Hypertension</i> , 2019, 74, 929-935.	1.3	15
329	Work Disability among Employees with Diabetes: Latent Class Analysis of Risk Factors in Three Prospective Cohort Studies. <i>PLoS ONE</i> , 2015, 10, e0143184.	1.1	14
330	Antidepressant medication use and trajectories of fasting plasma glucose, glycated haemoglobin, β -cell function and insulin sensitivity: a 9-year longitudinal study of the D.E.S.I.R. cohort. <i>International Journal of Epidemiology</i> , 2015, 44, 1927-1940.	0.9	14
331	Coronary heart disease and risk factors as predictors of trajectories of psychological distress from midlife to old age. <i>Heart</i> , 2017, 103, 659-665.	1.2	14
332	Testosterone and All-Cause Mortality in Older Men: The Role of Metabolic Syndrome. <i>Journal of the Endocrine Society</i> , 2018, 2, 322-335.	0.1	14
333	Long-term risk of dementia following hospitalization due to physical diseases: A multicohort study. <i>Alzheimer's and Dementia</i> , 2020, 16, 1686-1695.	0.4	14
334	Subjective Cognitive Complaints Given in Questionnaire: Relationship With Brain Structure, Cognitive Performance and Self-Reported Depressive Symptoms in a 25-Year Retrospective Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 217-226.	0.6	14
335	Association between change in cardiovascular risk scores and future cardiovascular disease: analyses of data from the Whitehall II longitudinal, prospective cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e434-e444.	5.9	14
336	IPD-Work consortium: pre-defined meta-analyses of individual-participant data strengthen evidence base for a link between psychosocial factors and health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 312-321.	1.7	14
337	Body Mass Index and Depressive Symptoms: Testing for Adverse and Protective Associations in Two Twin Cohort Studies. <i>Twin Research and Human Genetics</i> , 2016, 19, 306-311.	0.3	13
338	Cross-sectional analysis of deprivation and ideal cardiovascular health in the Paris Prospective Study 3. <i>Heart</i> , 2016, 102, 1890-1897.	1.2	13
339	Associations Between Longitudinal Trajectories of Cognitive and Social Activities and Brain Health in Old Age. <i>JAMA Network Open</i> , 2020, 3, e2013793.	2.8	13
340	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13
341	White matter hyperintensities classified according to intensity and spatial location reveal specific associations with cognitive performance. <i>NeuroImage: Clinical</i> , 2021, 30, 102616.	1.4	13
342	Timeline of pain before dementia diagnosis: a 27-year follow-up study. <i>Pain</i> , 2021, 162, 1578-1585.	2.0	13

#	ARTICLE	IF	CITATIONS
343	Socioeconomic inequality in recovery from poor physical and mental health in mid-life and early old age: prospective Whitehall II cohort study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 309-313.	2.0	12
344	Psychological Wellbeing and Aortic Stiffness. <i>Hypertension</i> , 2020, 76, 675-682.	1.3	12
345	Inter- and intra-individual variation in brain structural-cognition relationships in aging. <i>NeuroImage</i> , 2022, 257, 119254.	2.1	12
346	Hostility and Trajectories of Body Mass Index Over 19 Years: The Whitehall II Study. <i>American Journal of Epidemiology</i> , 2008, 169, 347-354.	1.6	11
347	Influence of maternal and paternal IQ on offspring health and health behaviours: Evidence for some trans-generational associations using the 1958 British birth cohort study. <i>European Psychiatry</i> , 2013, 28, 219-224.	0.1	11
348	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	3.1	11
349	Association of APOE ϵ 4 with cerebral gray matter volumes in non-demented older adults: The MEMENTO cohort study. <i>NeuroImage</i> , 2022, 250, 118966.	2.1	11
350	The relationship between parenting dimensions and adult achievement: evidence from the whitehall ii study. <i>International Journal of Behavioral Medicine</i> , 2006, 13, 320-329.	0.8	10
351	Transitions in the labor market after cancer: a comparison of self-employed workers and salaried staff. <i>Supportive Care in Cancer</i> , 2016, 24, 4879-4886.	1.0	10
352	Integrating large-scale neuroimaging research datasets: Harmonisation of white matter hyperintensity measurements across Whitehall and UK Biobank datasets. <i>NeuroImage</i> , 2021, 237, 118189.	2.1	10
353	Combined Effects of Depressive Symptoms and Resting Heart Rate on Mortality. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1199-1206.	1.1	10
354	Predicting cognitive resilience from midlife lifestyle and multi-modal MRI: A 30-year prospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0211273.	1.1	9
355	Association of midlife stroke risk with structural brain integrity and memory performance at older ages: a longitudinal cohort study. <i>Brain Communications</i> , 2020, 2, fcaa026.	1.5	9
356	Association of cerebral small vessel disease burden with brain structure and cognitive and vascular risk trajectories in mid-to-late life. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 600-612.	2.4	9
357	Aortic Pulse Wave Velocity as Adjunct Risk Marker for Assessing Cardiovascular Disease Risk: Prospective Study. <i>Hypertension</i> , 2022, 79, 836-843.	1.3	9
358	Resilience and MRI correlates of cognitive impairment in community-dwelling elders. <i>British Journal of Psychiatry</i> , 2015, 207, 435-439.	1.7	8
359	Diabetes. <i>Neurology</i> , 2015, 84, 2300-2301.	1.5	8
360	Appetite disinhibition rather than hunger explains genetic effects on adult BMI trajectory. <i>International Journal of Obesity</i> , 2021, 45, 758-765.	1.6	8

#	ARTICLE	IF	CITATIONS
361	Sex differences in functional limitations and the role of socioeconomic factors: a multi-cohort analysis. <i>The Lancet Healthy Longevity</i> , 2021, 2, e780-e790.	2.0	8
362	A Pragmatic, Data-Driven Method to Determine Cutoffs for CSF Biomarkers of Alzheimer Disease Based on Validation Against PET Imaging. <i>Neurology</i> , 2022, 99, .	1.5	8
363	Association of Metabolic Syndrome With Incident Dementia: Role of Number and Age at Measurement of Components in a 28-Year Follow-up of the Whitehall II Cohort Study. <i>Diabetes Care</i> , 2022, 45, 2127-2135.	4.3	8
364	Low medically certified sickness absence among employees with poor health status predicts future health improvement: the Whitehall II study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 208-210.	1.3	7
365	Commentary: Is it time to redefine cognitive epidemiology?. <i>International Journal of Epidemiology</i> , 2010, 39, 1369-1371.	0.9	7
366	Response to Comment on Hinnouho et al. Metabolically Healthy Obesity and Risk of Mortality: Does the Definition of Metabolic Health Matter? <i>Diabetes Care</i> 2013;36:2294â€“2300. <i>Diabetes Care</i> , 2014, 37, e105-e105.	4.3	7
367	The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. <i>Scientific Reports</i> , 2019, 9, 10270.	1.6	7
368	Lost work days in the 6 years leading to premature death from cardiovascular disease in men and women. <i>Atherosclerosis</i> , 2010, 211, 689-693.	0.4	6
369	Trait Anxiety Levels Before and After Antidepressant Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 371-377.	0.7	6
370	Alcohol consumption and cognitive decline in early old age. <i>Neurology</i> , 2014, 83, 476-476.	1.5	6
371	Epidemiological transition in morbidity: 10-year data from emergency consultations in Dakar, Senegal. <i>BMJ Global Health</i> , 2019, 4, e001396.	2.0	6
372	Job strain and coronary heart disease â€œ Authors' reply. <i>Lancet</i> , The, 2013, 381, 448-449.	6.3	5
373	Detection of Outliers Due to Participantsâ€™ Non-Adherence to Protocol in a Longitudinal Study of Cognitive Decline. <i>PLoS ONE</i> , 2015, 10, e0132110.	1.1	5
374	Association of big-5 personality traits with cognitive impairment and dementia: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213014.	2.0	5
375	Serum transthyretin and risk of cognitive decline and dementia: 22-year longitudinal study. <i>Neurological Sciences</i> , 2021, 42, 5093-5100.	0.9	5
376	Diurnal pattern of salivary cortisol and progression of aortic stiffness: Longitudinal study. <i>Psychoneuroendocrinology</i> , 2021, 133, 105372.	1.3	5
377	Uncoupling protein 2 haplotype does not affect human brain structure and function in a sample of community-dwelling older adults. <i>PLoS ONE</i> , 2017, 12, e0181392.	1.1	4
378	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe</i> , The, 2022, 19, 100417.	3.0	4

#	ARTICLE	IF	CITATIONS
379	Little Change in Diet After Onset of Type 2 Diabetes, Metabolic Syndrome, and Obesity in Middle-Aged Adults: 11-Year Follow-up Study. <i>Diabetes Care</i> , 2016, 39, e29-e30.	4.3	3
380	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	0.8	3
381	Reconnaitre la spécificité de la recherche en santé publique pour améliorer son impact scientifique, sanitaire et social. <i>Sante Publique</i> , 2013, Vol. 24, 383-385.	0.0	3
382	Excess non-psychiatric hospitalizations among employees with mental disorders: a 10-year prospective study of the GAZEL cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 307-317.	2.2	2
383	Impact of tobacco smoking prevalence on cardiovascular and non-cardiovascular deaths in England and Wales, 2017-40: a modelling study. <i>Lancet, The</i> , 2017, 390, S16.	6.3	2
384	Study Protocol: The Heart and Brain Study. <i>Frontiers in Physiology</i> , 2021, 12, 643725.	1.3	2
385	Comparison of the predictive accuracy of multiple definitions of cognitive impairment for incident dementia: a 20-year follow-up of the Whitehall II cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e407-e416.	2.0	2
386	Socialization & health inequalities: Some clarifications. A reply to Kendall & Li, and Siegal & Aboud. <i>Social Science and Medicine</i> , 2005, 61, 2277-2279.	1.8	1
387	Socioeconomic Position and Mortality—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 270.	3.8	1
388	Authors' reply to Harwood, McCarthy, and Franke. <i>BMJ: British Medical Journal</i> , 2012, 344, e1050-e1050.	2.4	1
389	The Authors Reply. <i>American Journal of Epidemiology</i> , 2014, 179, 792-793.	1.6	1
390	Comment on Vimalananda et al. Depressive Symptoms, Antidepressant Use, and the Incidence of Diabetes in the Black Women's Health Study. <i>Diabetes Care</i> 2014;37:2211-2217. <i>Diabetes Care</i> , 2015, 38, 4.3 e22-e23.		1
391	Pointing the FINGER at multimodal dementia prevention. <i>Lancet, The</i> , 2015, 386, 1626-1627.	6.3	1
392	OR034: Dietary Pattern, Inflammation and Cognitive Decline: The Whitehall II Prospective Cohort Study. <i>Clinical Nutrition</i> , 2015, 34, S14.	2.3	1
393	ATRIAL FIBRILLATION AS A RISK FACTOR FOR COGNITIVE DECLINE AND DEMENTIA. <i>Innovation in Aging</i> , 2017, 1, 74-74.	0.0	1
394	TRAJECTORIES OF UNHEALTHY BEHAVIORS IN MIDLIFE AND RISK OF DISABILITY AT OLDER AGES. <i>Innovation in Aging</i> , 2017, 1, 75-75.	0.0	1
395	GAIT SPEED AND DECLINE IN GAIT SPEED AS PREDICTORS OF INCIDENT DEMENTIA. <i>Innovation in Aging</i> , 2017, 1, 75-75.	0.0	1
396	OP VIII — Green space exposure is associated with slower cognitive decline in older adults: a 10-year follow-up of the whitehall ii cohort. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
397	Raised blood pressure and risk of dementia: our response. <i>European Heart Journal</i> , 2019, 40, 787-787.	1.0	1
398	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008â€“2016. <i>Alzheimer's and Dementia</i> , 2019, 15, 313-314.	0.4	1
399	Psychosocial Factors at Work: The Epidemiological Perspective. , 2011, , 195-209.		1
400	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	0.8	1
401	Facteurs de risque de la maladie dâ€™Alzheimer et des maladies apparentÃ©es: approche parcours de vie. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2020, 204, 217-223.	0.0	1
402	FC08-04 - Trajectories of depressive episodes and hypertension over 24 years: the whitehall II prospective cohort study. <i>European Psychiatry</i> , 2011, 26, 1855-1855.	0.1	0
403	P2-291 Structural and functional measures of social support, socioeconomic position and mortality. The British Whitehall II Study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A302-A302.	2.0	0
404	O1-4.4 Framingham stroke risk profile and cognitive decline in middle age: the Whitehall II study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A14-A15.	2.0	0
405	Authors' response to: Can information on life stress improve CHD risk prediction in clinical practice?. <i>International Journal of Epidemiology</i> , 2012, 41, 324-326.	0.9	0
406	SABIA ET AL. RESPOND. <i>American Journal of Public Health</i> , 2012, 102, S165-S166.	1.5	0
407	A follow-up study of physical activity and changes in health functioning among middle-aged Finnish, British and Japanese women and men. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
408	Self-rated health and mortality: the role of sociodemographic factors and health status. <i>European Journal of Public Health</i> , 2014, 24, .	0.1	0
409	PP44â€¦Impact of negative aspects of close relationships on cognitive ageing, the dark side of social relationships. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A64.2-A64.	2.0	0
410	P2-312: IMPACT OF NEGATIVE ASPECTS OF CLOSE RELATIONSHIPS ON COGNITIVE AGEING. , 2014, 10, P593-P593.		0
411	Work disability in diabetes: identifying latent classes of risk factors in 3 prospective cohort studies. <i>European Journal of Public Health</i> , 2015, 25, .	0.1	0
412	Are People with Mental Disorders Less Likely to Be Treated for Somatic Diseases over Time? Longitudinal Analyses From the Gazel Cohort Study.. <i>European Psychiatry</i> , 2015, 30, 379.	0.1	0
413	OP25â€¦Dementia prevalence projections to 2030 for England and Wales: IMPACT-Better Ageing Model. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A18.2-A18.	2.0	0
414	OP49â€¦Trends in disability and life expectancies in England and Wales, 2012â€“2025: a modelling study. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A30.1-A30.	2.0	0

#	ARTICLE	IF	CITATIONS
415	[O3â€“05â€“04]: DEMENTIA CASE ASCERTAINMENT IN POPULATIONâ€“BASED COHORT STUDIES: LESSONS FROM THE WHITEHALL II STUDY. Alzheimer's and Dementia, 2017, 13, P909.	0.4	0
416	IMPORTANCE OF TRAJECTORY ANALYSIS FOR RESEARCH ON COGNITIVE DECLINE, DISABILITY, AND DEMENTIA. Innovation in Aging, 2017, 1, 74-74.	0.0	0
417	RISK FACTORS TRAJECTORIES PRIOR TO DEMENTIA DIAGNOSIS: BMI AND PHYSICAL ACTIVITY. Innovation in Aging, 2017, 1, 75-75.	0.0	0
418	P81â€“...Forecasting trends in disability in england and wales to 2030: a modelling study. , 2017, , .		0
419	LIFETIME ENDOGENOUS ESTROGEN EXPOSURE AND DECLINE OF GAIT SPEED IN ELDERLY WOMEN. Innovation in Aging, 2017, 1, 74-75.	0.0	0
420	S22-3MODERATE ALCOHOL CONSUMPTION MAY BE A RISK FACTOR FOR ADVERSE BRAIN OUTCOMES AND COGNITIVE DECLINE. Alcohol and Alcoholism, 2017, 52, i4-i30.	0.9	0
421	O3â€“02â€“03: FACTORS AND TRANSITIONS BETWEEN COGNITIVE STATES: A MULTIâ€“STUDY APPROACH USING DATA FROM SIX INTERNATIONAL LONGITUDINAL STUDIES OF AGEING. Alzheimer's and Dementia, 2018, 14, P1012.	0.4	0
422	Reader response: Midlife cardiovascular fitness and dementia: A 44-year longitudinal population study in women. Neurology, 2018, 91, 762-763.	1.5	0
423	F6. Longitudinal Mid-Life Stroke Risk Predicts Brain Structure in the Aging Whitehall II Cohort. Biological Psychiatry, 2019, 85, S215.	0.7	0
424	Weight Management and Healthy Lifestylesâ€“Reply. JAMA Internal Medicine, 2020, 180, 1404.	2.6	0
425	Age at Diabetes Onset and Subsequent Risk of Dementiaâ€“Reply. JAMA - Journal of the American Medical Association, 2021, 326, 871.	3.8	0
426	P30â€“...Trend in dementia incidence in China 2002â€“2014: population-based longitudinal study. , 2021, , .		0
427	Sex differences in functional limitation level and the role of socioeconomic factors. European Journal of Public Health, 2021, 31, .	0.1	0
428	Sex differences in functional limitations and the effect of socioeconomic factors: a retrospective multi-cohort study. Lancet, The, 2021, 398, S25.	6.3	0
429	Association of Major Surgical Admissions With Quality of Life. JAMA Surgery, 2022, , .	2.2	0
430	Title is missing!. , 2020, 17, e1003289.		0
431	Title is missing!. , 2020, 17, e1003289.		0
432	Title is missing!. , 2020, 17, e1003289.		0

#	ARTICLE	IF	CITATIONS
433	Title is missing!. , 2020, 17, e1003289.		0
434	Title is missing!. , 2020, 17, e1003289.		0
435	Title is missing!. , 2020, 17, e1003289.		0
436	Title is missing!. , 2020, 17, e1003289.		0
437	Title is missing!. , 2020, 17, e1003147.		0
438	Title is missing!. , 2020, 17, e1003147.		0
439	Title is missing!. , 2020, 17, e1003147.		0
440	Title is missing!. , 2020, 17, e1003147.		0
441	Title is missing!. , 2020, 17, e1003147.		0