

# Ryou Ishikawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/299103/publications.pdf>

Version: 2024-02-01

20  
papers

195  
citations

1307594

7  
h-index

1125743

13  
g-index

21  
all docs

21  
docs citations

21  
times ranked

204  
citing authors

#	ARTICLE	IF	CITATIONS
1	Limited Resection Is Associated With a Higher Risk of Locoregional Recurrence than Lobectomy in Stage I Lung Adenocarcinoma With Tumor Spread Through Air Spaces. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1033-1041.	3.7	62
2	Cribriform Subtype is an Independent Predictor of Recurrence and Survival After Adjustment for the Eighth Edition of TNM Staging System in Patients With Resected Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2019, 14, 245-254.	1.1	50
3	Thyroid stimulating hormone stimulates the expression of glucose transporter 2 via its receptor in pancreatic Î² cell line, INS-1 cells. <i>Scientific Reports</i> , 2018, 8, 1986.	3.3	13
4	Myocarditis as an immune-related adverse event following treatment with ipilimumab and nivolumab combination therapy for metastatic renal cell carcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 508.	0.8	10
5	Low prevalence of biliary tract cancer with defective mismatch repair genes in a Japanese hospital-based population. <i>Oncology Letters</i> , 2021, 23, 4.	1.8	10
6	The epithelial-mesenchymal transition phenotype is associated with the frequency of tumor spread through air spaces (STAS) and a High risk of recurrence after resection of lung carcinoma. <i>Lung Cancer</i> , 2021, 153, 49-55.	2.0	9
7	Complete mimicry: a case of alveolar rhabdomyosarcoma masquerading as acute leukemia. <i>Diagnostic Pathology</i> , 2017, 12, 77.	2.0	8
8	Cytopathological features of villous adenoma of the urinary bladder in urine: A rare case report. <i>Diagnostic Cytopathology</i> , 2016, 44, 632-635.	1.0	6
9	<sup>4</sup> â€²-[methyl- <sup>11</sup> C]-thiothymidine as a proliferation imaging tracer for detection of colorectal cancer: comparison with <sup>18</sup> F-FDG. <i>Annals of Nuclear Medicine</i> , 2019, 33, 822-827.	2.2	6
10	A rare case of BRAF V600E-mutated epithelioid glioblastoma with a sarcomatous component. <i>Pathology International</i> , 2020, 70, 166-170.	1.3	5
11	Tumor-associated CD163+ macrophage as a predictor of tumor spread through air spaces and with CD25+ lymphocyte as a prognostic factor in resected stage I lung adenocarcinoma. <i>Lung Cancer</i> , 2022, 167, 34-40.	2.0	5
12	Prognostic impact of tumor-infiltrating lymphocytes and neutrophils in resected non-small cell lung carcinoma. <i>Human Pathology</i> , 2022, 125, 87-96.	2.0	3
13	Characteristics of multiple nodules in a patient with pulmonary Langerhans cell histiocytosis: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 2519-2525.	0.8	2
14	IgG4-related lung disease with recurrent pulmonary lesions during steroid therapy and difficulty in differentiating from malignancy: a case report. <i>Journal of Cardiothoracic Surgery</i> , 2022, 17, 62.	1.1	2
15	Appearance of Gastric Polypoid Lesions in Eosinophilic Gastroenteritis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020, 70, e84.	1.8	1
16	The Impact of Histopathological Features of Prostate Cancerous Lesions on Multiparametric Magnetic Resonance Imaging Findings using PI-RADS Version 2. <i>Urology</i> , 2021, 149, 174-180.	1.0	1
17	Successful Therapy Using Pasireotide Long-acting Release for Cushing's Disease Merged with Biochemical Acromegaly. <i>Internal Medicine</i> , 2021, 60, 1047-1053.	0.7	1
18	Preoperative monocyte count is a predictor of recurrence after Stage I lung adenocarcinoma resection. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2022, 34, 1081-1088.	1.1	1

#	ARTICLE	IF	CITATIONS
19	A case of hepatocellular carcinoma with sarcomatous change without anticancer therapies showing recurrence in the skin of the right temporal region. <i>Acta Hepatologica Japonica</i> , 2017, 58, 233-240.	0.1	0
20	Diagnostic significance of apical membranous and cytoplasmic dot-like CD26 expression in encapsulated follicular variant of papillary thyroid carcinoma: a useful marker for capsular invasion. <i>Endocrine Journal</i> , 2020, 67, 1207-1214.	1.6	0