

# Julia L Newton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2993375/publications.pdf>

Version: 2024-02-01

155  
papers

4,268  
citations

101543

36  
h-index

133252

59  
g-index

157  
all docs

157  
docs citations

157  
times ranked

4318  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex and Age Are Determinants of the Clinical Phenotype of Primary Biliary Cirrhosis and Response to Ursodeoxycholic Acid. <i>Gastroenterology</i> , 2013, 144, 560-569.e7.	1.3	325
2	Non-Alcoholic Fatty Liver Disease in Older People. <i>Gerontology</i> , 2009, 55, 607-613.	2.8	207
3	Impact of primary biliary cirrhosis on perceived quality of life: The UK-PBC national study. <i>Hepatology</i> , 2013, 58, 273-283.	7.3	154
4	Fatigue in primary biliary cirrhosis is associated with excessive daytime somnolence. <i>Hepatology</i> , 2006, 44, 91-98.	7.3	151
5	Cognitive impairment in primary biliary cirrhosis: Symptom impact and potential etiology. <i>Hepatology</i> , 2008, 48, 541-549.	7.3	129
6	Health related quality of life in people with advanced chronic liver disease. <i>Journal of Hepatology</i> , 2014, 61, 1158-1165.	3.7	110
7	Characterisation of the associations and impact of symptoms in primary biliary cirrhosis using a disease specific quality of life measure. <i>Journal of Hepatology</i> , 2006, 44, 776-783.	3.7	109
8	Cellular bioenergetics is impaired in patients with chronic fatigue syndrome. <i>PLoS ONE</i> , 2017, 12, e0186802.	2.5	106
9	Orthostatic hypotension and cognitive impairment in Parkinson's disease: Causation or association?. <i>Movement Disorders</i> , 2016, 31, 937-946.	3.9	99
10	Population prevalence and symptom associations of autonomic dysfunction in primary biliary cirrhosis. <i>Hepatology</i> , 2007, 45, 1496-1505.	7.3	84
11	Potential strategies to improve uptake of exercise interventions in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2010, 52, 112-116.	3.7	80
12	The independent effects of fatigue and UDCA therapy on mortality in primary biliary cirrhosis: Results of a 9year follow-up. <i>Journal of Hepatology</i> , 2010, 53, 911-917.	3.7	75
13	A Review of Hypothalamic-Pituitary-Adrenal Axis Function in Chronic Fatigue Syndrome. <i>ISRN Neuroscience</i> , 2013, 2013, 1-8.	1.5	74
14	A novel method for the visualization of the in situ mucus layer in rat and man. <i>Clinical Science</i> , 1998, 95, 97-106.	4.3	73
15	Pilot Study of Peripheral Muscle Function in Primary Biliary Cirrhosis: Potential Implications for Fatigue Pathogenesis. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 1041-1048.	4.4	71
16	Autonomic dysfunction in primary biliary cirrhosis correlates with fatigue severity. <i>European Journal of Gastroenterology and Hepatology</i> , 2007, 19, 125-132.	1.6	68
17	Fatigue and autonomic dysfunction in non-alcoholic fatty liver disease. <i>Clinical Autonomic Research</i> , 2009, 19, 319-326.	2.5	65
18	Reduced heart rate variability and baroreflex sensitivity in primary biliary cirrhosis. <i>Liver International</i> , 2006, 26, 197-202.	3.9	59

#	ARTICLE	IF	CITATIONS
19	Impaired cardiovascular function in primary biliary cirrhosis. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, G764-G773.	3.4	57
20	Postural tachycardia syndrome is associated with significant symptoms and functional impairment predominantly affecting young women: a UK perspective. <i>BMJ Open</i> , 2014, 4, e004127-e004127.	1.9	57
21	The impact of liver transplantation on the phenotype of primary biliary cirrhosis patients in the UK-PBC cohort. <i>Journal of Hepatology</i> , 2013, 59, 67-73.	3.7	56
22	Randomised controlled trial of cognitive behavioural therapy in COPD. <i>ERJ Open Research</i> , 2018, 4, 00094-2018.	2.6	56
23	Impaired cardiovascular response to standing in Chronic Fatigue Syndrome. <i>European Journal of Clinical Investigation</i> , 2010, 40, 608-615.	3.4	55
24	The role of psychological factors in the fatigue of primary biliary cirrhosis. <i>Liver International</i> , 2007, 27, 654-661.	3.9	53
25	Loss of capacity to recover from acidosis on repeat exercise in chronic fatigue syndrome: a case-control study. <i>European Journal of Clinical Investigation</i> , 2012, 42, 186-194.	3.4	52
26	The efficacy of nonpharmacologic intervention for orthostatic hypotension associated with aging. <i>Neurology</i> , 2018, 91, e652-e656.	1.1	51
27	Abnormalities of AMPK Activation and Glucose Uptake in Cultured Skeletal Muscle Cells from Individuals with Chronic Fatigue Syndrome. <i>PLoS ONE</i> , 2015, 10, e0122982.	2.5	51
28	Loss of capacity to recover from acidosis in repeat exercise is strongly associated with fatigue in primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2010, 53, 155-161.	3.7	50
29	Understanding Muscle Dysfunction in Chronic Fatigue Syndrome. <i>Journal of Aging Research</i> , 2016, 2016, 1-13.	0.9	50
30	An integrated care pathway improves quality of life in Primary Biliary Cirrhosis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008, 101, 535-543.	0.5	49
31	Functional Impairment in Alcoholic Liver Disease and Non-alcoholic Fatty Liver Disease Is Significant and Persists over 3 Years of Follow-Up. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2383-2391.	2.3	48
32	Rituximab Is Ineffective for Treatment of Fatigue in Primary Biliary Cholangitis: A Phase 2 Randomized Controlled Trial. <i>Hepatology</i> , 2019, 70, 1646-1657.	7.3	48
33	Autonomic dysfunction in chronic liver disease. <i>Liver International</i> , 2009, 29, 483-489.	3.9	46
34	The degree of hepatic steatosis associates with impaired cardiac and autonomic function. <i>Journal of Hepatology</i> , 2019, 70, 1203-1213.	3.7	45
35	Metabolic abnormalities in chronic fatigue syndrome/myalgic encephalomyelitis: a mini-review. <i>Biochemical Society Transactions</i> , 2018, 46, 547-553.	3.4	42
36	Lower Ambulatory Blood Pressure in Chronic Fatigue Syndrome. <i>Psychosomatic Medicine</i> , 2009, 71, 361-365.	2.0	41

#	ARTICLE	IF	CITATIONS
37	Grey and white matter differences in Chronic Fatigue Syndrome – A voxel-based morphometry study. <i>NeuroImage: Clinical</i> , 2018, 17, 24-30.	2.7	40
38	A Predictive Model for Fatigue and Its Etiologic Associations in Primary Biliary Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 228-233.	4.4	37
39	Managing systemic symptoms in chronic liver disease. <i>Journal of Hepatology</i> , 2012, 56, S46-S55.	3.7	33
40	Are there sleep-specific phenotypes in patients with chronic fatigue syndrome? A cross-sectional polysomnography analysis. <i>BMJ Open</i> , 2013, 3, e002999.	1.9	32
41	Symptom improvement in postural orthostatic tachycardia syndrome with the sinus node blocker ivabradine. <i>Europace</i> , 2007, 9, 1202-1202.	1.7	30
42	Fatigue in Primary Biliary Cirrhosis. <i>Clinics in Liver Disease</i> , 2008, 12, 367-383.	2.1	30
43	Chronic fatigue syndrome and impaired peripheral pulse characteristics on orthostasis – a new potential diagnostic biomarker. <i>Physiological Measurement</i> , 2012, 33, 231-241.	2.1	30
44	Whole-body cryostimulation increases parasympathetic outflow and decreases core body temperature. <i>Journal of Thermal Biology</i> , 2014, 45, 75-80.	2.5	30
45	Prevalence and characteristics of chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME) in Poland: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e023955.	1.9	30
46	Reduction in functional ability is significant postliver transplantation compared with matched liver disease and community dwelling controls. <i>Transplant International</i> , 2011, 24, 588-595.	1.6	28
47	Functional capacity is significantly impaired in primary biliary cirrhosis and is related to orthostatic symptoms. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 566-572.	1.6	26
48	Health inequalities are worsening in the North East of England. <i>British Medical Bulletin</i> , 2020, 134, 63-72.	6.9	26
49	Restless leg syndrome is a treatable cause of sleep disturbance and fatigue in primary biliary cirrhosis. <i>Liver International</i> , 2013, 33, 239-243.	3.9	24
50	Mitochondrial complex activity in permeabilised cells of chronic fatigue syndrome patients using two cell types. <i>PeerJ</i> , 2019, 7, e6500.	2.0	24
51	The Association between Daytime Napping and Cognitive Functioning in Chronic Fatigue Syndrome. <i>PLoS ONE</i> , 2015, 10, e0117136.	2.5	23
52	An investigation into the prevalence of sleep disturbances in primary Sjögren's syndrome: a systematic review of the literature. <i>Rheumatology</i> , 2016, 56, kew443.	1.9	23
53	Cognitive Functioning in Older People. Results of the First Wave of Cognition of Older People, Education, Recreational Activities, Nutrition, Comorbidities, Functional Capacity Studies (COPERNICUS). <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 421.	3.4	23
54	Patient information, education and self-management in bronchiectasis: facilitating improvements to optimise health outcomes. <i>BMC Pulmonary Medicine</i> , 2018, 18, 80.	2.0	23

#	ARTICLE	IF	CITATIONS
55	Fatigue is significant in vasovagal syncope and is associated with autonomic symptoms. <i>Europace</i> , 2008, 10, 1095-1101.	1.7	22
56	Droxidopa for orthostatic hypotension. <i>Journal of Hypertension</i> , 2016, 34, 1933-1941.	0.5	21
57	A systematic review of non-pharmacological interventions for primary Sjögren's syndrome. <i>Rheumatology</i> , 2015, 54, 2025-2032.	1.9	20
58	Pharmacological activation of AMPK and glucose uptake in cultured human skeletal muscle cells from patients with ME/CFS. <i>Bioscience Reports</i> , 2018, 38, .	2.4	20
59	Early Clinical Features, Time to Secondary Progression, and Disability Milestones in Polish Multiple Sclerosis Patients. <i>Medicina (Lithuania)</i> , 2019, 55, 232.	2.0	20
60	RITPBC: B-cell depleting therapy (rituximab) as a treatment for fatigue in primary biliary cirrhosis: study protocol for a randomised controlled trial: Figure 1. <i>BMJ Open</i> , 2015, 5, e007985.	1.9	19
61	A prospective study of the association between orthostatic hypotension and falls: definition matters. <i>Age and Ageing</i> , 2016, 46, 439-445.	1.6	18
62	The impact of total sleep deprivation upon cognitive functioning in firefighters. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1171-1181.	2.2	18
63	Autonomic Phenotypes in Chronic Fatigue Syndrome (CFS) Are Associated with Illness Severity: A Cluster Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2531.	2.4	18
64	Bladder training for urinary tract symptoms in Parkinson disease. <i>Neurology</i> , 2020, 94, e1427-e1433.	1.1	18
65	Fatigue in primary biliary cirrhosis. <i>BMJ</i> , 2012, 345, e7004-e7004.	6.0	16
66	A concept mapping study evaluating the UK's first NHS generic fatigue clinic. <i>Health Expectations</i> , 2016, 19, 1138-1149.	2.6	16
67	Managing fatigue in postural tachycardia syndrome (PoTS): The Newcastle approach. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 215, 56-61.	2.8	16
68	Impairments in cognitive performance in chronic fatigue syndrome are common, not related to co-morbid depression but do associate with autonomic dysfunction. <i>PLoS ONE</i> , 2019, 14, e0210394.	2.5	16
69	Making sense of fatigue. <i>Occupational Medicine</i> , 2010, 60, 326-329.	1.4	15
70	The aetiopathogenesis of fatigue: unpredictable, complex and persistent. <i>British Medical Bulletin</i> , 2016, 117, 139-148.	6.9	15
71	Clinically proven mtDNA mutations are not common in those with chronic fatigue syndrome. <i>BMC Medical Genetics</i> , 2017, 18, 29.	2.1	15
72	Hemodynamic Response to the Head-Up Tilt Test in Patients With Syncope as a Predictor of the Test Outcome: A Meta-Analysis Approach. <i>Frontiers in Physiology</i> , 2019, 10, 184.	2.8	15

#	ARTICLE	IF	CITATIONS
73	A follow-up study of modafinil for the treatment of daytime somnolence and fatigue in primary biliary cirrhosis. <i>Liver International</i> , 2010, 30, 1551-1552.	3.9	14
74	Reduced cardiac volumes in chronic fatigue syndrome associate with plasma volume but not length of disease: a cohort study. <i>Open Heart</i> , 2016, 3, e000381.	2.3	14
75	Ambulatory Blood Pressure Variability Increases Over a 10-Year Follow-Up in Community-Dwelling Older People. <i>American Journal of Hypertension</i> , 2016, 29, 560-567.	2.0	14
76	Intracranial compliance is associated with symptoms of orthostatic intolerance in chronic fatigue syndrome. <i>PLoS ONE</i> , 2018, 13, e0200068.	2.5	13
77	Effect of Different Types of Intermittent Fasting on Biochemical and Anthropometric Parameters among Patients with Metabolic-Associated Fatty Liver Disease (MAFLD)â€™A Systematic Review. <i>Nutrients</i> , 2022, 14, 91.	4.1	13
78	Cardiac torsion-strain relationships in fatigued primary biliary cirrhosis patients show accelerated aging: a pilot cross-sectional study. <i>Journal of Applied Physiology</i> , 2012, 112, 2043-2048.	2.5	12
79	Autonomic function in chronic fatigue syndrome with and without painful temporomandibular disorder. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2015, 3, 205-219.	1.9	12
80	The experience of sleep in chronic fatigue syndrome: A qualitative interview study with patients. <i>British Journal of Health Psychology</i> , 2016, 21, 71-92.	3.5	12
81	Are current chronic fatigue syndrome criteria diagnosing different disease phenotypes?. <i>PLoS ONE</i> , 2017, 12, e0186885.	2.5	12
82	Evidence-Based Aerobic Exercise Training in Metabolic-Associated Fatty Liver Disease: Systematic Review with Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 1659.	2.4	12
83	Curcumin and Biochemical Parameters in Metabolic-Associated Fatty Liver Disease (MAFLD)â€™A Review. <i>Nutrients</i> , 2021, 13, 2654.	4.1	12
84	Orthostatic intolerance is common in chronic disease â€™ A clinical cohort study. <i>International Journal of Cardiology</i> , 2014, 174, 861-863.	1.7	11
85	Cardiovascular and autonomic responses to whole-body cryostimulation in essential hypertension. <i>Cryobiology</i> , 2014, 69, 249-255.	0.7	11
86	Cognitive Function Changes in Older People. Results of Second Wave of Cognition of Older People, Education, Recreational Activities, Nutritlon, Comorbidities, fUnctional Capacity Studies (COPERNICUS). <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 653570.	3.4	11
87	Is Chronic Fatigue Syndrome in Older Patients a different disease? â€™ a clinical cohort study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 302-308.	3.4	10
88	Validation of a questionnaire for orthostatic hypotension for routine clinical use. <i>Geriatrics and Gerontology International</i> , 2016, 16, 785-790.	1.5	10
89	Reduction of Glucocorticoid Receptor Function in Chronic Fatigue Syndrome. <i>Mediators of Inflammation</i> , 2018, 2018, 1-11.	3.0	10
90	Cardiac Autonomic Dysfunction in Myasthenia Gravis and Relapsing-Remitting Multiple Sclerosisâ€™A Pilot Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2173.	2.4	10

#	ARTICLE	IF	CITATIONS
91	Painful Temporomandibular Disorders Are Common in Patients with Postural Orthostatic Tachycardia Syndrome and Impact Significantly upon Quality of Life. <i>Journal of Oral and Facial Pain and Headache</i> , 2015, 29, 152-157.	1.4	9
92	Drug Interactions in Parkinson's Disease: Safety of Pharmacotherapy for Arterial Hypertension. <i>Drugs - Real World Outcomes</i> , 2015, 2, 1-12.	1.6	9
93	Hemodynamic, Autonomic, and Vascular Function Changes after Sleep Deprivation for 24, 28, and 32 Hours in Healthy Men. <i>Yonsei Medical Journal</i> , 2018, 59, 1138.	2.2	9
94	Assessing cellular energy dysfunction in CFS/ME using a commercially available laboratory test. <i>Scientific Reports</i> , 2019, 9, 11464.	3.3	9
95	Cardiac Autonomic Modulation Is Different in Terms of Clinical Variant of Multiple Sclerosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 3176.	2.4	9
96	Occupational Therapy: A Potentially Valuable Intervention for People with Primary Sjögren's Syndrome. <i>British Journal of Occupational Therapy</i> , 2012, 75, 247-249.	0.9	8
97	Cardiovascular and Thermal Response to Dry-Sauna Exposure in Healthy Subjects. <i>Physiology Journal</i> , 2014, 2014, 1-10.	0.4	8
98	Cardiac and autonomic function in patients with Crohn's disease during remission. <i>Advances in Medical Sciences</i> , 2018, 63, 334-340.	2.1	8
99	Fatigue and cognitive impairment in immune thrombocytopenic purpura remain stable over time: short report from a longitudinal study. <i>British Journal of Haematology</i> , 2019, 186, 777-781.	2.5	8
100	Network structure underpinning (dys)homeostasis in chronic fatigue syndrome; Preliminary findings. <i>PLoS ONE</i> , 2019, 14, e0213724.	2.5	8
101	Combination non-pharmacologic intervention for orthostatic hypotension in older people: a phase 2 study. <i>Age and Ageing</i> , 2020, 49, 253-257.	1.6	8
102	Bronchiectasis Information and Education: a randomised, controlled feasibility trial. <i>Trials</i> , 2020, 21, 331.	1.6	8
103	Rituximab for the treatment of fatigue in primary biliary cholangitis (formerly primary biliary) Tj ETQq1 1 0.784314 rBT /Overlock 10 6,7	0.7	8
104	Occupational Therapy in Chronic Liver Disease: A Gap in Service Delivery. <i>British Journal of Occupational Therapy</i> , 2009, 72, 133-136.	0.9	7
105	Effects of 3-months sitting callisthenic balance and resistance exercise on aerobic capacity, aortic stiffness and body composition in healthy older participants. <i>Randomized Controlled Trial. Experimental Gerontology</i> , 2018, 108, 125-130.	2.8	7
106	Do Changes in Hemodynamic Parameters Depend Upon Length of Sleep Deprivation? Comparison Between Subjects With Normal Blood Pressure, Prehypertension, and Hypertension. <i>Frontiers in Physiology</i> , 2018, 9, 1374.	2.8	7
107	Prediction of Discontinuation of Structured Exercise Programme in Chronic Fatigue Syndrome Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 3436.	2.4	7
108	Whole-body cryostimulation application with age: A review. <i>Journal of Thermal Biology</i> , 2021, 96, 102861.	2.5	7

#	ARTICLE	IF	CITATIONS
109	Heart Rate Asymmetry Analysis During Head-Up Tilt Test in Healthy Men. <i>Frontiers in Physiology</i> , 2021, 12, 657902.	2.8	7
110	Improving the identification of patients with a genetic diagnosis of familial hypercholesterolaemia in primary care: A strategy to achieve the NHS long term plan. <i>Atherosclerosis</i> , 2021, 325, 38-45.	0.8	7
111	Network Analysis of Symptoms Co-Occurrence in Chronic Fatigue Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10736.	2.6	7
112	Cardiovascular autonomic dysfunction in multiple sclerosis—findings and relationships with clinical outcomes and fatigue severity. <i>Neurological Sciences</i> , 2022, 43, 4829-4839.	1.9	7
113	Occupational Therapy in Chronic Liver Disease: A Preliminary Study to Explore the Views of Occupational Therapists and Physicians Working in Acute Medical Settings. <i>British Journal of Occupational Therapy</i> , 2010, 73, 116-120.	0.9	6
114	What is known about severe and very severe chronic fatigue syndrome? A scoping review. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 167-183.	1.9	6
115	Systematic Reviews of Occupational Therapy Interventions: Summarizing Research Evidence and Highlighting the Gaps. <i>British Journal of Occupational Therapy</i> , 2014, 77, 479-482.	0.9	5
116	Acute Biochemical, Cardiovascular, and Autonomic Response to Hyperbaric (4â€%atm) Exposure in Healthy Subjects. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-8.	1.2	5
117	The Impact of a Structured Exercise Programme upon Cognitive Function in Chronic Fatigue Syndrome Patients. <i>Brain Sciences</i> , 2020, 10, 4.	2.3	5
118	Reduced thoracic fluid content in early-stage primary biliary cirrhosis that associates with impaired cardiac inotropy. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, G393-G397.	3.4	4
119	A comparative polysomnography analysis of sleep in healthy controls and patients with chronic fatigue syndrome. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2016, 4, 80-93.	1.9	4
120	Modified criteria for carotid sinus hypersensitivity are associated with increased mortality in a population-based study. <i>Europace</i> , 2016, 18, 1101-1107.	1.7	4
121	Evaluation of a novel information resource for patients with bronchiectasis: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 210.	1.6	4
122	Autonomic and Cognitive Function Response to Normobaric Hyperoxia Exposure in Healthy Subjects. Preliminary Study. <i>Medicina (Lithuania)</i> , 2020, 56, 172.	2.0	4
123	Conceptualizing the benefits of a group exercise program developed for those with chronic fatigue: a mixed methods clinical evaluation. <i>Disability and Rehabilitation</i> , 2021, 43, 657-667.	1.8	4
124	Post-Exertional Malaise May Be Related to Central Blood Pressure, Sympathetic Activity and Mental Fatigue in Chronic Fatigue Syndrome Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 2327.	2.4	4
125	A two-phase cohort study of the sleep phenotype within primary Sjögren's syndrome and its clinical correlates. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 118, 78-82.	0.8	4
126	Combination of whole body cryotherapy with static stretching exercises reduces fatigue and improves functioning of the autonomic nervous system in Chronic Fatigue Syndrome. <i>Journal of Translational Medicine</i> , 2022, 20, .	4.4	4

#	ARTICLE	IF	CITATIONS
127	Serum anti-mitochondrial antibodies and fatigue in primary biliary cirrhosis. <i>Liver International</i> , 2009, 29, 1285-1286.	3.9	3
128	Consulting patients in setting priorities in Myalgic Encephalomyelitis (M.E.) research: findings from a national on-line survey. <i>Research Involvement and Engagement</i> , 2015, 1, 11.	2.9	3
129	Treatment of insomnia reduces fatigue in chronic fatigue syndrome in those able to comply with the intervention. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2016, 4, 208-216.	1.9	3
130	Elevated brain natriuretic peptide levels in chronic fatigue syndrome associate with cardiac dysfunction: a case control study. <i>Open Heart</i> , 2017, 4, e000697.	2.3	3
131	Long-term high intensity sport practice modulates adaptative changes in athletes' heart and in the autonomic nervous system profile. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 1146-1152.	0.7	3
132	Clinical Care Pharmacists in Urgent Care in North East England: A Qualitative Study of Experiences after Implementation. <i>Pharmacy (Basel, Switzerland)</i> , 2019, 7, 114.	1.6	3
133	Lymphoedema management by independent hospices: a cohort study. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, bmjpspcare-2019-001896.	1.6	3
134	New insights into the socio-economic aspects of multiple sclerosis in a cohort of Polish patients. <i>Annals of Agricultural and Environmental Medicine</i> , 2020, 28, 99-106.	1.0	3
135	Comprehensive non-invasive cardiac and autonomic assessment in acute ischemic stroke patients: a pilot study. <i>Minerva Cardiology and Angiology</i> , 2018, 66, 376-385.	0.7	3
136	The role of sleep in chronic fatigue syndrome: a narrative review. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2014, 2, 163-184.	1.9	2
137	Cardiac sympathetic innervation associates with autonomic dysfunction in chronic fatigue syndrome – a pilot study. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 184-186.	1.9	2
138	Role of peripheral vascular resistance as an indicator of cardiovascular abnormalities in patients with Parkinson's disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017, 44, 1089-1098.	1.9	2
139	Rethinking childhood adversity in chronic fatigue syndrome. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018, 6, 20-29.	1.9	2
140	Gravity-induced exercise intervention in an individual with chronic fatigue syndrome/myalgic encephalomyelitis and postural tachycardia syndrome: a case report. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-13.	0.3	2
141	Changes in the Allostatic Response to Whole-Body Cryotherapy and Static-Stretching Exercises in Chronic Fatigue Syndrome Patients vs. Healthy Individuals. <i>Journal of Clinical Medicine</i> , 2021, 10, 2795.	2.4	2
142	Coffee Consumption and Blood Pressure: Results of the Second Wave of the Cognition of Older People, Education, Recreational Activities, Nutrition, Comorbidities, and Functional Capacity Studies (COPERNICUS). <i>Nutrients</i> , 2021, 13, 3372.	4.1	2
143	Managing fatigue in the syncope unit. <i>Europace</i> , 2012, 14, 1696-1699.	1.7	1
144	Predictive factors of in-hospital mortality in patients with laboratory-confirmed <i>Escherichia coli</i> , <i>Klebsiella</i> species or <i>Pseudomonas aeruginosa</i> bloodstream infections. <i>PLoS ONE</i> , 2021, 16, e0259305.	2.5	1

#	ARTICLE	IF	CITATIONS
145	Adipokines Level and Cognitive Function Disturbance in Homeostasis in Older People with Poorly Managed Hypertension: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6467.	2.6	1
146	Chronic fatigue syndrome in 57-year-old woman. <i>Open Medicine (Poland)</i> , 2014, 9, 126-132.	1.3	0
147	Cognitive Impairment in Primary Sjögren's Syndrome. <i>Rheumatology</i> , 0, , .	1.9	0
148	Two year follow-up of sleep diaries and polysomnography in chronic fatigue syndrome: a cohort study. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2017, 5, 103-113.	1.9	0
149	Understanding severely affected chronic fatigue syndrome (CFS): the gravity of the situation. <i>Physical Therapy Reviews</i> , 2017, 22, 197-201.	0.8	0
150	Liver volume is lower and associates with resting and dynamic blood pressure variability in chronic fatigue syndrome. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018, 6, 141-152.	1.9	0
151	Modelling logical intervention pathways through a stakeholder authored concept map to design complex interventions aimed at improving participation for people with Sjögren's syndrome. <i>Rheumatology</i> , 2019, 58, .	1.9	0
152	Independent hospices for children and young people; Hospices North East. <i>Archives of Disease in Childhood</i> , 2021, 106, 99-101.	1.9	0
153	Impact of a community-acquired pneumonia care bundle in North East England from 2014 to 2017: A quality improvement project. <i>Clinical Respiratory Journal</i> , 2021, 15, 74-83.	1.6	0
154	Interaction between Subjective Memory Decline and Depression Symptom Intensity in Older People. Results of the Second Wave of Cognition of Older People, Education, Recreational Activities, Nutrition, Comorbidities, and Functional Capacity Studies (COPERNICUS). <i>Journal of Clinical Medicine</i> , 2021, 10, 1334.	2.4	0
155	Cohort study to explore the association between the COVID-19 pandemic lockdown and admissions for violence in North East and North Cumbria. <i>BMJ Open</i> , 2021, 11, e052923.	1.9	0