

Kyung Sue Hong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2993892/publications.pdf>

Version: 2024-02-01

78
papers

3,152
citations

304743

22
h-index

197818

49
g-index

81
all docs

81
docs citations

81
times ranked

3391
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
3	Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. <i>Schizophrenia Research</i> , 2011, 130, 170-175.	2.0	145
4	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. <i>Journal of Affective Disorders</i> , 2011, 131, 59-67.	4.1	113
5	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2011, 127, 58-65.	2.0	105
6	Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychoticsâ€œInduced Obsessive-compulsive Symptoms. <i>Archives of General Psychiatry</i> , 2009, 66, 1233.	12.3	91
7	âˆ759 C/T polymorphism of 5-HT2C receptor gene and early phase weight gain associated with antipsychotic drug treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 673-677.	4.8	65
8	Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1189-1199.	4.3	61
9	Do Asian Patients Require Only Half of the Clozapine Dose Prescribed for Caucasians? A Critical Overview. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, 4-10.	1.5	61
10	Association Study of 27 Annotated Genes for Clozapine Pharmacogenetics. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 441-448.	1.4	59
11	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. <i>Psychiatry Research</i> , 2011, 188, 29-33.	3.3	44
12	Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 712-713.	1.4	43
13	Interaction between genetic variants of <i>DLGAP3</i> and <i>SLC1A1</i> Affecting the Risk of Atypical Antipsychoticsâ€œInduced Obsessiveâ€œCompulsive Symptoms. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 949-959.	1.7	43
14	Activation and Tyrosine Phosphorylation of 44â€œDa Mitogenâ€œActivated Protein Kinase (MAPK) Induced by Electroconvulsive Shock in Rat Hippocampus. <i>Journal of Neurochemistry</i> , 1994, 63, 1979-1982.	3.9	41
15	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. <i>Journal of Affective Disorders</i> , 2011, 129, 313-316.	4.1	39
16	Exploring the Prevalence of Clozapine Phenotypic Poor Metabolizers in 4 Asian Samples. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 644-648.	1.4	39
17	Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. <i>Behavioral Sleep Medicine</i> , 2016, 14, 155-168.	2.1	38
18	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 13-21.	1.4	37

#	ARTICLE	IF	CITATIONS
19	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive-compulsive symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 161-169.	2.3	34
20	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. <i>Psychiatry Investigation</i> , 2017, 14, 44.	1.6	27
21	Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. <i>Journal of Affective Disorders</i> , 2018, 225, 227-233.	4.1	26
22	Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 577-587.	1.4	24
23	Determination of pharmacokinetic properties of clozapine and norclozapine in Korean schizophrenia patients. <i>International Clinical Psychopharmacology</i> , 2009, 24, 139-144.	1.7	23
24	Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 75-79.	4.8	23
25	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. <i>PLoS ONE</i> , 2015, 10, e0139413.	2.5	23
26	Seasonality and its distinct clinical correlates in bipolar II disorder. <i>Psychiatry Research</i> , 2015, 225, 540-544.	3.3	22
27	Long-term response to mood stabilizer treatment and its clinical correlates in patients with bipolar disorders: a retrospective observational study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 24.	2.2	19
28	Exploratory Analysis of Behavioral Impulsivity, Pro-inflammatory Cytokines, and Resting-State Frontal EEG Activity Associated With Non-suicidal Self-Injury in Patients With Mood Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 124.	2.6	18
29	The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. <i>Journal of Affective Disorders</i> , 2014, 166, 264-269.	4.1	16
30	Investigation of the clinical utility of the hypomania checklist 32 (HCL-32) for the screening of bipolar disorders in the non-clinical adult population. <i>BMC Psychiatry</i> , 2016, 16, 124.	2.6	16
31	Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 452-460.	2.6	15
32	Association of genetic variations in <i>DTNBP1</i> with cognitive function in schizophrenia patients and healthy subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 841-849.	1.7	14
33	Linkage of schizophrenia with chromosome 1q32 in Korean multiplex families'. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 279-284.	1.7	12
34	Genome-wide significant evidence of linkage of schizophrenia to chromosomes 2p24.3 and 6q27 in an SNP-based analysis of Korean families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 647-652.	1.7	12
35	Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep-wake cycle and seasonality in non-clinical adult samples. <i>Comprehensive Psychiatry</i> , 2014, 55, 1111-1115.	3.1	12
36	Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. <i>NPJ Schizophrenia</i> , 2015, 1, 15031.	3.6	12

#	ARTICLE	IF	CITATIONS
37	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. <i>Psychiatric Genetics</i> , 2015, 25, 147-154.	1.1	12
38	Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder" to "Attunement Disorder". <i>Psychiatry Investigation</i> , 2018, 15, 656-662.	1.6	12
39	Exploratory Factor Analysis and Confirmatory Factor Analysis of the Korean Version of Hypomania Checklist-32. <i>Psychiatry Investigation</i> , 2011, 8, 334.	1.6	12
40	Factor Structure of the Neurocognitive Tests: An Application of the Confirmative Factor Analysis in Stabilized Schizophrenia Patients. <i>Journal of Korean Medical Science</i> , 2010, 25, 276.	2.5	11
41	Underestimating the severity of bipolar depression: a comparison of the Hamilton Depression Rating Scale items. <i>Journal of Affective Disorders</i> , 2012, 136, 425-429.	4.1	11
42	Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. <i>Psychiatry Research</i> , 2013, 210, 756-760.	3.3	11
43	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. <i>Comprehensive Psychiatry</i> , 2015, 57, 148-154.	3.1	11
44	The association between inflammatory markers and general psychological distress symptoms. <i>General Hospital Psychiatry</i> , 2019, 56, 9-12.	2.4	10
45	Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 120-122.	1.4	9
46	Effects of genetic variants of ST8SIA2 and NCAM1 genes on seasonal mood changes and circadian preference in the general population. <i>Chronobiology International</i> , 2018, 35, 405-415.	2.0	9
47	Long-Term Response to Clozapine and Its Clinical Correlates in the Treatment of Tardive Movement Syndromes. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 591-596.	1.4	9
48	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. <i>Psychological Medicine</i> , 2019, 49, 2177-2185.	4.5	9
49	Clozapine generates obsessive compulsive disorder-like behavior in mice. <i>Molecular Brain</i> , 2020, 13, 84.	2.6	9
50	Clinical and genetic analysis of a pedigree of a thirty-six-year-old Familial Alzheimer's disease patient. <i>Biological Psychiatry</i> , 1997, 42, 1172-1176.	1.3	8
51	Association between the zinc finger protein 804A (<i>ZNF804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. <i>Bipolar Disorders</i> , 2017, 19, 305-313.	1.9	8
52	Lifetime psychopathological characteristics associated with comorbid obsessive-compulsive disorder in clinically stable patients with chronic schizophrenia. <i>Asian Journal of Psychiatry</i> , 2020, 50, 101991.	2.0	8
53	Familial association of schizophrenia symptoms retrospectively measured on a lifetime basis. <i>Psychiatric Genetics</i> , 2007, 17, 103-107.	1.1	7
54	A Case Report of a Poor Metabolizer of CYP2D6 Presented with Unusual Responses to Nortriptyline Medication. <i>Journal of Korean Medical Science</i> , 2004, 19, 750.	2.5	6

#	ARTICLE	IF	CITATIONS
55	The Mediating Effect of Psychological Distress on the Association between BDNF, 5-HTTLPR, and Tinnitus Severity. <i>Psychiatry Investigation</i> , 2021, 18, 187-195.	1.6	5
56	Defining phenotypes of long-term lithium and valproate response, including combination therapy: a modified application of the Alda scale in patients with bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 36.	2.2	5
57	Resting-state alpha and gamma activity in affective disorder with ADHD symptoms: Comparison between bipolar disorder and major depressive disorder. <i>International Journal of Psychophysiology</i> , 2019, 143, 57-63.	1.0	4
58	Association of Resting Heart Rate and Heart Rate Variability With Proximal Suicidal Risk in Patients With Diverse Psychiatric Diagnoses. <i>Frontiers in Psychiatry</i> , 2021, 12, 652340.	2.6	4
59	Gene-Environment Interactions in the Pathogenesis of Obsessive-Compulsive Symptoms in Schizophrenia. , 2015, , 115-133.		4
60	Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 3.	2.2	4
61	Linkage and Association Analyses of Schizophrenia with Genetic Variations on Chromosome 22q11 in Koreans. <i>Psychiatry Investigation</i> , 2016, 13, 630.	1.6	3
62	Comparison of Polygenic Risk for Schizophrenia between European and Korean Populations. <i>Korean Journal of Schizophrenia Research</i> , 2020, 23, 65-70.	0.3	3
63	Estimated glomerular filtration rate in Korean patients exposed to long-term lithium maintenance therapy. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 4.	2.2	3
64	Comparison of Patterns of Non-suicidal Self-Injury and Emotion Dysregulation Across Mood Disorder Subtypes. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	3
65	Searching susceptibility genes for antipsychotic-induced weight gain: is the 5-HT2C receptor gene a promising candidate?. <i>Personalized Medicine</i> , 2007, 4, 357-361.	1.5	2
66	Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 070674371986127.	1.9	2
67	Psychopathologic Profiles and Clusters in Tertiary Clinic Referred Patients with Adult Attention Deficit Hyperactivity Disorder: A Person-Centered Analysis. <i>Psychiatry Investigation</i> , 2021, 18, 304-311.	1.6	2
68	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. <i>Psychiatry Investigation</i> , 2021, 18, 453-462.	1.6	2
69	Clinical Correlates of False Positive Assignment in Bipolar Screening Measures Across Psychiatric Diagnoses among Patients without Bipolar Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 1118-1125.	1.6	2
70	Effectiveness and tolerability of long-acting risperidone: A 9-month open-label extension of a 12-week switching study from oral antipsychotics. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009, 13, 192-198.	2.4	1
71	S156. PUBLIC ATTENTION TO CRIME OF SCHIZOPHRENIA AND ITS CORRELATION WITH USE OF MENTAL HEALTH SERVICES IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020, 46, S95-S95.	4.3	1
72	Correlation of Lifetime Symptom Dimensions with Cognitive Function and Other Clinical Characteristics in Schizophrenia Patients. <i>Korean Journal of Schizophrenia Research</i> , 2014, 17, 72.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Association between a Genetic Variant of CACNA1C and the Risk of Schizophrenia and Bipolar I Disorder Across Diagnostic Boundaries. Korean Journal of Schizophrenia Research, 2018, 21, 43.	0.3	0
74	S95. PREVALENCE AND CLINICAL CORRELATES OF COMORBID OBSESSIVE-COMPULSIVE DISORDER IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S362-S362.	4.3	0
75	F130. Association Study of Melatonin Pathway Genes With Seasonality and Circadian Preference in Bipolar Disorder. Biological Psychiatry, 2018, 83, S288.	1.3	0
76	T253. THE CORRELATION ANALYSIS BETWEEN RENAMING SCHIZOPHRENIA AND VISITING FREQUENCY OF MENTAL HEALTH SERVICES BY BIG DATA ANALYSIS (INTERNET SEARCHES AND NEWSPAPER ARTICLES) IN SOUTH KOREA. Schizophrenia Bulletin, 2018, 44, S215-S216.	4.3	0
77	Polygenic Risk Scores for Bipolar Disorder in Korean Populations in Comparison to European Populations. Journal of Korean Neuropsychiatric Association, 2021, 60, 167.	0.5	0
78	Intra-Individual Neuropsychological Test Variability : A Comparison of Patients with Schizophrenia, Their Siblings, and Healthy Controls. Journal of Korean Neuropsychiatric Association, 2014, 53, 379.	0.5	0