
Kyung Sue Hong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2993892/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. International Journal of Bipolar Disorders, 2022, 10, 3.	2.2	4
2	Estimated glomerular filtration rate in Korean patients exposed to long-term lithium maintenance therapy. International Journal of Bipolar Disorders, 2022, 10, 4.	2.2	3
3	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
4	Comparison of Patterns of Non-suicidal Self-Injury and Emotion Dysregulation Across Mood Disorder Subtypes. Frontiers in Psychiatry, 2022, 13, .	2.6	3
5	Polygenic Risk Scores for Bipolar Disorder in Korean Populations in Comparison to European Populations. Journal of Korean Neuropsychiatric Association, 2021, 60, 167.	0.5	0
6	The Mediating Effect of Psychological Distress on the Association between BDNF, 5-HTTLPR, and Tinnitus Severity. Psychiatry Investigation, 2021, 18, 187-195.	1.6	5
7	Psychopathologic Profiles and Clusters in Tertiary Clinic Referred Patients with Adult Attention Deficit Hyperactivity Disorder: A Person-Centered Analysis. Psychiatry Investigation, 2021, 18, 304-311.	1.6	2
8	Association of Resting Heart Rate and Heart Rate Variability With Proximal Suicidal Risk in Patients With Diverse Psychiatric Diagnoses. Frontiers in Psychiatry, 2021, 12, 652340.	2.6	4
9	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
10	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. Psychiatry Investigation, 2021, 18, 453-462.	1.6	2
11	Do Asian Patients Require Only Half of the Clozapine Dose Prescribed for Caucasians? A Critical Overview. Indian Journal of Psychological Medicine, 2020, 42, 4-10.	1.5	61
12	Clozapine generates obsessive compulsive disorder-like behavior in mice. Molecular Brain, 2020, 13, 84.	2.6	9
13	S156. PUBLIC ATTENTION TO CRIME OF SCHIZOPHRENIA AND ITS CORRELATION WITH USE OF MENTAL HEALTH SERVICES IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2020, 46, S95-S95.	4.3	1
14	Lifetime psychopathological characteristics associated with comorbid obsessive-compulsive disorder in clinically stable patients with chronic schizophrenia. Asian Journal of Psychiatry, 2020, 50, 101991.	2.0	8
15	Defining phenotypes of long-term lithium and valproate response, including combination therapy: a modified application of the Alda scale in patients with bipolar disorders. International Journal of Bipolar Disorders, 2020, 8, 36.	2.2	5
16	Clinical Correlates of False Positive Assignment in Bipolar Screening Measures Across Psychiatric Diagnoses among Patients without Bipolar Disorder. Psychiatry Investigation, 2020, 17, 1118-1125.	1.6	2
17	Exploratory Analysis of Behavioral Impulsivity, Pro-inflammatory Cytokines, and Resting-State Frontal EEG Activity Associated With Non-suicidal Self-Injury in Patients With Mood Disorder. Frontiers in Psychiatry, 2020, 11, 124.	2.6	18
18	Comparison of Polygenic Risk for Schizophrenia between European and Korean Populations. Korean Journal of Schizophrenia Research, 2020, 23, 65-70.	0.3	3

#	Article	IF	CITATIONS
19	Resting-state alpha and gamma activity in affective disorder with ADHD symptoms: Comparison between bipolar disorder and major depressive disorder. International Journal of Psychophysiology, 2019, 143, 57-63.	1.0	4
20	Bipolar I and Bipolar II: It's Time for Something New for a Better Understanding and Classification of Bipolar Disorders. Canadian Journal of Psychiatry, 2019, 64, 070674371986127.	1.9	2
21	Exploring the Prevalence of Clozapine Phenotypic Poor Metabolizers in 4 Asian Samples. Journal of Clinical Psychopharmacology, 2019, 39, 644-648.	1.4	39
22	Long-Term Response to Clozapine and Its Clinical Correlates in the Treatment of Tardive Movement Syndromes. Journal of Clinical Psychopharmacology, 2019, 39, 591-596.	1.4	9
23	The association between inflammatory markers and general psychological distress symptoms. General Hospital Psychiatry, 2019, 56, 9-12.	2.4	10
24	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. Psychological Medicine, 2019, 49, 2177-2185.	4.5	9
25	Effects of genetic variants of ST8SIA2 and NCAM1 genes on seasonal mood changes and circadian preference in the general population. Chronobiology International, 2018, 35, 405-415.	2.0	9
26	Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. Journal of Affective Disorders, 2018, 225, 227-233.	4.1	26
27	Association between a Genetic Variant of CACNA1C and the Risk of Schizophrenia and Bipolar I Disorder Across Diagnostic Boundaries. Korean Journal of Schizophrenia Research, 2018, 21, 43.	0.3	0
28	S95. PREVALENCE AND CLINICAL CORRELATES OF COMORBID OBSESSIVE-COMPULSIVE DISORDER IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S362-S362.	4.3	0
29	F130. Association Study of Melatonin Pathway Genes With Seasonality and Circadian Preference in Bipolar Disorder. Biological Psychiatry, 2018, 83, S288.	1.3	Ο
30	T253. THE CORRELATION ANALYSIS BETWEEN RENAMING SCHIZOPHRENIA AND VISITING FREQUENCY OF MENTAL HEALTH SERVICES BY BIG DATA ANALYSIS (INTERNET SEARCHES AND NEWSPAPER ARTICLES) IN SOUTH KOREA. Schizophrenia Bulletin, 2018, 44, S215-S216.	4.3	0
31	Effects of Renaming Schizophrenia in Korea: from "Split-Mind Disorder―to "Attunement Disorder― Psychiatry Investigation, 2018, 15, 656-662.	1.6	12
32	Association between the zinc finger protein 804A (<i><scp>ZNF</scp>804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. Bipolar Disorders, 2017, 19, 305-313.	1.9	8
33	Long-term response to mood stabilizer treatment and its clinical correlates in patients with bipolar disorders: a retrospective observational study. International Journal of Bipolar Disorders, 2017, 5, 24.	2.2	19
34	Prevalence of Metabolic Syndrome in Patients with Schizophrenia in Korea: A Multicenter Nationwide Cross-Sectional Study. Psychiatry Investigation, 2017, 14, 44.	1.6	27
35	Investigation of the clinical utility of the hypomania checklist 32 (HCL-32) for the screening of bipolar disorders in the non-clinical adult population. BMC Psychiatry, 2016, 16, 124.	2.6	16
36	Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. Behavioral Sleep Medicine, 2016, 14, 155-168.	2.1	38

#	Article	IF	CITATIONS
37	Linkage and Association Analyses of Schizophrenia with Genetic Variations on Chromosome 22q11 in Koreans. Psychiatry Investigation, 2016, 13, 630.	1.6	3
38	Intraindividual neurophysiological variability in ultra-high-risk for psychosis and schizophrenia patients: single-trial analysis. NPJ Schizophrenia, 2015, 1, 15031.	3.6	12
39	Effects of genetic variations in NRG1 on cognitive domains in patients with schizophrenia and healthy individuals. Psychiatric Genetics, 2015, 25, 147-154.	1.1	12
40	Seasonality and its distinct clinical correlates in bipolar II disorder. Psychiatry Research, 2015, 225, 540-544.	3.3	22
41	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. Comprehensive Psychiatry, 2015, 57, 148-154.	3.1	11
42	Tardive Dyskinesia and Tardive Dystonia With Second-Generation Antipsychotics in Non-Elderly Schizophrenic Patients Unexposed to First-Generation Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 13-21.	1.4	37
43	Gene–Environment Interactions in the Pathogenesis of Obsessive–Compulsive Symptoms in Schizophrenia. , 2015, , 115-133.		4
44	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. PLoS ONE, 2015, 10, e0139413.	2.5	23
45	Correlation of Lifetime Symptom Dimensions with Cognitive Function and Other Clinical Characteristics in Schizophrenia Patients. Korean Journal of Schizophrenia Research, 2014, 17, 72.	0.3	0
46	Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. Journal of Clinical Psychopharmacology, 2014, 34, 577-587.	1.4	24
47	Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep–wake cycle and seasonality in non-clinical adult samples. Comprehensive Psychiatry, 2014, 55, 1111-1115.	3.1	12
48	The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. Journal of Affective Disorders, 2014, 166, 264-269.	4.1	16
49	Intra-Individual Neuropsychological Test Variability : A Comparison of Patients with Schizophrenia, Their Siblings, and Healthy Controls. Journal of Korean Neuropsychiatric Association, 2014, 53, 379.	0.5	0
50	Genome-wide linkage scan of quantitative traits representing symptom dimensions in multiplex schizophrenia families. Psychiatry Research, 2013, 210, 756-760.	3.3	11
51	Eating-Behavior Changes Associated With Antipsychotic Medications in Patients With Schizophrenia as Measured by the Drug-Related Eating Behavior Questionnaire. Journal of Clinical Psychopharmacology, 2013, 33, 120-122.	1.4	9
52	Association Study of 27 Annotated Genes for Clozapine Pharmacogenetics. Journal of Clinical Psychopharmacology, 2012, 32, 441-448.	1.4	59
53	Phase-Specific Brain Change of Spatial Working Memory Processing in Genetic and Ultra-High Risk Groups of Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1189-1199.	4.3	61
54	Clinical and neurocognitive profiles of subjects at high risk for psychosis with and without obsessive–compulsive symptoms. Australian and New Zealand Journal of Psychiatry, 2012, 46, 161-169.	2.3	34

#	Article	IF	CITATIONS
55	Association of genetic variations in <i>DTNBP1</i> with cognitive function in schizophrenia patients and healthy subjects. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 841-849.	1.7	14
56	Symptom structure of antipsychotic-induced obsessive compulsive symptoms in schizophrenia patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 75-79.	4.8	23
57	Underestimating the severity of bipolar depression: a comparison of the Hamilton Depression Rating Scale items. Journal of Affective Disorders, 2012, 136, 425-429.	4.1	11
58	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. Schizophrenia Research, 2011, 127, 58-65.	2.0	105
59	Social cognition and neurocognition as predictors of conversion to psychosis in individuals at ultra-high risk. Schizophrenia Research, 2011, 130, 170-175.	2.0	145
60	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. Psychiatry Research, 2011, 188, 29-33.	3.3	44
61	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. Journal of Affective Disorders, 2011, 129, 313-316.	4.1	39
62	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. Journal of Affective Disorders, 2011, 131, 59-67.	4.1	113
63	Interaction between genetic variants of <i>DLGAP3</i> and <i>SLC1A1</i> Affecting the Risk of Atypical Antipsychoticsâ€Induced Obsessive–Compulsive Symptoms. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 949-959.	1.7	43
64	Exploratory Factor Analysis and Confirmatory Factor Analysis of the Korean Version of Hypomania Checklist-32. Psychiatry Investigation, 2011, 8, 334.	1.6	12
65	Factor Structure of the Neurocognitive Tests: An Application of the Confirmative Factor Analysis in Stabilized Schizophrenia Patients. Journal of Korean Medical Science, 2010, 25, 276.	2.5	11
66	Cognitive profiles of healthy siblings of schizophrenia patients: Application of the cognitive domains of the MATRICS consensus battery. World Journal of Biological Psychiatry, 2009, 10, 452-460.	2.6	15
67	Association of the Glutamate Transporter Gene SLC1A1 With Atypical Antipsychotics–Induced Obsessive-compulsive Symptoms. Archives of General Psychiatry, 2009, 66, 1233.	12.3	91
68	Genomeâ€widely significant evidence of linkage of schizophrenia to chromosomes 2p24.3 and 6q27 in an SNPâ€Based analysis of Korean families. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 647-652.	1.7	12
69	Effectiveness and tolerability of long-acting risperidone: A 9-month open-label extension of a 12-week switching study from oral antipsychotics. International Journal of Psychiatry in Clinical Practice, 2009, 13, 192-198.	2.4	1
70	Determination of pharmacokinetic properties of clozapine and norclozapine in Korean schizophrenia patients. International Clinical Psychopharmacology, 2009, 24, 139-144.	1.7	23
71	Searching susceptibility genes for antipsychotic-induced weight gain: is the 5-HT2C receptor gene a promising candidate?. Personalized Medicine, 2007, 4, 357-361.	1.5	2
72	Prevalence and Clinical Characteristics of Obsessive-Compulsive Symptoms Associated With Atypical Antipsychotics. Journal of Clinical Psychopharmacology, 2007, 27, 712-713.	1.4	43

#	Article	IF	CITATIONS
73	Familial association of schizophrenia symptoms retrospectively measured on a lifetime basis. Psychiatric Genetics, 2007, 17, 103-107.	1.1	7
74	â~'759 C/T polymorphism of 5-HT2C receptor gene and early phase weight gain associated with antipsychotic drug treatment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 673-677.	4.8	65
75	Linkage of schizophrenia with chromosome 1q32 in Korean multiplex families'. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 279-284.	1.7	12
76	A Case Report of a Poor Metabolizer of CYP2D6 Presented with Unusual Responses to Nortriptyline Medication. Journal of Korean Medical Science, 2004, 19, 750.	2.5	6
77	Clinical and genetic analysis of a pedigree of a thirty-six-year-old Familial Alzheimer's disease patient. Biological Psychiatry, 1997, 42, 1172-1176.	1.3	8
78	Activation and Tyrosine Phosphorylation of 44â€kDa Mitogenâ€Activated Protein Kinase (MAPK) Induced by Electroconvulsive Shock in Rat Hippocampus. Journal of Neurochemistry, 1994, 63, 1979-1982.	3.9	41