

Benoit LabontÃ©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2994343/publications.pdf>

Version: 2024-02-01

67
papers

10,235
citations

81743

39
h-index

123241

61
g-index

76
all docs

76
docs citations

76
times ranked

11150
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-Specific Role for SLIT1 in Regulating Stress Susceptibility. <i>Biological Psychiatry</i> , 2022, 91, 81-91.	0.7	15
2	P232. Transcriptional Dissection of Symptomatic Profiles Across the Brain of Men and Women With MDD. <i>Biological Psychiatry</i> , 2022, 91, S181.	0.7	0
3	Sex-Specific Brain Transcriptional Signatures in Human MDD and Their Correlates in Mouse Models of Depression. <i>Frontiers in Behavioral Neuroscience</i> , 2022, 16, 845491.	1.0	6
4	Comparative Transcriptional Analyses in the Nucleus Accumbens Identifies RGS2 as a Key Mediator of Depression-Related Behavior. <i>Biological Psychiatry</i> , 2022, 92, 942-951.	0.7	5
5	Regulation of impulsive and aggressive behaviours by a novel lncRNA. <i>Molecular Psychiatry</i> , 2021, 26, 3751-3764.	4.1	24
6	Cocaine-related DNA methylation in caudate neurons alters 3D chromatin structure of the IRXA gene cluster. <i>Molecular Psychiatry</i> , 2021, 26, 3134-3151.	4.1	15
7	The epigenetics of suicide: The critical impact of environment on epigenetic regulation in suicide. , 2021, , 393-427.		1
8	Functional Contribution of the Medial Prefrontal Circuitry in Major Depressive Disorder and Stress-Induced Depressive-Like Behaviors. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 699592.	1.0	35
9	Sex-Specific Retinal Anomalies Induced by Chronic Social Defeat Stress in Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 714810.	1.0	2
10	Chronic Stress Induces Sex-Specific Functional and Morphological Alterations in Corticoaccumbal and Corticotegmental Pathways. <i>Biological Psychiatry</i> , 2021, 90, 194-205.	0.7	25
11	Methylation of the tyrosine hydroxylase gene is dysregulated by cocaine dependence in the human striatum. <i>iScience</i> , 2021, 24, 103169.	1.9	8
12	Parallel metabolomics and lipidomics enables the comprehensive study of mouse brain regional metabolite and lipid patterns. <i>Analytica Chimica Acta</i> , 2020, 1136, 168-177.	2.6	16
13	Shared Transcriptional Signatures in Major Depressive Disorder and Mouse Chronic Stress Models. <i>Biological Psychiatry</i> , 2020, 88, 159-168.	0.7	67
14	Sex-Specific Role for the Long Non-coding RNA LINC00473 in Depression. <i>Neuron</i> , 2020, 106, 912-926.e5.	3.8	98
15	Stress resilience is promoted by a Zfp189-driven transcriptional network in prefrontal cortex. <i>Nature Neuroscience</i> , 2019, 22, 1413-1423.	7.1	78
16	O22. Transcriptional Organization of Gene Networks in Human MDD and Their Correlates in Different Mouse Models of Stress. <i>Biological Psychiatry</i> , 2019, 85, S114.	0.7	0
17	Biology and Bias in Cell Type-Specific RNAseq of Nucleus Accumbens Medium Spiny Neurons. <i>Scientific Reports</i> , 2019, 9, 8350.	1.6	27
18	Gadd45b mediates depressive-like role through DNA demethylation. <i>Scientific Reports</i> , 2019, 9, 4615.	1.6	36

#	ARTICLE	IF	CITATIONS
19	VGF and its C-terminal peptide TLQP-62 in ventromedial prefrontal cortex regulate depression-related behaviors and the response to ketamine. <i>Neuropsychopharmacology</i> , 2019, 44, 971-981.	2.8	33
20	Cocaine Self-administration Alters Transcriptome-wide Responses in the Brain's Reward Circuitry. <i>Biological Psychiatry</i> , 2018, 84, 867-880.	0.7	132
21	Estrogen receptor α drives pro-resilient transcription in mouse models of depression. <i>Nature Communications</i> , 2018, 9, 1116.	5.8	83
22	VGF function in depression and antidepressant efficacy. <i>Molecular Psychiatry</i> , 2018, 23, 1632-1642.	4.1	84
23	The Opioid System as a Long-Lasting Molecular Witness of Child Abuse in the Brain. <i>Biological Psychiatry</i> , 2018, 84, 706-707.	0.7	0
24	Ketamine and Imipramine Reverse Transcriptional Signatures of Susceptibility and Induce Resilience-Specific Gene Expression Profiles. <i>Biological Psychiatry</i> , 2017, 81, 285-295.	0.7	118
25	Cocaine-Induced Chromatin Modifications Associate With Increased Expression and Three-Dimensional Looping of <i>Auts2</i> . <i>Biological Psychiatry</i> , 2017, 82, 794-805.	0.7	47
26	MicroRNAs 146a/b-5 and 425-3p and 24-3p are markers of antidepressant response and regulate MAPK/Wnt-system genes. <i>Nature Communications</i> , 2017, 8, 15497.	5.8	144
27	Sex-specific transcriptional signatures in human depression. <i>Nature Medicine</i> , 2017, 23, 1102-1111.	15.2	532
28	Social stress induces neurovascular pathology promoting depression. <i>Nature Neuroscience</i> , 2017, 20, 1752-1760.	7.1	617
29	Disrupted hippocampal neuregulin-1/ErbB3 signaling and dentate gyrus granule cell alterations in suicide. <i>Translational Psychiatry</i> , 2017, 7, e1161-e1161.	2.4	22
30	The methyltransferase SETDB1 regulates a large neuron-specific topological chromatin domain. <i>Nature Genetics</i> , 2017, 49, 1239-1250.	9.4	133
31	Understanding the epigenetic basis of sex differences in depression. <i>Journal of Neuroscience Research</i> , 2017, 95, 692-702.	1.3	67
32	Alterations of the Host Microbiome Affect Behavioral Responses to Cocaine. <i>Scientific Reports</i> , 2016, 6, 35455.	1.6	208
33	Essential Role of Mesolimbic Brain-Derived Neurotrophic Factor in Chronic Social Stress-Induced Depressive Behaviors. <i>Biological Psychiatry</i> , 2016, 80, 469-478.	0.7	164
34	Epigenetic basis of opiate suppression of <i>Bdnf</i> gene expression in the ventral tegmental area. <i>Nature Neuroscience</i> , 2015, 18, 415-422.	7.1	91
35	Role of <i>Tet1</i> and 5-hydroxymethylcytosine in cocaine action. <i>Nature Neuroscience</i> , 2015, 18, 536-544.	7.1	160
36	ACF chromatin-remodeling complex mediates stress-induced depressive-like behavior. <i>Nature Medicine</i> , 2015, 21, 1146-1153.	15.2	83

#	ARTICLE	IF	CITATIONS
37	Monoamine oxidase a gene promoter methylation and transcriptional downregulation in an offender population with antisocial personality disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 216-222.	1.7	91
38	Regulatory role of miRNAs in polyamine gene expression in the prefrontal cortex of depressed suicide completers. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 23-32.	1.0	99
39	Epigenetic Signaling in Psychiatric Disorders. <i>Journal of Molecular Biology</i> , 2014, 426, 3389-3412.	2.0	135
40	β-catenin mediates stress resilience through Dicer1/microRNA regulation. <i>Nature</i> , 2014, 516, 51-55.	13.7	243
41	Individual differences in the peripheral immune system promote resilience versus susceptibility to social stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16136-16141.	3.3	545
42	Loss of BDNF Signaling in D1R-Expressing NAc Neurons Enhances Morphine Reward by Reducing GABA Inhibition. <i>Neuropsychopharmacology</i> , 2014, 39, 2646-2653.	2.8	109
43	The Epigenetics of Suicide. , 2014, , 303-324.		0
44	Epigenetic modulation of glucocorticoid receptors in posttraumatic stress disorder. <i>Translational Psychiatry</i> , 2014, 4, e368-e368.	2.4	150
45	Fluoxetine Epigenetically Alters the CaMKII α Promoter in Nucleus Accumbens to Regulate FosB Binding and Antidepressant Effects. <i>Neuropsychopharmacology</i> , 2014, 39, 1178-1186.	2.8	90
46	miR-1202 is a primate-specific and brain-enriched microRNA involved in major depression and antidepressant treatment. <i>Nature Medicine</i> , 2014, 20, 764-768.	15.2	266
47	Epigenetic signaling in psychiatric disorders: stress and depression. <i>Dialogues in Clinical Neuroscience</i> , 2014, 16, 281-295.	1.8	146
48	Epigenetic Mechanisms for the Early Environmental Regulation of Hippocampal Glucocorticoid Receptor Gene Expression in Rodents and Humans. <i>Neuropsychopharmacology</i> , 2013, 38, 111-123.	2.8	322
49	Epigenetic regulation of BDNF expression according to antidepressant response. <i>Molecular Psychiatry</i> , 2013, 18, 398-399.	4.1	131
50	Effects of promoter methylation on increased expression of polyamine biosynthetic genes in suicide. <i>Journal of Psychiatric Research</i> , 2013, 47, 513-519.	1.5	41
51	Genome-Wide Methylation Changes in the Brains of Suicide Completers. <i>American Journal of Psychiatry</i> , 2013, 170, 511-520.	4.0	165
52	Methylation of the glucocorticoid receptor gene promoter in bulimic women: Associations with borderline personality disorder, suicidality, and exposure to childhood abuse. <i>International Journal of Eating Disorders</i> , 2013, 46, 246-255.	2.1	107
53	Impact of the Early-Life Environment on the Epigenome and Behavioral Development. , 2013, , 179-207.		1
54	Genome-wide Epigenetic Regulation by Early-Life Trauma. <i>Archives of General Psychiatry</i> , 2012, 69, 722-31.	13.8	424

#	ARTICLE	IF	CITATIONS
55	Short-term effects of melatonin and pinealectomy on serotonergic neuronal activity across the light–dark cycle. <i>Journal of Psychopharmacology</i> , 2012, 26, 830-844.	2.0	30
56	Adolescent amphetamine exposure elicits dose-specific effects on monoaminergic neurotransmission and behaviour in adulthood. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1319-1330.	1.0	29
57	The neurodevelopmental origins of suicidal behavior. <i>Trends in Neurosciences</i> , 2012, 35, 14-23.	4.2	250
58	Differential Glucocorticoid Receptor Exon 1B, 1C, and 1H Expression and Methylation in Suicide Completers with a History of Childhood Abuse. <i>Biological Psychiatry</i> , 2012, 72, 41-48.	0.7	311
59	An Epigenetic View of Suicide and Early Life Adversity. <i>Psychiatric Annals</i> , 2012, 42, 89-94.	0.1	1
60	The Epigenetics of Depression and Suicide. , 2011, , 49-70.		0
61	Astrocytic Hypertrophy in Anterior Cingulate White Matter of Depressed Suicides. <i>Neuropsychopharmacology</i> , 2011, 36, 2650-2658.	2.8	185
62	The Epigenetics of Suicide: Explaining the Biological Effects of Early Life Environmental Adversity. <i>Archives of Suicide Research</i> , 2010, 14, 291-310.	1.2	56
63	Potentiation of excitatory serotonergic responses by MK-801 in the medial prefrontal cortex. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 380, 383-397.	1.4	15
64	Epigenetic regulation of the glucocorticoid receptor in human brain associates with childhood abuse. <i>Nature Neuroscience</i> , 2009, 12, 342-348.	7.1	3,035
65	Characterization of QKI Gene Expression, Genetics, and Epigenetics in Suicide Victims with Major Depressive Disorder. <i>Biological Psychiatry</i> , 2009, 66, 824-831.	0.7	67
66	Epigenetic effects of childhood abuse on the human brain. , 0, , 461-482.		1
67	Early-Life Adversity and Epigenetic Changes: Implications for Understanding Suicide. , 0, , 206-235.		2