

Monica NistÃ©r

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2999120/publications.pdf>

Version: 2024-02-01

103
papers

4,872
citations

87888

38
h-index

102487

66
g-index

107
all docs

107
docs citations

107
times ranked

7150
citing authors

#	ARTICLE	IF	CITATIONS
1	Enrichment of branched chain amino acid transaminase 1 correlates with multiple biological processes and contributes to poor survival of IDH1 wild-type gliomas. <i>Aging</i> , 2021, 13, 3645-3660.	3.1	10
2	VEGFR2 inhibition hampers breast cancer cell proliferation & via enhanced mitochondrial biogenesis. <i>Cancer Biology and Medicine</i> , 2021, 18, 139-154.	3.0	12
3	The spatial RNA integrity number assay for in situ evaluation of transcriptome quality. <i>Communications Biology</i> , 2021, 4, 57.	4.4	11
4	SFRP2 induces a mesenchymal subtype transition by suppression of SOX2 in glioblastoma. <i>Oncogene</i> , 2021, 40, 5066-5080.	5.9	12
5	The association between Annexin A2 and epithelial cell adhesion molecule in breast cancer cells. <i>Cancer Reports</i> , 2021, , e1498.	1.4	2
6	MIEF1/2 orchestrate mitochondrial dynamics through direct engagement with both the fission and fusion machineries. <i>BMC Biology</i> , 2021, 19, 229.	3.8	18
7	The Molecular Assembly State of Drp1 Controls its Association With the Mitochondrial Recruitment Receptors Mff and MIEF1/2. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 706687.	3.7	14
8	Astrocytes enhance glioblastoma growth. <i>Glia</i> , 2020, 68, 316-327.	4.9	47
9	Platelet-derived growth factor receptor α /glial fibrillary acidic protein expressing peritumoral astrocytes associate with shorter median overall survival in glioblastoma patients. <i>Glia</i> , 2020, 68, 979-988.	4.9	4
10	Identification of functionally distinct and interacting cancer cell subpopulations from glioblastoma with intratumoral genetic heterogeneity. <i>Neuro-Oncology Advances</i> , 2020, 2, vdaa061.	0.7	7
11	Regulation of Mammalian Mitochondrial Dynamics: Opportunities and Challenges. <i>Frontiers in Endocrinology</i> , 2020, 11, 374.	3.5	97
12	Sarek: A portable workflow for whole-genome sequencing analysis of germline and somatic variants. <i>F1000Research</i> , 2020, 9, 63.	1.6	21
13	Sarek: A portable workflow for whole-genome sequencing analysis of germline and somatic variants. <i>F1000Research</i> , 2020, 9, 63.	1.6	89
14	The phosphorylation status of Ser-637 in dynamin-related protein 1 (Drp1) does not determine Drp1 recruitment to mitochondria. <i>Journal of Biological Chemistry</i> , 2019, 294, 17262-17277.	3.4	59
15	Human Fis1 regulates mitochondrial dynamics through inhibition of the fusion machinery. <i>EMBO Journal</i> , 2019, 38, .	7.8	187
16	Egln3 hydroxylase stabilizes BIM-EL linking VHL type 2C mutations to pheochromocytoma pathogenesis and chemotherapy resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16997-17006.	7.1	13
17	Glycosylation controls sodium-calcium exchanger 3 sub-cellular localization during cell cycle. <i>European Journal of Cell Biology</i> , 2018, 97, 190-203.	3.6	5
18	TMIC-35. ASTROCYTE-DEPENDENT ENHANCEMENT OF GLIOBLASTOMA GROWTH AS A CANDIDATE THERAPEUTIC TARGET. <i>Neuro-Oncology</i> , 2018, 20, vi263-vi264.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Aberrant expression of genes associated with stemness and cancer in endometria and endometrioma in a subset of women with endometriosis. <i>Human Reproduction</i> , 2018, 33, 1924-1938.	0.9	15
20	Reduced Expression of PROX1 Transitions Glioblastoma Cells into a Mesenchymal Gene Expression Subtype. <i>Cancer Research</i> , 2018, 78, 5901-5916.	0.9	12
21	MIEF1/2 function as adaptors to recruit Drp1 to mitochondria and regulate the association of Drp1 with Mff. <i>Scientific Reports</i> , 2017, 7, 880.	3.3	64
22	SOX5/6/21 Prevent Oncogene-Driven Transformation of Brain Stem Cells. <i>Cancer Research</i> , 2017, 77, 4985-4997.	0.9	29
23	TMIC-24. ASTROCYTE-DEPENDENT ENHANCEMENT OF GLIOBLASTOMA GROWTH AS A CANDIDATE THERAPEUTIC TARGET. <i>Neuro-Oncology</i> , 2017, 19, vi248-vi248.	1.2	0
24	Improving the Prediction of Prostate Cancer Overall Survival by Supplementing Readily Available Clinical Data with Gene Expression Levels of IGFBP3 and F3 in Formalin-Fixed Paraffin Embedded Core Needle Biopsy Material. <i>PLoS ONE</i> , 2016, 11, e0145545.	2.5	8
25	Identification of mutations, gene expression changes and fusion transcripts by whole transcriptome RNAseq in docetaxel resistant prostate cancer cells. <i>SpringerPlus</i> , 2016, 5, 1861.	1.2	15
26	PROX1 is a novel pathway-specific prognostic biomarker for high-grade astrocytomas; results from independent glioblastoma cohorts stratified by age and IDH mutation status. <i>Oncotarget</i> , 2016, 7, 72431-72442.	1.8	11
27	Validation of a 3-gene signature and development of an authentic cohort database to improve overall survival prediction and clinical treatment decision for patients with newly diagnosed prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 5047-5047.	1.6	0
28	Abstract 2385: Understanding the dynamic interplay between genetically different cancer cell clones in glioblastoma. , 2016, , .		1
29	NPM1 histone chaperone is upregulated in glioblastoma to promote cell survival and maintain nucleolar shape. <i>Scientific Reports</i> , 2015, 5, 16495.	3.3	40
30	Whole Exome- and mRNA-Sequencing of an AT/RT Case Reveals Few Somatic Mutations and Several Deregulated Signalling Pathways in the Context of SMARCB1 Deficiency. <i>BioMed Research International</i> , 2015, 2015, 1-12.	1.9	6
31	Abstract 2082: Control and function of the PROX1 transcription factor in malignant glioma. , 2015, , .		0
32	Prominin-1 (CD133) Defines Both Stem and Non-Stem Cell Populations in CNS Development and Gliomas. <i>PLoS ONE</i> , 2014, 9, e106694.	2.5	30
33	Loss of Nucleolar Histone Chaperone NPM1 Triggers Rearrangement of Heterochromatin and Synergizes with a Deficiency in DNA Methyltransferase DNMT3A to Drive Ribosomal DNA Transcription. <i>Journal of Biological Chemistry</i> , 2014, 289, 34601-34619.	3.4	51
34	mTOR inhibitors blunt the p53 response to nucleolar stress by regulating RPL11 and MDM2 levels. <i>Cancer Biology and Therapy</i> , 2014, 15, 1499-1514.	3.4	27
35	A study of embryonic stem cell-related proteins in human astrocytomas: Identification of Nanog as a predictor of survival. <i>International Journal of Cancer</i> , 2014, 134, 1123-1131.	5.1	40
36	Operator Dependent Choice of Prostate Cancer Biopsy Has Limited Impact on a Gene Signature Analysis for the Highly Expressed Genes IGFBP3 and F3 in Prostate Cancer Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e109610.	2.5	10

#	ARTICLE	IF	CITATIONS
37	EpCAM associates with endoplasmic reticulum aminopeptidase 2 (ERAP2) in breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 439, 203-208.	2.1	15
38	The mitochondrial elongation factors MIEF1 and MIEF2 exert partially distinct functions in mitochondrial dynamics. <i>Experimental Cell Research</i> , 2013, 319, 2893-2904.	2.6	42
39	Regulation of mitochondrial dynamics: convergences and divergences between yeast and vertebrates. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 951-976.	5.4	72
40	A gene expression signature to predict overall, prostate cancer, and non-prostate cancer survival. <i>Journal of Clinical Oncology</i> , 2013, 31, 51-51.	1.6	0
41	Abstract 3175: Discoveries from whole exome sequencing of medulloblastomas. , 2013, , .		0
42	PDGF and PDGF receptors in glioma. <i>Upsala Journal of Medical Sciences</i> , 2012, 117, 99-112.	0.9	142
43	Transcription factor PROX1: its role in development and cancer. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 793-805.	5.9	118
44	p53 -Dependent and -Independent Nucleolar Stress Responses. <i>Cells</i> , 2012, 1, 774-798.	4.1	85
45	Novel amplifications in pediatric medulloblastoma identified by genome-wide copy number profiling. <i>Journal of Neuro-Oncology</i> , 2012, 107, 37-49.	2.9	3
46	Gene expression biomarkers to predict overall survival of prostate cancer patients. <i>Journal of Clinical Oncology</i> , 2012, 30, 4561-4561.	1.6	1
47	GABA-A Channel Subunit Expression in Human Glioma Correlates with Tumor Histology and Clinical Outcome. <i>PLoS ONE</i> , 2012, 7, e37041.	2.5	43
48	Abstract 5560: PROX1 expression and function in malignant gliomas. , 2012, , .		0
49	Uncoupling of the ER α regulated morphological phenotype from the cancer stem cell phenotype in human breast cancer cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 581-587.	2.1	8
50	Protein Extraction from Solid Tissue. <i>Methods in Molecular Biology</i> , 2011, 675, 307-312.	0.9	34
51	Novel Perspectives on p53 Function in Neural Stem Cells and Brain Tumors. <i>Journal of Oncology</i> , 2011, 2011, 1-11.	1.3	27
52	Brain Abnormalities and Glioma-Like Lesions in Mice Overexpressing the Long Isoform of PDGF-A in Astrocytic Cells. <i>PLoS ONE</i> , 2011, 6, e18303.	2.5	21
53	Activation of Neural and Pluripotent Stem Cell Signatures Correlates with Increased Malignancy in Human Glioma. <i>PLoS ONE</i> , 2011, 6, e18454.	2.5	75
54	Prognostic but not predictive role of platelet-derived growth factor receptors in patients with recurrent glioblastoma. <i>International Journal of Cancer</i> , 2011, 128, 1981-1988.	5.1	44

#	ARTICLE	IF	CITATIONS
55	Identification of a SOX2-dependent subset of tumor- and sphere-forming glioblastoma cells with a distinct tyrosine kinase inhibitor sensitivity profile. <i>Neuro-Oncology</i> , 2011, 13, 1178-1191.	1.2	75
56	RAD51 can inhibit PDGF-B α -induced gliomagenesis and genomic instability. <i>Neuro-Oncology</i> , 2011, 13, 1277-1287.	1.2	10
57	Human MIEF1 recruits Drp1 to mitochondrial outer membranes and promotes mitochondrial fusion rather than fission. <i>EMBO Journal</i> , 2011, 30, 2762-2778.	7.8	318
58	Handling of Solid Brain Tumor Tissue for Protein Analysis. <i>Methods in Molecular Biology</i> , 2011, 675, 327-332.	0.9	1
59	Blood Plasma Handling for Protein Analysis. <i>Methods in Molecular Biology</i> , 2011, 675, 333-341.	0.9	3
60	Expression of PROX1 Is a Common Feature of High-Grade Malignant Astrocytic Gliomas. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010, 69, 129-138.	1.7	47
61	Silencing of Ribosomal Protein S9 Elicits a Multitude of Cellular Responses Inhibiting the Growth of Cancer Cells Subsequent to p53 Activation. <i>PLoS ONE</i> , 2010, 5, e9578.	2.5	71
62	PI3K/PTEN/Akt pathway status affects the sensitivity of high-grade glioma cell cultures to the insulin-like growth factor-1 receptor inhibitor NVP-AEW541. <i>Neuro-Oncology</i> , 2010, 12, 967-975.	1.2	31
63	Meta-analysis of cancer gene expression signatures reveals new cancer genes, SAGE tags and tumor associated regions of co-regulation. <i>Nucleic Acids Research</i> , 2010, 38, 7008-7021.	14.5	19
64	A hypoxic niche regulates glioblastoma stem cells through hypoxia inducible factor 2 β . <i>Brain</i> , 2010, 133, 983-995.	7.6	401
65	Targeting the insulin-like growth factor-1 receptor by picropodophyllin as a treatment option for glioblastoma. <i>Neuro-Oncology</i> , 2010, 12, 19-27.	1.2	78
66	The novel conserved mitochondrial inner-membrane protein MTGM regulates mitochondrial morphology and cell proliferation. <i>Journal of Cell Science</i> , 2009, 122, 2252-2262.	2.0	44
67	GFAP promoter driven transgenic expression of PDGFB in the mouse brain leads to glioblastoma in a Trp53 null background. <i>Glia</i> , 2009, 57, 1143-1153.	4.9	57
68	The transcriptional regulatory function of p53 is essential for suppression of mouse skin carcinogenesis and can be dissociated from effects on TGF β -mediated growth regulation. <i>Journal of Pathology</i> , 2009, 219, 263-274.	4.5	4
69	DLC3/SAP102 protein expression in malformations of cortical development: A study of human epileptic cortex by tissue microarray. <i>Epilepsy Research</i> , 2009, 84, 33-41.	1.6	16
70	Influence of MUC1 genetic variation on prostate cancer risk and survival. <i>European Journal of Human Genetics</i> , 2008, 16, 1521-1525.	2.8	9
71	Identification and expression analysis of an N-terminally truncated isoform of human PDGF-C. <i>Experimental Cell Research</i> , 2008, 314, 2529-2543.	2.6	3
72	Gene expression analyses of grade II gliomas and identification of rPTP β as a candidate oligodendroglioma marker. <i>Neuro-Oncology</i> , 2008, 10, 2-9.	1.2	14

#	ARTICLE	IF	CITATIONS
73	MUC1 as a Putative Prognostic Marker for Prostate Cancer. Biomarker Insights, 2008, 3, BMI.S666.	2.5	8
74	A COMPARISON BETWEEN STEM CELLS FROM THE ADULT HUMAN BRAIN AND FROM BRAIN TUMORS. Neurosurgery, 2008, 63, 1022-1034.	1.1	52
75	Molecular Genetic Analysis of p53 Intratumoral Heterogeneity in Human Astrocytic Brain Tumors. Journal of Neuropathology and Experimental Neurology, 2007, 66, 944-954.	1.7	26
76	Optimized protein extraction from cryopreserved brain tissue samples. Acta Oncologica, 2007, 46, 10-20.	1.8	33
77	Genetically distinct astrocytic and oligodendroglial components in oligoastrocytomas. Acta Neuropathologica, 2007, 113, 129-136.	7.7	42
78	Frozen tissue biobanks. Tissue handling, cryopreservation, extraction, and use for proteomic analysis. Acta Oncologica, 2006, 45, 643-661.	1.8	41
79	Explaining the biological activity of transactivation-deficient p53 variants. Nature Genetics, 2006, 38, 395-396.	21.4	7
80	p53 suppresses the self-renewal of adult neural stem cells. Development (Cambridge), 2006, 133, 363-369.	2.5	373
81	p53 must be competent for transcriptional regulation to suppress tumor formation. Oncogene, 2005, 24, 3563-3573.	5.9	28
82	Gli1 is not required for Pdgfr β expression during mouse embryonic development. Differentiation, 2005, 73, 109-119.	1.9	4
83	Molecular cloning and characterization of two novel truncated isoforms of human Na ⁺ /Ca ²⁺ exchanger 3, expressed in fetal brain. Gene, 2005, 348, 143-155.	2.2	10
84	C/EBP is an essential component of PDGFRA transcription in MG-63 cells. Biochemical and Biophysical Research Communications, 2004, 315, 313-318.	2.1	10
85	Forced expression of platelet-derived growth factor B in the mouse cerebellar primordium changes cell migration during midline fusion and causes cerebellar ectopia. Molecular and Cellular Neurosciences, 2004, 26, 308-321.	2.2	9
86	Complementary effects of platelet-derived growth factor autocrine stimulation and p53 or Ink4a-Arf deletion in a mouse glioma model. Cancer Research, 2003, 63, 4305-9.	0.9	54
87	Platelet-derived growth factor-B and -C and active β -receptors in medulloblastoma cells. Biochemical and Biophysical Research Communications, 2002, 296, 604-611.	2.1	38
88	A 1.8kb GFAP-promoter fragment is active in specific regions of the embryonic CNS. Mechanisms of Development, 2001, 107, 181-185.	1.7	25
89	Expression of transforming-growth-factor (TGF)- β receptors and Smad proteins in glioblastoma cell lines with distinct responses to TGF- β 1. , 1999, 80, 756-763.		70
90	Specific expression in mouse mesoderm- and neural crest-derived tissues of a human PDGFRA promoter/lacZ transgene. Mechanisms of Development, 1998, 70, 167-180.	1.7	23

#	ARTICLE	IF	CITATIONS
91	Induction of senescence in human malignant glioma cells by p16INK4A. <i>Oncogene</i> , 1997, 15, 505-514.	5.9	129
92	Molecular pathology in basal cell cancer with p53 as a genetic marker. <i>Oncogene</i> , 1997, 15, 1059-1067.	5.9	100
93	Two distinct p53 immunohistochemical patterns in human squamous-cell skin cancer, precursors and normal epidermis. , 1996, 69, 174-179.		80
94	Suppression of platelet-derived growth factor α - and β -receptor mRNA levels in human fibroblasts by SV40 T/t antigen. <i>Journal of Cellular Physiology</i> , 1996, 166, 12-21.	4.1	12
95	Molecular genetics of human glioma. <i>Current Opinion in Oncology</i> , 1995, 7, 220-226.	2.4	31
96	Expression of Platelet-Derived Growth Factor β Receptor in Chondrogenesis of Perichondrial Transplants. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1995, 29, 289-295.	0.6	3
97	Enhanced expression of transforming growth factor- β and its type-I and type-II receptors in human glioblastoma. <i>International Journal of Cancer</i> , 1995, 62, 386-392.	5.1	126
98	Platelet-derived growth factor in human glioma. <i>Glia</i> , 1995, 15, 257-263.	4.9	188
99	Expression of PDGF β -receptors in human meningioma cells. <i>International Journal of Cancer</i> , 1990, 46, 772-778.	5.1	71
100	Structural and functional aspects of platelet-derived growth factor and its role in the pathogenesis of glioblastoma. <i>Molecular and Chemical Neuropathology</i> , 1989, 10, 27-36.	1.0	14
101	Rat Brain Capillary Endothelial Cells Express Functional PDGF B-Type Receptors. <i>Growth Factors</i> , 1989, 2, 1-8.	1.7	142
102	A human glioma cell line secretes three structurally and functionally different dimeric forms of platelet-derived growth factor. <i>FEBS Journal</i> , 1988, 176, 179-186.	0.2	78
103	The effect of platelet-derived growth factor on morphology and motility of human glial cells. <i>Journal of Muscle Research and Cell Motility</i> , 1983, 4, 589-609.	2.0	142