

# Xi Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2999946/publications.pdf>

Version: 2024-02-01

453  
papers

15,883  
citations

20036

63  
h-index

34195

103  
g-index

456  
all docs

456  
docs citations

456  
times ranked

15223  
citing authors

#	ARTICLE	IF	CITATIONS
1	Herringbone Buckling Patterns of Compressed Thin Films on Compliant Substrates. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2004, 71, 597-603.	1.1	511
2	Degradation of tetracycline by peroxymonosulfate activated with zero-valent iron: Performance, intermediates, toxicity and mechanism. <i>Chemical Engineering Journal</i> , 2019, 364, 45-56.	6.6	466
3	Sorbents for the Direct Capture of CO <sub>2</sub> from Ambient Air. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6984-7006.	7.2	341
4	Numerical study on the measurement of thin film mechanical properties by means of nanoindentation. <i>Journal of Materials Research</i> , 2001, 16, 2974-2982.	1.2	312
5	Hydrothermal Synthesis of Nanomaterials. <i>Journal of Nanomaterials</i> , 2020, 2020, 1-3.	1.5	249
6	On the uniqueness of measuring elastoplastic properties from indentation: The indistinguishable mystical materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2007, 55, 1618-1660.	2.3	237
7	All-Temperature Flexible Supercapacitors Enabled by Antifreezing and Thermally Stable Hydrogel Electrolyte. <i>Nano Letters</i> , 2020, 20, 1907-1914.	4.5	232
8	PVDF/Palygorskite Nanowire Composite Electrolyte for 4 V Rechargeable Lithium Batteries with High Energy Density. <i>Nano Letters</i> , 2018, 18, 6113-6120.	4.5	227
9	Nanoscale Fluid Transport: Size and Rate Effects. <i>Nano Letters</i> , 2008, 8, 2988-2992.	4.5	225
10	Stress-driven buckling patterns in spheroidal core/shell structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19132-19135.	3.3	207
11	Plane-strain Bulge Test for Thin Films. <i>Journal of Materials Research</i> , 2005, 20, 2360-2370.	1.2	189
12	A size-dependent Kirchhoff micro-plate model based on strain gradient elasticity theory. <i>European Journal of Mechanics, A/Solids</i> , 2011, 30, 517-524.	2.1	175
13	Designing Flexible Lithium-Ion Batteries by Structural Engineering. <i>ACS Energy Letters</i> , 2019, 4, 690-701.	8.8	175
14	Buckling patterns of thin films on curved compliant substrates with applications to morphogenesis and three-dimensional micro-fabrication. <i>Soft Matter</i> , 2010, 6, 5667.	1.2	172
15	On the determination of residual stress and mechanical properties by indentation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 416, 139-149.	2.6	171
16	Degradation of refractory dibutyl phthalate by peroxymonosulfate activated with novel catalysts cobalt metal-organic frameworks: Mechanism, performance, and stability. <i>Journal of Hazardous Materials</i> , 2016, 318, 154-163.	6.5	164
17	A new approach to measure the elastic-plastic properties of bulk materials using spherical indentation. <i>Acta Materialia</i> , 2006, 54, 23-32.	3.8	157
18	Single-Atom Catalytic Materials for Advanced Battery Systems. <i>Advanced Materials</i> , 2020, 32, e1906548.	11.1	156

#	ARTICLE	IF	CITATIONS
19	Self-assembled Shells Composed of Colloidal Particles: Fabrication and Characterization. <i>Langmuir</i> , 2005, 21, 2963-2970.	1.6	145
20	Buckling of single-walled carbon nanotubes upon bending: Molecular dynamics simulations and finite element method. <i>Physical Review B</i> , 2006, 73, .	1.1	142
21	Representative Strain of Indentation Analysis. <i>Journal of Materials Research</i> , 2005, 20, 2225-2234.	1.2	139
22	A Nano-shield Design for Separators to Resist Dendrite Formation in Lithium-Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6561-6566.	7.2	128
23	The residual stress state due to a spherical hard-body impact. <i>Mechanics of Materials</i> , 2001, 33, 441-454.	1.7	125
24	A family of herringbone patterns in thin films. <i>Scripta Materialia</i> , 2004, 50, 797-801.	2.6	123
25	Microfabrication and mechanical properties of nanoporous gold at the nanoscale. <i>Scripta Materialia</i> , 2007, 56, 437-440.	2.6	123
26	Effects of Gas Molecules on Nanofluidic Behaviors. <i>Journal of the American Chemical Society</i> , 2007, 129, 2355-2359.	6.6	118
27	Self-Assembled Polymer Membrane Capsules Inflated by Osmotic Pressure. <i>Journal of the American Chemical Society</i> , 2004, 126, 14117-14122.	6.6	112
28	Mechanisms governing the high temperature erosion of thermal barrier coatings. <i>Wear</i> , 2004, 256, 735-746.	1.5	112
29	High strain gradient plasticity associated with wedge indentation into face-centered cubic single crystals: Geometrically necessary dislocation densities. <i>Journal of the Mechanics and Physics of Solids</i> , 2007, 55, 1554-1573.	2.3	112
30	Single-atom Catalytic Materials for Lean-electrolyte Ultrastable Lithium-Sulfur Batteries. <i>Nano Letters</i> , 2020, 20, 5522-5530.	4.5	111
31	Novel technique for measuring the mechanical properties of porous materials by nanoindentation. <i>Journal of Materials Research</i> , 2006, 21, 715-724.	1.2	109
32	Bioinspired, Spine-Like, Flexible, Rechargeable Lithion Batteries with High Energy Density. <i>Advanced Materials</i> , 2018, 30, e1704947.	11.1	109
33	Measuring the plastic properties of bulk materials by single indentation test. <i>Scripta Materialia</i> , 2006, 54, 65-70.	2.6	106
34	Calcium-magnesium-alumina-silicate (CMAS) delamination mechanisms in EB-PVD thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2006, 200, 3418-3427.	2.2	104
35	Anisotropic buckling patterns in spheroidal film/substrate systems and their implications in some natural and biological systems. <i>Journal of the Mechanics and Physics of Solids</i> , 2009, 57, 1470-1484.	2.3	103
36	Nacre-Inspired Composite Electrolytes for Load-Bearing Solid-State Lithium-Metal Batteries. <i>Advanced Materials</i> , 2020, 32, e1905517.	11.1	100

#	ARTICLE	IF	CITATIONS
37	Self-Assembled Triangular and Labyrinth Buckling Patterns of Thin Films on Spherical Substrates. <i>Physical Review Letters</i> , 2008, 100, 036102.	2.9	98
38	Micromechanics simulation of ferroelectric polarization switching. <i>Acta Materialia</i> , 1997, 45, 3181-3189.	3.8	97
39	Pressurized Liquid in Nanopores: A Modified Laplace-Young Equation. <i>Nano Letters</i> , 2009, 9, 984-988.	4.5	96
40	Effect of surface/interface stress on the plastic deformation of nanoporous materials and nanocomposites. <i>International Journal of Plasticity</i> , 2010, 26, 957-975.	4.1	95
41	Incineration of municipal solid waste in Malaysia: Salient issues, policies and waste-to-energy initiatives. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 24, 181-186.	8.2	95
42	Foreign object damage in a thermal barrier system: mechanisms and simulations. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 352, 221-231.	2.6	90
43	High permeability and salt rejection reverse osmosis by a zeolite nano-membrane. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 6817.	1.3	88
44	Unveiling the initial pyrolytic mechanisms of cellulose by DFT study. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 113, 621-629.	2.6	87
45	On the application of the Kitagawa-Takahashi diagram to foreign-object damage and high-cycle fatigue. <i>Engineering Fracture Mechanics</i> , 2002, 69, 1425-1446.	2.0	86
46	Measuring elastoplastic properties of thin films on an elastic substrate using sharp indentation. <i>Acta Materialia</i> , 2007, 55, 6260-6274.	3.8	86
47	Characteristics of windshield cracking upon low-speed impact: Numerical simulation based on the extended finite element method. <i>Computational Materials Science</i> , 2010, 48, 582-588.	1.4	84
48	A structural mechanics study of single-walled carbon nanotubes generalized from atomistic simulation. <i>Nanotechnology</i> , 2006, 17, 1004-1015.	1.3	83
49	Determination of uniaxial residual stress and mechanical properties by instrumented indentation. <i>Acta Materialia</i> , 2006, 54, 2823-2832.	3.8	83
50	Infiltration of Electrolytes in Molecular-Sized Nanopores. <i>Physical Review Letters</i> , 2009, 102, 184501.	2.9	82
51	Thermal vibration and apparent thermal contraction of single-walled carbon nanotubes. <i>Journal of the Mechanics and Physics of Solids</i> , 2006, 54, 1206-1236.	2.3	81
52	Effect of surface roughness on thermal conductivity of silicon nanowires. <i>Journal of Applied Physics</i> , 2010, 107, .	1.1	80
53	Lead Toxicity to the Performance, Viability, And Community Composition of Activated Sludge Microorganisms. <i>Environmental Science &amp; Technology</i> , 2015, 49, 824-830.	4.6	80
54	Ultra-Thin Conductive Graphitic Carbon Nitride Assembly through van der Waals Epitaxy toward High-Energy-Density Flexible Supercapacitors. <i>Nano Letters</i> , 2019, 19, 4103-4111.	4.5	80

#	ARTICLE	IF	CITATIONS
55	Quaternized Chitosan/PVA Aerogels for Reversible CO <sub>2</sub> Capture from Ambient Air. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 4941-4948.	1.8	79
56	Particle impact on metal substrates with application to foreign object damage to aircraft engines. <i>Journal of the Mechanics and Physics of Solids</i> , 2002, 50, 2669-2690.	2.3	78
57	The Mechanics of Indentation Induced Lateral Cracking. <i>Journal of the American Ceramic Society</i> , 2005, 88, 1233-1238.	1.9	78
58	Energy absorption performance of steel tubes enhanced by a nanoporous material functionalized liquid. <i>Applied Physics Letters</i> , 2006, 89, 241918.	1.5	76
59	Molecular dynamics simulation on explosive boiling of liquid argon film on copper nanochannels. <i>Applied Thermal Engineering</i> , 2017, 113, 208-214.	3.0	74
60	A Finite Element Framework for Studying the Mechanical Response of Macromolecules: Application to the Gating of the Mechanosensitive Channel MscL. <i>Biophysical Journal</i> , 2006, 91, 1248-1263.	0.2	73
61	Latest Advances in Flexible Symmetric Supercapacitors: From Material Engineering to Wearable Applications. <i>Accounts of Chemical Research</i> , 2020, 53, 1468-1477.	7.6	72
62	Mechanical properties of nanoporous graphene membrane. <i>Journal of Applied Physics</i> , 2014, 115, 034303.	1.1	70
63	Narrow band gap and high mobility of lead-free perovskite single crystal Sn-doped MA <sub>3</sub> Sb <sub>2</sub> I <sub>9</sub> . <i>Journal of Materials Chemistry A</i> , 2018, 6, 20753-20759.	5.2	67
64	Determining plastic properties of a material with residual stress by using conical indentation. <i>International Journal of Solids and Structures</i> , 2007, 44, 3720-3737.	1.3	66
65	Capture CO <sub>2</sub> from Ambient Air Using Nanoconfined Ion Hydration. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4026-4029.	7.2	66
66	Moisture-Driven CO <sub>2</sub> Sorbents. <i>Joule</i> , 2020, 4, 1823-1837.	11.7	65
67	On the propagation and coalescence of delamination cracks in compressed coatings: with application to thermal barrier systems. <i>Acta Materialia</i> , 2003, 51, 2017-2030.	3.8	64
68	A simple framework of spherical indentation for measuring elastoplastic properties. <i>Mechanics of Materials</i> , 2009, 41, 1025-1033.	1.7	64
69	Effect of surface stress on the asymmetric yield strength of nanowires. <i>Journal of Applied Physics</i> , 2008, 103, 123527.	1.1	61
70	Nanostructure Engineering of Graphitic Carbon Nitride for Electrochemical Applications. <i>ACS Nano</i> , 2021, 15, 18777-18793.	7.3	61
71	Size-dependent pull-in instability of electrostatically actuated microbeam-based MEMS. <i>Journal of Micromechanics and Microengineering</i> , 2011, 21, 027001.	1.5	60
72	Simulation of the high temperature impression of thermal barrier coatings with columnar microstructure. <i>Acta Materialia</i> , 2004, 52, 565-571.	3.8	59

#	ARTICLE	IF	CITATIONS
73	A reformulated flexoelectric theory for isotropic dielectrics. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 465502.	1.3	59
74	Accordion-like stretchable Li-ion batteries with high energy density. <i>Energy Storage Materials</i> , 2019, 17, 136-142.	9.5	57
75	Foreign object damage on the leading edge of a thin blade. <i>Mechanics of Materials</i> , 2005, 37, 447-457.	1.7	56
76	Mechanical relaxation of localized residual stresses associated with foreign object damage. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 349, 48-58.	2.6	55
77	Economic analysis of a new class of vanadium redox-flow battery for medium- and large-scale energy storage in commercial applications with renewable energy. <i>Applied Thermal Engineering</i> , 2017, 114, 802-814.	3.0	55
78	Limit analysis-based approach to determine the material plastic properties with conical indentation. <i>Journal of Materials Research</i> , 2006, 21, 947-957.	1.2	54
79	Effect of wall roughness on fluid transport resistance in nanopores. <i>Journal of Chemical Physics</i> , 2011, 135, 144703.	1.2	53
80	Sulfate radical-induced degradation of Acid Orange 7 by a new magnetic composite catalyzed peroxymonosulfate oxidation process. <i>Journal of Hazardous Materials</i> , 2014, 279, 476-484.	6.5	53
81	High-Energy-Density Foldable Battery Enabled by Zigzag-Like Design. <i>Advanced Energy Materials</i> , 2019, 9, 1802998.	10.2	53
82	Can indentation technique measure unique elastoplastic properties?. <i>Journal of Materials Research</i> , 2009, 24, 784-800.	1.2	52
83	Quasi-static energy absorption of hollow microlattice structures. <i>Composites Part B: Engineering</i> , 2014, 67, 39-49.	5.9	52
84	Pressure-driven water infiltration into carbon nanotube: The effect of applied charges. <i>Applied Physics Letters</i> , 2008, 92, 101927.	1.5	51
85	Determining engineering stress-strain curve directly from the load-depth curve of spherical indentation test. <i>Journal of Materials Research</i> , 2010, 25, 2297-2307.	1.2	51
86	Nanoscale Fluid Mechanics and Energy Conversion. <i>Applied Mechanics Reviews</i> , 2014, 66, .	4.5	51
87	Analysis of water drop erosion on turbine blades based on a nonlinear liquid-solid impact model. <i>International Journal of Impact Engineering</i> , 2009, 36, 1156-1171.	2.4	50
88	Dynamic modeling and simulation of shell gasifier in IGCC. <i>Fuel Processing Technology</i> , 2011, 92, 1418-1425.	3.7	50
89	Strain sensing of carbon nanotubes: Numerical analysis of the vibrational frequency of deformed single-wall carbon nanotubes. <i>Physical Review B</i> , 2005, 72, .	1.1	49
90	Mechanical properties of porous and fully dense low- $\kappa$ dielectric thin films measured by means of nanoindentation and the plane-strain bulge test technique. <i>Journal of Materials Research</i> , 2006, 21, 386-395.	1.2	49

#	ARTICLE	IF	CITATIONS
91	The effects of chirality and boundary conditions on the mechanical properties of single-walled carbon nanotubes. <i>International Journal of Solids and Structures</i> , 2007, 44, 5447-5465.	1.3	48
92	Liquid drop impact on solid surface with application to water drop erosion on turbine blades, Part I: Nonlinear wave model and solution of one-dimensional impact. <i>International Journal of Mechanical Sciences</i> , 2008, 50, 1526-1542.	3.6	47
93	In-situ measurements of mechanical and volume change of LiCoO <sub>2</sub> lithium-ion batteries during repeated charge/discharge cycling by using digital image correlation. <i>Measurement: Journal of the International Measurement Confederation</i> , 2016, 94, 759-770.	2.5	47
94	Influence of anions on liquid infiltration and defiltration in a zeolite Y. <i>Physical Review E</i> , 2008, 78, 031408.	0.8	46
95	Energy analysis of size-dependent elastic properties of ZnO nanofilms using atomistic simulations. <i>Physical Review B</i> , 2007, 76, .	1.1	45
96	Investigation into the loosening mechanism of bolt in curvic coupling subjected to transverse loading. <i>Engineering Failure Analysis</i> , 2013, 32, 360-373.	1.8	45
97	Liquid drop impact on solid surface with application to water drop erosion on turbine blades, Part II: Axisymmetric solution and erosion analysis. <i>International Journal of Mechanical Sciences</i> , 2008, 50, 1543-1558.	3.6	44
98	Gating Mechanisms of Mechanosensitive Channels of Large Conductance, I: A Continuum Mechanics-Based Hierarchical Framework. <i>Biophysical Journal</i> , 2008, 95, 563-580.	0.2	44
99	Helical coil buckling mechanism for a stiff nanowire on an elastomeric substrate. <i>Journal of the Mechanics and Physics of Solids</i> , 2016, 95, 25-43.	2.3	44
100	Effects of superheat and internal heat exchanger on thermo-economic performance of organic Rankine cycle based on fluid type and heat sources. <i>Energy</i> , 2018, 159, 482-495.	4.5	44
101	Mechanisms of water infiltration into conical hydrophobic nanopores. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 6520.	1.3	43
102	Experimental and macroscopic investigation of dynamic crack patterns in PVB laminated glass sheets subject to light-weight impact. <i>Engineering Failure Analysis</i> , 2011, 18, 1605-1612.	1.8	43
103	Mitigating impact/blast energy via a novel nanofluidic energy capture mechanism. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 62, 194-208.	2.3	43
104	Dynamic energy absorption characteristics of hollow microlattice structures. <i>Mechanics of Materials</i> , 2014, 77, 1-13.	1.7	43
105	Understanding flocculation mechanism of graphene oxide for organic dyes from water: Experimental and molecular dynamics simulation. <i>AIP Advances</i> , 2015, 5, .	0.6	42
106	Influence of ultrasonic irradiation on the microstructure of Cu/Al <sub>2</sub> O <sub>3</sub> , CeO <sub>2</sub> nanocomposite thin films during electrocodeposition. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 447, 209-216.	2.6	40
107	Effective viscosity of glycerin in a nanoporous silica gel. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	40
108	Mechanical self-assembly fabrication of gears. <i>Soft Matter</i> , 2009, 5, 3469.	1.2	40

#	ARTICLE	IF	CITATIONS
109	Mechanical modeling of a wrinkled fingertip immersed in water. <i>Acta Biomaterialia</i> , 2010, 6, 1487-1496.	4.1	40
110	Mechanism study of deformation and mass transfer for binary droplet collisions with particle method. <i>Physics of Fluids</i> , 2009, 21, .	1.6	39
111	Harvesting energy from low-grade heat based on nanofluids. <i>Nano Energy</i> , 2012, 1, 805-811.	8.2	39
112	Electrospun Polyaniline Nanofiber Networks toward High-Performance Flexible Supercapacitors. <i>Advanced Materials Technologies</i> , 2019, 4, 1900564.	3.0	39
113	Development of a Transferable Reactive Force Field of P/H Systems: Application to the Chemical and Mechanical Properties of Phosphorene. <i>Journal of Physical Chemistry A</i> , 2017, 121, 6135-6149.	1.1	38
114	The effect of the displacement increment on the axial compressive buckling behaviours of single-walled carbon nanotubes. <i>Nanotechnology</i> , 2006, 17, 3844-3855.	1.3	37
115	Determining mechanical properties of thin films from the loading curve of nanoindentation testing. <i>Thin Solid Films</i> , 2008, 516, 7571-7580.	0.8	37
116	Water infiltration behaviours in carbon nanotubes under quasi-static and dynamic loading conditions. <i>Molecular Simulation</i> , 2008, 34, 1267-1274.	0.9	37
117	Experimental Study on Energy Dissipation of Electrolytes in Nanopores. <i>Langmuir</i> , 2009, 25, 12687-12696.	1.6	37
118	Capture CO <sub>2</sub> from Ambient Air Using Nanoconfined Ion Hydration. <i>Angewandte Chemie</i> , 2016, 128, 4094-4097.	1.6	37
119	The Mechanical Properties of Electroplated Cu Thin Films Measured by means of the Bulge Test Technique. <i>Materials Research Society Symposia Proceedings</i> , 2001, 695, 1.	0.1	36
120	Effect of Electric Field on Liquid Infiltration into Hydrophobic Nanopores. <i>Langmuir</i> , 2011, 27, 6349-6357.	1.6	36
121	The Effect of Moisture on the Hydrolysis of Basic Salts. <i>Chemistry - A European Journal</i> , 2016, 22, 18326-18330.	1.7	36
122	Energy efficiency of mobile soft robots. <i>Soft Matter</i> , 2017, 13, 8223-8233.	1.2	36
123	Porous insulating matrix for lithium metal anode with long cycling stability and high power. <i>Energy Storage Materials</i> , 2019, 17, 31-37.	9.5	36
124	A numerical study of stir mixing of liquids with particle method. <i>Chemical Engineering Science</i> , 2009, 64, 341-350.	1.9	35
125	Hydrothermal preparation and photocatalytic performance of N, S-doped nanometer TiO <sub>2</sub> under sunshine irradiation. <i>Powder Technology</i> , 2013, 237, 616-622.	2.1	35
126	Mechanism of glucose conversion in supercritical water by DFT study. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 119, 199-207.	2.6	35



#	ARTICLE	IF	CITATIONS
127	Foreign object damage and fatigue crack threshold: Cracking outside shallow indents. International Journal of Fracture, 2001, 107, 31-51.	1.1	34
128	Plastic deformation in nanoscale gold single crystals and open-celled nanoporous gold. Modelling and Simulation in Materials Science and Engineering, 2007, 15, S181-S192.	0.8	34
129	A conceptual thermal actuation system driven by interface tension of nanofluids. Energy and Environmental Science, 2011, 4, 3632.	15.6	34
130	On the anisotropic deformation of AZ31 Mg alloy under compression. Materials & Design, 2011, 32, 5004-5009.	5.1	34
131	Flow Transition Behavior of the Wetting Flow Between the Film Flow and Rivulet Flow on an Inclined Wall. Journal of Fluids Engineering, Transactions of the ASME, 2011, 133, .	0.8	34
132	A bibliometric review on carbon cycling research during 1993â€“2013. Environmental Earth Sciences, 2015, 74, 6065-6075.	1.3	34
133	Ballistic performance of UHMWPE fabrics/EAMS hybrid panel. Journal of Materials Science, 2018, 53, 7357-7371.	1.7	34
134	Engineering interfacial adhesion for high-performance lithium metal anode. Nano Energy, 2020, 67, 104242.	8.2	34
135	Mechanisms of nanoindentation on single-walled carbon nanotubes: The effect of nanotube length. Journal of Materials Research, 2006, 21, 1048-1070.	1.2	33
136	On radial crack and half-penny crack induced by Vickers indentation. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2008, 464, 2967-2984.	1.0	33
137	Modeling and simulation of curled dry leaves. Soft Matter, 2011, 7, 10794.	1.2	32
138	Automotive windshield â€” pedestrian head impact: Energy absorption capability of interlayer material. International Journal of Automotive Technology, 2011, 12, 687-695.	0.7	32
139	Effects of intrinsic strain on the structural stability and mechanical properties of phosphorene nanotubes. Nanotechnology, 2016, 27, 215701.	1.3	32
140	Folding to Curved Surfaces: A Generalized Design Method and Mechanics of Origami-based Cylindrical Structures. Scientific Reports, 2016, 6, 33312.	1.6	32
141	Highly efficient reduction of O <sub>2</sub> -containing CO <sub>2</sub> via chemical looping based on perovskite nanocomposites. Nano Energy, 2020, 78, 105320.	8.2	32
142	Plane-strain bulge test for nanocrystalline copper thin films. Scripta Materialia, 2007, 57, 541-544.	2.6	31
143	Size dependence and orientation dependence of elastic properties of ZnO nanofilms. International Journal of Solids and Structures, 2008, 45, 1730-1753.	1.3	31
144	Liquid flow-induced energy harvesting in carbon nanotubes: a molecular dynamics study. Physical Chemistry Chemical Physics, 2013, 15, 1164-1168.	1.3	31

#	ARTICLE	IF	CITATIONS
145	A multilayer structure shear lag model applied in the tensile fracture characteristics of supersonic plasma sprayed thermal barrier coating systems based on digital image correlation. <i>Surface and Coatings Technology</i> , 2018, 350, 211-226.	2.2	31
146	Young's modulus measurements of SiC coatings on spherical particles by using nanoindentation. <i>Journal of Nuclear Materials</i> , 2009, 393, 22-29.	1.3	30
147	Elastic buckling of gradient thin films on compliant substrates. <i>Philosophical Magazine Letters</i> , 2010, 90, 423-433.	0.5	30
148	Electrical-Driven Transport of Endohedral Fullerene Encapsulating a Single Water Molecule. <i>Physical Review Letters</i> , 2013, 110, 156103.	2.9	30
149	Mechanical properties of phosphorene nanoribbons and oxides. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	30
150	A novel slithering locomotion mechanism for a snake-like soft robot. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 99, 304-320.	2.3	30
151	Infiltration behaviour of water in a carbon nanotube under external pressure. <i>Philosophical Magazine Letters</i> , 2008, 88, 371-378.	0.5	29
152	Thermally Responsive Fluid Behaviors in Hydrophobic Nanopores. <i>Langmuir</i> , 2009, 25, 11862-11868.	1.6	29
153	Effects of ion concentration on thermally-chargeable double-layer supercapacitors. <i>Nanotechnology</i> , 2013, 24, 465401.	1.3	29
154	Quasi-static crush behavior of hollow microtruss filled with NMF liquid. <i>Composite Structures</i> , 2014, 115, 29-40.	3.1	29
155	Evolution of thermal stress in a coating/substrate system during the cooling process of fabrication. <i>Mechanics of Materials</i> , 2014, 74, 26-40.	1.7	29
156	Effects of low-temperature plasma treatment on wettability of glass surface: Molecular dynamic simulation and experimental study. <i>Applied Surface Science</i> , 2020, 503, 144257.	3.1	29
157	A carbon-doped anatase TiO <sub>2</sub> -Based flexible silicon anode with high-performance and stability for flexible lithium-ion battery. <i>Journal of Power Sources</i> , 2020, 466, 228339.	4.0	29
158	Buckling behavior of single-walled carbon nanotubes and a targeted molecular mechanics approach. <i>Physical Review B</i> , 2006, 74, .	1.1	28
159	Superelasticity and reversible energy absorption of polyurethane cellular structures with sand filler. <i>Composite Structures</i> , 2015, 131, 966-974.	3.1	28
160	Thermal effect on the dynamic infiltration of water into single-walled carbon nanotubes. <i>Physical Review E</i> , 2009, 80, 061206.	0.8	27
161	Pull-in instability analysis of electrostatically actuated microplate with rectangular shape. <i>International Journal of Precision Engineering and Manufacturing</i> , 2011, 12, 1085-1094.	1.1	27
162	Temperature dependence of fluid transport in nanopores. <i>Journal of Chemical Physics</i> , 2012, 136, 184701.	1.2	27

#	ARTICLE	IF	CITATIONS
163	The catalytic effect of H <sub>2</sub> O on the hydrolysis of CO <sub>3</sub> <sup>2-</sup> in hydrated clusters and its implication in the humidity driven CO <sub>2</sub> air capture. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 27435-27441.	1.3	27
164	Bioinspired, Tree-Root-Like Interfacial Designs for Structural Batteries with Enhanced Mechanical Properties. <i>Advanced Energy Materials</i> , 2021, 11, 2100997.	10.2	27
165	Photocatalytic reduction of CO <sub>2</sub> by halide perovskites: recent advances and future perspectives. <i>Materials Advances</i> , 2021, 2, 7187-7209.	2.6	27
166	New sharp indentation method of measuring the elastic-plastic properties of compliant and soft materials using the substrate effect. <i>Journal of Materials Research</i> , 2006, 21, 3134-3151.	1.2	26
167	Gating Mechanisms of Mechanosensitive Channels of Large Conductance, II: Systematic Study of Conformational Transitions. <i>Biophysical Journal</i> , 2008, 95, 581-596.	0.2	26
168	Buckling patterns of thin films on compliant substrates: the effect of plasticity. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 045401.	1.3	26
169	MOLECULAR CHARACTERISTICS OF DISSOCIATED WATER WITH MEMORY EFFECT FROM METHANE HYDRATES. <i>International Journal of Modern Physics B</i> , 2014, 28, 1450062.	1.0	26
170	Quantitative evaluation of adhesion quality of surface coating by using pulse laser-induced ultrasonic waves. <i>Surface and Coatings Technology</i> , 2016, 286, 231-238.	2.2	26
171	Thermal conductivity of armchair black phosphorus nanotubes: a molecular dynamics study. <i>Nanotechnology</i> , 2016, 27, 155703.	1.3	26
172	Architectures of soft robotic locomotion enabled by simple mechanical principles. <i>Soft Matter</i> , 2017, 13, 4441-4456.	1.2	26
173	Filtration performance of the granular bed filter used for industrial flue gas purification: A review of simulation and experiment. <i>Separation and Purification Technology</i> , 2020, 251, 117318.	3.9	26
174	Structure and Properties of Electrocodeposited Cu-Al <sub>2</sub> O <sub>3</sub> Nanocomposite Thin Films. <i>Journal of Engineering Materials and Technology</i> , Transactions of the ASME, 2005, 127, 451-456.	0.8	25
175	Correlation between the flow stress and the nominal indentation hardness of soft metals. <i>Scripta Materialia</i> , 2008, 59, 518-521.	2.6	25
176	Nanomechanics Modeling and Simulation of Carbon Nanotubes. <i>Journal of Engineering Mechanics - ASCE</i> , 2008, 134, 211-216.	1.6	25
177	Effect of inner gas pressure on the elastoplastic behavior of porous materials: A second-order moment micromechanics model. <i>International Journal of Plasticity</i> , 2009, 25, 1231-1252.	4.1	25
178	Indentation induced lateral crack in ceramics with surface hardening. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 507, 226-235.	2.6	25
179	Measuring mechanical properties of micro- and nano-fibers embedded in an elastic substrate: Theoretical framework and experiment. <i>Composites Part B: Engineering</i> , 2010, 41, 33-41.	5.9	25
180	A flexoelectric theory with rotation gradient effects for elastic dielectrics. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2016, 24, 015009.	0.8	25

#	ARTICLE	IF	CITATIONS
181	Humidity effect on ion behaviors of moisture-driven CO <sub>2</sub> sorbents. <i>Journal of Chemical Physics</i> , 2018, 149, 164708.	1.2	25
182	CO <sub>2</sub> Absorption over Ion Exchange Resins: The Effect of Amine Functional Groups and Microporous Structures. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 16507-16515.	1.8	25
183	Reversible Mechanochromisms via Manipulating Surface Wrinkling. <i>Nano Letters</i> , 2022, 22, 2261-2269.	4.5	25
184	An indentation fatigue depth propagation law. <i>Scripta Materialia</i> , 2009, 60, 854-857.	2.6	24
185	Effect of particle size in a limestone-hydrochloric acid reaction system. <i>Journal of Hazardous Materials</i> , 2010, 179, 400-408.	6.5	24
186	Characterization of strain rate sensitivity and activation volume using the indentation relaxation test. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 245401.	1.3	24
187	An electroactuation system based on nanofluids. <i>Applied Physics Letters</i> , 2011, 98, 221909.	1.5	24
188	Spherical indentation method for measuring local mechanical properties of welded stainless steel at high temperature. <i>Materials &amp; Design</i> , 2013, 52, 812-820.	5.1	24
189	In-situ characterizations of chemo-mechanical behavior of free-standing vanadium pentoxide cathode for lithium-ion batteries during discharge-charge cycling using digital image correlation. <i>Journal of Power Sources</i> , 2018, 402, 272-280.	4.0	24
190	An interfacial polymerization strategy towards high-performance flexible supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 20158-20161.	5.2	24
191	Moisture Swing Ion-Exchange Resin-PO <sub>4</sub> Sorbent for Reversible CO <sub>2</sub> Capture from Ambient Air. <i>Energy &amp; Fuels</i> , 2019, 33, 6562-6567.	2.5	24
192	In-operando deformation studies on the mechano-electrochemical mechanism in free-standing MWCNTs/V <sub>2</sub> O <sub>5</sub> lithium ion battery electrode. <i>Electrochimica Acta</i> , 2019, 305, 101-115.	2.6	24
193	Hydrogen separation by porous phosphorene: A periodical DFT study. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 23067-23074.	3.8	23
194	CO <sub>2</sub> adsorption and separation from natural gas on phosphorene surface: Combining DFT and GCMC calculations. <i>Applied Surface Science</i> , 2017, 397, 206-212.	3.1	23
195	Sea-island nanostructured polyvinylidene fluoride/zeolitic imidazolate framework-8 polyelectrolyte for high-performance all-solid-state supercapacitors. <i>Journal of Power Sources</i> , 2020, 448, 227587.	4.0	23
196	Rapid and continuous regulating adhesion strength by mechanical micro-vibration. <i>Nature Communications</i> , 2020, 11, 1583.	5.8	23
197	Three-dimensional morphology evolution of SiO <sub>2</sub> patterned films under MeV ion irradiation. <i>Journal of Applied Physics</i> , 2006, 100, 023535.	1.1	22
198	Analysis on spiral crack in thick diamond-like carbon film subjected to spherical contact loading. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 496, 67-76.	2.6	22

#	ARTICLE	IF	CITATIONS
199	Effects of the Addition of Electrolyte on Liquid Infiltration in a Hydrophobic Nanoporous Silica Gel. <i>Langmuir</i> , 2008, 24, 7044-7047.	1.6	22
200	Buckling of anisotropic films on cylindrical substrates: insights for self-assembly fabrication of 3D helical gears. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 115402.	1.3	22
201	Experimental Study on Energy Dissipation Characteristics of ZSM-5 Zeolite/Water System. <i>Advanced Engineering Materials</i> , 2013, 15, 740-746.	1.6	22
202	High temperature digital image correlation evaluation of in-situ failure mechanism: An experimental framework with application to C/SiC composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 665, 26-34.	2.6	22
203	Effects of cycle times and C-rate on mechanical properties of copper foil and adhesive strength of electrodes in commercial LiCoO <sub>2</sub> LIBs. <i>Engineering Failure Analysis</i> , 2019, 101, 193-205.	1.8	22
204	Buckling morphology of an elastic beam between two parallel lateral constraints: implication for a snake crawling between walls. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130399.	1.5	21
205	Non-dissipative energy capture of confined liquid in nanopores. <i>Applied Physics Letters</i> , 2014, 104, 203107.	1.5	21
206	Mechanical design and analysis of a crawling locomotion enabled by a laminated beam. <i>Extreme Mechanics Letters</i> , 2016, 8, 88-95.	2.0	21
207	Mechanism of the Transition From In-Plane Buckling to Helical Buckling for a Stiff Nanowire on an Elastomeric Substrate. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2016, 83, .	1.1	21
208	In situ strain measurements and stress analysis of SiO@C composite electrodes during electrochemical cycling by using digital image correlation. <i>Solid State Ionics</i> , 2019, 331, 56-65.	1.3	21
209	Mechanisms of electromechanical wrinkling for highly stretched substrate-free dielectric elastic membrane. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 122, 520-537.	2.3	21
210	Nanomaterials for adsorption and conversion of CO <sub>2</sub> under gentle conditions. <i>Materials Today</i> , 2021, 50, 385-399.	8.3	21
211	Bismuth Oxychloride Nanowires for Photocatalytic Decomposition of Organic Dyes. <i>ACS Applied Nano Materials</i> , 2021, 4, 3887-3892.	2.4	21
212	Electrolyte solution transport in electropolar nanotubes. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 315301.	0.7	20
213	PULL-IN INSTABILITY OF CIRCULAR PLATE MEMS: A NEW MODEL BASED ON STRAIN GRADIENT ELASTICITY THEORY. <i>International Journal of Applied Mechanics</i> , 2012, 04, 1250003.	1.3	20
214	Contact fracture mechanism of electroplated Ni-P coating upon stainless steel substrate. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 563, 184-192.	2.6	20
215	First-principles study of lithium adsorption and diffusion on graphene: the effects of strain. <i>Materials Research Express</i> , 2015, 2, 105016.	0.8	20
216	A biologically inspired artificial muscle based on fiber-reinforced and electropneumatic dielectric elastomers. <i>Smart Materials and Structures</i> , 2017, 26, 085018.	1.8	20

#	ARTICLE	IF	CITATIONS
217	Apparent thermal contraction of single-walled carbon nanotubes. <i>Physical Review B</i> , 2005, 72, .	1.1	19
218	An experimental methodology for characterizing fracture of hard thin films under cyclic contact loading. <i>Thin Solid Films</i> , 2010, 518, 2082-2089.	0.8	19
219	Molecular dynamics simulation of sulphur nucleation in $H_2S$ system. <i>Molecular Physics</i> , 2014, 112, 947-955.	0.8	19
220	A Method to Estimate Residual Stress in Austenitic Stainless Steel Using a Microindentation Test. <i>Journal of Materials Engineering and Performance</i> , 2015, 24, 362-372.	1.2	19
221	Rapid Programmable Nanodroplet Motion on a Strain-Gradient Surface. <i>Langmuir</i> , 2019, 35, 2865-2870.	1.6	19
222	Highly Sensitive Ultrastable Electrochemical Sensor Enabled by Proton-Coupled Electron Transfer. <i>Nano Letters</i> , 2021, 21, 5369-5376.	4.5	19
223	The Coupling of Strain and Lithium Diffusion: A Theoretical Model Based on First-Principles Calculations. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2266-A2270.	1.3	18
224	Experimental study on thermal effect on infiltration mechanisms of glycerol into ZSM-5 zeolite under cyclic loadings. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 025303.	1.3	18
225	Investigation of the mechanical behaviour of lithium-ion batteries by an indentation technique. <i>International Journal of Mechanical Sciences</i> , 2016, 105, 1-10.	3.6	18
226	Theoretical investigation on the oxidation mechanism of dibutyl phthalate by hydroxyl and sulfate radicals in the gas and aqueous phase. <i>Chemical Engineering Journal</i> , 2018, 339, 381-392.	6.6	18
227	Sorbenten zur direkten Gewinnung von $CO_2$ aus der Umgebungsluft. <i>Angewandte Chemie</i> , 2020, 132, 7048-7072.	1.6	18
228	Interface characterization and scratch resistance of plasma sprayed $TiO_2$ -CNTs nanocomposite coating. <i>Journal of Alloys and Compounds</i> , 2020, 819, 153009.	2.8	18
229	The mean free path of dislocations in nanoparticle and nanorod reinforced metal composites and implication for strengthening mechanisms. <i>Mechanics Research Communications</i> , 2007, 34, 275-282.	1.0	17
230	Nanopore fabrication in amorphous Si: Viscous flow model and comparison to experiment. <i>Journal of Applied Physics</i> , 2010, 108, 14310.	1.1	17
231	An indentation fatigue strength law. <i>Philosophical Magazine Letters</i> , 2010, 90, 313-322.	0.5	17
232	Mechanism of Surface Wrinkle Modulation for a Stiff Film on Compliant Substrate. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2017, 84, .	1.1	17
233	Effects of Temperature and Strain Rate on Mechanical Behaviors of Stone-Wales Defective Monolayer Black Phosphorene. <i>Journal of Physical Chemistry C</i> , 2018, 122, 6368-6378.	1.5	17
234	<i>In situ</i> synthesized PEO/NBR composite ionogels for high-performance all-solid-state supercapacitors. <i>Chemical Communications</i> , 2019, 55, 8470-8473.	2.2	17

#	ARTICLE	IF	CITATIONS
235	Recent progress in energy storage and conversion of flexible symmetric transducers. <i>Journal of Materials Chemistry A</i> , 2021, 9, 753-781.	5.2	17
236	Simple pyrolysis of polystyrene into valuable chemicals. <i>E-Polymers</i> , 2021, 21, 428-432.	1.3	17
237	On internal cone cracks induced by conical indentation in brittle materials. <i>Engineering Fracture Mechanics</i> , 2007, 74, 2535-2546.	2.0	16
238	Nanofluidic Transport in Branching Nanochannels: A Molecular Sieve Based on Y-Junction Nanotubes. <i>Journal of Physical Chemistry B</i> , 2009, 113, 6468-6472.	1.2	16
239	The role of mechanical stress on the formation of a curly pattern of human hair. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011, 4, 212-221.	1.5	16
240	Effect of High Strain Rate on Indentation in Pure Aluminum. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2013, 135, .	0.8	16
241	On the mechanism of intergranular stress corrosion cracking of sensitized stainless steel in tetrathionate solution. <i>Journal of Materials Science</i> , 2013, 48, 2447-2453.	1.7	16
242	First-principles study of the defected phosphorene under tensile strain. <i>Journal of Applied Physics</i> , 2016, 120, 165104.	1.1	16
243	Characterization of the compressive deformation behavior with strain rate effect of low-density polymeric foams. <i>Polymer Testing</i> , 2016, 50, 1-8.	2.3	16
244	Flexible and Electroactive Ionogel Graphene Composite Actuator. <i>Materials</i> , 2020, 13, 656.	1.3	16
245	High-performance silicon nanocomposite based ionic actuators. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9228-9238.	5.2	16
246	Phylogenetic and Metagenomic Analyses of Substrate-Dependent Bacterial Temporal Dynamics in Microbial Fuel Cells. <i>PLoS ONE</i> , 2014, 9, e107460.	1.1	16
247	Water Drop Erosion on Turbine Blades: Numerical Framework and Applications. <i>Materials Transactions</i> , 2008, 49, 1606-1615.	0.4	15
248	Electrowetting Effect in a Nanoporous Silica. <i>Langmuir</i> , 2009, 25, 9463-9466.	1.6	15
249	Indentation creep surface morphology of nickel-based single crystal superalloys. <i>Computational Materials Science</i> , 2009, 46, 275-285.	1.4	15
250	A Computational Framework for Mechanical Response of Macromolecules: Application to the Salt Concentration Dependence of DNA Bendability. <i>Biophysical Journal</i> , 2009, 96, 3543-3554.	0.2	15
251	Field-responsive ion transport in nanopores. <i>Applied Physics Letters</i> , 2009, 94, 023106.	1.5	15
252	Combination of Eigenfactor TM and h-index to evaluate scientific journals. <i>Scientometrics</i> , 2010, 84, 639-648.	1.6	15

#	ARTICLE	IF	CITATIONS
253	Mechanical analysis of eyelid morphology. <i>Acta Biomaterialia</i> , 2013, 9, 7968-7976.	4.1	15
254	A novel TiO <sub>2</sub> nanofiber supported PdAg catalyst for methanol electro-oxidation. <i>Energy</i> , 2013, 59, 478-483.	4.5	15
255	Thermal Stress in Fabrication of Thermal Barrier Coatings. <i>Journal of Thermal Stresses</i> , 2014, 37, 1390-1415.	1.1	15
256	Numerical analysis of CMAS penetration induced interfacial delamination of transversely isotropic ceramic coat in thermal barrier coating system. <i>Surface and Coatings Technology</i> , 2015, 280, 100-109.	2.2	15
257	Development of sorbent materials for direct air capture of CO <sub>2</sub> . <i>MRS Bulletin</i> , 2022, 47, 405-415.	1.7	15
258	Mechanosensitive Channels: Insights from Continuum-Based Simulations. <i>Cell Biochemistry and Biophysics</i> , 2008, 52, 1-18.	0.9	14
259	Mechanisms of Nanoindentation on Multiwalled Carbon Nanotube and Nanotube Cluster. <i>Journal of Nanomaterials</i> , 2008, 2008, 1-12.	1.5	14
260	On stresses induced in a thermal barrier coating due to indentation testing. <i>Computational Materials Science</i> , 2009, 44, 1178-1191.	1.4	14
261	Lead removal from solution by a porous ceramisite made from bentonite, metallic iron, and activated carbon. <i>Environmental Science: Water Research and Technology</i> , 2015, 1, 814-822.	1.2	14
262	Deformation modeling of polyvinylidene difluoride (PVDF) symmetrical microfiltration hollow-fiber (HF) membrane. <i>Journal of Membrane Science</i> , 2016, 497, 421-429.	4.1	14
263	Self-Assembly of Islands on Spherical Substrates by Surface Instability. <i>ACS Nano</i> , 2017, 11, 2611-2617.	7.3	14
264	Porous g-C <sub>3</sub> N <sub>4</sub> covered MOF-derived nanocarbon materials for high-performance supercapacitors. <i>RSC Advances</i> , 2019, 9, 39076-39081.	1.7	14
265	Carbon nanotubes/graphitic carbon nitride nanocomposites for all-solid-state supercapacitors. <i>Science China Technological Sciences</i> , 2020, 63, 1714-1720.	2.0	14
266	MnO <sub>2</sub> Synergized with N/S Codoped Graphene as a Flexible Cathode Efficient Electrocatalyst for Advanced Honeycomb-Shaped Stretchable Aluminum-Air Batteries. <i>Langmuir</i> , 2020, 36, 12954-12962.	1.6	14
267	A Nano-Shield Design for Separators to Resist Dendrite Formation in Lithium-Metal Batteries. <i>Angewandte Chemie</i> , 2020, 132, 6623-6628.	1.6	14
268	A mesoscopic model of the constitutive behaviour of monocrystalline ferroelectrics. <i>Smart Materials and Structures</i> , 1997, 6, 145-151.	1.8	13
269	Model updating of lattice structures: A substructure energy approach. <i>Mechanical Systems and Signal Processing</i> , 2011, 25, 1469-1484.	4.4	13
270	A novel PdAg/TiO <sub>2</sub> nanotube electrocatalyst for methanol electro-oxidation. <i>Fuel</i> , 2013, 108, 850-854.	3.4	13



#	ARTICLE	IF	CITATIONS
271	Precipitation phenomenon of nanoparticles in power-law fluids over a rotating disk. <i>Microfluidics and Nanofluidics</i> , 2014, 17, 107-114.	1.0	13
272	Micro-scale damage characterization in porous ceramics by an acoustic emission technique. <i>Ceramics International</i> , 2014, 40, 9859-9866.	2.3	13
273	On compressive deformation behavior of hollow-strut cellular materials. <i>Materials and Design</i> , 2016, 105, 1-8.	3.3	13
274	Mass transfer mechanisms of rotary atomization: A numerical study using the moving particle semi-implicit method. <i>International Journal of Heat and Mass Transfer</i> , 2017, 105, 90-101.	2.5	13
275	Synergistic effect of supercritical CO <sub>2</sub> and organic solvent on exfoliation of graphene: experiment and atomistic simulation studies. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 22149-22157.	1.3	13
276	Comment on "Accelerated Discovery of New 8-Electron Half-Heusler Compounds as Promising Energy and Topological Quantum Materials"; <i>Journal of Physical Chemistry C</i> , 2020, 124, 2247-2249.	1.5	13
277	Two-step synthesis of millimeter-scale flexible tubular supercapacitors. <i>Communications Chemistry</i> , 2020, 3, .	2.0	13
278	Flexible Composite Solid Electrolyte with an Active Inorganic Filler. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 2237-2245.	3.2	13
279	Comments on "Further investigation on the definition of the representative strain in conical indentation" by Y. Cao and N. Huber [ <i>J. Mater. Res.</i> 21, 1810 (2006)]: A systematic study on applying the representative strains to extract plastic properties through one conical indentation test. <i>Journal of Materials Research</i> , 2007, 22, 858-868.	1.2	12
280	Numerical simulation of binary collisions using a modified surface tension model with particle method. <i>Nuclear Engineering and Design</i> , 2009, 239, 619-627.	0.8	12
281	Molecular dynamics simulation of impact response of buckyballs. <i>Mechanics Research Communications</i> , 2013, 49, 8-12.	1.0	12
282	Crashworthiness Analysis of Electric Vehicle With Energy-Absorbing Battery Modules. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2017, 139, .	0.8	12
283	Understanding transport and separation of organic mixed working fluids in T-junction from multi-scale insights: Literature review and case study. <i>International Journal of Heat and Mass Transfer</i> , 2020, 154, 119702.	2.5	12
284	Screening and Understanding Li Adsorption on Two-Dimensional Metallic Materials by Learning Physics and Physics-Simplified Learning. <i>Jacs Au</i> , 2021, 1, 1904-1914.	3.6	12
285	Determining Equi-Biaxial Residual Stress and Mechanical Properties From the Force-Displacement Curves of Conical Microindentation. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2007, 129, 200-206.	0.8	11
286	Deformation and fracture behavior of electrocodeposited alumina nanoparticle/copper composite films. <i>Journal of Materials Science</i> , 2007, 42, 5256-5263.	1.7	11
287	Numerical investigation of indentation fatigue on polycrystalline copper. <i>Journal of Materials Research</i> , 2009, 24, 1007-1015.	1.2	11
288	Numerical Simulation of Nanoindentation and Patch Clamp Experiments on Mechanosensitive Channels of Large Conductance in <i>Escherichia coli</i> . <i>Experimental Mechanics</i> , 2009, 49, 35-46.	1.1	11

#	ARTICLE	IF	CITATIONS
289	Evaluation of elastoplastic properties and fracture strength of thick diamond like carbon film by indentation. <i>Diamond and Related Materials</i> , 2010, 19, 40-49.	1.8	11
290	Three dimensional buckling beam under cylindrical constraint. <i>International Journal of Mechanical Sciences</i> , 2019, 150, 348-355.	3.6	11
291	CO2 removal from natural gas by moisture swing adsorption. <i>Chemical Engineering Research and Design</i> , 2021, 176, 162-168.	2.7	11
292	Ni-Fe bimetallic hexaaluminate for efficient reduction of O2-containing CO2 via chemical looping. <i>Chemical Engineering Journal</i> , 2022, 441, 136071.	6.6	11
293	Comments on "Extracting the plastic properties of metal materials from microindentation tests: Experimental comparison of recently published methods" by B. Guelorget, et al. [ <i>J. Mater. Res.</i> 22, 1512 (2007)]: The correct methods of analyzing experimental data and reverse analysis of indentation tests. <i>Journal of Materials Research</i> . 2008, 23, 598-608.	1.2	10
294	Crack propagation toward a desired path by controlling the force direction. <i>Engineering Fracture Mechanics</i> , 2009, 76, 2554-2559.	2.0	10
295	Mechanism of Water Infiltration and Defiltration through ZSM-5 Zeolite: Heating and Sodium Chloride Concentration Effect. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-7.	1.5	10
296	Gating mechanism of mechanosensitive channel of large conductance: a coupled continuum mechanical-continuum solvation approach. <i>Biomechanics and Modeling in Mechanobiology</i> , 2016, 15, 1557-1576.	1.4	10
297	Aerobic and anaerobic microbial degradation of crude (4-methylcyclohexyl)methanol in river sediments. <i>Science of the Total Environment</i> , 2016, 547, 78-86.	3.9	10
298	Helical buckling of wires embedded in a soft matrix under axial compression. <i>Extreme Mechanics Letters</i> , 2017, 17, 71-76.	2.0	10
299	Measurement of Interfacial Fracture Toughness of Surface Coatings Using Pulsed-Laser-Induced Ultrasonic Waves. <i>Journal of Nondestructive Evaluation</i> , 2018, 37, 1.	1.1	10
300	Three-dimensional auxetic properties in group V-VI binary monolayer crystals $X_3M_2$ ( $X = S, Se; M = N, P, As$ ). <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 5916-5924.	1.3	10
301	Harvesting Low-Grade Heat via Thermal-Induced Electric Double Layer Redistribution of Nanoporous Graphene Films. <i>Langmuir</i> , 2019, 35, 7713-7719.	1.6	10
302	Elementary Slender Soft Robots Inspired by Skeleton Joint System of Animals. <i>Soft Robotics</i> , 2019, 6, 377-388.	4.6	10
303	Prediction of a two-dimensional S3N2 solid for optoelectronic applications. <i>Physical Review Materials</i> , 2018, 2, .	0.9	10
304	A PVA/LiCl/PEO interpenetrating composite electrolyte with a three-dimensional dual-network for all-solid-state flexible aluminum-air batteries. <i>RSC Advances</i> , 2021, 11, 39476-39483.	1.7	10
305	Superior CO2 uptake and enhanced compressive strength for carbonation curing of cement-based materials via flue gas. <i>Construction and Building Materials</i> , 2022, 346, 128364.	3.2	10
306	Numerical analysis of the radial breathing mode of armchair and zigzag single-walled carbon nanotubes under deformation. <i>Journal of Applied Physics</i> , 2006, 100, 124305.	1.1	9

#	ARTICLE	IF	CITATIONS
307	Measuring Material Plastic Properties with Optimized Representative Strain-Based Indentation Technique. <i>Journal of Solid Mechanics and Materials Engineering</i> , 2007, 1, 895-906.	0.5	9
308	Effects of anion concentration on ion-transport pressure in nanopores. <i>Applied Physics Letters</i> , 2009, 94, 013105.	1.5	9
309	Confined Liquid Flow in Nanotube: A Numerical Study and Implications for Energy Absorption. <i>Journal of Computational and Theoretical Nanoscience</i> , 2010, 7, 379-387.	0.4	9
310	Analysis of wave propagation in micro/nanobeam-like structures: A size-dependent model. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2012, 28, 1659-1667.	1.5	9
311	Investigation of PdSn nanometals alloy supported on spherical TiO <sub>2</sub> for methanol electro-oxidation. <i>Powder Technology</i> , 2013, 241, 1-6.	2.1	9
312	MOFs/PVA hybrid membranes with enhanced mechanical and ion-conductive properties. <i>E-Polymers</i> , 2021, 21, 160-165.	1.3	9
313	Controlled crack arrest in brittle thin films: The effect of embedded voids. <i>Acta Materialia</i> , 2008, 56, 6214-6223.	3.8	8
314	Mass transfer characteristics in double-contact-flow absorber with liquid column/screen flow type: Modeling and experiment. <i>Chemical Engineering Science</i> , 2010, 65, 2619-2628.	1.9	8
315	Effects of anion size and concentration on electrolyte invasion into molecular-sized nanopores. <i>New Journal of Physics</i> , 2010, 12, 033021.	1.2	8
316	Energy absorption ability of buckyball C720 at low impact speed: a numerical study based on molecular dynamics. <i>Nanoscale Research Letters</i> , 2013, 8, 54.	3.1	8
317	Probing out-of-plane anisotropic plasticity using spherical indentation: A numerical approach. <i>Computational Materials Science</i> , 2013, 79, 336-344.	1.4	8
318	Mechanical-to-Electric Energy Conversion by Mechanically Driven Flow of Electrolytes Confined in Nanochannels. <i>Applied Physics Express</i> , 2013, 6, 015202.	1.1	8
319	Crystallinity and morphological evolution of hydrothermally synthesized potassium manganese oxide nanowires. <i>Ceramics International</i> , 2014, 40, 1245-1250.	2.3	8
320	Delamination-Based Measurement and Prediction of the Adhesion Energy of Thin Film/Substrate Interfaces. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2017, 139, .	0.8	8
321	Closed-edged bilayer phosphorene nanoribbons producing from collapsing armchair phosphorene nanotubes. <i>Nanotechnology</i> , 2018, 29, 085707.	1.3	8
322	Predicting a two-dimensional P2S3 monolayer: A global minimum structure. <i>Computational Materials Science</i> , 2018, 155, 288-292.	1.4	8
323	Effect of Degassing on the Stability and Reversibility of Glycerol/ZSM-5 Zeolite System. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1065.	1.3	8
324	Strain and defect engineering on phase transition of monolayer black phosphorene. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 21832-21843.	1.3	8

#	ARTICLE	IF	CITATIONS
325	Study on the mechanism of catalytic synthesis of dimethyldichlorosilane by $AlCl_3 / MIL-53(Al)@SiO_2$ . Applied Organometallic Chemistry, 2021, 35, .	1.7	8
326	A Super Energy Mitigation Nanostructure at High Impact Speed Based on Buckyball System. PLoS ONE, 2013, 8, e64697.	1.1	8
327	Learn from nature: Bio-inspired structure design for lithium-ion batteries. EcoMat, 2022, 4, .	6.8	8
328	The size effect of nanoindentation on ZnO nanofilms. Journal of Applied Physics, 2007, 102, 123513.	1.1	7
329	Reprint of "Size dependence and orientation dependence of elastic properties of ZnO nanofilms" [In. J. Solids Struct. 45 (2008) 1730-1753]. International Journal of Solids and Structures, 2008, 45, 3821-3844.	1.3	7
330	Effects of electric field on confined electrolyte in a hexagonal mesoporous silica. Journal of Chemical Physics, 2011, 134, 204706.	1.2	7
331	Spontaneous wrinkling pattern of a constrained thin film membrane. Applied Physics A: Materials Science and Processing, 2012, 107, 761-767.	1.1	7
332	Modified infiltration of solvated ions and ionic liquid in a nanoporous carbon. Applied Physics A: Materials Science and Processing, 2013, 112, 885-889.	1.1	7
333	Experimental investigation of the biaxial strength of thermal barrier coating system. Ceramics International, 2015, 41, 8945-8955.	2.3	7
334	Vibration-to-electric energy conversion with porous graphene oxide-nickel electrode. Journal of Power Sources, 2017, 368, 73-77.	4.0	7
335	Investigation of inner mechanism of anisotropic mechanical property of antler bone. Journal of the Mechanical Behavior of Biomedical Materials, 2018, 88, 1-10.	1.5	7
336	Preparation of Three-Layer Graphene Sheets from Asphaltenes Using a Montmorillonite Template. Journal of Nanomaterials, 2019, 2019, 1-6.	1.5	7
337	Separation of binary organic mixture in T-shaped carbon nanotube separator: Insights from molecular dynamics simulation. Journal of Molecular Liquids, 2020, 312, 113371.	2.3	7
338	Strong bases behave as weak bases in nanoscale chemical environments: implication in humidity-swing CO <sub>2</sub> air capture. Physical Chemistry Chemical Physics, 2021, 23, 14811-14817.	1.3	7
339	Elastic Properties of Carbon Nanotubes in the Radial Direction. Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanoengineering and Nanosystems, 2005, 219, 73-88.	0.1	6
340	Measuring elastic property of single-walled carbon nanotubes by nanoindentation: A theoretical framework. Mechanics Research Communications, 2008, 35, 256-267.	1.0	6
341	A dimensionless factor characterizing the ignition of pulverized coal flow: Analytical model, experimental verification, and application. International Journal of Energy Research, 2009, 33, 235-254.	2.2	6
342	Energy Dissipation of Nanoporous MFI Zeolite Under Dynamic Crushing. Journal of Computational and Theoretical Nanoscience, 2011, 8, 881-886.	0.4	6

#	ARTICLE	IF	CITATIONS
343	Thermal stress and strain distributions of a laboratory scale wall fired furnace: A numerical study and experimental verification. <i>Engineering Failure Analysis</i> , 2012, 25, 227-237.	1.8	6
344	Fluid particle group reaction model and experimental verification. <i>Advanced Powder Technology</i> , 2013, 24, 200-206.	2.0	6
345	Fast Ion Transport and Phase Separation in a Mechanically Driven Flow of Electrolytes through Tortuous Sub- $\mu$ m Nanometer Nanochannels. <i>ChemPhysChem</i> , 2013, 14, 2413-2418.	1.0	6
346	Band gap and oxygen vacancy diffusion of anatase (101) surface: the effect of strain. <i>Theoretical Chemistry Accounts</i> , 2016, 135, 1.	0.5	6
347	On the surface hydrophilization of a blended polysulfone membrane: atomic force microscopy measurement and molecular dynamics simulation. <i>Surface Topography: Metrology and Properties</i> , 2019, 7, 035003.	0.9	6
348	Buckling morphology of an elastic ring confined in an annular channel. <i>Soft Matter</i> , 2019, 15, 5443-5448.	1.2	6
349	Post-wrinkling behaviors of a bilayer on a soft substrate. <i>International Journal of Solids and Structures</i> , 2021, 214-215, 74-79.	1.3	6
350	Silver decorated graphene nanocomposites toward electrochemical energy storage. <i>Chemical Physics Letters</i> , 2021, 771, 138534.	1.2	6
351	Atomistic Studies of Mechanical Properties of Carbon Nanotubes. <i>Journal of Computational and Theoretical Nanoscience</i> , 2007, 4, 823-839.	0.4	6
352	Observation of plastic deformation in freestanding single crystal Au nanowires. <i>Applied Physics Letters</i> , 2006, 89, 111916.	1.5	5
353	High-frequency vibration of a conformal antenna structure. <i>Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering</i> , 2008, 222, 569-574.	0.7	5
354	Numerical and experimental studies of deep indentation on single crystals. <i>Journal of Mechanics of Materials and Structures</i> , 2008, 3, 1429-1445.	0.4	5
355	Spherical Indentation on an Elastic Coating/Substrate System: Determining Substrate Modulus. <i>Journal of Engineering Mechanics - ASCE</i> , 2009, 135, 1189-1197.	1.6	5
356	Evaluation of critical strain for crack nucleation of magnesium di-boride superconductor using indentation method. <i>Materials Chemistry and Physics</i> , 2011, 125, 528-535.	2.0	5
357	Microstructural analysis of edge cracking in magnesium alloy sheet under rolling. <i>Materials Science and Technology</i> , 2012, 28, 415-419.	0.8	5
358	Mechanical Energy Absorption Characteristics of Hollow and Water-Filled Carbon Nanotubes upon Low-Speed Crushing. <i>Journal of Nanomechanics &amp; Micromechanics</i> , 2012, 2, 65-70.	1.4	5
359	Buckling patterns of conical thin film/substrate systems. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 155306.	1.3	5
360	Tensile deformation of polytetrafluoroethylene hollow fiber membranes used for water purification. <i>Water Science and Technology</i> , 2014, 70, 1244-1250.	1.2	5

#	ARTICLE	IF	CITATIONS
361	Novel spherical TiO <sub>2</sub> supported PdNi alloy catalyst for methanol electrooxidation. Journal of Industrial and Engineering Chemistry, 2014, 20, 1223-1226.	2.9	5
362	Effect of the Adjustable Inner Secondary Air-Flaring Angle of Swirl Burner on Coal-Opposed Combustion. Journal of Energy Engineering - ASCE, 2016, 142, 04015018.	1.0	5
363	Abrupt out-of-plane edge folding of a circular thin plate: Implication for a mature Victoria regia leaf. European Physical Journal E, 2016, 39, 85.	0.7	5
364	Degradation of cis - and trans -(4-methylcyclohexyl) methanol in activated sludge. Journal of Hazardous Materials, 2016, 306, 247-256.	6.5	5
365	Direct coupling between molecular dynamics and lattice Boltzmann method based on velocity distribution functions for steady-state isothermal flow. International Journal of Heat and Mass Transfer, 2017, 115, 544-555.	2.5	5
366	Strain-Guided Oxidative Nanoperforation on Graphene. Small, 2019, 15, e1903213.	5.2	5
367	How interlayer twist angles affect thermal conduction of double-walled nanotubes: A non-equilibrium molecular dynamics study. International Journal of Heat and Mass Transfer, 2020, 160, 120234.	2.5	5
368	Capture of ambient air CO <sub>2</sub> from municipal wastewater mineralization by using an ion-exchange membrane. Science of the Total Environment, 2021, 790, 148136.	3.9	5
369	Snell's law of elastic waves propagation on moving property interface of time-varying materials. International Journal of Solids and Structures, 2018, 143, 18-28.	1.3	4
370	Oxidation-induced negative Poisson's ratio of phosphorene. Journal of Physics Condensed Matter, 2018, 30, 315302.	0.7	4
371	Effect of Local Terrace on Structure and Mechanics of Graphene Grain Boundary. Journal of Physical Chemistry C, 2019, 123, 28460-28468.	1.5	4
372	Effects of technology parameters on stress in silicon-graphite based multilayer electrodes for lithium ion batteries. Journal Physics D: Applied Physics, 2019, 52, 345501.	1.3	4
373	Monodispersed LiFePO <sub>4</sub> @C Core-Shell Nanoparticles Anchored on 3D Carbon Cloth for High-Rate Performance Binder-Free Lithium Ion Battery Cathode. Journal of Nanomaterials, 2020, 2020, 1-11.	1.5	4
374	Surface buckling delamination patterns of film on soft spherical substrates. Soft Matter, 2020, 16, 3952-3961.	1.2	4
375	Flexible and ion-conductive ionogel towards energy storage application. Chemical Physics Letters, 2020, 755, 137814.	1.2	4
376	Experimental Study on the Heat Flux Distribution of a Laboratory-Scale Wall-Fired Furnace. Energy & Fuels, 2010, 24, 5369-5377.	2.5	3
377	Effect of dynamic strain rate on micro-indentation properties of pure aluminum. EPJ Web of Conferences, 2015, 94, 04034.	0.1	3
378	Experimental Study on Laminar Flame Speed of Natural Gas/Carbon Monoxide/Air Mixtures. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2015, 37, 576-582.	1.2	3

#	ARTICLE	IF	CITATIONS
379	Three dimensional wave propagation in time-varying materials: A mathematical model based on the weak solutions of continuity in the moving property interface. Applied Mathematical Modelling, 2017, 48, 134-152.	2.2	3
380	Self-assembled nanocapsules in water: a molecular mechanistic study. Physical Chemistry Chemical Physics, 2017, 19, 20377-20382.	1.3	3
381	Study on Gamma Prime and Carbides of Alloy A286 by Traditional Thermodynamic Calculation. High Temperature Materials and Processes, 2018, 37, 495-507.	0.6	3
382	Unconventional localization prior to wrinkles and controllable surface patterns of film/substrate bilayers through patterned cavities. Extreme Mechanics Letters, 2018, 25, 66-70.	2.0	3
383	Coarse-grained area-difference-elasticity membrane model coupled with IB-LB method for simulation of red blood cell morphology. Physica A: Statistical Mechanics and Its Applications, 2018, 509, 1183-1194.	1.2	3
384	Correlation between the infiltration behaviors and nanoporous structures of silica gel/liquid energy absorption system. Journal of Applied Physics, 2019, 125, 065106.	1.1	3
385	Reversible SO <sub>2</sub> Removal from Simulated Flue Gas by Ion Exchange Membranes Using the Humidity-Swing. Energy & Fuels, 2019, 33, 10953-10958.	2.5	3
386	Fractal-inspired soft deployable structure: a theoretical study. Soft Matter, 2021, 17, 4834-4841.	1.2	3
387	On the snake-like lateral undulatory locomotion in terrestrial, aquatic and sand environments. Journal of the Mechanics and Physics of Solids, 2021, 157, 104629.	2.3	3
388	Porous Perovskite towards Oxygen Reduction Reaction in Flexible Aluminum-Air Battery. Acta Chimica Sinica, 2020, 78, 557.	0.5	3
389	CO <sub>2</sub> reduction on single-atom Ir catalysts with chemical functionalization. Physical Chemistry Chemical Physics, 2022, 24, 3733-3740.	1.3	3
390	Flexible Piezoionic Strain Sensors toward Artificial Intelligence Applications. Synlett, 2022, 33, 1486-1491.	1.0	3
391	The method of introducing oxygen vacancy into La <sub>0.8</sub> Sr <sub>0.2</sub> FeO <sub>3</sub> -based catalyst: enhancing the ORR and OER performance. Journal of Materials Science, 2022, 57, 12364-12376.	1.7	3
392	Piezoionic strain sensors enabled by force-voltage coupling from ionogels. Chemical Physics Letters, 2022, 803, 139872.	1.2	3
393	New stress intensity factor solutions of a periodic array of cracks in residual stress field. Mechanics Research Communications, 2006, 33, 425-432.	1.0	2
394	Science and Prospects of Using Nanoporous Materials for Energy Absorption. Materials Research Society Symposia Proceedings, 2007, 1041, 1.	0.1	2
395	Axisymmetric Deformation of a Pressurized Thin Elastic Membrane with Nonuniform Thickness. Journal of Engineering Mechanics - ASCE, 2007, 133, 1146-1150.	1.6	2
396	Microfluidic Channels Formed by Collapse of Soft Stamp. Journal of Nanomechanics & Micromechanics, 2011, 1, 3-10.	1.4	2

#	ARTICLE	IF	CITATIONS
397	Characterization of Hydrogen-Induced Contact Fracture in High-Strength Steel. Journal of Engineering Materials and Technology, Transactions of the ASME, 2015, 137, .	0.8	2
398	A multifunctional battery module design for electric vehicle. Journal of Modern Transportation, 2017, 25, 218-222.	2.5	2
399	Crush behaviors of polyvinyl chloride cellular structures with liquid filler. Composite Structures, 2018, 189, 428-434.	3.1	2
400	Tunable surface morphology via patterned cavities in soft materials. Physical Review E, 2018, 98, .	0.8	2
401	Gating and inactivation of mechanosensitive channels of small conductance: A continuum mechanics study. Journal of the Mechanical Behavior of Biomedical Materials, 2019, 90, 502-514.	1.5	2
402	Interaction between mechanosensitive channels embedded in lipid membrane. Journal of the Mechanical Behavior of Biomedical Materials, 2020, 103, 103543.	1.5	2
403	Development of Adhesion Durability Evaluation of Surface Coatings Using Repeated Laser Shock-wave Adhesion Test. Journal of Nondestructive Evaluation, 2020, 39, 1.	1.1	2
404	Measurements of fracture properties of MWCNTs modified LiNi0.5Mn0.3Co0.2O2 electrodes by a modified shear lag model. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 781, 139223.	2.6	2
405	Flexible Resistance-Type Strain Sensors toward Monitoring Finger Movements. Synlett, 2021, 32, 1939-1942.	1.0	2
406	Cylindrical indentation induced deformation in face-centered cubic metal single crystals. Journal of Mechanics of Materials and Structures, 2007, 2, 557-572.	0.4	2
407	Strain rate behavior of pure aluminum in conical indentation with different indenter control methods. International Journal of Computational Methods and Experimental Measurements, 2017, 6, 515-526.	0.1	2
408	Failure Mechanisms of Thermal Barrier Coatings at High Temperature. , 2003, , 159.		1
409	MACRO- AND MICROSCOPIC APPROACHES TO PLANE STRAIN DEFORMATION STATES OF FACE-CENTERED CUBIC METALS UNDER WEDGE INDENTATION. International Journal of Applied Mechanics, 2009, 01, 41-60.	1.3	1
410	Flow Field of Water Drops in a Blade Channel: Numerical Simulation of Water Drop Erosion on Turbine Blades. International Journal of Turbo and Jet Engines, 2009, 26, .	0.3	1
411	Analysis of damage during bending creep tests. Philosophical Magazine Letters, 2009, 89, 335-347.	0.5	1
412	Computational Modeling of Indentation. , 2010, , 153-183.		1
413	Nanostructural Mechanism of Toughness of Crab Carapace. Journal of Computational and Theoretical Nanoscience, 2013, 10, 1436-1440.	0.4	1
414	Closure to "Discussion of "Nanoscale Fluid Mechanics and Energy Conversion" (Chen, X., Xu, B., and) Tj4EJQq0 0 0 rgBT /Ov	4.5	1



#	ARTICLE	IF	CITATIONS
415	An analysis of copper film mechanical properties by means of nanoindentation technique. , 2014, , .		1
416	Effects of Intrinsic Strain on the Structural Stability and Mechanical Properties of Phosphorene Nanotubes. , 2016, , .		1
417	Acoustic actuators based on the resonance of an acoustic-film system applied to the actuation of soft robots. Journal of Sound and Vibration, 2018, 432, 310-326.	2.1	1
418	Vibration-to-Electric Energy Conversion via Electric Double Layer Redistribution of Graphene-Nickel Foam Electrode. Journal of the Electrochemical Society, 2019, 166, A3280-A3286.	1.3	1
419	Mechanical modeling of pimple growth. Journal of the Mechanical Behavior of Biomedical Materials, 2019, 95, 191-195.	1.5	1
420	Molecular dynamics investigation on the composition separation of binary organic mixture in a double-walled T-shaped carbon nanotube separator. Journal of Molecular Liquids, 2021, 321, 114498.	2.3	1
421	Curvature-controlled delamination patterns of thin films on spherical substrates. IScience, 2021, 24, 102616.	1.9	1
422	Mechanical Self-Assembly in Nature. , 2013, , 1-8.		1
423	Computational Molecular Biomechanics: A Hierarchical Multiscale Framework With Applications to Gating of Mechanosensitive Channels of Large Conductance. Challenges and Advances in Computational Chemistry and Physics, 2010, , 535-556.	0.6	1
424	Uniqueness of Elastoplastic Properties Measured by Instrumented Indentation. , 2019, , 211-240.		1
425	On The Mechanics of Indentation Induced Lateral Cracking. Materials Research Society Symposia Proceedings, 2004, 841, R11.11.1.	0.1	0
426	Critical Penetration Depth for Nano/Micro Indentation Test to Determine Elastic-Plastic Film Properties Deposited on Hard Substrates. , 2006, , 931.		0
427	Analysis of Microindentation Unloading Curves based on Representative Strain Approach with Closed-Form Applications. Journal of Solid Mechanics and Materials Engineering, 2008, 2, 604-615.	0.5	0
428	Gas-Liquid Two-Phase Flow Simulation of Wetted Wall Flows in Packed Columns. , 2010, , .		0
429	Numerical Simulation of Gas-Liquid Two-Phase Flows on Wetted Walls. , 2010, , .		0
430	Nanofluidic behavior on potassium chloride solution in zeolite Y. Materials Research Society Symposia Proceedings, 2011, 1346, 1.	0.1	0
431	Indentation Hardness of Film/Substrate System: Discovery of the Unconventional Overshoot and Undershoot Behaviors. Journal of Solid Mechanics and Materials Engineering, 2012, 6, 814-831.	0.5	0
432	Mechanical Self-Assembly vs. Morphogenesis. , 2013, , 9-23.		0

#	ARTICLE	IF	CITATIONS
433	Mechanical Self-Assembly on Curved Substrates. , 2013, , 171-199.		0
434	Increased cement paste permeability via novel controlled fatigue technique. , 2013, , .		0
435	Effects of rolling rate on microstructure and mechanical properties of Mg sheets. International Journal of Materials Research, 2014, 105, 502-506.	0.1	0
436	Research on Pinholes in Aluminum Foil. Advanced Materials Research, 2014, 884-885, 308-311.	0.3	0
437	Reply of the comments on "Dynamic modeling and simulation of Shell gasifier in IGCC" Fuel Processing Technology, 2015, 138, 825.	3.7	0
438	Numerical Study of Gas-Liquid Flow in Dual-Contact-Flow Absorber with One-Dimensional Two-Way Coupled Model. Canadian Journal of Chemical Engineering, 2015, 93, 1556-1566.	0.9	0
439	A mechanical model of overnight hair curling. European Physical Journal E, 2015, 38, 95.	0.7	0
440	Self-Assembly of Protruding Islands on Spherical Substrates by Surface Instability. , 2016, , .		0
441	Special Issue Honoring Professor George Z. Voyiadjis: Multi-physical Solutions for Harsh Environments: Computations and Experiments. Journal of Engineering Materials and Technology, Transactions of the ASME, 2017, 139, .	0.8	0
442	Strengthening effect of rhenium on different substitution positions of tungsten nanofilm at high temperature: DFT and molecular dynamics simulation. Materials Research Express, 2019, 6, 115013.	0.8	0
443	Molecular Dynamics-Decorated Finite Element Method (MDeFEM): Application to the Gating Mechanism of Mechanosensitive Channels. , 2019, , 77-128.		0
444	Molecular Dynamics-Decorated Finite Element Method (MDeFEM): Application to the Gating Mechanism of Mechanosensitive Channels. , 2018, , 1-52.		0
445	Helical Buckling Behaviors of the Nanowire/Substrate System. , 2018, , 1-47.		0
446	Hydrogen Embrittlement Cracking Produced by Indentation Test. , 2018, , 1-25.		0
447	Spherical Indentation on a Prestressed Elastic Coating/Substrate System. , 2018, , 1-24.		0
448	Indentation Fatigue Mechanics. , 2018, , 1-31.		0
449	Indentation Fatigue Mechanics. , 2019, , 401-431.		0
450	Helical Buckling Behaviors of the Nanowire/Substrate System. , 2019, , 241-287.		0

#	ARTICLE	IF	CITATIONS
451	Spherical Indentation on a Prestressed Elastic Coating/Substrate System. , 2019, , 129-152.		0
452	Hydrogen Embrittlement Cracking Produced by Indentation Test. , 2019, , 289-313.		0
453	Examination of Prestressed Coating/Substrate Systems Using Spherical Indentationâ€”Determination of Film Prestress, Film Modulus, and Substrate Modulus. Journal of Engineering Materials and Technology, Transactions of the ASME, 2020, 142, .	0.8	0