

Yuping Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3004205/publications.pdf>

Version: 2024-02-01

200
papers

4,344
citations

136950

32
h-index

189892

50
g-index

206
all docs

206
docs citations

206
times ranked

4926
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-obesity and Gut Microbiota Modulation Effect of Astragalus Polysaccharides Combined with Berberine on High-Fat Diet-Fed Obese Mice. <i>Chinese Journal of Integrative Medicine</i> , 2023, 29, 617-625.	1.6	5
2	Network pharmacology-based study on immunomodulatory mechanism of danggui-yimucao herb pair for the treatment of RU486-induced abortion. <i>Journal of Ethnopharmacology</i> , 2022, 282, 114609.	4.1	4
3	A multimodal fluorescent probe for portable colorimetric detection of pH and its application in mitochondrial bioimaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 267, 120554.	3.9	7
4	Efficacy and Safety of Three Chinese Patent Medicines and Three TCM Prescriptions for COVID-19: A Systematic Review and Network Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-16.	1.2	3
5	Pimarane, abietane, and labdane diterpenoids from <i>Euphorbia pekinensis</i> Rupr. and their anti-tumor activities. <i>Phytochemistry</i> , 2022, 197, 113113.	2.9	10
6	Clinical Characteristics, Transmissibility, Pathogenicity, Susceptible Populations, and Re-infectivity of Prominent COVID-19 Variants. , 2022, 13, 402.		28
7	Fuzzy identification of bioactive components for different efficacies of rhubarb by the back propagation neural network association analysis of UPLC-Q-TOF/MSE and integrated effects. <i>Chinese Medicine</i> , 2022, 17, 50.	4.0	3
8	Oral Bioavailability-Enhancing and Anti-obesity Effects of Hydroxysafflor Yellow A in Natural Deep Eutectic Solvent. <i>ACS Omega</i> , 2022, 7, 19225-19234.	3.5	4
9	Drug repurposing for COVID-19: could vitamin C combined with glycyrrhizic acid be at play by the findings of Li et al.'s database-based network pharmacology analysis?. <i>Briefings in Bioinformatics</i> , 2021, 22, 1508-1510.	6.5	0
10	Comparison of content-toxicity-activity of six ingenane-type diterpenoids between <i>Euphorbia kansui</i> before and after stir-fried with vinegar by using UFLC-MS/MS, zebrafish embryos and HT-29 cells. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 195, 113828.	2.8	4
11	Toxicity reduction and water expelling effect preservation of Shizaotang after its toxic members processing with vinegar on rats with malignant pleural effusions. <i>Journal of Ethnopharmacology</i> , 2021, 268, 113583.	4.1	8
12	Leonurine, a potential drug for the treatment of cardiovascular system and central nervous system diseases. <i>Brain and Behavior</i> , 2021, 11, e01995.	2.2	25
13	The water expelling effect evaluation of 3-O-(2E,4Z-decadienyl)-20-O-acetylingenol and ingenol on H22 mouse hepatoma ascites model and their content differences analysis in <i>Euphorbia kansui</i> before and after stir-fried with vinegar by UPLC. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113507.	4.1	6
14	Diverse role of gut microbiota on reduction of ascites and intestinal injury in malignant ascites effusion rats treated with <i>Euphorbia kansui</i> stir-fried with vinegar. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113489.	4.1	4
15	A two-photon multi-emissive fluorescent probe for discrimination of Cys and Hcy/GSH via an aromatic substitution-rearrangement. <i>Talanta</i> , 2021, 224, 121833.	5.5	17
16	Potential Role of Gut Microbiota in Traditional Chinese Medicine against COVID-19. <i>The American Journal of Chinese Medicine</i> , 2021, 49, 785-803.	3.8	18
17	Integration of full-length transcriptomics and targeted metabolomics to identify benzyloquinoline alkaloid biosynthetic genes in <i>Corydalis yanhusuo</i> . <i>Horticulture Research</i> , 2021, 8, 16.	6.3	23
18	Synthesis, Antitumor Activity, Oil-Water Partition Coefficient, and Theoretical Calculation of 2 New Rutaecarpine Derivatives With Methoxy Groups. <i>Natural Product Communications</i> , 2021, 16, 1934578X2199168.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Quantitative evaluation of Danqi tablet by ultra-performance liquid chromatography coupled with triple quadrupole mass spectrometry integrated with bioassay. <i>Journal of Separation Science</i> , 2021, 44, 1552-1563.	2.5	1
20	The Bioactivities and Potential Clinical Values of <i>Angelica Sinensis</i> Polysaccharides. <i>Natural Product Communications</i> , 2021, 16, 1934578X2199732.	0.5	5
21	Total Flavonoids of <i>Glycyrrhiza uralensis</i> Alleviates Irinotecan-Induced Colitis via Modification of Gut Microbiota and Fecal Metabolism. <i>Frontiers in Immunology</i> , 2021, 12, 628358.	4.8	29
22	Studies on blood enrichment and anti-tumor effects of combined Danggui Buxue Decoction, Fe and rhEPO based on colon cancer-related anemia model and gut microbiota modulation. <i>Chinese Journal of Natural Medicines</i> , 2021, 19, 422-431.	1.3	8
23	Network Pharmacology-Based Dissection of the Active Ingredients and Protective Mechanism of the <i>Salvia Miltiorrhiza</i> and <i>Panax Notoginseng</i> Herb Pair against Insulin Resistance. <i>ACS Omega</i> , 2021, 6, 17276-17288.	3.5	5
24	Action Mode of Gut Motility, Fluid and Electrolyte Transport in Chronic Constipation. <i>Frontiers in Pharmacology</i> , 2021, 12, 630249.	3.5	19
25	Potential medicinal value of celastrol and its synthesized analogues for central nervous system diseases. <i>Biomedicine and Pharmacotherapy</i> , 2021, 139, 111551.	5.6	16
26	Efficacy and Safety of Xue-Fu-Zhu-Yu Decoction for Patients with Coronary Heart Disease: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-19.	1.2	9
27	Study on changes in pigment composition during the blooming period of safflower based on plant metabolomics and semi-quantitative analysis. <i>Journal of Separation Science</i> , 2021, 44, 4082-4091.	2.5	7
28	3D-QSAR, Molecular Docking, and MD Simulations of Anthraquinone Derivatives as PGAM1 Inhibitors. <i>Frontiers in Pharmacology</i> , 2021, 12, 764351.	3.5	6
29	Danggui-Yimucao Herb Pair Can Protect Mice From the Immune Imbalance Caused by Medical Abortion and Stabilize the Level of Serum Metabolites. <i>Frontiers in Pharmacology</i> , 2021, 12, 754125.	3.5	2
30	<i>Morus alba</i> L. Leaves – Integration of Their Transcriptome and Metabolomics Dataset: Investigating Potential Genes Involved in Flavonoid Biosynthesis at Different Harvest Times. <i>Frontiers in Plant Science</i> , 2021, 12, 736332.	3.6	10
31	Comparative analysis of the main active constituents from different parts of <i>Leonurus japonicus</i> Houtt. and from different regions in China by ultra-high performance liquid chromatography with triple quadrupole tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 177, 112873.	2.8	16
32	Pharmacodynamics and pharmacokinetics of Danshen in isoproterenol-induced acute myocardial ischemic injury combined with Honghua. <i>Journal of Ethnopharmacology</i> , 2020, 247, 112284.	4.1	14
33	An integrated metabolomics strategy to reveal dose-effect relationship and therapeutic mechanisms of different efficacy of rhubarb in constipation rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 177, 112837.	2.8	23
34	Regulation of serum lipidomics and amino acid profiles of rats with acute myocardial ischemia by <i>Salvia miltiorrhiza</i> and <i>Panax notoginseng</i> herb pair. <i>Phytomedicine</i> , 2020, 67, 153162.	5.3	14
35	Boronic acid-modified polyhedral oligomeric silsesquioxanes on polydopamine-coated magnetized graphene oxide for selective and high-capacity extraction of the catecholamines epinephrine, dopamine and isoprenaline. <i>Mikrochimica Acta</i> , 2020, 187, 77.	5.0	15
36	Redox-responsive hollow mesoporous silica nanoparticles constructed via host-guest interactions for controllable drug release. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2020, 31, 472-490.	3.5	15

#	ARTICLE	IF	CITATIONS
37	Kansuiphorin C and Kansuinin A ameliorate malignant ascites by modulating gut microbiota and related metabolic functions. <i>Journal of Ethnopharmacology</i> , 2020, 249, 112423.	4.1	7
38	Therapeutic Potential of Hydroxysafflor Yellow A on Cardio-Cerebrovascular Diseases. <i>Frontiers in Pharmacology</i> , 2020, 11, 01265.	3.5	38
39	New thiophene hydrazide dual-functional chemosensor: Colorimetric sensor for Cu ²⁺ & fluorescent sensor for Al ³⁺ . <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 242, 118712.	3.9	22
40	Licorice-Yuanhua Herbal Pair Induces Ileum Injuries Through Weakening Epithelial and Mucous Barrier Functions: Saponins, Flavonoids, and Di-Terpenes All Involved. <i>Frontiers in Pharmacology</i> , 2020, 11, 869.	3.5	8
41	Revealing the mechanisms and the material basis of <i>Rubia cordifolia</i> L. on abnormal uterine bleeding with uniting simultaneous determination of four components and systematic pharmacology approach-experimental validation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 189, 113475.	2.8	5
42	Integration of organ metabolomics and proteomics in exploring the blood enriching mechanism of Danggui Buxue Decoction in hemorrhagic anemia rats. <i>Journal of Ethnopharmacology</i> , 2020, 261, 113000.	4.1	14
43	Discovery of Novel IDH1 Inhibitor Through Comparative Structure-Based Virtual Screening. <i>Frontiers in Pharmacology</i> , 2020, 11, 579768.	3.5	15
44	Qiju Dihuang Decoction for Hypertension: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-16.	1.2	2
45	Simultaneous determination of twelve quinones from <i>Rubiae radix et Rhizoma</i> before and after carbonization processing by UPLC-MS/MS and their antithrombotic effect on zebrafish. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 191, 113638.	2.8	4
46	Comparison of the short-chain fatty acids in normal rat faeces after the treatment of <i>Euphorbia kansui</i> , a traditional Chinese medicine for edoema. <i>Pharmaceutical Biology</i> , 2020, 58, 367-373.	2.9	6
47	The database-based strategy may overstate the potential effects of traditional Chinese medicine against COVID-19. <i>Pharmacological Research</i> , 2020, 159, 105046.	7.1	6
48	An integrated strategy for discovering effective components of Shaoyao Gancao decoction for treating neuropathic pain by the combination of partial least-squares regression and multi-index comprehensive method. <i>Journal of Ethnopharmacology</i> , 2020, 260, 113050.	4.1	11
49	Analysis and evaluation of nucleosides, nucleobases, and amino acids in safflower from different regions based on ultra high performance liquid chromatography coupled with triple quadrupole linear ion trap tandem mass spectrometry. <i>Journal of Separation Science</i> , 2020, 43, 3170-3182.	2.5	10
50	Deciphering the Active Compounds and Mechanisms of Qixuehe Capsule on Qi Stagnation and Blood Stasis Syndrome: A Network Pharmacology Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-18.	1.2	2
51	Electrostatic Self-Assembled Bracelet-Like Au@Pt Nanoparticles: An Efficient Electrocatalyst for Highly Sensitive Non-Enzymatic Hydrogen Peroxide Sensing. <i>ChemElectroChem</i> , 2020, 7, 1581-1589.	3.4	17
52	Hydrophilic interaction chromatography combined with ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction for determination of underivatized neurotransmitters in dementia patients' urine samples. <i>Analytica Chimica Acta</i> , 2020, 1107, 74-84.	5.4	52
53	Effect of the vinegar-process on chemical compositions and biological activities of <i>Euphorbia kansui</i> : A review. <i>Journal of Ethnopharmacology</i> , 2020, 252, 112557.	4.1	9
54	Design, synthesis, antitumor activity and theoretical calculation of novel PI3Ka inhibitors. <i>Bioorganic Chemistry</i> , 2020, 98, 103737.	4.1	13

#	ARTICLE	IF	CITATIONS
55	Comparatively Evaluating the Role of Herb Pairs Containing Angelicae Sinensis Radix in Xin-Sheng-Hua Granule by Withdrawal Analysis. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-13.	1.2	4
56	Toxicity Reduction of Euphorbia kansui Stir-Fried with Vinegar Based on Conversion of 3-O-(2â€²E,4â€²Z-Decadi-enoyl)-20-O-acetylingenol. Molecules, 2019, 24, 3806.	3.8	9
57	The Comprehensive Evaluation of Safflowers in Different Producing Areas by Combined Analysis of Color, Chemical Compounds, and Biological Activity. Molecules, 2019, 24, 3381.	3.8	18
58	Multi-Evaluating Strategy for Siji-kangbingdu Mixture: Chemical Profiling, Fingerprint Characterization, and Quantitative Analysis. Molecules, 2019, 24, 3545.	3.8	15
59	Gut microbiota modulation with traditional Chinese medicine: A system biology-driven approach. Pharmacological Research, 2019, 148, 104453.	7.1	60
60	A network pharmacology approach to investigate the blood enriching mechanism of Danggui buxue Decoction. Journal of Ethnopharmacology, 2019, 235, 227-242.	4.1	92
61	Comparative analysis of nucleosides, nucleobases, and amino acids in different parts of Angelicae Sinensis Radix by ultra high performance liquid chromatography coupled to triple quadrupole tandem mass spectrometry. Journal of Separation Science, 2019, 42, 1122-1132.	2.5	17
62	A novel and efficient synthesis of phenanthrene derivatives via palladium/norbornadiene-catalyzed domino one-pot reaction. Beilstein Journal of Organic Chemistry, 2019, 15, 291-298.	2.2	14
63	The mechanism of mulberry leaves against renal tubular interstitial fibrosis through ERK1/2 signaling pathway was predicted by network pharmacology and validated in human tubular epithelial cells. Phytotherapy Research, 2019, 33, 2044-2055.	5.8	14
64	Elucidating the interaction of kansui and licorice by comparative plasma/tissue metabolomics and a heatmap with relative fold change. Journal of Pharmaceutical Analysis, 2019, 9, 312-323.	5.3	10
65	A Ferulic Acid Derivative FXS-3 Inhibits Proliferation and Metastasis of Human Lung Cancer A549 Cells via Positive JNK Signaling Pathway and Negative ERK/p38, AKT/mTOR and MEK/ERK Signaling Pathways. Molecules, 2019, 24, 2165.	3.8	30
66	Elucidating dosage-effect relationship of different efficacy of rhubarb in constipation model rats by factor analysis. Journal of Ethnopharmacology, 2019, 238, 111868.	4.1	21
67	Dynamic Profiling of Phenolic Acids during Pu-erh Tea Fermentation Using Derivatization Liquid Chromatographyâ€“Mass Spectrometry Approach. Journal of Agricultural and Food Chemistry, 2019, 67, 4568-4577.	5.2	51
68	Determination of kansuiphorin C and kansuinin A in rat feces using UFLC-MS/MS and its application in the comparative excretion study on normal and malignant ascites rats. Journal of Pharmaceutical and Biomedical Analysis, 2019, 170, 254-263.	2.8	6
69	Hierarchical extraction and simultaneous determination of flavones and triterpenes in different parts of Trichosanthes kirilowii Maxim. by ultra-high-performance liquid chromatography coupled with tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2019, 167, 114-122.	2.8	21
70	Studies of the Anti-amnesic Effects and Mechanisms of Single and Combined Use of Donepezil and Ginkgo Ketoester Tablet on Scopolamine-Induced Memory Impairment in Mice. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-16.	4.0	19
71	Comparative pharmacodynamic, pharmacokinetic and tissue distribution of Dahuang-Gancao decoction in normal and experimental constipation mice. Chinese Journal of Natural Medicines, 2019, 17, 871-880.	1.3	6
72	The effects and mechanism of peiminine-induced apoptosis in human hepatocellular carcinoma HepG2 cells. PLoS ONE, 2019, 14, e0201864.	2.5	24

#	ARTICLE	IF	CITATIONS
73	Incompatibility assessment of Genkwa Flos and Glycyrrhizae Radix et Rhizoma with biochemical, histopathological and metabonomic approach. <i>Journal of Ethnopharmacology</i> , 2019, 229, 222-232.	4.1	14
74	A review of Behcet's disease from the perspectives of both Western and Chinese medicine. <i>Journal of Traditional Chinese Medicine</i> , 2019, 39, 139-152.	0.2	1
75	Simultaneous quantification of twelve compounds in ethyl acetate extracts of <i>Euphorbia kansui</i> before and after fry-baked with vinegar by UPLC-MS/MS and its toxic effect on zebrafish. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 155, 169-176.	2.8	27
76	Norbornene-Mediated Palladium-Catalysed Domino-Type Catellani Reaction: an Efficient and Regiospecific Acylation/Suzuki Coupling of Aryl Iodides. <i>European Journal of Organic Chemistry</i> , 2018, 3075-3085.	2.4	8
77	The toxicity and efficacy evaluation of different fractions of <i>Kansui</i> fry-baked with vinegar on Walker-256 tumor-bearing malignant ascites effusion rats and normal rats. <i>Journal of Ethnopharmacology</i> , 2018, 219, 257-268.	4.1	29
78	A comprehensive <i>in vitro</i> and <i>in vivo</i> metabolism study of hydroxysafflor yellow. <i>Journal of Mass Spectrometry</i> , 2018, 53, 99-108.	1.6	11
79	Protective effects of <i>Salvia miltiorrhiza</i> on adenine-induced chronic renal failure by regulating the metabolic profiling and modulating the NADPH oxidase/ROS/ERK and TGF- β /Smad signaling pathways. <i>Journal of Ethnopharmacology</i> , 2018, 212, 153-165.	4.1	65
80	Protective effect of 6-O-methyl-scutellarein on repeated cerebral ischemia/reperfusion in rats. <i>Journal of Asian Natural Products Research</i> , 2018, 20, 1167-1181.	1.4	6
81	Recent opportunities in matrix metalloproteinase inhibitor drug design for cancer. <i>Expert Opinion on Drug Discovery</i> , 2018, 13, 75-87.	5.0	67
82	Gancao-Gansui combination impacts gut microbiota diversity and related metabolic functions. <i>Journal of Ethnopharmacology</i> , 2018, 214, 71-82.	4.1	48
83	Interpretation of <i>Euphorbia Kansui</i> Stir-Fried with Vinegar Treating Malignant Ascites by a UPLC-Q-TOF/MS Based Rat Serum and Urine Metabolomics Strategy Coupled with Network Pharmacology. <i>Molecules</i> , 2018, 23, 3246.	3.8	19
84	A Novel Antithrombotic Protease from Marine Worm <i>Sipunculus Nudus</i> . <i>International Journal of Molecular Sciences</i> , 2018, 19, 3023.	4.1	19
85	Optimization of Ultrasound-Assisted Extraction Followed by Macroporous Resin Purification for Maximal Recovery of Functional Components and Removal of Toxic Components from <i>Ginkgo biloba</i> Leaves. <i>BioMed Research International</i> , 2018, 2018, 1-15.	1.9	16
86	Multi-Response Optimization of Ultrasonic Assisted Enzymatic Extraction Followed by Macroporous Resin Purification for Maximal Recovery of Flavonoids and Ginkgolides from Waste <i>Ginkgo biloba</i> Fallen Leaves. <i>Molecules</i> , 2018, 23, 1029.	3.8	17
87	Integrated Metabolomics and Network Pharmacology Approach to Explain Possible Action Mechanisms of Xin-Sheng-Hua Granule for Treating Anemia. <i>Frontiers in Pharmacology</i> , 2018, 9, 165.	3.5	61
88	<i>Euphorbia kansui</i> fry-baked with vinegar modulates gut microbiota and reduces intestinal toxicity in rats. <i>Journal of Ethnopharmacology</i> , 2018, 226, 26-35.	4.1	33
89	Volatile component interaction effects on compatibility of <i>Cyperus Rhizoma</i> and <i>Angelicae Sinensis Radix</i> or <i>Chuanxiong Rhizoma</i> by UPLC-MS/MS and response surface analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 160, 135-143.	2.8	26
90	Isolation, Structural Elucidation, and β -Glucosidase Inhibitory Activities of Triterpenoid Lactones and Their Relevant Biogenetic Constituents from <i>Ganoderma resinaceum</i> . <i>Molecules</i> , 2018, 23, 1391.	3.8	6

#	ARTICLE	IF	CITATIONS
91	Carboxylesterase and UDP-glucuronosyltransferases mediated metabolism of irinotecan: <i>in vitro</i> and <i>in vivo</i> insights from quantitative ultra-performance liquid chromatography-mass spectrometry analysis. <i>Biomedical Chromatography</i> , 2018, 32, e4320.	1.7	2
92	Novel multitarget-directed tacrine derivatives as potential candidates for the treatment of Alzheimer's disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 572-587.	5.2	54
93	Herb pair Danggui-Honghua: mechanisms underlying blood stasis syndrome by system pharmacology approach. <i>Scientific Reports</i> , 2017, 7, 40318.	3.3	135
94	The role of long noncoding RNA H19 in gender disparity of cholestatic liver injury in multidrug resistance 2 gene knockout mice. <i>Hepatology</i> , 2017, 66, 869-884.	7.3	82
95	Catalpol protects glucose-deprived rat embryonic cardiac cells by inducing mitophagy and modulating estrogen receptor. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 973-982.	5.6	21
96	Therapeutic effects of <i>Euphorbia Pekinensis</i> and <i>Glycyrrhiza glabra</i> on Hepatocellular Carcinoma Ascites Partially Via Regulating the Frk-Arhgdib-Inpp5d-Avpr2-Aqp4 Signal Axis. <i>Scientific Reports</i> , 2017, 7, 41925.	3.3	8
97	A New Ceramide from the Florets of <i>Carthamus tinctorius</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 318-321.	0.8	0
98	Comparative metabolomics analysis for the compatibility and incompatibility of kansui and licorice with different ratios by UHPLC-QTOF/MS and multivariate data analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1057, 40-45.	2.3	16
99	How impaired efficacy happened between Gancao and Yuanhua: Compounds, targets and pathways. <i>Scientific Reports</i> , 2017, 7, 3828.	3.3	13
100	Hierarchical identification of bioactive components in a medicinal herb by preparative high-performance liquid chromatography and selective knock-out strategy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 135, 206-216.	2.8	13
101	Effects of Polysaccharides in <i>Lycium Barbarum</i> Berries from Different Regions of China on Macrophages Function and their Correlation to the Glycosidic Linkages. <i>Journal of Food Science</i> , 2017, 82, 2411-2420.	3.1	20
102	Comparatively evaluating the pharmacokinetic of fifteen constituents in normal and blood deficiency rats after oral administration of Xin-Sheng-Hua Granule by UPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1061-1062, 372-381.	2.3	27
103	Comparative analysis of main bioactive components in the herb pair Danshen-Honghua and its single herbs by ultra-high performance liquid chromatography coupled to triple quadrupole tandem mass spectrometry. <i>Journal of Separation Science</i> , 2017, 40, 3392-3401.	2.5	17
104	Comparative Analysis of Compatibility Effects on Invigorating Blood Circulation for <i>Cyperi Rhizoma</i> Series of Herb Pairs Using Untargeted Metabolomics. <i>Frontiers in Pharmacology</i> , 2017, 8, 677.	3.5	16
105	A Comprehensive Strategy to Evaluate Compatible Stability of Chinese Medicine Injection and Infusion Solutions Based on Chemical Analysis and Bioactivity Assay. <i>Frontiers in Pharmacology</i> , 2017, 8, 833.	3.5	27
106	Study on Inhibitory Effect of MaiMenDong Decoction and Weijing Decoction Combination with Cisplatin on NCI-A549 Xenograft in Nude Mice and Its Mechanism. <i>Journal of Cancer</i> , 2017, 8, 2449-2455.	2.5	10
107	Synthesis and Bioactivity Characterization of Scutellarein Sulfonated Derivative. <i>Molecules</i> , 2017, 22, 1028.	3.8	5
108	Pharmacokinetic Comparison of Seven Major Bio-Active Components in Normal and Blood Stasis Rats after Oral Administration of Herb Pair Danggui-Honghua by UPLC-TQ/MS. <i>Molecules</i> , 2017, 22, 1746.	3.8	24

#	ARTICLE	IF	CITATIONS
109	Chemical Constituents from <i>Euphorbia kansui</i> . <i>Molecules</i> , 2017, 22, 2176.	3.8	14
110	Nortriterpenoids from the Fruiting Bodies of the Mushroom <i>Ganoderma resinaceum</i> . <i>Molecules</i> , 2017, 22, 1073.	3.8	15
111	Advances in bio-active constituents, pharmacology and clinical applications of rhubarb. <i>Chinese Medicine</i> , 2017, 12, 36.	4.0	116
112	DNA Topoisomerase I Inhibitory Activity of Quinochalcone C-glycosides from the Florets of <i>Carthamus tinctorius</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201.	0.5	1
113	Protective effect of <i>Ginkgo biloba</i> leaves extract, EGb761, on myocardium injury in ischemia reperfusion rats via regulation of TLR-4/NF- κ B signaling pathway. <i>Oncotarget</i> , 2017, 8, 86671-86680.	1.8	30
114	An Ingenol Derived from <i>Euphorbia kansui</i> Induces Hepatocyte Cytotoxicity by Triggering G0/G1 Cell Cycle Arrest and Regulating the Mitochondrial Apoptosis Pathway in Vitro. <i>Molecules</i> , 2016, 21, 813.	3.8	10
115	Chemical Analysis of the Herbal Medicine <i>Salviae miltiorrhizae Radix et Rhizoma</i> (Danshen). <i>Molecules</i> , 2016, 21, 51.	3.8	85
116	Simultaneous Quantitation of Free Amino Acids, Nucleosides and Nucleobases in <i>Sipunculus nudus</i> by Ultra-High Performance Liquid Chromatography with Triple Quadrupole Mass Spectrometry. <i>Molecules</i> , 2016, 21, 408.	3.8	11
117	Comparative Analysis of the Effects of Hydroxysafflor Yellow A and Anhydrosafflor Yellow B in Safflower Series of Herb Pairs Using Prep-HPLC and a Selective Knock-Out Approach. <i>Molecules</i> , 2016, 21, 1480.	3.8	19
118	Design, Synthesis, and Biological Evaluation of Scutellarein Derivatives Based on Scutellarin Metabolic Mechanism In Vivo. <i>Chemical Biology and Drug Design</i> , 2016, 87, 946-957.	3.2	8
119	Robust nanoplasmonic substrates for aptamer macroarrays with single-step detection of PDGF-BB. <i>Biosensors and Bioelectronics</i> , 2016, 85, 429-436.	10.1	16
120	The Chemical and Biological Properties of <i>Euphorbia kansui</i> . <i>The American Journal of Chinese Medicine</i> , 2016, 44, 253-273.	3.8	37
121	The mixture of <i>Salvia miltiorrhiza</i> and <i>Carthamus tinctorius</i> (DanHong injection) alleviates low-dose aspirin induced gastric mucosal damage in rats. <i>Phytomedicine</i> , 2016, 23, 662-671.	5.3	17
122	The dosage-toxicity-efficacy relationship of kansui and licorice in malignant pleural effusion rats based on factor analysis. <i>Journal of Ethnopharmacology</i> , 2016, 186, 251-256.	4.1	24
123	Comparative analysis of the main bioactive components of Xin-Sheng-Hua granule and its single herbs by ultrahigh performance liquid chromatography with tandem mass spectrometry. <i>Journal of Separation Science</i> , 2016, 39, 4096-4106.	2.5	14
124	Target and non-target identification of chemical components in <i>Lamiophlomis rotata</i> by liquid chromatography/quadrupole time-of-flight mass spectrometry using a three-step protocol. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 2145-2154.	1.5	20
125	Specific enrichment combined with highly efficient solid-phase tagging for the sensitive detection of heparin based on boronic acid-functionalized mesoporous silica nanospheres. <i>Chemical Communications</i> , 2016, 52, 11779-11782.	4.1	8
126	Simultaneous quantitation and comparison of eight components in Jiaoai decoction and Siwu decoction by ultra high performance liquid chromatography with triple quadrupole tandem mass spectrometry. <i>Journal of Separation Science</i> , 2016, 39, 3311-3317.	2.5	6

#	ARTICLE	IF	CITATIONS
127	Carthorquinosides A and B, Quinochalcone C-Glycosides with Diverse Dimeric Skeletons from <i>Carthamus tinctorius</i> . <i>Journal of Natural Products</i> , 2016, 79, 2644-2651.	3.0	19
128	Comparative Pharmacokinetics of three major bioactive components in rats after oral administration of Typhae Pollen-Trogopteris Feces drug pair before and after compatibility. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2016, 24, 2.	2.0	13
129	UFLC-Q-TOF/MS based screening and identification of the metabolites in plasma, bile, urine and feces of normal and blood stasis rats after oral administration of hydroxysafflor yellow A. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1012-1013, 124-129.	2.3	26
130	Herb pairs containing <i>Angelicae Sinensis Radix</i> (Danggui): A review of bio-active constituents and compatibility effects. <i>Journal of Ethnopharmacology</i> , 2016, 181, 158-171.	4.1	59
131	Yuanhuapine-induced intestinal and hepatotoxicity were correlated with disturbance of amino acids, lipids, carbohydrate metabolism and gut microflora function: A rat urine metabolomic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1026, 183-192.	2.3	28
132	Metabolic profile of anhydrosafflor yellow B in rats by ultra-fast liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1014, 37-44.	2.3	10
133	Investigation of 6-O-methyl-scutellarein metabolites in rats by ultra-flow liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Pharmaceutical Biology</i> , 2016, 54, 2158-2167.	2.9	1
134	Conjugated metabolites represent the major circulating forms of <i>Abelmoschus manihot</i> in vivo and show an altered pharmacokinetic profile in renal pathology. <i>Pharmaceutical Biology</i> , 2016, 54, 595-603.	2.9	12
135	Frankincense and myrrh suppress inflammation via regulation of the metabolic profiling and the MAPK signaling pathway. <i>Scientific Reports</i> , 2015, 5, 13668.	3.3	44
136	A Natural Triterpene Derivative from <i>Euphorbia kansui</i> Inhibits Cell Proliferation and Induces Apoptosis against Rat Intestinal Epithelioid Cell Line in Vitro. <i>International Journal of Molecular Sciences</i> , 2015, 16, 18956-18975.	4.1	27
137	Hepatoprotective Triterpene Saponins from the Roots of <i>Glycyrrhiza inflata</i> . <i>Molecules</i> , 2015, 20, 6273-6283.	3.8	33
138	Contents Changes of Triterpenic Acids, Nucleosides, Nucleobases, and Saccharides in Jujube (<i>Ziziphus</i>)	3.8	27
139	Comparative Metabolomic Analysis of the Neuroprotective Effects of Scutellarin and Scutellarein against Ischemic Insult. <i>PLoS ONE</i> , 2015, 10, e0131569.	2.5	17
140	Comparative Analysis of Amino Acids, Nucleosides, and Nucleobases in <i>Thaïs clavigera</i> from Different Distribution Regions by Using Hydrophilic Interaction Ultra-Performance Liquid Chromatography Coupled with Triple Quadrupole Tandem Mass Spectrometry. <i>International Journal of Analytical Chemistry</i> , 2015, 2015, 1-10.	1.0	5
141	A New and Efficient Synthesis of 6-O-Methylscutellarein, the Major Metabolite of the Natural Medicine Scutellarin. <i>Molecules</i> , 2015, 20, 10184-10191.	3.8	6
142	Urine and plasma metabolomics coupled with UHPLC-QTOF/MS and multivariate data analysis on potential biomarkers in anemia and hematinic effects of herb pair Gui-Hong. <i>Journal of Ethnopharmacology</i> , 2015, 170, 175-183.	4.1	44
143	An Improved Synthesis of 6-O-Methyl-Scutellarein through Selective Benzoylation. <i>Journal of Chemical Research</i> , 2015, 39, 674-676.	1.3	3
144	Comparative metabolomics analysis on invigorating blood circulation for herb pair Gui-Hong by ultra-high-performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry and pattern recognition approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 107, 456-463.	2.8	26

#	ARTICLE	IF	CITATIONS
145	Metabolite identification strategy of non-targeted metabolomics and its application for the identification of components in Chinese multicomponent medicine <i>Abelmoschus manihot</i> L.. <i>Phytomedicine</i> , 2015, 22, 579-587.	5.3	29
146	Effects of ferulic acid on antioxidant activity in <i>Angelicae Sinensis Radix</i> , <i>Chuanxiong Rhizoma</i> , and their combination. <i>Chinese Journal of Natural Medicines</i> , 2015, 13, 401-408.	1.3	29
147	A New and Practical Synthetic Method for the Synthesis of 6-O-Methyl-scutellarein: One Metabolite of Scutellarin in Vivo. <i>International Journal of Molecular Sciences</i> , 2015, 16, 7587-7594.	4.1	15
148	Pharmacokinetic profile and metabolite identification of yuanhuapine, a bioactive component in <i>Daphne genkwa</i> by ultra-high performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 112, 60-69.	2.8	26
149	Antipyretic and anti-inflammatory activities of <i>Thais luteostoma</i> extracts and underlying mechanisms. <i>Chinese Journal of Natural Medicines</i> , 2015, 13, 192-198.	1.3	3
150	Investigation on the interactions of scutellarin and scutellarein with bovine serum albumin using spectroscopic and molecular docking techniques. <i>Archives of Pharmacal Research</i> , 2015, 38, 1789-1801.	6.3	12
151	Development and validation of a UFLC-MS/MS method for the determination of anhydrosafflor yellow B in rat plasma and its application to pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 1003, 54-59.	2.3	8
152	Synthesis and biological evaluation of methylated scutellarein analogs based on metabolic mechanism of scutellarin in vivo. <i>European Journal of Medicinal Chemistry</i> , 2015, 106, 95-105.	5.5	23
153	Synthesis of scutellarein derivatives to increase biological activity and water solubility. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6875-6884.	3.0	12
154	Content variations of triterpenic acid, nucleoside, nucleobase, and sugar in jujube (<i>Ziziphus jujuba</i>) fruit during ripening. <i>Food Chemistry</i> , 2015, 167, 468-474.	8.2	107
155	DETERMINATION OF 5-HYDROXYINDOLE-3-ACETIC ACID, DIHYDROXYPHENYLACETIC ACID, AND HOMO VANILLIC ACID IN THE BRAINS OF FREELY MOVING RATS USING MICRODIALYSIS COUPLED WITH HPLC-ECD. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014, 37, 803-814.	1.0	4
156	Comparisons of pharmacokinetic and tissue distribution profile of four major bioactive components after oral administration of Xiang-Fu-Si-Wu Decoction effective fraction in normal and dysmenorrheal symptom rats. <i>Journal of Ethnopharmacology</i> , 2014, 154, 696-703.	4.1	19
157	Comparative metabolomics analysis on hematopoietic functions of herb pair Gui-Xiong by ultra-high-performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry and pattern recognition approach. <i>Journal of Chromatography A</i> , 2014, 1346, 49-56.	3.7	73
158	UPLC-PDA-TOF/MS coupled with multivariate statistical analysis to rapidly analyze and evaluate <i>Ginkgo biloba</i> leaves from different origin. <i>Drug Testing and Analysis</i> , 2014, 6, 288-294.	2.6	20
159	Pharmacokinetic comparison of seven major bio-active components in normal and blood deficiency rats after oral administration of Danggui Buxue decoction by UPLC-TQ/MS. <i>Journal of Ethnopharmacology</i> , 2014, 153, 169-177.	4.1	33
160	Hydrophilic interaction ultra-performance liquid chromatography coupled with triple-quadrupole tandem mass spectrometry (HILIC-UPLC-TQ-MS/MS) in multiple-reaction monitoring (MRM) for the determination of nucleobases and nucleosides in ginkgo seeds. <i>Food Chemistry</i> , 2014, 150, 260-266.	8.2	33
161	Identification of scutellarein metabolites in rat using ultra performance liquid chromatography/quadrupole-time-of-flight mass spectrometry. <i>Analytical Methods</i> , 2014, 6, 4667.	2.7	5
162	Quercetin-3-O- β -D-glucopyranosyl-(4 \rightarrow 1)- β -L-rhamnoside metabolites in the rat using UPLC-Q-TOF/MS. <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 705-711.	1.3	3

#	ARTICLE	IF	CITATIONS
163	Data mining and frequency analysis for licorice as a "Two-Face" herb in Chinese Formulae based on Chinese Formulae Database. <i>Phytomedicine</i> , 2014, 21, 1281-1286.	5.3	46
164	Comparative analysis of main aromatic acids and phthalides in <i>Angelicae Sinensis Radix</i> , <i>Chuanxiong Rhizoma</i> , and <i>Fo-Shou-San</i> by a validated UHPLC-TQ-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 99, 45-50.	2.8	38
165	Synthesis, biological evaluation and SAR analysis of O-alkylated analogs of quercetin for anticancer. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4424-4427.	2.2	23
166	A New Cerebroside from the Fruit of <i>Ziziphus jujuba</i> var. <i>spinosa</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 109-111.	0.8	7
167	Cytotoxic Daphnane-Type Diterpenoids from <i>Daphne genkwa</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 163-164.	0.8	6
168	An optimized ultrasound-assisted extraction and simultaneous quantification of 26 characteristic components with four structure types in functional foods from ginkgo seeds. <i>Food Chemistry</i> , 2014, 158, 177-185.	8.2	38
169	Preconditioning with the traditional Chinese medicine <i>Huang-Lian-Jie-Du-Tang</i> initiates HIF-1 α -dependent neuroprotection against cerebral ischemia in rats. <i>Journal of Ethnopharmacology</i> , 2014, 154, 443-452.	4.1	34
170	Neuroprotective effects of scutellarin and scutellarein on repeatedly cerebral ischemia-reperfusion in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 118, 51-59.	2.9	68
171	Processing of Kansui Roots Stir-Baked with Vinegar Reduces Kansui-Induced Hepatocyte Cytotoxicity by Decreasing the Contents of Toxic Terpenoids and Regulating the Cell Apoptosis Pathway. <i>Molecules</i> , 2014, 19, 7237-7254.	3.8	32
172	Two New Quinochalcone C-Glycosides from the Florets of <i>Carthamus tinctorius</i> . <i>International Journal of Molecular Sciences</i> , 2014, 15, 16760-16771.	4.1	28
173	Bioactivity and Chemical Synthesis of Caffeic Acid Phenethyl Ester and Its Derivatives. <i>Molecules</i> , 2014, 19, 16458-16476.	3.8	82
174	Chemical and Biological Properties of Quinochalcone C-Glycosides from the Florets of <i>Carthamus tinctorius</i> . <i>Molecules</i> , 2013, 18, 15220-15254.	3.8	97
175	Analysis of herb-herb interaction when decocting together by using ultra-high-performance liquid chromatography-tandem mass spectrometry and fuzzy chemical identification strategy with poly-proportion design. <i>Journal of Chromatography A</i> , 2013, 1297, 168-178.	3.7	47
176	Structure, Bioactivity, and Chemical Synthesis of OSW-1 and Other Steroidal Glycosides in the Genus <i>Ornithogalum</i> . <i>Chemical Reviews</i> , 2013, 113, 5480-5514.	47.7	56
177	QUANTITATIVE COMPARATIVE ANALYSIS FOR NINE MAIN BIOACTIVE COMPONENTS OF SAN-AO DECOCTION, ITS HERB PAIRS, AND THREE SINGLE HERBS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 1030-1042.	1.0	1
178	IDENTIFICATION OF MAJOR CHEMICAL CONSTITUENTS AND THEIR METABOLITES IN RAT PLASMA AND VARIOUS ORGANS AFTER ORAL ADMINISTRATION OF EFFECTIVE XIANG-FU-SI-WU DECOCTION FRACTION BY UPLC-Q-TOF-MS AND METABOLYNX. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 1736-1749.	1.0	7
179	Pharmacokinetic Comparison of Ferulic Acid in Normal and Blood Deficiency Rats after Oral Administration of <i>Angelica sinensis</i> , <i>Ligusticum chuanxiong</i> and Their Combination. <i>International Journal of Molecular Sciences</i> , 2012, 13, 3583-3597.	4.1	67
180	THE QUANTITATIVE COMPARATIVE ANALYSIS FOR MAIN BIO-ACTIVE COMPONENTS IN <i>ANGELICA SINENSIS</i> , <i>LIGUSTICUM CHUANXIONG</i> , AND THE HERB PAIR <i>GUI-XIONG</i> . <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012, 35, 2439-2453.	1.0	13

#	ARTICLE	IF	CITATIONS
181	COMPARATIVE CHARACTERIZATION OF TEN AROMATIC ACIDS IN SIWU SERIES DECOCTIONS AND THEIR CONSTITUTING HERBS BY HPLC-DAD METHOD. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012, 35, 2425-2438.	1.0	6
182	Two new nonacosanetriols from <i>Ginkgo biloba</i> sarcotesta. <i>Chemistry and Physics of Lipids</i> , 2012, 165, 731-736.	3.2	19
183	DEVELOPMENT OF A FINGERPRINT METHOD FOR ANIMAL HORN CLASSIFICATION BY LIQUID CHROMATOGRAPHY COUPLED WITH HIERARCHICAL CLUSTERING ANALYSIS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012, 35, 205-214.	1.0	6
184	Design, Synthesis, and Preliminary Evaluation of Substituted Cinnamic Acid Esters as Selective Matrix Metalloproteinase Inhibitors. <i>Drug Development Research</i> , 2012, 73, 317-324.	2.9	8
185	Design, Synthesis and Biological Evaluation of Caffeic Acid Amides as Selective $MMP-2$ and $MMP-9$ Inhibitors. <i>Drug Development Research</i> , 2012, 73, 343-351.	2.9	8
186	Comparative characteristic of the inflammatory diterpenes in the roots of <i>Euphorbia fischeriana</i> with different preparation method using HPLC-ELSD. <i>FÄ-toterapÄ-Äç</i> , 2012, 83, 427-433.	2.2	11
187	SIMULTANEOUS QUANTITATIVE DETERMINATION OF SEVEN POLYPHENOL CONSTITUENTS FROM HERBA LOPHATHERI BY HIGH PERFORMANCE LIQUID CHROMATOGRAPHY. <i>Instrumentation Science and Technology</i> , 2011, 39, 419-431.	1.8	8
188	Fast Characterization of Constituents in HuangKui Capsules Using UPLC-QTOF-MS with Collision Energy and MassFragment Software. <i>Chromatographia</i> , 2011, 73, 447-456.	1.3	12
189	Design and synthesis of novel NO-donor-ferulic acid hybrids as potential antiatherosclerotic drug candidates. <i>Drug Development Research</i> , 2011, 72, 405-415.	2.9	4
190	BINARY DETECTOR FINGERPRINTS ANALYSIS OF <i>ZIZIPHUS JUJUBA</i> AND <i>ZIZIPHUS JUJUBA</i> VAR. <i>SPINOSA</i> BY HPLC-DAD-ELSD COUPLED WITH CHEMOMETRIC METHOD. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2011, 34, 2048-2062.	1.0	3
191	Identification and Comparative Quantification of Bio-Active Phthalides in Essential Oils from Si-Wu-Tang, Fo-Shou-San, Radix Angelica and Rhizoma Chuanxiong. <i>Molecules</i> , 2010, 15, 341-351.	3.8	41
192	Targeting the development of resveratrol as a chemopreventive agent. <i>Drug Development Research</i> , 2010, 71, 335-350.	2.9	1
193	Synthetic strategies in the construction of chromones. <i>Journal of Heterocyclic Chemistry</i> , 2010, 47, 785-799.	2.6	40
194	A Multi-Component Stochastic Resonance Algorithm That Can Be Used to Detect Multiple Weak Chromatographic Peaks Simultaneously. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering</i> , 2010, . .	0.0	0
195	Quality Evaluation of <i>Angelica sinensis</i> by Simultaneous Determination of Ten Compounds Using LC-PDA. <i>Chromatographia</i> , 2009, 70, 455-465.	1.3	27
196	LC-DAD-ESI-MS-MS Separation and Chemical Characterization of the Inflammatory Fraction of the Roots of <i>Euphorbia kansui</i> . <i>Chromatographia</i> , 2009, 70, 805-810.	1.3	21
197	Isoflavone Tetraglycosides from <i>Sophora japonica</i> Leaves. <i>Journal of Natural Products</i> , 2008, 71, 448-450.	3.0	14
198	Two new ceramides from the radix of <i>Angelica sinensis</i> . <i>Journal of Chemical Research</i> , 2008, 2008, 658-661.	1.3	8

#	ARTICLE	IF	CITATIONS
199	Two new isoflavone triglycosides from the small branches of <i>Sophora japonica</i> . Journal of Asian Natural Products Research, 2008, 10, 65-70.	1.4	10
200	Coumaroyl flavonol glycosides from the leaves of <i>Ginkgo biloba</i> . Phytochemistry, 2001, 58, 1251-1256.	2.9	72