
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3007285/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Phenolic sucrose esters: evolution, regulation, biosynthesis, and biological functions. Plant Molecular Biology, 2022, 109, 369-383.	3.9	5
2	Fusarium head blight resistance exacerbates nutritional loss of wheat grain at elevated CO2. Scientific Reports, 2022, 12, 15.	3.3	12
3	Application of near infrared spectroscopy for determination of relationship between crop year, maturity group, and location on carbohydrate composition in soybeans. Crop Science, 2021, 61, 2409.	1.8	2
4	Liposomes Loaded with Unsaponifiable Matter from Amaranthus hypochondriacus as a Source of Squalene and Carrying Soybean Lunasin Inhibited Melanoma Cells. Nanomaterials, 2021, 11, 1960.	4.1	4
5	Acetylthiostearates – mass spectroscopy and NMR characterization. Journal of Sulfur Chemistry, 2020, 41, 154-169.	2.0	1
6	A comparison of the absorption and metabolism of the major quercetin in brassica, quercetin-3-O-sophoroside, to that of quercetin aglycone, in rats. Food Chemistry, 2020, 311, 125880.	8.2	23
7	Changes in Wheat Nutritional Content at Elevated [CO2] Alter Fusarium graminearum Growth and Mycotoxin Production on Grain. Journal of Agricultural and Food Chemistry, 2020, 68, 6297-6307.	5.2	8
8	Comparison of composition and physical properties of soluble and insoluble navy bean flour components after jet-cooking, soaking, and cooking. LWT - Food Science and Technology, 2020, 130, 109765.	5.2	9
9	Efficient bioconversion of waste bread into 2-keto-d-gluconic acid by Pseudomonas reptilivora NRRL B-6. Biomass Conversion and Biorefinery, 2020, 10, 545-553.	4.6	4
10	An odor-reducing, low dust-forming, clumping cat litter produced from Eastern red cedar (Juniperus) Tj ETQq0 (	) 0 rgBT /0	verlock 10 Tf
11	Quantitative NIR determination of isoflavone and saponin content of ground soybeans. Food Chemistry, 2020, 317, 126373.	8.2	33
12	Growth, feeding and thyroxineâ€related responses of hybrid striped (sunshine) bass ( <i>Morone) Tj ETQq0 0 0 Nutrition, 2020, 26, 109-122.</i>	rgBT /Ove 2.7	rlock 10 Tf 50 4
13	Biopesticide synergy when combining plant flavonoids and entomopathogenic baculovirus. Scientific Reports, 2020, 10, 6806.	3.3	15
14	Isolation and Elucidation of Antiirritant and Antimicrobial Bioactives Derived From Plant Sources and From Human Sebum. Studies in Natural Products Chemistry, 2019, , 411-432.	1.8	0
15	Transgenic expression of a maize geranyl geranyl transferase gene sequence in maize callus increases resistance to ear rot pathogens. Agri Gene, 2018, 7, 52-58.	1.9	3
16	Enhanced pest resistance and increased phenolic production in maize callus transgenically expressing a maize chalcone isomerase -3 like gene. Plant Gene, 2018, 13, 50-55.	2.3	14
17	Do Bioflavonoids in <i>Juniperus virginiana</i> Heartwood Stimulate Oviposition in the Ladybird <i>Coleomegilla maculata</i> ?. International Journal of Insect Science, 2018, 10, 117954331875840.	1.7	14
18	Fiberboard Created Using the Natural Adhesive Properties of Distillers Dried Grains with Solubles. BioResources, 2018, 13, .	1.0	8

#	Article	IF	CITATIONS
19	Unique Flavanol-Anthocyanin Condensed Forms in Apache Red Purple Corn. Journal of Agricultural and Food Chemistry, 2018, 66, 10844-10854.	5.2	26
20	Dormancyâ€defense syndromes and tradeoffs between physical and chemical defenses in seeds of pioneer species. Ecology, 2018, 99, 1988-1998.	3.2	27
21	Utilization of Quercetin as an Oviposition Stimulant by Lab-Cultured Coleomegilla maculata in the Presence of Conspecifics and a Tissue Substrate. Insects, 2018, 9, 77.	2.2	11
22	Feruloylated Products from Coconut Oil and Shea Butter. JAOCS, Journal of the American Oil Chemists' Society, 2017, 94, 397-411.	1.9	10
23	Response of sorghum stalk pathogens to brown midrib plants and soluble phenolic extracts from near isogenic lines. European Journal of Plant Pathology, 2017, 148, 941-953.	1.7	13
24	Quinovosamycins: new tunicamycin-type antibiotics in which the α, β-1″,11′-linked N-acetylglucosamine residue is replaced by N-acetylquinovosamine. Journal of Antibiotics, 2016, 69, 637-646.	2.0	11
25	Interspecific variation in persistence of buried weed seeds follows tradeâ€offs among physiological, chemical, and physical seed defenses. Ecology and Evolution, 2016, 6, 6836-6845.	1.9	26
26	Development of near-infrared spectroscopy calibrations to measure quality characteristics in intact Brassicaceae germplasm. Industrial Crops and Products, 2016, 89, 52-58.	5.2	20
27	Laccase-mediator catalyzed conversion of model lignin compounds. Biocatalysis and Agricultural Biotechnology, 2016, 5, 111-115.	3.1	16
28	Antioxidant Activity of Hybrid Grape Pomace Extracts Derived from Midwestern Grapes in Bulk Oil and Oilâ€inâ€Water Emulsions. JAOCS, Journal of the American Oil Chemists' Society, 2015, 92, 1333-1348.	1.9	14
29	Extraction, Composition and Functional Properties of Pennycress ( <i>Thlaspi arvense</i> L.) Press Cake Protein. JAOCS, Journal of the American Oil Chemists' Society, 2015, 92, 905-914.	1.9	20
30	Bean cultivars (Phaseolus vulgaris L.) have similar high antioxidant capacity, in vitro inhibition of α-amylase and α-glucosidase while diverse phenolic composition and concentration. Food Research International, 2015, 69, 38-48.	6.2	125
31	Antioxidant Activity and Sensory Evaluation of a Rosmarinic Acidâ€Enriched Extract of <i>Salvia officinalis</i> . Journal of Food Science, 2015, 80, C711-7.	3.1	21
32	Evaluating the Phytochemical Potential of Camelina: An Emerging New Crop of Old World Origin. , 2014, , 129-148.		10
33	<i>Camelina sativa</i> Defatted Seed Meal Contains Both Alkyl Sulfinyl Glucosinolates and Quercetin That Synergize Bioactivity. Journal of Agricultural and Food Chemistry, 2014, 62, 8385-8391.	5.2	29
34	Bioactive Compounds from Culinary Herbs Inhibit a Molecular Target for Type 2 Diabetes Management, Dipeptidyl Peptidase IV. Journal of Agricultural and Food Chemistry, 2014, 62, 6147-6158.	5.2	118
35	Preparation, composition and functional properties of pennycress (Thlaspi arvense L.) seed protein isolates. Industrial Crops and Products, 2014, 55, 173-179.	5.2	27
36	Investment in Seed Physical Defence Is Associated with Species' Light Requirement for Regeneration and Seed Persistence: Evidence from Macaranga Species in Borneo. PLoS ONE, 2014, 9, e99691.	2.5	13

#	Article	IF	CITATIONS
37	Saponins from Soy and Chickpea: Stability during Beadmaking and in Vitro Bioaccessibility. Journal of Agricultural and Food Chemistry, 2013, 61, 6703-6710.	5.2	35
38	Antioxidant Activity of Sesamol in Soybean Oil Under Frying Conditions. JAOCS, Journal of the American Oil Chemists' Society, 2013, 90, 659-666.	1.9	41
39	Effect of Tocopherols on the Antiâ€Polymerization Activity of Oryzanol and Corn Steryl Ferulates in Soybean Oil. JAOCS, Journal of the American Oil Chemists' Society, 2013, 90, 1351-1358.	1.9	9
40	Optimized analysis and quantification of glucosinolates from Camelina sativa seeds by reverse-phase liquid chromatography. Industrial Crops and Products, 2013, 43, 119-125.	5.2	79
41	Evaluation of alternatives to guar gum as tackifiers for hydromulch and as clumping agents for biodegradable cat litter. Industrial Crops and Products, 2013, 43, 798-801.	5.2	20
42	Medium-chain alkyl esters of tyrosol and hydroxytyrosol antioxidants by cuphea oil transesterification. European Journal of Lipid Science and Technology, 2013, 115, 363-371.	1.5	17
43	Yerba mate tea and mate saponins prevented azoxymethaneâ€induced inflammation of rat colon through suppression of NFâ€ÎºB p65ser <sup>311</sup> signaling via lκBâ€Î± and GSKâ€3β reduced phosphorylation. BioFactors, 2013, 39, 430-440.	5.4	24
44	Yerba Mate ( <i>Ilex Paraguariensis</i> St. Hilaire) Saponins Inhibit Human Colon Cancer Cell Proliferation. ACS Symposium Series, 2012, , 307-321.	0.5	3
45	Rosmarinic Acid Content in Antidiabetic Aqueous Extract of <i>Ocimum canum</i> Sims Grown in Ghana. Journal of Medicinal Food, 2012, 15, 611-620.	1.5	15
46	The Acrylation of Glycerol: A Precursor to Functionalized Lipids. JAOCS, Journal of the American Oil Chemists' Society, 2012, 89, 713-719.	1.9	1
47	Comparison of the Impact of Î <sup>3</sup> -Oryzanol and Corn Steryl Ferulates on the Polymerization of Soybean Oil During Frying. JAOCS, Journal of the American Oil Chemists' Society, 2012, 89, 243-252.	1.9	15
48	Dinoxin B, a Withanolide from <i>Datura inoxia</i> Leaves with Specific Cytotoxic Activities. Journal of Natural Products, 2011, 74, 267-271.	3.0	28
49	Bioactives Derived from Ripe Corn Tassels: A Possible New Natural Skin Whitener, 4-Hydroxy-1-Oxindole-3-Acetic Acid. Current Bioactive Compounds, 2011, 7, 126-134.	0.5	8
50	Coconut leaf bioactivity toward generalist maize insect pests. Entomologia Experimentalis Et Applicata, 2011, 141, 208-215.	1.4	7
51	Extracted sweet corn tassels as a renewable alternative to peat in greenhouse substrates. Industrial Crops and Products, 2011, 33, 514-517.	5.2	37
52	Formulation of a biodegradable, odor-reducing cat litter from solvent-extracted corn dried distillers grains. Industrial Crops and Products, 2011, 34, 999-1002.	5.2	27
53	Differential Activity of Multiple Saponins Against Omnivorous Insects with Varying Feeding Preferences. Journal of Chemical Ecology, 2011, 37, 443-449.	1.8	30
54	Glucosinolate content and nematicidal activity of Brazilian wild mustard tissues against Meloidogyne incognita in tomato. Plant and Soil, 2011, 341, 155-164.	3.7	32

#	Article	IF	CITATIONS
55	Dicaffeoylquinic acids in Yerba mate ( <i>llex paraguariensis</i> St. Hilaire) inhibit NFâ€̂PB nucleus translocation in macrophages and induce apoptosis by activating caspasesâ€8 and â€3 in human colon cancer cells. Molecular Nutrition and Food Research, 2011, 55, 1509-1522.	3.3	81
56	Mate (llex paraguariensis St. Hilaire) saponins induce caspase-3-dependent apoptosis in human colon cancer cells in vitro. Food Chemistry, 2011, 125, 1171-1178.	8.2	28
57	Lesquerella press cake as an organic fertilizer for greenhouse tomatoes. Industrial Crops and Products, 2010, 32, 164-168.	5.2	15
58	Optimisation of germination time and temperature on the concentration of bioactive compounds in Brazilian soybean cultivar BRS 133 using response surface methodology. Food Chemistry, 2010, 119, 636-642.	8.2	56
59	A high-protein soybean cultivar contains lower isoflavones and saponins but higher minerals and bioactive peptides than a low-protein cultivar. Food Chemistry, 2010, 120, 15-21.	8.2	32
60	Functionalized <i>C</i> -Glycoside Ketohydrazones: Carbohydrate Derivatives that Retain the Ring Integrity of the Terminal Reducing Sugar. Analytical Chemistry, 2010, 82, 2893-2899.	6.5	25
61	Constitutive Expression of the Maize Genes B1 and C1 in Transgenic Hi II Maize Results in Differential Tissue Pigmentation and Generates Resistance to Helicoverpa zea. Journal of Agricultural and Food Chemistry, 2010, 58, 2403-2409.	5.2	4
62	Effect of time and temperature on bioactive compounds in germinated Brazilian soybean cultivar BRS 258. Food Research International, 2010, 43, 1856-1865.	6.2	88
63	Purification of a Sinapine-Glucoraphanin Salt from Broccoli Seeds. American Journal of Plant Sciences, 2010, 01, 113-118.	0.8	3
64	Wild Brazilian Mustard ( <i>Brassica juncea</i> L.) Seed Oil Methyl Esters as Biodiesel Fuel. JAOCS, Journal of the American Oil Chemists' Society, 2009, 86, 917-926.	1.9	86
65	Decreasing unpalatable flavonoid components in <i>Citrus</i> : the effect of transformation construct. Physiologia Plantarum, 2009, 137, 101-114.	5.2	22
66	Colored and White Sectors From Star-Patterned Petunia Flowers Display Differential Resistance to Corn Earworm and Cabbage Looper Larvae. Journal of Chemical Ecology, 2008, 34, 757-765.	1.8	51
67	Ultrahigh CO2 levels enhances cuphea growth and morphogenesis. Industrial Crops and Products, 2008, 27, 133-135.	5.2	8
68	β-Conglycinins among Sources of Bioactives in Hydrolysates of Different Soybean Varieties That Inhibit Leukemia Cells in Vitro. Journal of Agricultural and Food Chemistry, 2008, 56, 4012-4020.	5.2	80
69	Bowmanâ^Birk Inhibitor and Genistein among Soy Compounds That Synergistically Inhibit Nitric Oxide and Prostaglandin E <sub>2</sub> Pathways in Lipopolysaccharide-Induced Macrophages. Journal of Agricultural and Food Chemistry, 2008, 56, 11707-11717.	5.2	55
70	β-Conglycinin Embeds Active Peptides That Inhibit Lipid Accumulation in 3T3-L1 Adipocytes in Vitro. Journal of Agricultural and Food Chemistry, 2008, 56, 10533-10543.	5.2	65
71	Quantification of Rosmarinic Acid Levels by near Infrared Spectroscopy in Laboratory Culture Grown Spearmint Plantlets. Journal of Near Infrared Spectroscopy, 2008, 16, 99-104.	1.5	6
72	The use of fatty acid profile as a potential marker for Brazilian coffee (Coffea arabica L.) for corn adulteration. Journal of the Brazilian Chemical Society, 2008, 19, 1462-1467.	0.6	10

MARK ALAN BERHOW

#	Article	IF	CITATIONS
73	Stimulation of Plant Growth by (3-Methoxyphenyl)acetonitile Applied as a Foliar Spray In Vivo or as a Medium Amendment In Vitro. Hortscience: A Publication of the American Society for Hortcultural Science, 2008, 43, 372-375.	1.0	3
74	Dietary Isothiocyanate Iberin Inhibits Growth and Induces Apoptosis in Human Glioblastoma Cells. Journal of Pharmacological Sciences, 2007, 103, 247-251.	2.5	20
75	Î <sup>3</sup> -Tocopherol as a Marker of Brazilian Coffee (Coffea arabicaL.) Adulteration by Corn. Journal of Agricultural and Food Chemistry, 2007, 55, 5995-5999.	5.2	39
76	Expression of a MaizeMybTranscription Factor Driven by a Putative Silk-Specific Promoter Significantly Enhances Resistance toHelicoverpa zeain Transgenic Maize. Journal of Agricultural and Food Chemistry, 2007, 55, 2998-3003.	5.2	23
77	Evaluation of Soyasaponin, Isoflavone, Protein, Lipid, and Free Sugar Accumulation in Developing Soybean Seeds. Journal of Agricultural and Food Chemistry, 2006, 54, 10003-10010.	5.2	81
78	Herbicidal activity of glucosinolate-containing seedmeals. Weed Science, 2006, 54, 743-748.	1.5	71
79	Complete Quantification of Group A and Group B Soyasaponins in Soybeans. Journal of Agricultural and Food Chemistry, 2006, 54, 2035-2044.	5.2	84
80	Cytochrome P450-Mediated Metabolism of Xanthotoxin by Papilio multicaudatus. Journal of Chemical Ecology, 2006, 32, 523-536.	1.8	28
81	Pullulan production by tropical isolates of Aureobasidium pullulans. Journal of Industrial Microbiology and Biotechnology, 2006, 34, 55-61.	3.0	39
82	Identification and quantification of feruloylated mono-, di-, and triacylglycerols from vegetable oils. JAOCS, Journal of the American Oil Chemists' Society, 2006, 83, 753-758.	1.9	38
83	Inhibition of Akt signaling and enhanced ERK1/2 activity are involved in induction of macroautophagy by triterpenoid B-group soyasaponins in colon cancer cells. Carcinogenesis, 2006, 27, 298-306.	2.8	200
84	Glucosinolate hydrolysis products from various plant sources: pH effects, isolation, and purification. Industrial Crops and Products, 2005, 21, 193-202.	5.2	160
85	BIOFUMIGANT COMPOUNDS RELEASED BY FIELD PENNYCRESS (Thlaspi arvense) SEEDMEAL. Journal of Chemical Ecology, 2005, 31, 167-177.	1.8	50
86	Geographic Variation in Alkaloid Production in Conium maculatum Populations Experiencing Differential Herbivory by Agonopterix alstroemeriana. Journal of Chemical Ecology, 2005, 31, 1693-1709.	1.8	26
87	Environmental Influences on Isoflavones and Saponins in Soybeans and Their Role in Colon Cancer. Journal of Nutrition, 2005, 135, 1239-1242.	2.9	67
88	Genistein Inhibits Intestinal Cell Proliferation in Piglets. Pediatric Research, 2005, 57, 192-200.	2.3	32
89	Quantification of Saponins in Aerial and Subterranean Tissues ofMedicago truncatula. Journal of Agricultural and Food Chemistry, 2005, 53, 1914-1920.	5.2	108
90	Dietary isoflavones suppress endotoxin-induced inflammatory reaction in liver and intestine. Cancer Letters, 2004, 215, 21-28.	7.2	90

MARK ALAN BERHOW

#	Article	IF	CITATIONS
91	Triterpenoids from Glycine max decrease invasiveness and induce caspase-mediated cell death in human SNB19 glioma cells. Clinical and Experimental Metastasis, 2003, 20, 375-383.	3.3	23
92	Ultrahigh Carbon Dioxide Atmospheres Increase the Growth Rate, Morphogenesis and Naphthodianthrone Levels in St. John's Wort (Hypericum perforatum) Plants. Journal of Herbs, Spices and Medicinal Plants, 2003, 10, 35-46.	1.1	1
93	Two Loci Exert Major Effects on Chlorogenic Acid Synthesis in Maize Silks. Crop Science, 2002, 42, 1669-1678.	1.8	32
94	Analysis and quantitative determination of group B saponins in processed soybean products. Phytochemical Analysis, 2002, 13, 343-348.	2.4	54
95	Modern Analytical Techniques for Flavonoid Determination. Advances in Experimental Medicine and Biology, 2002, 505, 61-76.	1.6	33
96	Isolating antigenotoxic components and cancer cell growth suppressors from agricultural by-products. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2001, 480-481, 109-120.	1.0	16
97	Changes in citrus leaf flavonoid concentrations resulting from blight-induced zinc-deficiency. Plant Physiology and Biochemistry, 2000, 38, 333-343.	5.8	26
98	Characterization and antimutagenic activity of soybean saponins. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2000, 448, 11-22.	1.0	109
99	Effects of early plant growth regulator treatments on flavonoid levels in grapefruit. Plant Growth Regulation, 2000, 30, 225-232.	3.4	26
100	Lipase-catalyzed synthesis of ferulate esters. JAOCS, Journal of the American Oil Chemists' Society, 2000, 77, 513-519.	1.9	139
101	Limonoids and the Chemotaxonomy of Citrus and the Rutaceae Family. ACS Symposium Series, 2000, , 212-229.	0.5	4
102	Citrus Limonoid Research: An Overview. ACS Symposium Series, 2000, , 1-8.	0.5	17
103	Allelochemicals Isolated from Tissues of the Invasive Weed Garlic Mustard (Alliaria petiolata). Journal of Chemical Ecology, 1999, 25, 2495-2504.	1.8	111
104	Antimutagenic activity of chemical fractions isolated from a commercial soybean processing by-product. Teratogenesis, Carcinogenesis, and Mutagenesis, 1999, 19, 121-135.	0.8	12
105	1-Cyano-2-Hydroxy-3-Butene, A Phytotoxin From Crambe (Crambe abyssinica) Seedmeal. Journal of Chemical Ecology, 1998, 24, 1117-1126.	1.8	18
106	Flavonoid Accumulation in Tissue and Cell Culture. Advances in Experimental Medicine and Biology, 1998, 439, 67-84.	1.6	8
107	Limonoid and flavonoid composition in varieties of Papeda and Papedocitrus. Biochemical Systematics and Ecology, 1996, 24, 237-242.	1.3	4

Limonoid Glucosides in Fruit, Juice and Processing by-products of Satsuma Mandarin (Chus unshiu) Tj ETQq000 rg3.1/Overlock 10 Tf 50

MARK ALAN BERHOW

#	Article	IF	CITATIONS
109	Developmental and substrate specificity of hesperetin-7-O-glucosyltransferase activity in Citrus limon tissues using high-performance liquid chromatographic analysis. Plant Science, 1995, 112, 139-147.	3.6	20
110	Limonoids in seeds of three citrus hybrids related to citrus ichangensis. Phytochemistry, 1994, 36, 923-925.	2.9	8
111	Acylated flavonoids in callus cultures of Citrus aurantifolia. Phytochemistry, 1994, 36, 1225-1227.	2.9	27
112	Sites of Naringin Biosynthesis in Grapefruit Seedlings. Journal of Plant Physiology, 1991, 138, 176-179.	3.5	21
113	A malonic acid ester derivative of naringin in grapefruit. Phytochemistry, 1991, 30, 4198-4200.	2.9	18
114	Biosynthesis of naringin and prunin in detached grapefruit. Phytochemistry, 1989, 28, 1627-1630.	2.9	45
115	A rapid and novel method for purification of ribulose 1,5-bisphosphate carboxylase fromChromatium vinosum. FFMS Microbiology Letters, 1983, 17, 269-272.	1.8	7