

Takao Saito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3007862/publications.pdf>

Version: 2024-02-01

73
papers

3,134
citations

172457

29
h-index

155660

55
g-index

79
all docs

79
docs citations

79
times ranked

2248
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Proposal for diagnostic criteria for IgG4-related kidney disease. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 615-626. | 1.6 | 377 |
| 2 | The Role of Macrophages in Diabetic Glomerulosclerosis. <i>American Journal of Kidney Diseases</i> , 1993, 21, 480-485. | 1.9 | 278 |
| 3 | Prognosis and risk factors for idiopathic membranous nephropathy with nephrotic syndrome in Japan. <i>Kidney International</i> , 2004, 65, 1400-1407. | 5.2 | 147 |
| 4 | Lipoprotein Glomerulopathy: Glomerular Lipoprotein Thrombi in a Patient With Hyperlipoproteinemia. <i>American Journal of Kidney Diseases</i> , 1989, 13, 148-153. | 1.9 | 144 |
| 5 | The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833. | 5.2 | 144 |
| 6 | Japan Renal Biopsy Registry: the first nationwide, web-based, and prospective registry system of renal biopsies in Japan. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 493-503. | 1.6 | 127 |
| 7 | Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 155-173. | 1.6 | 111 |
| 8 | The enhancement of aminonucleoside nephrosis by the co-administration of protamine. <i>Kidney International</i> , 1987, 32, 691-699. | 5.2 | 103 |
| 9 | Contribution of mononuclear leucocytes to the progression of experimental focal glomerular sclerosis. <i>Kidney International</i> , 1990, 37, 1076-1083. | 5.2 | 94 |
| 10 | Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 903-920. | 1.6 | 91 |
| 11 | Impact of Lipoprotein Glomerulopathy on the Relationship Between Lipids and Renal Diseases. <i>American Journal of Kidney Diseases</i> , 2006, 47, 199-211. | 1.9 | 79 |
| 12 | A novel apolipoprotein E mutation, E2 (Arg25Cys), in lipoprotein glomerulopathy. <i>Kidney International</i> , 1999, 56, 421-427. | 5.2 | 74 |
| 13 | Membranoproliferative Glomerulonephritis-Like Glomerular Disease and Concurrent Tubulointerstitial Nephritis Complicating IgG4-Related Autoimmune Pancreatitis. <i>Internal Medicine</i> , 2009, 48, 157-162. | 0.7 | 68 |
| 14 | Immunohistochemical Characteristics of IgG4-Related Tubulointerstitial Nephritis: Detailed Analysis of 20 Japanese Cases. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-9. | 1.6 | 62 |
| 15 | Abnormal Lipoprotein and Apolipoprotein Pattern in Lipoprotein Glomerulopathy. <i>American Journal of Kidney Diseases</i> , 1991, 18, 553-558. | 1.9 | 61 |
| 16 | Lipoprotein Glomerulopathy. <i>American Journal of Nephrology</i> , 1993, 13, 64-68. | 3.1 | 58 |
| 17 | Virus-mediated Transduction of Apolipoprotein E (ApoE)-Sendai Develops Lipoprotein Glomerulopathy in ApoE-deficient Mice. <i>Journal of Biological Chemistry</i> , 2000, 275, 31269-31273. | 3.4 | 52 |
| 18 | Association of a Novel 3-Amino Acid Deletion Mutation of Apolipoprotein E (Apo E Tokyo) with Lipoprotein Glomerulopathy. <i>Nephron</i> , 1999, 83, 214-218. | 1.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Immediate therapeutic efficacy of low-density lipoprotein apheresis for drug-resistant nephrotic syndrome: evidence from the short-term results from the POLARIS Study. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 379-386. | 1.6 | 49 |
| 20 | A novel 18-amino acid deletion in apolipoprotein E associated with lipoprotein glomerulopathy. <i>Kidney International</i> , 1999, 56, 1317-1323. | 5.2 | 46 |
| 21 | Functional analysis of iPSC-derived myocytes from a patient with carnitine palmitoyltransferase II deficiency. <i>Biochemical and Biophysical Research Communications</i> , 2014, 448, 175-181. | 2.1 | 44 |
| 22 | A randomized open-label comparative study of conventional therapy versus mizoribine onlay therapy in patients with steroid-resistant nephrotic syndrome (postmarketing survey). <i>Clinical and Experimental Nephrology</i> , 2004, 8, 117-26. | 1.6 | 42 |
| 23 | A Prospective Observational Survey on the Long-Term Effect of LDL Apheresis on Drug-Resistant Nephrotic Syndrome. <i>Nephron Extra</i> , 2015, 5, 58-66. | 1.1 | 41 |
| 24 | Lipoprotein Glomerulopathy: Renal Lipidosis Induced by Novel Apolipoprotein E Variants. <i>Nephron</i> , 1999, 83, 193-201. | 1.8 | 40 |
| 25 | Apolipoprotein E-related glomerular disorders. <i>Kidney International</i> , 2020, 97, 279-288. | 5.2 | 38 |
| 26 | Participation of macrophages in segmental endocapillary proliferation preceding focal glomerular sclerosis. <i>Journal of Pathology</i> , 1993, 170, 179-185. | 4.5 | 33 |
| 27 | Abnormal Lipid Metabolism and Renal Disorders.. <i>Tohoku Journal of Experimental Medicine</i> , 1997, 181, 321-337. | 1.2 | 32 |
| 28 | Lipoprotein glomerulopathy: Significance of lipoprotein and ultrastructural features. <i>Kidney International</i> , 1999, 56, S37-S41. | 5.2 | 32 |
| 29 | Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 87-93. | 1.6 | 32 |
| 30 | A novel variant apolipoprotein E Okayama in a patient with lipoprotein glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 751-756. | 0.7 | 31 |
| 31 | Immunohistological analysis for immunological response and mechanism of interstitial fibrosis in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2015, 25, 571-578. | 1.8 | 29 |
| 32 | Lipoprotein glomerulopathy: A new aspect of lipid induced glomerular injury. <i>Nephrology</i> , 1995, 1, 17-24. | 1.6 | 25 |
| 33 | Etiological Significance of Apolipoprotein E Mutations in Lipoprotein Glomerulopathy. <i>Trends in Cardiovascular Medicine</i> , 2002, 12, 67-70. | 4.9 | 25 |
| 34 | Factors related to renal cortical atrophy development after glucocorticoid therapy in IgG4-related kidney disease: a retrospective multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 273. | 3.5 | 25 |
| 35 | Mitochondrial-dependent Autoimmunity in Membranous Nephropathy of IgG4-related Disease. <i>EBioMedicine</i> , 2015, 2, 456-466. | 6.1 | 24 |
| 36 | A Novel Mutation ApoE2 Kurashiki (R158P) in a Patient with Lipoprotein Glomerulopathy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 536-541. | 2.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Outcomes of primary nephrotic syndrome in elderly Japanese: retrospective analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2015, 19, 496-505. | 1.6 | 23 |
| 38 | A novel apolipoprotein E mutation, ApoE Tsukuba (Arg 114 Cys), in lipoprotein glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 381-384. | 0.7 | 22 |
| 39 | Topics in lipoprotein glomerulopathy: an overview. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 214-217. | 1.6 | 22 |
| 40 | Carnitine palmitoyltransferase II deficiency due to a novel gene variant in a patient with rhabdomyolysis and ARF. <i>American Journal of Kidney Diseases</i> , 2005, 45, 596-602. | 1.9 | 21 |
| 41 | Apolipoprotein E mutations: a comparison between lipoprotein glomerulopathy and type III hyperlipoproteinemia. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 220-224. | 1.6 | 21 |
| 42 | Validation of the diagnostic criteria for IgG4-related kidney disease (IgG4-RKD) 2011, and proposal of a new 2020 version. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 99-109. | 1.6 | 20 |
| 43 | Sequential studies of development of gastric carcinoma in dogs induced by N-methyl-N-2-nitro-N-nitrosoguanidine. <i>Cancer</i> , 1978, 42, 1246-1254. | 4.1 | 19 |
| 44 | Significance of combined cyclosporine~prednisolone therapy and cyclosporine blood concentration monitoring for idiopathic membranous nephropathy with steroid-resistant nephrotic syndrome: a randomized controlled multicenter trial. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 784-794. | 1.6 | 19 |
| 45 | Histologic studies on the nephrotic syndrome in the elderly.. <i>Tohoku Journal of Experimental Medicine</i> , 1987, 153, 259-264. | 1.2 | 16 |
| 46 | Role of apolipoprotein E variants in lipoprotein glomerulopathy and other renal lipidoses. <i>Clinical and Experimental Nephrology</i> , 2001, 5, 201-208. | 1.6 | 16 |
| 47 | Macrophage impairment produced by Fc receptor gamma deficiency plays a principal role in the development of lipoprotein glomerulopathy in concert with apoE abnormalities. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3899-3907. | 0.7 | 16 |
| 48 | Lipoprotein glomerulopathy induced by ApoE-Sendai is different from glomerular lesions in aged apoE-deficient mice. <i>Clinical and Experimental Nephrology</i> , 2009, 13, 430-437. | 1.6 | 15 |
| 49 | A founder haplotype of APOE-Sendai mutation associated with lipoprotein glomerulopathy. <i>Journal of Human Genetics</i> , 2013, 58, 254-258. | 2.3 | 15 |
| 50 | Lipoprotein glomerulopathy may provide a key to unlock the puzzles of renal lipidosis. <i>Kidney International</i> , 2014, 85, 243-245. | 5.2 | 15 |
| 51 | Estimation of the number of histological diagnosis for IgG4-related kidney disease referred to the data obtained from the Japan Renal Biopsy Registry (J-RBR) questionnaire and cases reported in the Japanese Society of Nephrology Meetings. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 97-103. | 1.6 | 15 |
| 52 | A Case of Lipoprotein Glomerulopathy with apoE Chicago and apoE (Glu3Lys) Treated with Fenofibrate. <i>Case Reports in Nephrology and Dialysis</i> , 2017, 7, 112-120. | 0.6 | 14 |
| 53 | Mizoribine therapy combined with steroids and mizoribine blood concentration monitoring for idiopathic membranous nephropathy with steroid-resistant nephrotic syndrome. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 961-970. | 1.6 | 13 |
| 54 | A Rare Cause of Posttransplantation Nephrotic Syndrome. <i>American Journal of Kidney Diseases</i> , 2005, 45, 1132-1138. | 1.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Scavenger receptor expressions in the kidneys of mice with lipoprotein glomerulopathy. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 115-121. | 1.6 | 11 |
| 56 | Membranous Nephropathy-Like Apolipoprotein E Deposition Disease with Apolipoprotein E Toyonaka (Ser197Cys) and a Homozygous Apolipoprotein E2/2. <i>Case Reports in Nephrology and Dialysis</i> , 2018, 8, 45-55. | 0.6 | 11 |
| 57 | Glucocorticoid receptor expression in resident and hematopoietic cells in IgG4-related disease. <i>Modern Pathology</i> , 2018, 31, 890-899. | 5.5 | 8 |
| 58 | A case of lipoprotein glomerulopathy with a rare apolipoprotein E isoform combined with neurofibromatosis type I. <i>CEN Case Reports</i> , 2018, 7, 127-131. | 0.9 | 7 |
| 59 | Focal segmental glomerulosclerosis with heterozygous apolipoprotein E5 (Glu3Lys). <i>CEN Case Reports</i> , 2018, 7, 225-228. | 0.9 | 7 |
| 60 | A case of apolipoprotein E Toyonaka and homozygous apolipoprotein E2/2 showing non-immune membranous nephropathy-like glomerular lesions with foamy changes. <i>CEN Case Reports</i> , 2019, 8, 106-111. | 0.9 | 7 |
| 61 | Lipoprotein glomerulopathy-like disease in a patient with type III hyperlipoproteinemia due to apolipoprotein E2 (Arg158 Cys)/3 heterozygosity. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 174-179. | 1.6 | 6 |
| 62 | Macrophage Infiltration into the Glomeruli in Lipoprotein Glomerulopathy. <i>Case Reports in Nephrology and Dialysis</i> , 2015, 5, 204-212. | 0.6 | 6 |
| 63 | A case of nephrotic syndrome showing contemporary presence of apolipoprotein E2 homozygote glomerulopathy and membranous nephropathy-like findings modified by apolipoprotein E Toyonaka. <i>Clinical Nephrology Case Studies</i> , 2018, 6, 45-51. | 0.7 | 6 |
| 64 | Validation of the 2019 ACR/EULAR criteria for IgG4-related disease in a Japanese kidney disease cohort: a multicentre retrospective study by the IgG4-related kidney disease working group of the Japanese Society of Nephrology. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 956-957. | 0.9 | 6 |
| 65 | DNA cytophotometry on atypical glands in stomach carcinogenesis of dogs induced by N-methyl-N'-nitro-N-nitrosoguanidine. <i>Journal of Cancer Research and Clinical Oncology</i> , 1985, 109, 93-102. | 2.5 | 5 |
| 66 | Significance of a Novel Apolipoprotein E Variant, ApoE Osaka/Kurashiki, in Lipoprotein Glomerulopathy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 542-543. | 2.0 | 5 |
| 67 | Differential Diagnosis (3): Sjögren Syndrome. , 2016, , 271-277. | | 1 |
| 68 | Membranous Nephropathy-Like Apolipoprotein E Deposition Disease with Apolipoprotein E Toyonaka and Homozygous Apolipoprotein E2/2 without Dyslipidemia, with Characteristic Electron-Dense Deposits. <i>Case Reports in Nephrology and Dialysis</i> , 2022, 12, 96-104. | 0.6 | 1 |
| 69 | Association between HLA class II genotypes and IgA nephropathy in Japanese patients. <i>Major Histocompatibility Complex</i> , 2002, 8, 187-198. | 0.1 | 0 |
| 70 | Various Aspects of IgG4-related Disease. <i>Internal Medicine</i> , 2012, 51, 1157-1158. | 0.7 | 0 |
| 71 | The kidney and lipids: preface. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 180-184. | 1.6 | 0 |
| 72 | Overview of IgG4-Related Kidney Disease. , 2016, , 75-83. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Present status of ethics committees of the medical schools in Japan. The Tokushima Journal of Experimental Medicine, 1991, 38, 103-11. | 0.1 | 0 |