
Sarah Cockayne

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3012162/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Vitamin K and the Prevention of Fractures. Archives of Internal Medicine, 2006, 166, 1256.	3.8	317
2	Cryotherapy versus salicylic acid for the treatment of plantar warts (verrucae): a randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d3271-d3271.	2.3	68
3	Nurse facilitated Self-management support for people with heart failure and their family carers (SEMAPHFOR): a randomised controlled trial. International Journal of Nursing Studies, 2014, 51, 1207-1213.	5.6	42
4	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). PLoS ONE, 2017, 12, e0168712.	2.5	37
5	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144.	1.6	30
6	Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. Health Technology Assessment, 2015, 19, 1-120.	2.8	23
7	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977.	1.9	21
8	A randomised controlled trial to assess the effectiveness of offering study results as an incentive to increase response rates to postal questionnaires [ISRCTN26118436]. BMC Medical Research Methodology, 2005, 5, 34.	3.1	19
9	Cost-effectiveness of a nurse facilitated, cognitive behavioural self-management programme compared with usual care using a CBT manual alone for patients with heart failure: secondary analysis of data from the SEMAPHFOR trial. International Journal of Nursing Studies, 2014, 51, 1214-1220.	5.6	19
10	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. Journal of Clinical Epidemiology, 2014, 67, 1016-1024.	5.0	18
11	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. BMJ Open, 2018, 8, e022488.	1.9	18
12	An assessment of the extent to which the contents of PROSPERO records meet the systematic review protocol reporting items in PRISMA-P. F1000Research, 2020, 9, 773.	1.6	18
13	Costâ€effectiveness of cryotherapy versus salicylic acid for the treatment of plantar warts: economic evaluation alongside a randomised controlled trial (EVerT trial). Journal of Foot and Ankle Research, 2012, 5, 4.	1.9	17
14	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) Tj ETQq0 0 0 r 21, 1-198.	gBT /Qverl 2.8	ock 10 Tf 50 2
15	An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. F1000Research, 2020, 9, 154.	1.6	14
16	An assessment of the extent to which the contents of PROSPERO records meet the systematic review protocol reporting items in PRISMA-P. F1000Research, 2020, 9, 773.	1.6	13
17	Can we achieve better recruitment by providing better information? Meta-analysis of â€~studies within a trial' (SWATs) of optimised participant information sheets. BMC Medicine, 2021, 19, 218.	5.5	12
18	Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled	1.6	11

trial. F1000Research, 2019, 8, 315.

11

SARAH COCKAYNE

#	Article	IF	CITATIONS
19	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. Gerontology, 2018, 64, 503-512.	2.8	10
20	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577.	1.6	10
21	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118.	2.8	8
22	EVerT2—needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. BMJ Open, 2015, 5, e009406.	1.9	6
23	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. BMJ Open, 2018, 8, e026023.	1.9	6
24	Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. Occupational and Environmental Medicine, 2021, 78, 472-478.	2.8	6
25	Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. F1000Research, 2019, 8, 659.	1.6	6
26	A randomized, embedded trial of preâ€notification of trial participation did not increase recruitment rates to a falls prevention trial. Journal of Evaluation in Clinical Practice, 2017, 23, 73-78.	1.8	5
27	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623.	1.6	5
28	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623.	1.6	4
29	The effect of patients' preference on outcome in the EVerT cryotherapy versus salicylic acid for the treatment of plantar warts (verruca) trial. Journal of Foot and Ankle Research, 2012, 5, 28.	1.9	3
30	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083.	1.6	3
31	A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. F1000Research, 2018, 7, 1083.	1.6	3
32	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348.	1.6	2
33	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.	1.6	2
34	No proved benefit for cryotherapy over salicylic acid in treating verrucas. BMJ, The, 2014, 348, g4090-g4090.	6.0	1
35	Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) – lessons learned. Journal of Foot and Ankle Research, 2016, 9, 21.	1.9	1
36	Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. Public Health Research. 2021. 9. 1-150.	1.3	1

#	Article	IF	CITATIONS
37	Comparison of the EQ-5D-5L and the EQ-5D-3L using individual patient data from the REFORM trial. F1000Research, 0, 10, 974.	1.6	1
38	Using a modified nominal group technique to develop complex interventions for a randomised controlled trial in children with symptomatic pes planus. Trials, 2022, 23, 286.	1.6	1
39	Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. Injury Prevention, 2022, 28, 256-258.	2.4	0