

Sarah Cockayne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3012162/publications.pdf>

Version: 2024-02-01

39
papers

798
citations

687363

13
h-index

526287

27
g-index

43
all docs

43
docs citations

43
times ranked

1099
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. <i>Injury Prevention</i> , 2022, 28, 256-258.	2.4	0
2	Using a modified nominal group technique to develop complex interventions for a randomised controlled trial in children with symptomatic pes planus. <i>Trials</i> , 2022, 23, 286.	1.6	1
3	Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. <i>Public Health Research</i> , 2021, 9, 1-150.	1.3	1
4	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	2.8	8
5	Can we achieve better recruitment by providing better information? Meta-analysis of â€˜studies within a trialâ€™ (SWATs) of optimised participant information sheets. <i>BMC Medicine</i> , 2021, 19, 218.	5.5	12
6	Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2021, 78, 472-478.	2.8	6
7	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. <i>Trials</i> , 2020, 21, 348.	1.6	2
8	An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. <i>F1000Research</i> , 2020, 9, 154.	1.6	14
9	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. <i>F1000Research</i> , 2020, 9, 577.	1.6	10
10	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. <i>F1000Research</i> , 2020, 9, 623.	1.6	5
11	An assessment of the extent to which the contents of PROSPERO records meet the systematic review protocol reporting items in PRISMA-P. <i>F1000Research</i> , 2020, 9, 773.	1.6	18
12	An assessment of the extent to which the contents of PROSPERO records meet the systematic review protocol reporting items in PRISMA-P. <i>F1000Research</i> , 2020, 9, 773.	1.6	13
13	Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. <i>F1000Research</i> , 2019, 8, 315.	1.6	11
14	Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. <i>F1000Research</i> , 2019, 8, 659.	1.6	6
15	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026023.	1.9	6
16	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488.	1.9	18
17	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. <i>Gerontology</i> , 2018, 64, 503-512.	2.8	10
18	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. <i>F1000Research</i> , 2018, 7, 1083.	1.6	3

#	ARTICLE	IF	CITATIONS
19	A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. <i>F1000Research</i> , 2018, 7, 1083.	1.6	3
20	A randomized, embedded trial of pre-notification of trial participation did not increase recruitment rates to a falls prevention trial. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 73-78.	1.8	5
21	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144.	1.6	30
22	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). <i>PLoS ONE</i> , 2017, 12, e0168712.	2.5	37
23	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 2017, 21, 1-198.	2.8	17
24	Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) – lessons learned. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 21.	1.9	1
25	EverT – needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009406.	1.9	6
26	Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. <i>Health Technology Assessment</i> , 2015, 19, 1-120.	2.8	23
27	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014, 4, e006977.	1.9	21
28	Cost-effectiveness of a nurse facilitated, cognitive behavioural self-management programme compared with usual care using a CBT manual alone for patients with heart failure: secondary analysis of data from the SEMAPHOR trial. <i>International Journal of Nursing Studies</i> , 2014, 51, 1214-1220.	5.6	19
29	Nurse facilitated Self-management support for people with heart failure and their family carers (SEMAPHOR): a randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2014, 51, 1207-1213.	5.6	42
30	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1016-1024.	5.0	18
31	No proved benefit for cryotherapy over salicylic acid in treating verrucas. <i>BMJ</i> , The, 2014, 348, g4090-g4090.	6.0	1
32	The effect of patients' preference on outcome in the EverT cryotherapy versus salicylic acid for the treatment of plantar warts (verruca) trial. <i>Journal of Foot and Ankle Research</i> , 2012, 5, 28.	1.9	3
33	Cost-effectiveness of cryotherapy versus salicylic acid for the treatment of plantar warts: economic evaluation alongside a randomised controlled trial (EverT trial). <i>Journal of Foot and Ankle Research</i> , 2012, 5, 4.	1.9	17
34	Cryotherapy versus salicylic acid for the treatment of plantar warts (verrucae): a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d3271-d3271.	2.3	68
35	Vitamin K and the Prevention of Fractures. <i>Archives of Internal Medicine</i> , 2006, 166, 1256.	3.8	317
36	A randomised controlled trial to assess the effectiveness of offering study results as an incentive to increase response rates to postal questionnaires [ISRCTN26118436]. <i>BMC Medical Research Methodology</i> , 2005, 5, 34.	3.1	19

#	ARTICLE	IF	CITATIONS
37	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.	1.6	2
38	Comparison of the EQ-5D-5L and the EQ-5D-3L using individual patient data from the REFORM trial. F1000Research, 0, 10, 974.	1.6	1
39	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623.	1.6	4