

Frédéric J Mercier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3012551/publications.pdf>

Version: 2024-02-01

43
papers

3,328
citations

279798

23
h-index

345221

36
g-index

66
all docs

66
docs citations

66
times ranked

1733
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Maternal heart rate responses in the supine position and their relationship with hypotension and phenylephrine requirements during elective caesarean delivery using spinal anaesthesia: An observational study. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2021, 40, 100904. | 1.4 | 0 |
| 2 | Efficacy of Intra-Uterine Tamponade Balloon in Post-Partum Hemorrhage after Cesarean Delivery: An Impact Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 81. | 2.4 | 2 |
| 3 | Anaesthesia and intensive care in obstetrics during the COVID-19 pandemic. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2020, 39, 345-349. | 1.4 | 31 |
| 4 | Incidence and risk factors for maternal hypoxaemia during induction of general anaesthesia for non-elective Caesarean section: a prospective multicentre study. <i>British Journal of Anaesthesia</i> , 2020, 125, e81-e87. | 3.4 | 25 |
| 5 | Programmed intermittent epidural bolus technique for maintenance of labour analgesia: does it work for everyone?. <i>British Journal of Anaesthesia</i> , 2019, 123, e190-e193. | 3.4 | 2 |
| 6 | Noradrenaline for haemodynamic control in obstetric anaesthesia: Is it now a suitable alternative to phenylephrine?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 591-593. | 1.4 | 13 |
| 7 | Effective concentration of levobupivacaine and ropivacaine in 80% of patients receiving epidural analgesia (EC80) in the first stage of labour: A study using the Continual Reassessment Method. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018, 37, 429-434. | 1.4 | 4 |
| 8 | Obstetric anaesthesia: Dynamic and multidirectional research approaches to ultimately improve parturient management. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018, 37, 405-407. | 1.4 | 0 |
| 9 | Hypertension pulmonaire et grossesse. <i>Praticien En Anesthesie Reanimation</i> , 2017, 21, 192-203. | 0.0 | 1 |
| 10 | Troubles du sommeil et grossesse. <i>Praticien En Anesthesie Reanimation</i> , 2017, 21, 171-174. | 0.0 | 0 |
| 11 | Fever and pregnancy. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2016, 35, S5-S12. | 1.4 | 17 |
| 12 | Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 12-21. | 1.1 | 211 |
| 13 | Fibrinogen concentrate as a treatment for postpartum haemorrhage-induced coagulopathy: A study protocol for a randomised multicentre controlled trial. The fibrinogen in haemorrhage of DELivery (FIDEL) trial. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2016, 35, 293-298. | 1.4 | 25 |
| 14 | Parturiente Ã©gÃ©e (podcast). <i>Praticien En Anesthesie Reanimation</i> , 2014, 18, 164-169. | 0.0 | 1 |
| 15 | Preliminary evaluation of a new clinical algorithm to interpret blood cultures growing coagulase-negative staphylococci. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 562-566. | 1.5 | 5 |
| 16 | Cesarean delivery fluid management. <i>Current Opinion in Anaesthesiology</i> , 2012, 25, 286-291. | 2.0 | 60 |
| 17 | Optic Nerve Sheath Diameter Used as Ultrasonographic Assessment of the Incidence of Raised Intracranial Pressure in Preeclampsia. <i>Anesthesiology</i> , 2012, 116, 1066-1071. | 2.5 | 90 |
| 18 | ThrombopÃ©nie et grossesse. <i>Praticien En Anesthesie Reanimation</i> , 2012, 16, 323-334. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Sepsis s'accompagne et grossesse. Praticien En Anesthésie Réanimation, 2012, 16, 335-342. | 0.0 | 0 |
| 20 | Fluid Loading for Cesarean Delivery Under Spinal Anesthesia. Anesthesia and Analgesia, 2011, 113, 677-680. | 2.2 | 67 |
| 21 | Predictive factors of advanced interventional procedures in a multicentre severe postpartum haemorrhage study. Intensive Care Medicine, 2011, 37, 1816-1825. | 8.2 | 110 |
| 22 | Use of clotting factors and other prohemostatic drugs for obstetric hemorrhage. Current Opinion in Anaesthesiology, 2010, 23, 310-316. | 2.0 | 212 |
| 23 | Anaesthetic practices for scheduled caesarean delivery: a 2005 French national survey. European Journal of Anaesthesiology, 2009, 26, 694-700. | 1.7 | 40 |
| 24 | Tattooing and various piercing: anaesthetic considerations. Current Opinion in Anaesthesiology, 2009, 22, 436-441. | 2.0 | 20 |
| 25 | Major Obstetric Hemorrhage. Anesthesiology Clinics, 2008, 26, 53-66. | 1.4 | 173 |
| 26 | Use of Recombinant Activated Factor VII in Primary Postpartum Hemorrhage. Obstetrics and Gynecology, 2007, 110, 1270-1278. | 2.4 | 122 |
| 27 | Ropivacaine par voie intrathécale en obstétrique. Praticien En Anesthésie Réanimation, 2006, 10, 451-453. | 0.0 | 0 |
| 28 | Severe Pulmonary Hypertension during Pregnancy. Anesthesiology, 2005, 102, 1133-1137. | 2.5 | 483 |
| 29 | Maladie de Willebrand, grossesse et accouchement. Praticien En Anesthésie Réanimation, 2004, 8, 287-291. | 0.0 | 1 |
| 30 | Quality-assurance program for the improvement of morbidity during the first three postpartum days following episiotomy and perineal trauma. Acute Pain, 2004, 6, 1-7. | 0.1 | 7 |
| 31 | A Randomized Sequential Allocation Study to Determine the Minimum Effective Analgesic Concentration of Levobupivacaine and Ropivacaine in Patients Receiving Epidural Analgesia for Labor. Anesthesiology, 2003, 99, 1383-1386. | 2.5 | 89 |
| 32 | Major Complications of Regional Anesthesia in France. Anesthesiology, 2002, 97, 1274-1280. | 2.5 | 974 |
| 33 | Audit of an early feeding program after Cesarean delivery: Patient wellbeing is increased. Canadian Journal of Anaesthesia, 2002, 49, 814-819. | 1.6 | 31 |
| 34 | Management in intractable obstetric haemorrhage: an audit study on 61 cases. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 94, 189-196. | 1.1 | 122 |
| 35 | Reduction of Blood Loss and Transfusion Requirement by Aprotinin in Posterior Lumbar Spine Fusion. Anesthesia and Analgesia, 1999, 89, 590. | 2.2 | 60 |
| 36 | Reduction of Blood Loss and Transfusion Requirement by Aprotinin in Posterior Lumbar Spine Fusion. Anesthesia and Analgesia, 1999, 89, 590. | 2.2 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | 4 Promising non-narcotic analgesic techniques for labour. Bailliere's Clinical Obstetrics and Gynaecology, 1998, 12, 397-407. | 0.6 | 8 |
| 38 | The Effect of Adding a Minidose of Clonidine to Intrathecal Sufentanil for Labor Analgesia. Anesthesiology, 1998, 89, 594-601.. | 2.5 | 50 |
| 39 | Aprotinin Reduces Blood Loss in Patients Undergoing Elective Liver Resection. Anesthesia and Analgesia, 1997, 84, 875-881. | 2.2 | 43 |
| 40 | Aprotinin Reduces Blood Loss in Patients Undergoing Elective Liver Resection. Anesthesia and Analgesia, 1997, 84, 875-881. | 2.2 | 92 |
| 41 | Regional anaesthesia and reactive airway disease. Canadian Journal of Anaesthesia, 1997, 44, 339-339. | 1.6 | 0 |
| 42 | Anaesthetic management in patients with asthma. Canadian Journal of Anaesthesia, 1996, 43, 195-196. | 1.6 | 1 |
| 43 | Epidural analgesia for labour in a parturient with neurofibromatosis. Canadian Journal of Anaesthesia, 1995, 42, 420-424. | 1.6 | 45 |