

Ritesh Agarwal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3012619/publications.pdf>

Version: 2024-02-01

114
papers

10,892
citations

38742

50
h-index

30087

103
g-index

116
all docs

116
docs citations

116
times ranked

12685
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Exchange coupling-mediated broken symmetries in Ta ₂ NiSe ₅ revealed from quadrupolar circular photogalvanic effect. Science Advances, 2022, 8, eabl9020. | 10.3 | 3 |
| 2 | Real-time nanomechanical property modulation as a framework for tunable NEMS. Nature Communications, 2022, 13, 1464. | 12.8 | 12 |
| 3 | Vortex microlaser with ultrafast tunability. , 2021, , . | | 0 |
| 4 | Higher-dimensional supersymmetric microlaser arrays. Science, 2021, 372, 403-408. | 12.6 | 51 |
| 5 | Supersymmetric Microlaser Arrays in Two Dimensions and Beyond. , 2021, , . | | 0 |
| 6 | Observation and Active Control of a Collective Polariton Mode and Polaritonic Band Gap in Few-Layer WS ₂ Strongly Coupled with Plasmonic Lattices. Nano Letters, 2020, 20, 790-798. | 9.1 | 25 |
| 7 | Generation of helical topological exciton-polaritons. Science, 2020, 370, 600-604. | 12.6 | 97 |
| 8 | On-the-fly closed-loop materials discovery via Bayesian active learning. Nature Communications, 2020, 11, 5966. | 12.8 | 167 |
| 9 | Coherent Interactions in One-Dimensional Topological Photonic Systems and Their Applications in All-Optical Logic Operation. Nano Letters, 2020, 20, 8796-8802. | 9.1 | 20 |
| 10 | Self-aligned on-chip coupled photonic devices using individual cadmium sulfide nanobelts. Nano Research, 2020, 13, 1413-1418. | 10.4 | 7 |
| 11 | Tunable topological charge vortex microlaser. Science, 2020, 368, 760-763. | 12.6 | 180 |
| 12 | Photocurrent detection of the orbital angular momentum of light. Science, 2020, 368, 763-767. | 12.6 | 113 |
| 13 | Strain-engineered high-responsivity MoTe ₂ photodetector for silicon photonic integrated circuits. Nature Photonics, 2020, 14, 578-584. | 31.4 | 172 |
| 14 | Mechanism of Extreme Optical Nonlinearities in Spiral WS ₂ above the Bandgap. Nano Letters, 2020, 20, 2667-2673. | 9.1 | 25 |
| 15 | Z ₂ Photonic Topological Insulators in the Visible Wavelength Range for Robust Nanoscale Photonics. Nano Letters, 2020, 20, 1329-1335. | 9.1 | 42 |
| 16 | Low-Power Switching through Disorder and Carrier Localization in Bismuth-Doped Germanium Telluride Phase Change Memory Nanowires. ACS Nano, 2020, 14, 2162-2171. | 14.6 | 13 |
| 17 | Tunable geometric photocurrent in van der Waals heterostructure. Optica, 2020, 7, 1204. | 9.3 | 9 |
| 18 | Spatially dispersive circular photogalvanic effect in a Weyl semimetal. Nature Materials, 2019, 18, 955-962. | 27.5 | 99 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Cavity Engineering of Photon-Phonon Interactions in Si Nanocavities. Nano Letters, 2019, 19, 7950-7956. | 9.1 | 5 |
| 20 | Nanocavity-Enhanced Giant Stimulated Raman Scattering in Si Nanowires in the Visible Light Region. Nano Letters, 2019, 19, 1204-1209. | 9.1 | 17 |
| 21 | Phonon-Assisted Electro-Optical Switches and Logic Gates Based on Semiconductor Nanostructures. Advanced Materials, 2019, 31, e1901263. | 21.0 | 21 |
| 22 | Room temperature polariton lasing in quantum heterostructure nanocavities. Science Advances, 2019, 5, eaau9338. | 10.3 | 42 |
| 23 | A semi-empirical integrated microring cavity approach for 2D material optical index identification at 1.55 μ m. Nanophotonics, 2019, 8, 435-441. | 6.0 | 27 |
| 24 | Optically Controlled Orbitronics on a Triangular Lattice. Physical Review Letters, 2019, 123, 236403. | 7.8 | 28 |
| 25 | Electrically programmable multi-purpose nonvolatile metasurface based on phase change materials. Physica Scripta, 2019, 94, 025803. | 2.5 | 8 |
| 26 | 2D material printer: a deterministic cross contamination-free transfer method for atomically layered materials. 2D Materials, 2019, 6, 015006. | 4.4 | 32 |
| 27 | Loss and coupling tuning via heterogeneous integration of MoS ₂ layers in silicon photonics [Invited]. Optical Materials Express, 2019, 9, 751. | 3.0 | 32 |
| 28 | Anion Exchange in II-VI Semiconducting Nanostructures via Atomic Templating. Nano Letters, 2018, 18, 1620-1627. | 9.1 | 11 |
| 29 | Strong modulation of second-harmonic generation with very large contrast in semiconducting CdS via high-field domain. Nature Communications, 2018, 9, 186. | 12.8 | 24 |
| 30 | 2D materials in electro-optic modulation: energy efficiency, electrostatics, mode overlap, material transfer and integration. Applied Physics A: Materials Science and Processing, 2018, 124, 1. | 2.3 | 9 |
| 31 | Understanding the Different Exciton-Plasmon Coupling Regimes in Two-Dimensional Semiconductors Coupled with Plasmonic Lattices: A Combined Experimental and Unified Equation of Motion Approach. ACS Photonics, 2018, 5, 192-204. | 6.6 | 30 |
| 32 | Ultrasensitive, Mechanically Responsive Optical Metasurfaces via Strain Amplification. ACS Nano, 2018, 12, 10683-10692. | 14.6 | 34 |
| 33 | Engineering Localized Surface Plasmon Interactions in Gold by Silicon Nanowire for Enhanced Heating and Photocatalysis. Nano Letters, 2017, 17, 1839-1845. | 9.1 | 50 |
| 34 | Inverting polar domains via electrical pulsing in metallic germanium telluride. Nature Communications, 2017, 8, 15033. | 12.8 | 29 |
| 35 | Strain Multiplexed Metasurface Holograms on a Stretchable Substrate. Nano Letters, 2017, 17, 3641-3645. | 9.1 | 216 |
| 36 | Electrical Tuning of Exciton-Plasmon Polariton Coupling in Monolayer MoS ₂ Integrated with Plasmonic Nanoantenna Lattice. Nano Letters, 2017, 17, 4541-4547. | 9.1 | 117 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Mixed-Mode Operation of Hybrid Phase-Change Nanophotonic Circuits. Nano Letters, 2017, 17, 150-155. | 9.1 | 148 |
| 38 | Active material, optical mode and cavity impact on nanoscale electro-optic modulation performance. Nanophotonics, 2017, 7, 455-472. | 6.0 | 55 |
| 39 | A deterministic guide for material and mode dependence of on-chip electro-optic modulator performance. Solid-State Electronics, 2017, 136, 92-101. | 1.4 | 41 |
| 40 | Novel Classical and Quantum Photonic Devices by Manipulating Light-matter Interactions in One and Two-Dimensional Systems. , 2017, , . | | 0 |
| 41 | Voltage tunable dual wavelength light source via optomechanically controlled CdS nanoplates. , 2017, , . | | 0 |
| 42 | Implications of Active Material and Optical Mode on Nanoscale Electro-Optic Modulation. , 2017, , . | | 4 |
| 43 | Emission energy, exciton dynamics and lasing properties of buckled CdS nanoribbons. Scientific Reports, 2016, 6, 26607. | 3.3 | 6 |
| 44 | Electromechanically reconfigurable CdS nanoplate based nonlinear optical device. Optics Express, 2016, 24, 13459. | 3.4 | 0 |
| 45 | Low threshold, single-mode laser based on individual CdS nanoribbons in dielectric DBR microcavity. Nano Energy, 2016, 30, 481-487. | 16.0 | 46 |
| 46 | Study of photoconduction properties of CVD grown $\text{In}^{2-}\text{Ga}_2\text{O}_3$ nanowires. Journal of Alloys and Compounds, 2016, 683, 143-148. | 5.5 | 26 |
| 47 | Nanotwin Detection and Domain Polarity Determination via Optical Second Harmonic Generation Polarimetry. Nano Letters, 2016, 16, 4404-4409. | 9.1 | 12 |
| 48 | Strong Exciton-Plasmon Coupling in MoS_2 Coupled with Plasmonic Lattice. Nano Letters, 2016, 16, 1262-1269. | 9.1 | 331 |
| 49 | Observing Oxygen Vacancy Driven Electroforming in $\text{Pt}/\text{TiO}_2/\text{Pt}$ Device via Strong Metal Support Interaction. Nano Letters, 2016, 16, 2139-2144. | 9.1 | 73 |
| 50 | Tunable Metasurface and Flat Optical Zoom Lens on a Stretchable Substrate. Nano Letters, 2016, 16, 2818-2823. | 9.1 | 475 |
| 51 | Ultralow-power switching via defect engineering in germanium telluride phase-change memory devices. Nature Communications, 2016, 7, 10482. | 12.8 | 57 |
| 52 | Optomechanical Enhancement of Doubly Resonant 2D Optical Nonlinearity. Nano Letters, 2016, 16, 1631-1636. | 9.1 | 71 |
| 53 | Seeded growth of highly crystalline molybdenum disulphide monolayers at controlled locations. Nature Communications, 2015, 6, 6128. | 12.8 | 259 |
| 54 | Voltage-tunable circular photogalvanic effect in silicon nanowires. Science, 2015, 349, 726-729. | 12.6 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Fano Resonance and Spectrally Modified Photoluminescence Enhancement in Monolayer MoS ₂ Integrated with Plasmonic Nanoantenna Array. Nano Letters, 2015, 15, 3646-3653. | 9.1 | 246 |
| 56 | Real-Time Observation of Morphological Transformations in II–VI Semiconducting Nanobelts via Environmental Transmission Electron Microscopy. Nano Letters, 2015, 15, 3303-3308. | 9.1 | 13 |
| 57 | Uniform Bimetallic Nanocrystals by High-Temperature Seed-Mediated Colloidal Synthesis and Their Catalytic Properties for Semiconducting Nanowire Growth. Chemistry of Materials, 2015, 27, 5833-5838. | 6.7 | 27 |
| 58 | Crystallographic Characterization of II–VI Semiconducting Nanostructures via Optical Second Harmonic Generation. Nano Letters, 2015, 15, 7341-7346. | 9.1 | 45 |
| 59 | Plasmon excitation of coherent interface phonons in Si-SiO ₂ systems. , 2014, , . | | 0 |
| 60 | Enhanced second-harmonic generation from metal-integrated semiconductor nanowires via highly confined whispering gallery modes. Nature Communications, 2014, 5, 5432. | 12.8 | 72 |
| 61 | Tailoring Light-Matter Interactions in Semiconductor Nanowires with Nanocavity Plasmons. , 2014, , . | | 0 |
| 62 | Resolving Parity and Order of Fabry–Pérot Modes in Semiconductor Nanostructure Waveguides and Lasers: Young’s Interference Experiment Revisited. Nano Letters, 2014, 14, 6564-6571. | 9.1 | 34 |
| 63 | Studies of Hot Photoluminescence in Plasmonically Coupled Silicon via Variable Energy Excitation and Temperature-Dependent Spectroscopy. Nano Letters, 2014, 14, 5413-5422. | 9.1 | 18 |
| 64 | Reply to 'Hot photoluminescence or Raman scattering?'. Nature Photonics, 2014, 8, 667-668. | 31.4 | 1 |
| 65 | Tailoring light–matter coupling in semiconductor and hybrid-plasmonic nanowires. Reports on Progress in Physics, 2014, 77, 086401. | 20.1 | 50 |
| 66 | Tailoring the Spectroscopic Properties of Semiconductor Nanowires via Surface-Plasmon-Based Optical Engineering. Journal of Physical Chemistry Letters, 2014, 5, 3768-3780. | 4.6 | 12 |
| 67 | Direct Observation of Metal–Insulator Transition in Single-Crystalline Germanium Telluride Nanowire Memory Devices Prior to Amorphization. Nano Letters, 2014, 14, 2201-2209. | 9.1 | 59 |
| 68 | Strain-Induced Large Exciton Energy Shifts in Buckled CdS Nanowires. Nano Letters, 2013, 13, 3836-3842. | 9.1 | 53 |
| 69 | The Effect of Solvatochromism on the Interfacial Morphology of P3HT-CdS Nanowire Nanohybrids. Nano Letters, 2013, 13, 3760-3765. | 9.1 | 10 |
| 70 | Silicon coupled with plasmon nanocavities generates bright visible hot luminescence. Nature Photonics, 2013, 7, 285-289. | 31.4 | 122 |
| 71 | Size-dependent chemical transformation, structural phase change, and optical properties of nanowires. Philosophical Magazine, 2013, 93, 2089-2121. | 1.6 | 23 |
| 72 | Obtaining bright visible light emission from Bulk-silicon by nanocavity plasmons. , 2013, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Electrical Wind Force-Driven and Dislocation-Templated Amorphization in Phase-Change Nanowires. <i>Science</i> , 2012, 336, 1561-1566. | 12.6 | 162 |
| 74 | All-optical active switching in individual semiconductor nanowires. <i>Nature Nanotechnology</i> , 2012, 7, 640-645. | 31.5 | 241 |
| 75 | High-Resolution Transmission Electron Microscopy Study of Electrically-Driven Reversible Phase Change in $\text{Ge}_2\text{Sb}_2\text{Te}_5$ Nanowires. <i>Nano Letters</i> , 2011, 11, 1364-1368. | 9.1 | 58 |
| 76 | Variable Temperature Spectroscopy of As-Grown and Passivated CdS Nanowire Optical Waveguide Cavities. <i>Journal of Physical Chemistry A</i> , 2011, 115, 3827-3833. | 2.5 | 28 |
| 77 | Enhancement of Interfacial Polymer Crystallinity Using Chromism in Single Inorganic Nanowire-Polymer Nanohybrids for Photovoltaic Applications. <i>Nano Letters</i> , 2011, 11, 3460-3467. | 9.1 | 20 |
| 78 | Switching in Polaritonic-Photonic Crystal Nanofibers Doped with Quantum Dots. <i>Nano Letters</i> , 2011, 11, 5284-5289. | 9.1 | 15 |
| 79 | Tailoring hot-exciton emission and lifetimes in semiconducting nanowires via whispering-gallery nanocavity plasmons. <i>Nature Materials</i> , 2011, 10, 669-675. | 27.5 | 140 |
| 80 | Chalcogenide phase-change memory nanotubes for lower writing current operation. <i>Nanotechnology</i> , 2011, 22, 254012. | 2.6 | 18 |
| 81 | One-dimensional polaritons with size-tunable and enhanced coupling strengths in semiconductor nanowires. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10050-10055. | 7.1 | 84 |
| 82 | Extremely low drift of resistance and threshold voltage in amorphous phase change nanowire devices. <i>Applied Physics Letters</i> , 2010, 96, . | 3.3 | 91 |
| 83 | Incorporating polaritonic effects in semiconductor nanowire waveguide dispersion. <i>Applied Physics Letters</i> , 2010, 97, . | 3.3 | 49 |
| 84 | Nanowire Transformation by Size-Dependent Cation Exchange Reactions. <i>Nano Letters</i> , 2010, 10, 149-155. | 9.1 | 74 |
| 85 | Propagation Loss Spectroscopy on Single Nanowire Active Waveguides. <i>Nano Letters</i> , 2010, 10, 2251-2256. | 9.1 | 53 |
| 86 | Rectifying junctions of tin oxide and poly(3-hexylthiophene) nanofibers fabricated via electrospinning. <i>Applied Physics Letters</i> , 2009, 94, . | 3.3 | 22 |
| 87 | Diameter-Controlled Synthesis of Phase-Change Germanium Telluride Nanowires via the Vapor-Liquid-Solid Mechanism. <i>Journal of Physical Chemistry C</i> , 2009, 113, 6898-6901. | 3.1 | 25 |
| 88 | Size-Dependent Waveguide Dispersion in Nanowire Optical Cavities: Slowed Light and Dispersionless Guiding. <i>Nano Letters</i> , 2009, 9, 1684-1688. | 9.1 | 63 |
| 89 | Phase-Change Ge_2Sb Nanowires: Synthesis, Memory Switching, and Phase-Instability. <i>Nano Letters</i> , 2009, 9, 2103-2108. | 9.1 | 37 |
| 90 | Epitaxial Growth and Ordering of GeTe Nanowires on Microcrystals Determined by Surface Energy Minimization. <i>Nano Letters</i> , 2009, 9, 2395-2401. | 9.1 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Semiconductor nanowire devices. <i>Nano Today</i> , 2008, 3, 12-22. | 11.9 | 277 |
| 92 | Heterointerfaces in Semiconductor Nanowires. <i>Small</i> , 2008, 4, 1872-1893. | 10.0 | 120 |
| 93 | Comparative study of memory-switching phenomena in phase change GeTe and Ge ₂ Sb ₂ Te ₅ nanowire devices. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 40, 2474-2480. | 2.7 | 36 |
| 94 | Core-Shell Heterostructured Phase Change Nanowire Multistate Memory. <i>Nano Letters</i> , 2008, 8, 2056-2062. | 9.1 | 103 |
| 95 | A Generic Approach for Embedded Catalyst-Supported Vertically Aligned Nanowire Growth. <i>Nano Letters</i> , 2008, 8, 1328-1334. | 9.1 | 20 |
| 96 | Size-Dependent Surface-Induced Heterogeneous Nucleation Driven Phase-Change in Ge ₂ Sb ₂ Te ₅ Nanowires. <i>Nano Letters</i> , 2008, 8, 3303-3309. | 9.1 | 72 |
| 97 | Synthesis and Structural Characterization of Single-Crystalline Branched Nanowire Heterostructures. <i>Nano Letters</i> , 2007, 7, 264-268. | 9.1 | 165 |
| 98 | Highly scalable non-volatile and ultra-low-power phase-change nanowire memory. <i>Nature Nanotechnology</i> , 2007, 2, 626-630. | 31.5 | 389 |
| 99 | Size-dependent phase transition memory switching behavior and low writing currents in GeTe nanowires. <i>Applied Physics Letters</i> , 2006, 89, 223116. | 3.3 | 116 |
| 100 | Synthesis and Characterization of Ge ₂ Sb ₂ Te ₅ Nanowires with Memory Switching Effect. <i>Journal of the American Chemical Society</i> , 2006, 128, 14026-14027. | 13.7 | 111 |
| 101 | Nanoscale avalanche photodiodes for highly sensitive and spatially resolved photon detection. <i>Nature Materials</i> , 2006, 5, 352-356. | 27.5 | 397 |
| 102 | Semiconductor nanowires: optics and optoelectronics. <i>Applied Physics A: Materials Science and Processing</i> , 2006, 85, 209-215. | 2.3 | 266 |
| 103 | Manipulation and assembly of nanowires with holographic optical traps. <i>Optics Express</i> , 2005, 13, 8906. | 3.4 | 267 |
| 104 | Lasing in Single Cadmium Sulfide Nanowire Optical Cavities. <i>Nano Letters</i> , 2005, 5, 917-920. | 9.1 | 342 |
| 105 | Single-nanowire electrically driven lasers. <i>Nature</i> , 2003, 421, 241-245. | 27.8 | 2,344 |
| 106 | Two Dimensional Electronic Spectroscopy. <i>Bulletin of the Korean Chemical Society</i> , 2003, 24, 1081-1090. | 1.9 | 8 |
| 107 | Two-Color Three Pulse Photon Echo Peak Shift Spectroscopy. <i>Springer Series in Chemical Physics</i> , 2003, , 532-534. | 0.2 | 0 |
| 108 | Two-color Transient Grating Spectroscopy of a Two-level System. <i>Bulletin of the Korean Chemical Society</i> , 2003, 24, 1069-1074. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Nature of Disorder and Inter-Complex Energy Transfer in LH2 at Room Temperature: A Three Pulse Photon Echo Peak Shift Study. <i>Journal of Physical Chemistry A</i> , 2002, 106, 7573-7578. | 2.5 | 55 |
| 110 | Two-color three pulse photon echo peak shift spectroscopy. <i>Journal of Chemical Physics</i> , 2002, 116, 6243-6252. | 3.0 | 54 |
| 111 | Three Pulse Photon Echo Peak Shift Study of the B800 Band of the LH2 Complex of <i>Rps. acidophila</i> at Room Temperature: A Coupled Master Equation and Nonlinear Optical Response Function Approach. <i>Journal of Physical Chemistry B</i> , 2001, 105, 1887-1894. | 2.6 | 58 |
| 112 | The mechanism of energy transfer in the antenna of photosynthetic purple bacteria. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2001, 142, 107-119. | 3.9 | 60 |
| 113 | Ultrafast Energy Transfer in LHC-II Revealed by Three-Pulse Photon Echo Peak Shift Measurements. <i>Journal of Physical Chemistry B</i> , 2000, 104, 2908-2918. | 2.6 | 109 |
| 114 | Three-Pulse Photon Echo Measurements on the Accessory Pigments in the Reaction Center of <i>Rhodobacter sphaeroides</i> . <i>Journal of Physical Chemistry B</i> , 1998, 102, 5923-5931. | 2.6 | 83 |