

# Qingyi Zeng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3013857/publications.pdf>

Version: 2024-02-01

88  
papers

3,418  
citations

136950

32  
h-index

149698

56  
g-index

88  
all docs

88  
docs citations

88  
times ranked

3381  
citing authors

#	ARTICLE	IF	CITATIONS
1	Branched core-shell a-TiO <sub>2</sub> @N-TiO <sub>2</sub> nanospheres with gradient-doped N for highly efficient photocatalytic applications. Chinese Chemical Letters, 2023, 34, 107628.	9.0	7
2	Reinforcing hydration layer on membrane surface via nano-capturing and hydrothermal crosslinking for fouling reduction. Journal of Membrane Science, 2022, 644, 120076.	8.2	18
3	Potocatalytic antifouling membrane with dense nano-TiO <sub>2</sub> coating for efficient oil-in-water emulsion separation and self-cleaning. Journal of Membrane Science, 2022, 645, 120204.	8.2	41
4	Highly efficient removing refractory organics continuously using a Fenton-like Filter: The role of in-situ galvanic effect enhanced peroxymonosulfate activation. Chemical Engineering Journal, 2022, 450, 138067.	12.7	26
5	Improving the charge properties of the WO <sub>3</sub> photoanode using a BiFeO <sub>3</sub> ferroelectric nanolayer. Physical Chemistry Chemical Physics, 2021, 23, 8241-8245.	2.8	11
6	FeVO <sub>4</sub> Nanopolyhedron Photoelectrodes for Stable and Efficient Water Splitting. ChemSusChem, 2021, 14, 3010-3017.	6.8	11
7	Exfoliated and plicated g-C <sub>3</sub> N <sub>4</sub> nanosheets for efficient photocatalytic organic degradation and hydrogen evolution. International Journal of Hydrogen Energy, 2021, 46, 20547-20559.	7.1	34
8	Highly-active, metal-free, carbon-based ORR cathode for efficient organics removal and electricity generation in a PFC system. Chinese Chemical Letters, 2021, 32, 2212-2216.	9.0	70
9	Uranium re-adsorption on uranium mill tailings and environmental implications. Journal of Hazardous Materials, 2021, 416, 126153.	12.4	51
10	Ordered Ti-doped FeVO <sub>4</sub> nanoblock photoanode with improved charge properties for efficient solar water splitting. Journal of Colloid and Interface Science, 2021, 604, 562-567.	9.4	3
11	Highly nitrogen-doped porous carbon transformed from graphitic carbon nitride for efficient metal-free catalysis. Journal of Hazardous Materials, 2020, 393, 121280.	12.4	105
12	Efficient solar hydrogen production coupled with organics degradation by a hybrid tandem photocatalytic fuel cell using a silicon-doped TiO <sub>2</sub> nanorod array with enhanced electronic properties. Journal of Hazardous Materials, 2020, 394, 121425.	12.4	38
13	Efficient electricity production coupled with water treatment via a highly adaptable, successive water-energy synergistic system. Nano Energy, 2020, 67, 104237.	16.0	29
14	Insights into the difference in metal-free activation of peroxymonosulfate and peroxydisulfate. Chemical Engineering Journal, 2020, 394, 123936.	12.7	63
15	Highly Efficient Hydrogen and Electricity Production Combined with Degradation of Organics Based on a Novel Solar Water-Energy Nexus System. ACS Applied Materials & Interfaces, 2020, 12, 2505-2515.	8.0	20
16	Construction of g-C <sub>3</sub> N <sub>4</sub> /WO <sub>3</sub> /MoS <sub>2</sub> ternary nanocomposite with enhanced charge separation and collection for efficient wastewater treatment under visible light. Chemosphere, 2020, 247, 125784.	8.2	80
17	Polyvinylidene fluoride membrane functionalized with zero valent iron for highly efficient degradation of organic contaminants. Separation and Purification Technology, 2020, 250, 117266.	7.9	60
18	Hierarchically Active Poly(vinylidene fluoride) Membrane Fabricated by In Situ Generated Zero-Valent Iron for Fouling Reduction. ACS Applied Materials & Interfaces, 2020, 12, 10993-11004.	8.0	49

#	ARTICLE	IF	CITATIONS
19	Efficient inhibition of photogenerated electron-hole recombination through persulfate activation and dual-pathway degradation of micropollutants over iron molybdate. <i>Applied Catalysis B: Environmental</i> , 2019, 257, 117904.	20.2	79
20	Relative Seizure Relapse Risks Associated with Antiepileptic Drug Withdrawal After Different Seizure-Free Periods in Adults with Focal Epilepsy: A Prospective, Controlled Follow-Up Study. <i>CNS Drugs</i> , 2019, 33, 1121-1132.	5.9	10
21	Efficient Fenton-like process for organic pollutant degradation on Cu-doped mesoporous polyimide nanocomposites. <i>Environmental Science: Nano</i> , 2019, 6, 798-808.	4.3	49
22	Substitution has better efficacy than add-on therapy for patients with focal epilepsy after their first antiepileptic drug treatments fail. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 64, 23-28.	2.0	9
23	The effect and mechanism of organic pollutants oxidation and chemical energy conversion for neutral wastewater via strengthening reactive oxygen species. <i>Science of the Total Environment</i> , 2019, 651, 1226-1235.	8.0	32
24	Investigation of microstructural abnormalities in white and gray matter around hippocampus with diffusion tensor imaging (DTI) in temporal lobe epilepsy (TLE). <i>Epilepsy and Behavior</i> , 2018, 83, 44-49.	1.7	18
25	Preparation of a BiVO <sub>4</sub> nanoporous photoanode based on peroxovanadate reduction and conversion for efficient photoelectrochemical performance. <i>Nanoscale</i> , 2018, 10, 2848-2855.	5.6	28
26	Highly-stable and efficient photocatalytic fuel cell based on an epitaxial TiO <sub>2</sub> /WO <sub>3</sub> /W nanothorn photoanode and enhanced radical reactions for simultaneous electricity production and wastewater treatment. <i>Applied Energy</i> , 2018, 220, 127-137.	10.1	87
27	Electronic Structure Modulation of Graphitic Carbon Nitride by Oxygen Doping for Enhanced Catalytic Degradation of Organic Pollutants through Peroxymonosulfate Activation. <i>Environmental Science &amp; Technology</i> , 2018, 52, 14371-14380.	10.0	455
28	Serial hole transfer layers for a BiVO <sub>4</sub> photoanode with enhanced photoelectrochemical water splitting. <i>Nanoscale</i> , 2018, 10, 18378-18386.	5.6	44
29	Highly improved photoelectrocatalytic efficiency and stability of WO <sub>3</sub> photoanodes by the facile <i>in situ</i> growth of TiO <sub>2</sub> branch overlayers. <i>Nanoscale</i> , 2018, 10, 13393-13401.	5.6	27
30	A self-sustaining monolithic photoelectrocatalytic/photovoltaic system based on a WO <sub>3</sub> /BiVO <sub>4</sub> photoanode and Si PVC for efficiently producing clean energy from refractory organics degradation. <i>Applied Catalysis B: Environmental</i> , 2018, 238, 309-317.	20.2	37
31	Electronic structures and optical properties of P and Cl atoms adsorbed/substitutionally doped monolayer MoS <sub>2</sub> . <i>Solid State Communications</i> , 2018, 280, 6-12.	1.9	22
32	Synthesis of WO <sub>3</sub> /BiVO <sub>4</sub> photoanode using a reaction of bismuth nitrate with peroxovanadate on WO <sub>3</sub> film for efficient photoelectrocatalytic water splitting and organic pollutant degradation. <i>Applied Catalysis B: Environmental</i> , 2017, 217, 21-29.	20.2	134
33	A low-cost photoelectrochemical tandem cell for highly-stable and efficient solar water splitting. <i>Nano Energy</i> , 2017, 41, 225-232.	16.0	62
34	Self-Driven Photoelectrochemical Splitting of H <sub>2</sub> S for S and H <sub>2</sub> Recovery and Simultaneous Electricity Generation. <i>Environmental Science &amp; Technology</i> , 2017, 51, 12965-12971.	10.0	35
35	Highly selective transformation of ammonia nitrogen to N <sub>2</sub> based on a novel solar-driven photoelectrocatalytic-chlorine radical reactions system. <i>Water Research</i> , 2017, 125, 512-519.	11.3	127
36	Preparation of hematite with an ultrathin iron titanate layer via an <i>in situ</i> reaction and its stable, long-lived, and excellent photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , 2017, 218, 690-699.	20.2	21

#	ARTICLE	IF	CITATIONS
37	High-performance BiVO <sub>4</sub> photoanodes cocatalyzed with an ultrathin $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> layer for photoelectrochemical application. <i>Applied Catalysis B: Environmental</i> , 2017, 204, 127-133.	20.2	133
38	Enhanced organic pollutants degradation and electricity production simultaneously via strengthening the radicals reaction in a novel Fenton-photocatalytic fuel cell system. <i>Water Research</i> , 2017, 108, 293-300.	11.3	84
39	Preparation of vertically aligned WO <sub>3</sub> nanoplate array films based on peroxotungstate reduction reaction and their excellent photoelectrocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2017, 202, 388-396.	20.2	114
40	BiVO <sub>4</sub> /TiO <sub>2</sub> (N <sub>2</sub> ) Nanotubes Heterojunction Photoanode for Highly Efficient Photoelectrocatalytic Applications. <i>Nano-Micro Letters</i> , 2017, 9, 14.	27.0	66
41	Efficient Degradation of Refractory Organics Using Sulfate Radicals Generated Directly from WO <sub>3</sub> Photoelectrode and the Catalytic Reaction of Sulfate. <i>Catalysts</i> , 2017, 7, 346.	3.5	16
42	Efficient wastewater treatment and simultaneously electricity production using a photocatalytic fuel cell based on the radical chain reactions initiated by dual photoelectrodes. <i>Journal of Hazardous Materials</i> , 2017, 337, 47-54.	12.4	36
43	The transport properties of the Phosphorus and Chlorine doped single layer MoS <sub>2</sub> junctions: A first-principles study. <i>Solid State Communications</i> , 2016, 246, 82-87.	1.9	4
44	Risk of seizure relapse after antiepileptic drug withdrawal in adult patients with focal epilepsy. <i>Epilepsy and Behavior</i> , 2016, 64, 233-238.	1.7	16
45	A highly efficient BiVO <sub>4</sub> /WO <sub>3</sub> /W heterojunction photoanode for visible-light responsive dual photoelectrode photocatalytic fuel cell. <i>Applied Catalysis B: Environmental</i> , 2016, 183, 224-230.	20.2	151
46	A solar light driven dual photoelectrode photocatalytic fuel cell (PFC) for simultaneous wastewater treatment and electricity generation. <i>Journal of Hazardous Materials</i> , 2016, 311, 51-62.	12.4	103
47	On generalized CS-modules. <i>Czechoslovak Mathematical Journal</i> , 2015, 65, 891-904.	0.3	1
48	A novel in situ preparation method for nanostructured $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> films from electrodeposited Fe films for efficient photoelectrocatalytic water splitting and the degradation of organic pollutants. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4345-4353.	10.3	79
49	Dependence of dark current on carrier lifetime for InGaAs/InP avalanche photodiodes. <i>Optical and Quantum Electronics</i> , 2015, 47, 1671-1677.	3.3	15
50	A novel 3D ZnO/Cu <sub>2</sub> O nanowire photocathode material with highly efficient photoelectrocatalytic performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22996-23002.	10.3	46
51	Comparative Long-Term Effectiveness of a Monotherapy with Five Antiepileptic Drugs for Focal Epilepsy in Adult Patients: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0131566.	2.5	28
52	Idazoxan reduces blood-brain barrier damage during experimental autoimmune encephalomyelitis in mouse. <i>European Journal of Pharmacology</i> , 2014, 736, 70-76.	3.5	30
53	Tuning three-dimensional TiO <sub>2</sub> nanotube electrode to achieve high utilization of Ti substrate for lithium storage. <i>Electrochimica Acta</i> , 2014, 133, 570-577.	5.2	36
54	Numerical analysis of multiplication layer on dark current for InGaAs/InP single photon avalanche diodes. <i>Optical and Quantum Electronics</i> , 2014, 46, 1203-1208.	3.3	7

#	ARTICLE	IF	CITATIONS
55	Combined nanostructured Bi <sub>2</sub> S <sub>3</sub> /TNA photoanode and Pt/SiPVC photocathode for efficient self-biasing photoelectrochemical hydrogen and electricity generation. Nano Energy, 2014, 9, 152-160.	16.0	59
56	Preparation of titanium dioxide nanotube arrays on titanium mesh by anodization in (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> /NH <sub>4</sub> F electrolyte. Materials and Corrosion - Werkstoffe Und Korrosion, 2013, 64, 1001-1006.	1.5	15
57	Effect of CoOOH loading on the photoelectrocatalytic performance of WO <sub>3</sub> nanorod array film. Applied Surface Science, 2013, 284, 285-290.	6.1	27
58	Fabrication of TiO <sub>2</sub> /CdS/TiO <sub>2</sub> Nanotube/Ti Mesh Electrode and Application in Photoelectro-catalytic Cell System for Degradation of Methylene Blue under Visible Light Illumination. Asian Journal of Chemistry, 2013, 25, 8527-8532.	0.3	6
59	A novel approach to elasto-plastic finite element analysis of beam structures using the concept of incremental secant stiffness. Finite Elements in Analysis and Design, 2010, 46, 982-991.	3.2	4
60	A HIGH-ORDER FINITE ELEMENT FORMULATION FOR VIBRATION ANALYSIS OF BEAM-TYPE STRUCTURES. International Journal of Structural Stability and Dynamics, 2009, 09, 649-660.	2.4	4
61	On generalized extending modules. Journal of Zhejiang University: Science A, 2007, 8, 939-945.	2.4	3
62	Angle tuned mid-infrared optical parametric oscillator based on Nd:YAG pumped MgO:LiNbO <sub>3</sub> . , 2006, , .		0
63	Brewster-oriented passive Q-switch intracavity optical parametric oscillator. Chinese Physics B, 2005, 14, 714-719.	1.3	2
64	High repetition rate pulsed laser of twin wavelengths from KTiOPO <sub>4</sub> optical parametric oscillation. Chinese Physics B, 2004, 13, 1402-1406.	1.3	6
65	Transverse Vibration of Train-Bridge and Train-Track Time Varying System and the Theory of Random Energy Analysis for Train Derailment. Vehicle System Dynamics, 2004, 41, 129-155.	3.7	23
66	Residual properties of reformed bamboo/aluminium laminates after hygrothermal aging. Composites Science and Technology, 2001, 61, 1041-1048.	7.8	5
67	Reformed bamboo/glass fabric/aluminium composite as an ecomaterial. Journal of Materials Science, 1998, 33, 2147-2152.	3.7	12
68	Deriving a transient stability index by neural networks for power-system security assessment. Engineering Applications of Artificial Intelligence, 1998, 11, 771-779.	8.1	14
69	An ANN-based multilevel classification approach using decomposed input space for transient stability assessment. Electric Power Systems Research, 1998, 46, 259-266.	3.6	26
70	Input space decomposition and multilevel classification approach for ANN-based transient security assessment. , 1997, , .		3
71	Coordination of TCSC and SVC for stability improvement of power systems. , 1997, , .		27
72	Interactive Buckling Behavior and Ultimate Load of I-Section Steel Columns. Journal of Structural Engineering, 1997, 123, 1210-1217.	3.4	22

#	ARTICLE	IF	CITATIONS
73	Investigation of extended fuzzy reasoning and neural classification for load-shedding prediction to prevent voltage instability. <i>Electric Power Systems Research</i> , 1997, 43, 81-87.	3.6	4
74	Evaluation of load shedding to prevent dynamic voltage instability based on extended fuzzy reasoning. <i>IET Generation, Transmission and Distribution</i> , 1997, 144, 81.	1.1	29
75	Fuzzy assessment of power system transient stability level based on steady-state data. <i>IET Generation, Transmission and Distribution</i> , 1997, 144, 525.	1.1	2
76	Three-dimensional analysis on plates. <i>Applied Mathematics and Mechanics (English Edition)</i> , 1997, 18, 891-903.	3.6	0
77	Fuzzy reasoning for knowledge-based assessment of dynamic voltage security. <i>IET Generation, Transmission and Distribution</i> , 1996, 143, 157.	1.1	5
78	Reformed bamboo and reformed bamboo/aluminium composite Part II impact properties. <i>Journal of Materials Science Letters</i> , 1996, 15, 129-131.	0.5	5
79	Fuzzy-set approach to dynamic voltage security assessment. <i>IET Generation, Transmission and Distribution</i> , 1995, 142, 190.	1.1	11
80	Experimental investigation of biomimetic double-helical reinforcing elements. <i>Journal of Materials Science Letters</i> , 1995, 14, 769-772.	0.5	0
81	Biomimicry of bamboo bast fiber with engineering composite materials. <i>Materials Science and Engineering C</i> , 1995, 3, 125-130.	7.3	98
82	Dynamic voltage security assessment using a fuzzy severity index. <i>Engineering Applications of Artificial Intelligence</i> , 1995, 8, 657-664.	8.1	0
83	Investigation of the Impact Toughness of Normal Bamboo, Reformed Bamboo and Reformed Bamboo Composites. <i>Science and Engineering of Composite Materials</i> , 1995, 4, 255-260.	1.4	6
84	Reformed bamboo and reformed bamboo/aluminium composite. <i>Journal of Materials Science</i> , 1994, 29, 5990-5996.	3.7	41
85	Line by line correction of teletext data under multipath transmission. <i>IEEE Transactions on Consumer Electronics</i> , 1992, 38, 874-877.	3.6	1
86	The equation of state of nuclear matter with consideration of clusters and the Pauli-blocking effect. <i>Journal of Physics G: Nuclear Physics</i> , 1988, 14, 1283-1300.	0.8	0
87	A hybrid framework of short-duration simulation and ANN-based transient stability assessment for contingency screening. , 0, , .		1
88	An automatic method of area change detection based on histogram matching and morphological operation in high spatial remote sensed imagery. , 0, , .		0