

# Roland Staud

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3025964/publications.pdf>

Version: 2024-02-01

160  
papers

9,351  
citations

44444

50  
h-index

49824

91  
g-index

160  
all docs

160  
docs citations

160  
times ranked

7207  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neural activation changes in response to pain following cognitive behavioral therapy for patients with comorbid fibromyalgia and insomnia: a pilot study. <i>Journal of Clinical Sleep Medicine</i> , 2022, 18, 203-215.	1.4	5
2	Chronic Pain Severity and Sociodemographics: An Evaluation of the Neurobiological Interface. <i>Journal of Pain</i> , 2022, 23, 248-262.	0.7	11
3	Vulnerable Dispositional Traits and Chronic Pain: Predisposing but not Predetermining. <i>Journal of Pain</i> , 2022, 23, 693-705.	0.7	3
4	Associations between pain catastrophizing and resting-state functional brain connectivity: Ethnic/race group differences in persons with chronic knee pain. <i>Journal of Neuroscience Research</i> , 2022, 100, 1047-1062.	1.3	5
5	Relationships Between Cognitive Screening Composite Scores and Pain Intensity and Pain Disability in Adults With/At Risk for Knee Osteoarthritis. <i>Clinical Journal of Pain</i> , 2022, 38, 470-475.	0.8	7
6	Advances in the management of fibromyalgia: what is the state of the art?. <i>Expert Opinion on Pharmacotherapy</i> , 2022, 23, 979-989.	0.9	1
7	Altered Pain in the Brainstem and Spinal Cord of Fibromyalgia Patients During the Anticipation and Experience of Experimental Pain. <i>Frontiers in Neurology</i> , 2022, 13, .	1.1	14
8	Resilience, pain, and the brain: Relationships differ by sociodemographics. <i>Journal of Neuroscience Research</i> , 2021, 99, 1207-1235.	1.3	25
9	Relationships Between Chronic Pain Stage, Cognition, Temporal Lobe Cortex, and Sociodemographic Variables. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 1539-1551.	1.2	9
10	Knee pain trajectories over 18 months in non-Hispanic Black and non-Hispanic White adults with or at risk for knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 415.	0.8	6
11	A Mediation Appraisal of Catastrophizing, Pain-Related Outcomes, and Race in Adults With Knee Osteoarthritis. <i>Journal of Pain</i> , 2021, 22, 1452-1466.	0.7	13
12	Optimizing Chronic Pain Treatment with Enhanced Neuroplastic Responsiveness: A Pilot Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 1556.	1.7	7
13	Sensory and Psychological Factors Predict Exercise-Induced Shoulder Injury Responses in a High-Risk Phenotype Cohort. <i>Journal of Pain</i> , 2021, 22, 669-679.	0.7	2
14	Fibromyalgia Patients Are Not Only Hypersensitive to Painful Stimuli But Also to Acoustic Stimuli. <i>Journal of Pain</i> , 2021, 22, 914-925.	0.7	14
15	Study Protocol Modeling Evoked Pain in Older African Americans With Knee Osteoarthritis. <i>Nursing Research</i> , 2021, 70, 391-398.	0.8	0
16	Spinal cord neural activity of patients with fibromyalgia and healthy controls during temporal summation of pain: an fMRI study. <i>Journal of Neurophysiology</i> , 2021, 126, 946-956.	0.9	19
17	Usefulness of Ramp & Hold Procedures for Testing of Pain Facilitation in Human Participants: Comparisons With Temporal Summation of Second Pain. <i>Journal of Pain</i> , 2020, 21, 390-398.	0.7	11
18	OPRM1, OPRK1, and COMT genetic polymorphisms associated with opioid effects on experimental pain: a randomized, double-blind, placebo-controlled study. <i>Pharmacogenomics Journal</i> , 2020, 20, 471-481.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Pain relief for osteoarthritis through combined treatment (PROACT): Protocol for a randomized controlled trial of mindfulness meditation combined with transcranial direct current stimulation in non-Hispanic black and white adults with knee osteoarthritis. <i>Contemporary Clinical Trials</i> , 2020, 98, 106159.	0.8	8
20	Protocol for the impact of CBT for insomnia on pain symptoms and central sensitisation in fibromyalgia: a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e033760.	0.8	4
21	&lt;p&gt;Everyday Discrimination in Adults with Knee Pain: The Role of Perceived Stress and Pain Catastrophizing&lt;/p&gt;. <i>Journal of Pain Research</i> , 2020, Volume 13, 883-895.	0.8	25
22	Effect of cognitive behavioural therapy on sleep and opioid medication use in adults with fibromyalgia and insomnia. <i>Journal of Sleep Research</i> , 2020, 29, e13020.	1.7	14
23	Relationships Between Pain, Life Stress, Sociodemographics, and Cortisol: Contributions of Pain Intensity and Financial Satisfaction. <i>Chronic Stress</i> , 2020, 4, 247054702097575.	1.7	15
24	The Senses Fibromyalgia. , 2020, , 770-779.		0
25	REPRINTED WITH PERMISSION OF IASP â€œ PAIN 160 (2019) 2086â€œ2092: Opioid use, pain intensity, age, and sleep architecture in patients with fibromyalgia and insomnia. <i>BÃ³</i> , 2020, 21, 1-12.	0.1	0
26	Discrepancies in sleep diary and actigraphy assessments in adults with fibromyalgia: Associations with opioid dose and age. <i>Journal of Sleep Research</i> , 2019, 28, e12746.	1.7	7
27	Cerebral blood flow and heart rate variability predict fatigue severity in patients with chronic fatigue syndrome. <i>Brain Imaging and Behavior</i> , 2019, 13, 789-797.	1.1	32
28	Movement-evoked pain, physical function, and perceived stress: An observational study of ethnic/racial differences in aging non-Hispanic Blacks and non-Hispanic Whites with knee osteoarthritis. <i>Experimental Gerontology</i> , 2019, 124, 110622.	1.2	38
29	Race/Ethnicity Moderates the Association Between Psychosocial Resilience and Movementâ€Evoked Pain in Knee Osteoarthritis. <i>ACR Open Rheumatology</i> , 2019, 1, 16-25.	0.9	38
30	Resilience factors may buffer cellular aging in individuals with and without chronic knee pain. <i>Molecular Pain</i> , 2019, 15, 174480691984296.	1.0	22
31	Effects of manipulating the interstimulus interval on heat-evoked temporal summation of second pain across the age span. <i>Pain</i> , 2019, 160, 95-101.	2.0	9
32	Response to Wolfe. Letter to the Editor, â€œFibromyalgia Criteriaâ€• <i>Journal of Pain</i> , 2019, 20, 741-742.	0.7	2
33	Opioid use, pain intensity, age, and sleep architecture in patients with fibromyalgia and insomnia. <i>Pain</i> , 2019, 160, 2086-2092.	2.0	16
34	AAPT Diagnostic Criteria for Fibromyalgia. <i>Journal of Pain</i> , 2019, 20, 611-628.	0.7	222
35	Cognitive behavioral treatments for insomnia and pain in adults with comorbid chronic insomnia and fibromyalgia: clinical outcomes from the SPIN randomized controlled trial. <i>Sleep</i> , 2019, 42, .	0.6	79
36	Pain and Fatigue Variability Patterns Distinguish Subgroups of Fibromyalgia Patients. <i>Journal of Pain</i> , 2018, 19, 372-381.	0.7	50

#	ARTICLE	IF	CITATIONS
37	Task related cerebral blood flow changes of patients with chronic fatigue syndrome: an arterial spin labeling study. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018, 6, 63-79.	1.2	15
38	Static and dynamic functional connectivity in patients with chronic fatigue syndrome: use of arterial spin labelling <scp>fMRI</scp>. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 128-137.	0.5	34
39	Functional brain connectivity of remembered fatigue or happiness in healthy adults: Use of arterial spin labeling. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 224-233.	0.8	7
40	Dynamic daily associations between insomnia symptoms and alcohol use in adults with chronic pain. <i>Journal of Sleep Research</i> , 2018, 27, e12604.	1.7	3
41	Sleep Discrepancy in Patients With Comorbid Fibromyalgia and Insomnia: Demographic, Behavioral, and Clinical Correlates. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 1911-1919.	1.4	2
42	Gray Matter Changes Following Cognitive Behavioral Therapy for Patients With Comorbid Fibromyalgia and Insomnia: A Pilot Study. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 1595-1603.	1.4	18
43	Pain intensity as a moderator of the association between opioid use and insomnia symptoms among adults with chronic pain. <i>Sleep Medicine</i> , 2018, 52, 98-102.	0.8	8
44	Structural brain changes versus self-report: machine-learning classification of chronic fatigue syndrome patients. <i>Experimental Brain Research</i> , 2018, 236, 2245-2253.	0.7	8
45	Pain processing in the human brainstem and spinal cord before, during, and after the application of noxious heat stimuli. <i>Pain</i> , 2018, 159, 2012-2020.	2.0	36
46	Biomarkers for Musculoskeletal Pain Conditions: Use of Brain Imaging and Machine Learning. <i>Current Rheumatology Reports</i> , 2017, 19, 5.	2.1	43
47	Biopsychosocial influence on shoulder pain: Rationale and protocol for a pre-clinical trial. <i>Contemporary Clinical Trials</i> , 2017, 56, 9-17.	0.8	9
48	Physical performance and movement-evoked pain profiles in community-dwelling individuals at risk for knee osteoarthritis. <i>Experimental Gerontology</i> , 2017, 98, 186-191.	1.2	47
49	Predictors of Osteoarthritis Pain: the Importance of Resilience. <i>Current Rheumatology Reports</i> , 2017, 19, 57.	2.1	43
50	Accelerated aging in adults with knee osteoarthritis pain: consideration for frequency, intensity, time, and total pain sites. <i>Pain Reports</i> , 2017, 2, e591.	1.4	50
51	Methodological Considerations for the Temporal Summation of Second Pain. <i>Journal of Pain</i> , 2017, 18, 1488-1495.	0.7	18
52	Increased spatial dimensions of repetitive heat and cold stimuli in older women. <i>Pain</i> , 2017, 158, 973-979.	2.0	9
53	Muscle injections with lidocaine improve resting fatigue and pain in patients with chronic fatigue syndrome. <i>Journal of Pain Research</i> , 2017, Volume 10, 1477-1486.	0.8	4
54	Novel method for assessing age-related differences in the temporal summation of pain. <i>Journal of Pain Research</i> , 2016, 9, 195.	0.8	12

#	ARTICLE	IF	CITATIONS
55	Progression of fibromyalgia: results from a 2-year observational fibromyalgia and chronic pain study in the US. <i>Journal of Pain Research</i> , 2016, 9, 325.	0.8	10
56	Thermal temporal summation and decay of after-sensations in temporomandibular myofascial pain patients with and without comorbid fibromyalgia. <i>Journal of Pain Research</i> , 2016, Volume 9, 641-652.	0.8	21
57	Measuring Treatment Outcomes in Comorbid Insomnia and Fibromyalgia: Concordance of Subjective and Objective Assessments. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 215-223.	1.4	15
58	Continuous Descending Modulation of the Spinal Cord Revealed by Functional MRI. <i>PLoS ONE</i> , 2016, 11, e0167317.	1.1	28
59	The Effect of Base Rate on the Predictive Value of Brain Biomarkers. <i>Journal of Pain</i> , 2016, 17, 637-641.	0.7	14
60	fMRI of spinal and supraspinal correlates of temporal pain summation in fibromyalgia patients. <i>Human Brain Mapping</i> , 2016, 37, 1349-1360.	1.9	70
61	Cognitive-Motivational Influences on Health Behavior Change in Adults with Chronic Pain. <i>Pain Medicine</i> , 2016, 17, pme12929.	0.9	13
62	Placebo Use in Pain Management: A Mechanism-Based Educational Intervention Enhances Placebo Treatment Acceptability. <i>Journal of Pain</i> , 2016, 17, 257-269.	0.7	14
63	Interhemispheric Dorsolateral Prefrontal Cortex Connectivity is Associated with Individual Differences in Pain Sensitivity in Healthy Controls. <i>Brain Connectivity</i> , 2016, 6, 357-364.	0.8	47
64	Abnormal resting state functional connectivity in patients with chronic fatigue syndrome: an arterial spin-labeling fMRI study. <i>Magnetic Resonance Imaging</i> , 2016, 34, 603-608.	1.0	85
65	Abnormal Resting-State Functional Connectivity in Patients with Chronic Fatigue Syndrome: Results of Seed and Data-Driven Analyses. <i>Brain Connectivity</i> , 2016, 6, 48-56.	0.8	74
66	Neural correlates of temporal summation of second pain in the human brainstem and spinal cord. <i>Human Brain Mapping</i> , 2015, 36, 5038-5050.	1.9	56
67	Sleep is associated with task-negative brain activity in fibromyalgia participants with comorbid chronic insomnia. <i>Journal of Pain Research</i> , 2015, 8, 819.	0.8	4
68	Fibromyalgia patients have reduced hippocampal volume compared with healthy controls. <i>Journal of Pain Research</i> , 2015, 8, 47.	0.8	43
69	Evidence for sensitized fatigue pathways in patients with chronic fatigue syndrome. <i>Pain</i> , 2015, 156, 750-759.	2.0	19
70	Comparison of Machine Classification Algorithms for Fibromyalgia: Neuroimages Versus Self-Report. <i>Journal of Pain</i> , 2015, 16, 472-477.	0.7	38
71	Disrupted Sleep Is Associated With Altered Pain Processing by Sex and Ethnicity in Knee Osteoarthritis. <i>Journal of Pain</i> , 2015, 16, 478-490.	0.7	34
72	Effects of Milnacipran on Clinical Pain and Hyperalgesia of Patients With Fibromyalgia: Results of a 6-Week Randomized Controlled Trial. <i>Journal of Pain</i> , 2015, 16, 750-759.	0.7	8

#	ARTICLE	IF	CITATIONS
73	Placebo Analgesia Enhances Descending Pain-Related Effective Connectivity: A Dynamic Causal Modeling Study of Endogenous Pain Modulation. <i>Journal of Pain</i> , 2015, 16, 760-768.	0.7	29
74	Cytokine and Immune System Abnormalities in Fibromyalgia and Other Central Sensitivity Syndromes. <i>Current Rheumatology Reviews</i> , 2015, 11, 109-115.	0.4	37
75	Slow Temporal Summation of Pain for Assessment of Central Pain Sensitivity and Clinical Pain of Fibromyalgia Patients. <i>PLoS ONE</i> , 2014, 9, e89086.	1.1	81
76	Temporal Summation of Pain as a Prospective Predictor of Clinical Pain Severity in Adults Aged 45 Years and Older With Knee Osteoarthritis. <i>Psychosomatic Medicine</i> , 2014, 76, 302-310.	1.3	64
77	Pain Hypervigilance is Associated with Greater Clinical Pain Severity and Enhanced Experimental Pain Sensitivity Among Adults with Symptomatic Knee Osteoarthritis. <i>Annals of Behavioral Medicine</i> , 2014, 48, 50-60.	1.7	46
78	Age and Race Effects on Pain Sensitivity and Modulation Among Middle-Aged and Older Adults. <i>Journal of Pain</i> , 2014, 15, 272-282.	0.7	114
79	Spinal Manipulative Therapyâ€“Specific Changes in Pain Sensitivity in Individuals With Low Back Pain (NCT01168999). <i>Journal of Pain</i> , 2014, 15, 136-148.	0.7	99
80	Racial and Ethnic Differences in Older Adults With Knee Osteoarthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1800-1810.	2.9	107
81	The Association of Greater Dispositional Optimism With Less Endogenous Pain Facilitation Is Indirectly Transmitted Through Lower Levels of Pain Catastrophizing. <i>Journal of Pain</i> , 2013, 14, 126-135.	0.7	72
82	Pain Measurement and Brain Activity: Will Neuroimages Replace Pain Ratings?. <i>Journal of Pain</i> , 2013, 14, 323-327.	0.7	70
83	The important role of CNS facilitation and inhibition for chronic pain. <i>International Journal of Clinical Rheumatology</i> , 2013, 8, 639-646.	0.3	49
84	Perceived racial discrimination, but not mistrust of medical researchers, predicts the heat pain tolerance of African Americans with symptomatic knee osteoarthritis.. <i>Health Psychology</i> , 2013, 32, 1117-1126.	1.3	56
85	Objective Biomarkers or Symptom Scores for the Classification of Fibromyalgia Syndrome?. <i>Current Rheumatology Reviews</i> , 2013, 8, 307-317.	0.4	0
86	Abnormal endogenous pain modulation is a shared characteristic of many chronic pain conditions. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 577-585.	1.4	228
87	How should we use the visual analogue scale (VAS) in rehabilitation outcomes? II: Visual analogue scales as ratio scales: An alternative to the view of Kersten et al.. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 800-801.	0.8	41
88	Predictors of Clinical Pain in Fibromyalgia: Examining the Role of Sleep. <i>Journal of Pain</i> , 2012, 13, 350-358.	0.7	30
89	Effective Connectivity Among Brain Regions Associated With Slow Temporal Summation of C-Fiber-Evoked Pain in Fibromyalgia Patients and Healthy Controls. <i>Journal of Pain</i> , 2012, 13, 390-400.	0.7	42
90	Mechanical and Heat Hyperalgesia Highly Predict Clinical Pain Intensity in Patients With Chronic Musculoskeletal Pain Syndromes. <i>Journal of Pain</i> , 2012, 13, 725-735.	0.7	59

#	ARTICLE	IF	CITATIONS
91	Peripheral and Central Mechanisms of Fatigue in Inflammatory and Noninflammatory Rheumatic Diseases. <i>Current Rheumatology Reports</i> , 2012, 14, 539-548.	2.1	47
92	Effectiveness of CAM Therapy: Understanding the Evidence. <i>Rheumatic Disease Clinics of North America</i> , 2011, 37, 9-17.	0.8	23
93	Attenuation of experimental pain by vibrotactile stimulation in patients with chronic local or widespread musculoskeletal pain. <i>European Journal of Pain</i> , 2011, 15, 836-842.	1.4	37
94	Gray Matter Volumes of Pain-Related Brain Areas Are Decreased in Fibromyalgia Syndrome. <i>Journal of Pain</i> , 2011, 12, 436-443.	0.7	146
95	Peripheral pain mechanisms in chronic widespread pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011, 25, 155-164.	1.4	123
96	Evidence for Shared Pain Mechanisms in Osteoarthritis, Low Back Pain, and Fibromyalgia. <i>Current Rheumatology Reports</i> , 2011, 13, 513-520.	2.1	128
97	Two novel mutations of <i>SCN9A</i> (Nav1.7) are associated with partial congenital insensitivity to pain. <i>European Journal of Pain</i> , 2011, 15, 223-230.	1.4	40
98	Is It All Central Sensitization? Role of Peripheral Tissue Nociception in Chronic Musculoskeletal Pain. <i>Current Rheumatology Reports</i> , 2010, 12, 448-454.	2.1	72
99	Pharmacological Treatment of Fibromyalgia Syndrome. <i>Drugs</i> , 2010, 70, 1-14.	4.9	37
100	Do Past Pain Events Systematically Impact Pain Ratings of Healthy Subjects or Fibromyalgia Patients?. <i>Journal of Pain</i> , 2010, 11, 142-148.	0.7	4
101	Pain Variability in Fibromyalgia Is Related to Activity and Rest: Role of Peripheral Tissue Impulse Input. <i>Journal of Pain</i> , 2010, 11, 1376-1383.	0.7	44
102	Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: A randomized, double-blind, placebo-controlled study. <i>Pain</i> , 2009, 145, 96-104.	2.0	179
103	Chronic widespread pain and fibromyalgia: Two sides of the same coin?. <i>Current Rheumatology Reports</i> , 2009, 11, 433-436.	2.1	44
104	The overestimation of disease activity in patients with rheumatoid arthritis and concomitant fibromyalgia. <i>Current Rheumatology Reports</i> , 2009, 11, 390-391.	2.1	2
105	Individual Differences in Pain Sensitivity: Measurement, Causation, and Consequences. <i>Journal of Pain</i> , 2009, 10, 231-237.	0.7	255
106	Abnormal Pain Modulation in Patients with Spatially Distributed Chronic Pain: Fibromyalgia. <i>Rheumatic Disease Clinics of North America</i> , 2009, 35, 263-274.	0.8	54
107	Mechanisms of Fibromyalgia Pain. <i>CNS Spectrums</i> , 2009, 14, 4-5.	0.7	5
108	FIBROMYALGIA SYNDROME. , 2009, , 233-240.		0

#	ARTICLE	IF	CITATIONS
109	Temporal summation of heat pain in temporomandibular disorder patients. <i>Journal of Orofacial Pain</i> , 2009, 23, 54-64.	1.7	53
110	Patient-centered outcome criteria for successful treatment of facial pain and fibromyalgia. <i>Journal of Orofacial Pain</i> , 2009, 23, 47-53.	1.7	9
111	Abnormalities of fibromyalgia pain processing: use of magnetic resonance spectroscopy as a window to the brain. <i>Current Rheumatology Reports</i> , 2008, 10, 461-462.	2.1	0
112	Autonomic dysfunction in fibromyalgia syndrome: Postural orthostatic tachycardia. <i>Current Rheumatology Reports</i> , 2008, 10, 463-466.	2.1	57
113	Brain activity associated with slow temporal summation of C-fiber evoked pain in fibromyalgia patients and healthy controls. <i>European Journal of Pain</i> , 2008, 12, 1078-1089.	1.4	152
114	Heart rate variability as a biomarker of fibromyalgia syndrome. <i>Future Rheumatology</i> , 2008, 3, 475-483.	0.2	67
115	Long-term trials of pregabalin and duloxetine for fibromyalgia symptoms: How study designs can affect placebo factors. <i>Pain</i> , 2008, 136, 232-234.	2.0	38
116	Cutaneous C-fiber pain abnormalities of fibromyalgia patients are specifically related to temporal summation. <i>Pain</i> , 2008, 139, 315-323.	2.0	85
117	Importance of measuring placebo factors in complex clinical trials. <i>Pain</i> , 2008, 138, 474.	2.0	8
118	Role of placebo factors in clinical trials with special focus on enrichment designs. <i>Pain</i> , 2008, 139, 479-480.	2.0	12
119	Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients. <i>Pain</i> , 2008, 140, 158-166.	2.0	48
120	The Role of Peripheral Input for Chronic Pain Syndromes like Fibromyalgia Syndrome. <i>Journal of Musculoskeletal Pain</i> , 2008, 16, 67-74.	0.3	24
121	Are cannabinoids a new treatment option for pain in patients with fibromyalgia?. <i>Nature Clinical Practice Rheumatology</i> , 2008, 4, 348-349.	3.2	6
122	Psychophysical and Neurochemical Abnormalities of Pain Processing in Fibromyalgia. <i>CNS Spectrums</i> , 2008, 13, 12-17.	0.7	88
123	Preliminary evidence for small-fiber neuropathy in fibromyalgia patients. <i>Future Rheumatology</i> , 2008, 3, 127-131.	0.2	0
124	New Insights into the Pathogenesis of Fibromyalgia Syndrome: Important Role of Peripheral and Central Pain Mechanisms. <i>Current Rheumatology Reviews</i> , 2007, 3, 113-121.	0.4	3
125	Brain activity related to temporal summation of C-fiber evoked pain. <i>Pain</i> , 2007, 129, 130-142.	2.0	186
126	Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients. <i>Pain</i> , 2007, 130, 177-187.	2.0	63



#	ARTICLE	IF	CITATIONS
127	Treatment of fibromyalgia and its symptoms. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 1629-1642.	0.9	42
128	Temporal Summation of Second Pain and Its Maintenance Are Useful for Characterizing Widespread Central Sensitization of Fibromyalgia Patients. <i>Journal of Pain</i> , 2007, 8, 893-901.	0.7	183
129	Future perspectives: pathogenesis of chronic muscle pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 581-596.	1.4	48
130	Mechanisms of acupuncture analgesia: Effective therapy for musculoskeletal pain?. <i>Current Rheumatology Reports</i> , 2007, 9, 473-481.	2.1	27
131	Biology and therapy of fibromyalgia: pain in fibromyalgia syndrome. <i>Arthritis Research and Therapy</i> , 2006, 8, 208.	1.6	112
132	Mechanisms of Disease: pain in fibromyalgia syndrome. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 90-98.	3.2	183
133	Advanced Continuous-Contact Heat Pulse Design for Efficient Temporal Summation of Second Pain (Windup). <i>Journal of Pain</i> , 2006, 7, 575-582.	0.7	52
134	Are patients with systemic lupus erythematosus at increased risk for Fibromyalgia?. <i>Current Rheumatology Reports</i> , 2006, 8, 430-435.	2.1	35
135	Mechanisms of acupuncture analgesia for clinical and experimental pain. <i>Expert Review of Neurotherapeutics</i> , 2006, 6, 661-667.	1.4	50
136	Are tender point injections beneficial: the role of tonic nociception in fibromyalgia. <i>Current Pharmaceutical Design</i> , 2006, 12, 23-7.	0.9	6
137	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <i>Current Pain and Headache Reports</i> , 2005, 9, 316-321.	1.3	22
138	Acupuncture for chronic back pain. Alternative to conventional therapy?. <i>Current Rheumatology Reports</i> , 2005, 7, 335-336.	2.1	2
139	Sex-related psychological predictors of baseline pain perception and analgesic responses to pentazocine. <i>Biological Psychology</i> , 2005, 69, 97-112.	1.1	72
140	Cluster analysis of multiple experimental pain modalities. <i>Pain</i> , 2005, 116, 227-237.	2.0	139
141	Isometric exercise has opposite effects on central pain mechanisms in fibromyalgia patients compared to normal controls. <i>Pain</i> , 2005, 118, 176-184.	2.0	206
142	The A118G single nucleotide polymorphism of the $\mu$ -opioid receptor gene (OPRM1) is associated with pressure pain sensitivity in humans. <i>Journal of Pain</i> , 2005, 6, 159-167.	0.7	331
143	Effects of the N-Methyl-D-Aspartate Receptor Antagonist Dextromethorphan on Temporal Summation of Pain are Similar in Fibromyalgia Patients and Normal Control Subjects. <i>Journal of Pain</i> , 2005, 6, 323-332.	0.7	112
144	Abnormal Pain Processing in Patients with Fibromyalgia Syndrome. <i>The Journal of Chronic Fatigue Syndrome: Multidisciplinary Innovations in Research and Clinical Practice</i> , 2004, 12, 71-77.	0.4	1

#	ARTICLE	IF	CITATIONS
145	Long-term outcome of fibromyalgia related to cervical spine injury is worse in women than in men. <i>Current Rheumatology Reports</i> , 2004, 6, 259-260.	2.1	12
146	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <i>Current Rheumatology Reports</i> , 2004, 6, 281-286.	2.1	24
147	Body pain area and pain-related negative affect predict clinical pain intensity in patients with fibromyalgia. <i>Journal of Pain</i> , 2004, 5, 338-343.	0.7	92
148	Maintenance of windup of second pain requires less frequent stimulation in fibromyalgia patients compared to normal controls. <i>Pain</i> , 2004, 110, 689-696.	2.0	119
149	Spatial summation of heat pain within and across dermatomes in fibromyalgia patients and pain-free subjects. <i>Pain</i> , 2004, 111, 342-350.	2.0	50
150	Fibromyalgia pain: do we know the source?. <i>Current Opinion in Rheumatology</i> , 2004, 16, 157-163.	2.0	76
151	Diffuse noxious inhibitory controls (DNIC) attenuate temporal summation of second pain in normal males but not in normal females or fibromyalgia patients. <i>Pain</i> , 2003, 101, 167-174.	2.0	319
152	Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. <i>Pain</i> , 2003, 102, 87-95.	2.0	320
153	Ratings of experimental pain and pain-related negative affect predict clinical pain in patients with fibromyalgia syndrome. <i>Pain</i> , 2003, 105, 215-222.	2.0	127
154	Enhanced temporal summation of second pain and its central modulation in fibromyalgia patients. <i>Pain</i> , 2002, 99, 49-59.	2.0	319
155	Peripheral and central sensitization in fibromyalgia: Pathogenetic role. <i>Current Pain and Headache Reports</i> , 2002, 6, 259-266.	1.3	128
156	Evidence of involvement of central neural mechanisms in generating fibromyalgia pain. <i>Current Rheumatology Reports</i> , 2002, 4, 299-305.	2.1	168
157	The effect of maximal exercise on temporal summation of second pain (windup) in patients with fibromyalgia syndrome. <i>Journal of Pain</i> , 2001, 2, 334-344.	0.7	145
158	Abnormal sensitization and temporal summation of second pain (wind-up) in patients with fibromyalgia syndrome. <i>Pain</i> , 2001, 91, 165-175.	2.0	645
159	Influenza A-associated bronchiolitis obliterans organizing pneumonia mimicking Wegener's granulomatosis. <i>Rheumatology International</i> , 2001, 20, 125-128.	1.5	17
160	Evidence for Abnormal Pain Processing in Fibromyalgia Syndrome. <i>Pain Medicine</i> , 2001, 2, 208-215.	0.9	98