

RÃ¼diger Simon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3026238/publications.pdf>

Version: 2024-02-01

94
papers

9,827
citations

71102

41
h-index

48315

88
g-index

139
all docs

139
docs citations

139
times ranked

7557
citing authors

#	ARTICLE	IF	CITATIONS
1	Studying Protein-Protein Interactions at Plasmodesmata by Measuring Förster Resonance Energy Transfer. <i>Methods in Molecular Biology</i> , 2022, 2457, 219-232.	0.9	0
2	Sensors for the quantification, localization and analysis of the dynamics of plant hormones. <i>Plant Journal</i> , 2021, 105, 542-557.	5.7	47
3	Receptor-like cytoplasmic kinase MAZZA mediates developmental processes with CLAVATA1 family receptors in Arabidopsis. <i>Journal of Experimental Botany</i> , 2021, 72, 4853-4870.	4.8	18
4	An RNA in situ hybridization protocol optimized for monocot tissue. <i>STAR Protocols</i> , 2021, 2, 100398.	1.2	6
5	The Cell Fate Controlling CLE40 Peptide Requires CNGCs to Trigger Highly Localized Ca ²⁺ Transients in <i>Arabidopsis thaliana</i> Root Meristems. <i>Plant and Cell Physiology</i> , 2021, 62, 1290-1301.	3.1	7
6	The boundary-expressed <i>EPIDERMAL PATTERNING FACTOR-LIKE2</i> gene encoding a signaling peptide promotes cotyledon growth during <i>Arabidopsis thaliana</i> embryogenesis. <i>Plant Biotechnology</i> , 2021, 38, 317-322.	1.0	5
7	Seeing is Believing: Advances in Plant Imaging Technologies. <i>Plant and Cell Physiology</i> , 2021, 62, 1217-1220.	3.1	3
8	Control of Arabidopsis shoot stem cell homeostasis by two antagonistic CLE peptide signalling pathways. <i>ELife</i> , 2021, 10, .	6.0	48
9	CLE40 Signaling Regulates Root Stem Cell Fate. <i>Plant Physiology</i> , 2020, 182, 1776-1792.	4.8	67
10	A Peptide Pair Coordinates Regular Ovule Initiation Patterns with Seed Number and Fruit Size. <i>Current Biology</i> , 2020, 30, 4352-4361.e4.	3.9	41
11	An Acyl-CoA <i>N</i> -Acyltransferase Regulates Meristem Phase Change and Plant Architecture in Barley. <i>Plant Physiology</i> , 2020, 183, 1088-1109.	4.8	26
12	The CEP5 Peptide Promotes Abiotic Stress Tolerance, As Revealed by Quantitative Proteomics, and Attenuates the AUX/IAA Equilibrium in Arabidopsis. <i>Molecular and Cellular Proteomics</i> , 2020, 19, 1248-1262.	3.8	35
13	Protein complex stoichiometry and expression dynamics of transcription factors modulate stem cell division. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15332-15342.	7.1	34
14	Optogenetic control of gene expression in plants in the presence of ambient white light. <i>Nature Methods</i> , 2020, 17, 717-725.	19.0	72
15	Emerging mechanisms to fine-tune receptor kinase signaling specificity. <i>Current Opinion in Plant Biology</i> , 2020, 57, 41-51.	7.1	9
16	A Cellular Insulator against CLE45 Peptide Signaling. <i>Current Biology</i> , 2019, 29, 2501-2508.e3.	3.9	49
17	Molecular Analysis of Protein-Protein Interactions in the Ethylene Pathway in the Different Ethylene Receptor Subfamilies. <i>Frontiers in Plant Science</i> , 2019, 10, 726.	3.6	18
18	CENTRORADIALIS Interacts with <i>FLOWERING LOCUS T</i> -Like Genes to Control Floret Development and Grain Number. <i>Plant Physiology</i> , 2019, 180, 1013-1030.	4.8	40

#	ARTICLE	IF	CITATIONS
19	Over the rainbow: A practical guide for fluorescent protein selection in plant FRET experiments. <i>Plant Direct</i> , 2019, 3, e00189.	1.9	15
20	Fluorescent reporter lines for auxin and cytokinin signalling in barley (<i>Hordeum vulgare</i>). <i>PLoS ONE</i> , 2018, 13, e0196086.	2.5	21
21	The Arabidopsis JAGGED LATERAL ORGANS (JLO) gene sensitizes plants to auxin. <i>Journal of Experimental Botany</i> , 2017, 68, 2741-2755.	4.8	11
22	Studying Protein-Protein Interactions In Planta Using Advanced Fluorescence Microscopy. <i>Methods in Molecular Biology</i> , 2017, 1610, 267-285.	0.9	6
23	In vivo FRET-FLIM reveals cell-type-specific protein interactions in Arabidopsis roots. <i>Nature</i> , 2017, 548, 97-102.	27.8	128
24	Antagonistic Transcription Factor Complexes Modulate the Floral Transition in Rice. <i>Plant Cell</i> , 2017, 29, 2801-2816.	6.6	59
25	Unique and Conserved Features of the Barley Root Meristem. <i>Frontiers in Plant Science</i> , 2017, 8, 1240.	3.6	41
26	Q&A: How does peptide signaling direct plant development?. <i>BMC Biology</i> , 2016, 14, 58.	3.8	34
27	Arabidopsis <i>CLAVATA1</i> and <i>CLAVATA2</i> receptors contribute to <i>Ralstonia solanacearum</i> pathogenicity through a miR169-dependent pathway. <i>New Phytologist</i> , 2016, 211, 502-515.	7.3	74
28	Revealing Structural Features and Affinities of Protein Complexes in Living Cells by MFIS-FRET. <i>Biophysical Journal</i> , 2016, 110, 491a.	0.5	0
29	A Feed-Forward Regulation Sets Cell Fates in Roots. <i>Trends in Plant Science</i> , 2016, 21, 373-375.	8.8	2
30	RÄ¼diger Simon. <i>Current Biology</i> , 2016, 26, R450-R451.	3.9	0
31	CLAVATA-WUSCHEL signaling in the shoot meristem. <i>Development (Cambridge)</i> , 2016, 143, 3238-3248.	2.5	361
32	Shared and distinct functions of the pseudokinase CORYNE (CRN) in shoot and root stem cell maintenance of Arabidopsis. <i>Journal of Experimental Botany</i> , 2016, 67, 4901-4915.	4.8	30
33	Mathematical modelling of WOX5- and CLE40-mediated columella stem cell homeostasis in Arabidopsis. <i>Journal of Experimental Botany</i> , 2015, 66, 5375-5384.	4.8	37
34	Antagonistic peptide technology for functional dissection of CLE peptides revisited. <i>Journal of Experimental Botany</i> , 2015, 66, 5367-5374.	4.8	27
35	Real-time dynamics of peptide ligand-dependent receptor complex formation in planta. <i>Science Signaling</i> , 2015, 8, ra76.	3.6	84
36	Beyond the meristems: similarities in the CLAVATA3 and INFLORESCENCE DEFICIENT IN ABSCISSION peptide mediated signalling pathways. <i>Journal of Experimental Botany</i> , 2015, 66, 5195-5203.	4.8	23

#	ARTICLE	IF	CITATIONS
37	TRANSPARENT TESTA GLABRA1 and GLABRA1 Compete for Binding to GLABRA3 in Arabidopsis. <i>Plant Physiology</i> , 2015, 168, 584-597.	4.8	74
38	Peptides take centre stage in plant signalling. <i>Journal of Experimental Botany</i> , 2015, 66, 5135-5138.	4.8	12
39	How boundaries control plant development. <i>Current Opinion in Plant Biology</i> , 2014, 17, 116-125.	7.1	97
40	Comparative Transcriptome Atlases Reveal Altered Gene Expression Modules between Two Cleomaceae C3 and C4 Plant Species Å Å. <i>Plant Cell</i> , 2014, 26, 3243-3260.	6.6	106
41	The CLE40 and CRN/CLV2 Signaling Pathways Antagonistically Control Root Meristem Growth in Arabidopsis. <i>Molecular Plant</i> , 2014, 7, 1619-1636.	8.3	42
42	Characterizing Membrane Protein Interactions in Vivo by Multiparameter Fluorescence Image Spectroscopy. <i>Biophysical Journal</i> , 2014, 106, 399a-400a.	0.5	0
43	An integrative model of the control of ovule primordia formation. <i>Plant Journal</i> , 2013, 76, 446-455.	5.7	105
44	Moderation of Arabidopsis Root Stemness by CLAVATA1 and ARABIDOPSIS CRINKLY4 Receptor Kinase Complexes. <i>Current Biology</i> , 2013, 23, 362-371.	3.9	347
45	TAF13 interacts with PRC2 members and is essential for Arabidopsis seed development. <i>Developmental Biology</i> , 2013, 379, 28-37.	2.0	22
46	C4 photosynthesis: from evolutionary analyses to strategies for synthetic reconstruction of the trait. <i>Current Opinion in Plant Biology</i> , 2013, 16, 315-321.	7.1	13
47	Gated communities: apoplastic and symplastic signals converge at plasmodesmata to control cell fates. <i>Journal of Experimental Botany</i> , 2013, 64, 5237-5241.	4.8	53
48	Maternal Control of PIN1 Is Required for Female Gametophyte Development in Arabidopsis. <i>PLoS ONE</i> , 2013, 8, e66148.	2.5	106
49	Tackling Drought Stress: RECEPTOR-LIKE KINASES Present New Approaches. <i>Plant Cell</i> , 2012, 24, 2262-2278.	6.6	155
50	<i>Arabidopsis JAGGED LATERAL ORGANS</i> Acts with <i>ASYMMETRIC LEAVES2</i> to Coordinate <i>KNOX</i> and <i>PIN</i> Expression in Shoot and Root Meristems. <i>Plant Cell</i> , 2012, 24, 2917-2933.	6.6	73
51	Receptor Kinases in Plant Meristem Development. <i>Signaling and Communication in Plants</i> , 2012, , 23-39.	0.7	6
52	Peptides Regulating Apical Meristem Development. <i>Signaling and Communication in Plants</i> , 2012, , 25-39.	0.7	3
53	Peptides and receptors controlling root development. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2012, 367, 1453-1460.	4.0	23
54	Nematode CLE signaling in Arabidopsis requires CLAVATA2 and CORYNE. <i>Plant Journal</i> , 2011, 65, 430-440.	5.7	108

#	ARTICLE	IF	CITATIONS
55	Auxin-Dependent Cell Cycle Reactivation through Transcriptional Regulation of <i>Arabidopsis</i> E2Fa by Lateral Organ Boundary Proteins. <i>Plant Cell</i> , 2011, 23, 3671-3683.	6.6	171
56	Plant primary meristems: shared functions and regulatory mechanisms. <i>Current Opinion in Plant Biology</i> , 2010, 13, 53-58.	7.1	119
57	JAGGED LATERAL ORGAN (JLO) controls auxin dependent patterning during development of the <i>Arabidopsis</i> embryo and root. <i>Plant Molecular Biology</i> , 2010, 74, 479-491.	3.9	43
58	A Dynamic Model for Stem Cell Homeostasis and Patterning in <i>Arabidopsis</i> Meristems. <i>PLoS ONE</i> , 2010, 5, e9189.	2.5	39
59	RPK2 is an essential receptor-like kinase that transmits the CLV3 signal in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2010, 137, 4327-4327.	2.5	12
60	RPK2 is an essential receptor-like kinase that transmits the CLV3 signal in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2010, 137, 3911-3920.	2.5	291
61	mRNA Detection by Whole Mount In Situ Hybridization (WISH) or Sectioned Tissue In Situ Hybridization (SISH) in <i>Arabidopsis</i> . <i>Methods in Molecular Biology</i> , 2010, 655, 239-251.	0.9	7
62	Is the <i>Arabidopsis</i> root niche protected by sequestration of the CLE40 signal by its putative receptor ACR4?. <i>Plant Signaling and Behavior</i> , 2009, 4, 634-635.	2.4	54
63	A Signaling Module Controlling the Stem Cell Niche in <i>Arabidopsis</i> Root Meristems. <i>Current Biology</i> , 2009, 19, 909-914.	3.9	440
64	Interdomain Signaling in Stem Cell Maintenance of Plant Shoot Meristems. <i>Molecules and Cells</i> , 2009, 27, 615-620.	2.6	21
65	Stem Cell Signaling in <i>Arabidopsis</i> Requires CRN to Localize CLV2 to the Plasma Membrane. <i>Plant Physiology</i> , 2009, 152, 166-176.	4.8	283
66	FCS and Sub-diffraction Resolution Fluorescence Imaging of Membrane Receptors in Living Organelles. <i>Biophysical Journal</i> , 2009, 96, 27a.	0.5	0
67	Multiparameter fluorescence imagespectroscopy to study molecular interactions. <i>Photochemical and Photobiological Sciences</i> , 2009, 8, 470-480.	2.9	64
68	The meristem-to-organ boundary: more than an extremity of anything. <i>Current Opinion in Genetics and Development</i> , 2008, 18, 287-294.	3.3	75
69	<i>JLO</i> regulates embryo patterning and organ initiation by controlling auxin transport. <i>Plant Signaling and Behavior</i> , 2008, 3, 145-147.	2.4	9
70	The Receptor Kinase CORYNE of <i>Arabidopsis</i> Transmits the Stem Cell-Limiting Signal CLAVATA3 Independently of CLAVATA1. <i>Plant Cell</i> , 2008, 20, 934-946.	6.6	389
71	<i>Arabidopsis</i> JAGGED LATERAL ORGANS Is Expressed in Boundaries and Coordinates KNOX and PIN Activity. <i>Plant Cell</i> , 2007, 19, 1795-1808.	6.6	133
72	Dynamic and Compensatory Responses of <i>Arabidopsis</i> Shoot and Floral Meristems to CLV3 Signaling. <i>Plant Cell</i> , 2006, 18, 1188-1198.	6.6	164

#	ARTICLE	IF	CITATIONS
73	BOTANY: Plant Cells CLEave Their Way to Differentiation. <i>Science</i> , 2006, 313, 773-774.	12.6	8
74	Plant stem cell niches. <i>International Journal of Developmental Biology</i> , 2005, 49, 479-489.	0.6	71
75	A transposon-based activation-tagging population in <i>Arabidopsis thaliana</i> (TAMARA) and its application in the identification of dominant developmental and metabolic mutations. <i>FEBS Letters</i> , 2005, 579, 4622-4628.	2.8	38
76	Loss of CLE40, a protein functionally equivalent to the stem cell restricting signal CLV3, enhances root waving in <i>Arabidopsis</i> . <i>Development Genes and Evolution</i> , 2003, 213, 371-381.	0.9	204
77	The ethanol switch: a tool for tissue-specific gene induction during plant development. <i>Plant Journal</i> , 2003, 36, 918-930.	5.7	115
78	The DORNRA-SCHEN/ENHANCER OF SHOOT REGENERATION1 Gene of <i>Arabidopsis</i> Acts in the Control of Meristem Cell Fate and Lateral Organ Development. <i>Plant Cell</i> , 2003, 15, 694-705.	6.6	154
79	Regulation of CLV3 Expression by Two Homeobox Genes in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2002, 129, 565-575.	4.8	269
80	Function of plant shoot meristems. <i>Seminars in Cell and Developmental Biology</i> , 2001, 12, 357-362.	5.0	8
81	A Molecular Link between Stem Cell Regulation and Floral Patterning in <i>Arabidopsis</i> . <i>Cell</i> , 2001, 105, 793-803.	28.9	650
82	Functional domains in plant shoot meristems. <i>BioEssays</i> , 2001, 23, 134-141.	2.5	40
83	<i>Arabidopsis</i> Research 2001. <i>Plant Cell</i> , 2001, 13, 1973-1982.	6.6	7
84	<i>Arabidopsis</i> Research 2001. <i>Plant Cell</i> , 2001, 13, 1973.	6.6	0
85	Dependence of Stem Cell Fate in <i>Arabidopsis</i> on a Feedback Loop Regulated by CLV3 Activity. <i>Science</i> , 2000, 289, 617-619.	12.6	1,021
86	Signaling Cell Fate in Plant Meristems. <i>Cell</i> , 2000, 103, 835-838.	28.9	25
87	The Antirrhinum ERC gene encodes a protein related to bacterial small GTPases and is required for embryonic viability. <i>Current Biology</i> , 1998, 8, 1079-1082.	3.9	33
88	<i>Arabidopsis</i> genes that regulate flowering time in response to day-length. <i>Seminars in Cell and Developmental Biology</i> , 1996, 7, 419-425.	5.0	17
89	Activation of floral meristem identity genes in <i>Arabidopsis</i> . <i>Nature</i> , 1996, 384, 59-62.	27.8	351
90	Parallels between Unusual Floral Organs and FIMBRIATA, Genes Controlling Flower Development in <i>Arabidopsis</i> and <i>Antirrhinum</i> . <i>Plant Cell</i> , 1995, 7, 1501.	6.6	1

#	ARTICLE	IF	CITATIONS
91	The CONSTANS gene of arabidopsis promotes flowering and encodes a protein showing similarities to zinc finger transcription factors. Cell, 1995, 80, 847-857.	28.9	1,287
92	Parallels between UNUSUAL FLORAL ORGANS and FIMBRIATA, genes controlling flower development in Arabidopsis and Antirrhinum.. Plant Cell, 1995, 7, 1501-1510.	6.6	198
93	Fimbriata controls flower development by mediating between meristem and organ identity genes. Cell, 1994, 78, 99-107.	28.9	153
94	Transposable element Ds2 of Zea mays influences polyadenylation and splice site selection. Molecular Genetics and Genomics, 1987, 209, 198-199.	2.4	29