

# Caroline Wachtler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3026239/publications.pdf>

Version: 2024-02-01

19  
papers

586  
citations

840776

11  
h-index

794594

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

671  
citing authors

#	ARTICLE	IF	CITATIONS
1	Escherichia coli P fimbriae utilize the Toll-like receptor 4 pathway for cell activation. <i>Molecular Microbiology</i> , 2001, 40, 37-51.	2.5	156
2	Type 1 fimbriae deliver an LPS- and TLR4-dependent activation signal to CD14-negative cells. <i>Molecular Microbiology</i> , 2001, 39, 542-552.	2.5	122
3	A hidden curriculum: mapping cultural competency in a medical programme. <i>Medical Education</i> , 2003, 37, 861-868.	2.1	75
4	Humanities for medical students? A qualitative study of a medical humanities curriculum in a medical school program. <i>BMC Medical Education</i> , 2006, 6, 16.	2.4	33
5	Development of a Mobile Clinical Prediction Tool to Estimate Future Depression Severity and Guide Treatment in Primary Care: User-Centered Design. <i>JMIR MHealth and UHealth</i> , 2018, 6, e95.	3.7	32
6	Diagnostic errors reported in primary healthcare and emergency departments: A retrospective and descriptive cohort study of 4830 reported cases of preventable harm in Sweden. <i>European Journal of General Practice</i> , 2019, 25, 128-135.	2.0	29
7	Patterns of multimorbidity and pharmacotherapy: a total population cross-sectional study. <i>Family Practice</i> , 2021, 38, 132-139.	1.9	28
8	Using narrative analysis to understand the combined use of complementary therapies and bio-medically oriented health care. <i>Social Science and Medicine</i> , 2007, 65, 1642-1653.	3.8	16
9	Matching depression management to severity prognosis in primary care: results of the Target-D randomised controlled trial. <i>British Journal of General Practice</i> , 2021, 71, e85-e94.	1.4	16
10	Target-D: a stratified individually randomized controlled trial of the diamond clinical prediction tool to triage and target treatment for depressive symptoms in general practice: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 342.	1.6	15
11	Functional and Structural Alterations in the Cingulate Motor Area Relate to Decreased Fronto-Striatal Coupling in Major Depressive Disorder with Psychomotor Disturbances. <i>Frontiers in Psychiatry</i> , 2014, 5, 176.	2.6	14
12	Pain, power and patience - A narrative study of general practitioners' relations with chronic pain patients. <i>BMC Family Practice</i> , 2011, 12, 31.	2.9	13
13	Patient and provider perspectives on reducing risk of harm in primary health care: a qualitative questionnaire study in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 66-74.	1.5	9
14	Patient-related factors associated with an increased risk of being a reported case of preventable harm in first-line health care: a case-control study. <i>BMC Family Practice</i> , 2020, 21, 20.	2.9	7
15	Specific content for collaborative care: a systematic review of collaborative care interventions for patients with multimorbidity involving depression and/or anxiety in primary care. <i>Family Practice</i> , 2022, 39, 725-734.	1.9	6
16	Economic evaluation of the Target-D platform to match depression management to severity prognosis in primary care: A within-trial cost-utility analysis. <i>PLoS ONE</i> , 2022, 17, e0268948.	2.5	6
17	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 370-377.	1.3	4
18	Are we on the same page? Mental health literacy and access to care: a qualitative study in young Hazara refugees in Melbourne. <i>Australian Journal of Primary Health</i> , 2021, 27, 450-455.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Validation and initial results of surveys exploring perspectives on risks and solutions for diagnostic and medication errors in primary care in Sweden. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 381-390.	1.5	2