

Andrew A Renshaw

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3026553/publications.pdf>

Version: 2024-02-01

232
papers

6,296
citations

87723

38
h-index

91712

69
g-index

236
all docs

236
docs citations

236
times ranked

4313
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Exploring the College of American Pathologists Electronic Cancer Checklists: What They Are and What They Can Do for You. Archives of Pathology and Laboratory Medicine, 2022, 146, 141a-141. | 1.2 | 1 |
| 2 | Defining quality in thyroid FNA. Cancer Cytopathology, 2022, 130, 246-247. | 1.4 | 1 |
| 3 | Cytology should create structured data sets without using synoptic reporting. Cancer Cytopathology, 2022, , . | 1.4 | 0 |
| 4 | Sclerosis of the clavicleâ€”â€”A challenging diagnosis. Radiology Case Reports, 2022, 17, 2362-2366. | 0.2 | 0 |
| 5 | High-grade urothelial carcinoma with hypochromatic chromatin in urine cytology. Journal of the American Society of Cytopathology, 2021, 10, 25-28. | 0.2 | 9 |
| 6 | Should cytologists diagnose clear cell papillary renal cell carcinoma on cytologic material?. Cancer Cytopathology, 2021, 129, 190-191. | 1.4 | 2 |
| 7 | Prostateâ€”specific antigen nadir and testosterone level at prostateâ€”specific antigen failure following radiation and androgen suppression therapy for unfavorableâ€”risk prostate cancer and the risk of allâ€”cause and prostate cancerâ€”specific mortality. Cancer, 2021, 127, 2623-2630. | 2.0 | 2 |
| 8 | Radiation and androgen deprivation therapy with or without docetaxel in the management of non-metastatic unfavorable-risk prostate cancer: A prospective randomized trial.. Journal of Clinical Oncology, 2021, 39, 5011-5011. | 0.8 | 1 |
| 9 | Updating the Papanicolaou Society cytologic criteria for invasive adenocarcinoma in cystic pancreaticobiliary specimens. Cancer Cytopathology, 2021, 129, 579-580. | 1.4 | 1 |
| 10 | Radiation and Androgen Deprivation Therapy With or Without Docetaxel in the Management of Nonmetastatic Unfavorable-Risk Prostate Cancer: A Prospective Randomized Trial. Journal of Clinical Oncology, 2021, 39, 2938-2947. | 0.8 | 18 |
| 11 | Error rates in cytology clinical history are correlated with the number of â€œclicksâ€” needed to obtain it. Cancer Cytopathology, 2021, , . | 1.4 | 0 |
| 12 | Improving Reporting of Tumor Size in Synoptic Reports. Archives of Pathology and Laboratory Medicine, 2021, 145, 969-972. | 1.2 | 3 |
| 13 | Communicating risk for thyroid FNA: The pursuit of a better metric. Cancer Cytopathology, 2020, 128, 232-235. | 1.4 | 5 |
| 14 | Malignancy risk for solitary and multiple nodules in H&I¼rthle cellâ€”predominant thyroid fineâ€”needle aspirations: A multiâ€”institutional study. Cancer Cytopathology, 2020, 128, 68-75. | 1.4 | 13 |
| 15 | How Many Lymph Nodes Are Enough in a Colorectal Resection?. American Journal of Surgical Pathology, 2020, 44, 1290-1292. | 2.1 | 3 |
| 16 | Thyroid FNA: Is cytopathologist review of ultrasound features useful?. Cancer Cytopathology, 2020, 128, 523-527. | 1.4 | 8 |
| 17 | In Reply. Archives of Pathology and Laboratory Medicine, 2020, 144, 273-274. | 1.2 | 0 |
| 18 | Root Cause Analysis of Amendments in Tumor Summaries. Archives of Pathology and Laboratory Medicine, 2020, 144, 414-415. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Document Version Control in the Pathology Laboratory: Git Is an Open-Source Option. Archives of Pathology and Laboratory Medicine, 2020, 144, 1295b-1297. | 1.2 | 0 |
| 20 | Do Synoptic Reports Add Value in Prostate Needle Biopsies?. Archives of Pathology and Laboratory Medicine, 2019, 143, 910-911. | 1.2 | 5 |
| 21 | Time to Prostate-specific Antigen Nadir and the Risk of Death From Prostate Cancer Following Radiation and Androgen Deprivation Therapy. Urology, 2019, 126, 145-151. | 0.5 | 9 |
| 22 | In Response to "Overdiagnosis of Thyroid Cancer: Is This Not an Ethical Issue for Pathologists As Well As Radiologists and Clinicians?" Archives of Pathology and Laboratory Medicine, 2019, 143, 782-783. | 1.2 | 3 |
| 23 | Needle track seeding in renal mass biopsies. Cancer Cytopathology, 2019, 127, 358-361. | 1.4 | 17 |
| 24 | Risk of death due to disease for thyroid fine-needle aspirations of well-differentiated thyroid carcinomas. Diagnostic Cytopathology, 2019, 47, 1049-1050. | 0.5 | 5 |
| 25 | Effusion cytology of epithelioid rhabdomyosarcoma. Diagnostic Cytopathology, 2019, 47, 1042-1044. | 0.5 | 3 |
| 26 | Improving the diagnostic accuracy of biliary cytology. Diagnostic Cytopathology, 2019, 47, 639-640. | 0.5 | 0 |
| 27 | Risk stratification of HIV infection for patients needing molecular confirmation with the Abbott 4th generation Architect System. Journal of Clinical Virology, 2019, 113, 31-34. | 1.6 | 3 |
| 28 | Freeing the data from cytology databases in order to improve the quality of cytology. Diagnostic Cytopathology, 2019, 47, 48-52. | 0.5 | 1 |
| 29 | Adequacy criteria for voided urine cytology using cytospin preparations. Cancer Cytopathology, 2019, 127, 116-119. | 1.4 | 5 |
| 30 | Time to PSA nadir and the risk of death from prostate cancer following radiation and androgen deprivation therapy.. Journal of Clinical Oncology, 2019, 37, 4-4. | 0.8 | 0 |
| 31 | Fine-needle aspiration of tubulocystic renal cell carcinoma. Diagnostic Cytopathology, 2018, 46, 707-710. | 0.5 | 4 |
| 32 | Evidence-based adequacy criteria for instrumented urine cytology using cytospin preparations. Diagnostic Cytopathology, 2018, 46, 520-521. | 0.5 | 4 |
| 33 | Impact of time to testosterone rebound and comorbidity on the risk of cause-specific mortality in men with unfavorable-risk prostate cancer. Cancer, 2018, 124, 1391-1399. | 2.0 | 3 |
| 34 | Low testosterone at first prostate-specific antigen failure and assessment of risk of death in men with unfavorable-risk prostate cancer treated on prospective clinical trials. Cancer, 2018, 124, 1383-1390. | 2.0 | 6 |
| 35 | Thyroid FNA biopsies comprised of abundant, mature squamous cells can be reported as benign: A cytologic study of 18 patients with clinical correlation. Cancer Cytopathology, 2018, 126, 336-341. | 1.4 | 5 |
| 36 | High-grade urothelial carcinoma in urine cytology with jet black and smooth or glassy chromatin. Cancer Cytopathology, 2018, 126, 64-68. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Predominance of neutrophils in the cerebrospinal fluid of patients treated with intravenous immunoglobulin. <i>Diagnostic Cytopathology</i> , 2018, 46, 271-272. | 0.5 | 0 |
| 38 | High-Grade Urothelial Carcinoma on Urine Cytology Resembling Umbrella Cells. <i>Acta Cytologica</i> , 2018, 62, 62-67. | 0.7 | 14 |
| 39 | Characteristics of False-Negative Thyroid Fine-Needle Aspirates. <i>Acta Cytologica</i> , 2018, 62, 12-18. | 0.7 | 6 |
| 40 | Improving Discrete Data Capture in Synoptic Reports With Optional Free-Text Modifiers. <i>JCO Clinical Cancer Informatics</i> , 2018, 2, 1-6. | 1.0 | 2 |
| 41 | Updates and Customizations in Synoptic Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 1452-1453. | 1.2 | 8 |
| 42 | Use of a Web-Based Checklist to Improve Compliance With Medicare Access and CHIP Reauthorization Act of 2015 Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 1312-1312. | 1.2 | 6 |
| 43 | Ancillary studies in fine needle aspiration of the kidney. <i>Cancer Cytopathology</i> , 2018, 126, 711-723. | 1.4 | 10 |
| 44 | Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance. , 2018, , 49-70. | | 4 |
| 45 | Follicular Neoplasm, H ¹ / ₄ rthle Cell (Oncocytic) Type/Suspicious for a Follicular Neoplasm, H ¹ / ₄ rthle Cell (Oncocytic) Type. , 2018, , 81-100. | | 3 |
| 46 | Low testosterone at first PSA failure and assessment of the risk of death in men with unfavorable-risk prostate cancer treated on prospective clinical trials.. <i>Journal of Clinical Oncology</i> , 2018, 36, 45-45. | 0.8 | 0 |
| 47 | Early versus delayed initiation of salvage androgen deprivation therapy and the risk of prostate cancer-specific mortality.. <i>Journal of Clinical Oncology</i> , 2018, 36, 189-189. | 0.8 | 0 |
| 48 | Surrogate End Points for All-Cause Mortality in Men With Localized Unfavorable-Risk Prostate Cancer Treated With Radiation Therapy vs Radiation Therapy Plus Androgen Deprivation Therapy. <i>JAMA Oncology</i> , 2017, 3, 652. | 3.4 | 41 |
| 49 | Incidence and significance of true papillae in thyroid fine needle aspiration*. <i>Diagnostic Cytopathology</i> , 2017, 45, 689-692. | 0.5 | 7 |
| 50 | Adequacy criteria for thyroid FNA evaluated by ThinPrep slides only. <i>Cancer Cytopathology</i> , 2017, 125, 534-543. | 1.4 | 21 |
| 51 | The Cost of Synoptic Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2017, 141, 15-16. | 1.2 | 17 |
| 52 | Herpes simplex virus infections in pulmonary cytology rarely represent pulmonary disease but remain a marker for mortality risk. <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 194-197. | 0.2 | 0 |
| 53 | Impact of Noninvasive Follicular Thyroid Neoplasm With Papillary-Like Features on Adequacy Criteria and Risk of Malignancy of Thyroid Fine-Needle Aspiration. <i>American Journal of Clinical Pathology</i> , 2017, 148, 259-263. | 0.4 | 3 |
| 54 | Adequate sampling of multiple thyroid nodules by fine-needle aspiration. <i>Cancer Cytopathology</i> , 2017, 125, 848-853. | 1.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Tabular Versus Synoptic Reporting of Prostate Core Needle Biopsies. <i>JCO Clinical Cancer Informatics</i> , 2017, 1, 1-7. | 1.0 | 2 |
| 56 | Performance of a Web-based Method for Generating Synoptic Reports. <i>Journal of Pathology Informatics</i> , 2017, 8, 13. | 0.8 | 18 |
| 57 | Impact of specific patterns on the sensitivity for follicular and Hurthle cell carcinoma in thyroid fine-needle aspiration. <i>Cancer Cytopathology</i> , 2016, 124, 729-736. | 1.4 | 7 |
| 58 | Time consumed by microscopic and nonmicroscopic tasks in image-assisted gynecologic screening: Implications for workload assessment. <i>Cancer Cytopathology</i> , 2016, 124, 501-507. | 1.4 | 2 |
| 59 | Long term clinical follow-up of atypical ductal hyperplasia and lobular carcinoma in situ in breast core needle biopsies. <i>Pathology</i> , 2016, 48, 25-29. | 0.3 | 33 |
| 60 | Prostate-Specific Antigen Failure and Risk of Death Within Comorbidity Subgroups Among Men With Unfavorable-Risk Prostate Cancer Treated in a Randomized Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 3781-3786. | 0.8 | 14 |
| 61 | Gleason score and the risk of cause-specific and all-cause mortality following radiation with or without 6 months of androgen deprivation therapy for men with unfavorable-risk prostate cancer. <i>Journal of Radiation Oncology</i> , 2016, 5, 301-308. | 0.7 | 0 |
| 62 | OCT4 staining increases the detection of lymphatic/vascular invasion in pure seminoma of the testis obscured by prominent lymphohistiocytic inflammation. <i>Pathology</i> , 2016, 48, 210-213. | 0.3 | 2 |
| 63 | Interpretive Diagnostic Error Reduction in Surgical Pathology and Cytology: Guideline From the College of American Pathologists Pathology and Laboratory Quality Center and the Association of Directors of Anatomic and Surgical Pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 29-40. | 1.2 | 65 |
| 64 | Gleason score and the risk of cause-specific and overall mortality following radiation with or without 6 months of androgen deprivation therapy for men with unfavorable-risk prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 171-171. | 0.8 | 0 |
| 65 | Duration of the anti-androgen in men undergoing six months of an LHRH agonist and radiation therapy for unfavorable-risk prostate cancer and the risk of death.. <i>Journal of Clinical Oncology</i> , 2016, 34, 5070-5070. | 0.8 | 0 |
| 66 | Young investigator challenge: Comparison of 2 different methods of manual slide screening in semiautomated gynecologic cytology. <i>Cancer Cytopathology</i> , 2015, 123, 650-658. | 1.4 | 1 |
| 67 | Quantitative tumour necrosis is an independent predictor of overall survival in clear cell renal cell carcinoma. <i>Pathology</i> , 2015, 47, 34-37. | 0.3 | 14 |
| 68 | Reducing indeterminate thyroid FNAs. <i>Cancer Cytopathology</i> , 2015, 123, 237-243. | 1.4 | 7 |
| 69 | Gallbladders: Another Source of Radiation in the Histology Laboratory. <i>American Journal of Clinical Pathology</i> , 2015, 143, 310-311. | 0.4 | 0 |
| 70 | Long-term Follow-up of a Randomized Trial of Radiation With or Without Androgen Deprivation Therapy for Localized Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 1291. | 3.8 | 121 |
| 71 | Gleason grade 5 and the risk of death from prostate cancer following radiation with or without 6 months of conventional androgen deprivation therapy.. <i>Journal of Clinical Oncology</i> , 2015, 33, e16099-e16099. | 0.8 | 0 |
| 72 | The Tahoe Study: Bias in the Interpretation of Papanicolaou Test Results When Human Papillomavirus Status Is Known. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 1182-1185. | 1.2 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Influence of descriptive terminology on management of atypical thyroid fine-needle aspirates. <i>Cancer Cytopathology</i> , 2014, 122, 175-181. | 1.4 | 12 |
| 74 | Changing the cytology laboratory information system to improve cytology performance. <i>Cancer Cytopathology</i> , 2014, 122, 87-91. | 1.4 | 2 |
| 75 | The value of expert review in prospective trials of automated assisted screening devices. <i>Diagnostic Cytopathology</i> , 2014, 42, 117-119. | 0.5 | 0 |
| 76 | Natural History of Untreated Prostate Specific Antigen Radiorecurrent Prostate Cancer in Men with Favorable Prognostic Indicators. <i>Prostate Cancer</i> , 2014, 2014, 1-6. | 0.4 | 5 |
| 77 | Review and update of the guidelines for review of gynecologic cytology in the course of litigation. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, I-IV. | 0.2 | 1 |
| 78 | Issues in reporting cytology: From headers and critical values to categorical data and natural language parsers. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, 37-41. | 0.2 | 4 |
| 79 | The likelihood of death from prostate cancer in men with favorable or unfavorable intermediate-risk disease.. <i>Journal of Clinical Oncology</i> , 2014, 32, 42-42. | 0.8 | 0 |
| 80 | American society of cytopathology workload recommendations for automated pap test screening: Developed by the productivity and quality assurance in the era of automated screening task force. <i>Diagnostic Cytopathology</i> , 2013, 41, 174-178. | 0.5 | 41 |
| 81 | Respiratory syncytial virus infection is strongly correlated with decreased mean platelet volume. <i>International Journal of Infectious Diseases</i> , 2013, 17, e678-e680. | 1.5 | 22 |
| 82 | Thrombocytosis Is Associated With <i>Mycobacterium tuberculosis</i> Infection and Positive Acid-Fast Stains in Granulomas. <i>American Journal of Clinical Pathology</i> , 2013, 139, 584-586. | 0.4 | 17 |
| 83 | Should "Indeterminate" Diagnoses Be Used for Thyroid Fine-Needle Aspirates of Nodules Smaller Than 1 cm?. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1627-1629. | 1.2 | 13 |
| 84 | Reducing False-Negative and False-Positive Diagnoses in Anatomic Pathology Consultation Material. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1770-1773. | 1.2 | 21 |
| 85 | Correction. <i>American Journal of Clinical Pathology</i> , 2013, 140, 280-280. | 0.4 | 0 |
| 86 | Assessment of Manual Workload Limits in Gynecologic Cytology. <i>American Journal of Clinical Pathology</i> , 2013, 139, 428-433. | 0.4 | 11 |
| 87 | Increasing Agreement Over Time in Interlaboratory Anatomic Pathology Consultation Material. <i>American Journal of Clinical Pathology</i> , 2013, 140, 215-218. | 0.4 | 5 |
| 88 | Impact of Immediate Access to the Electronic Medical Record on Anatomic Pathology Performance. <i>American Journal of Clinical Pathology</i> , 2013, 140, 109-111. | 0.4 | 9 |
| 89 | A validation study of the Focalpoint GS imaging system for gynecologic cytology screening. <i>Cancer Cytopathology</i> , 2013, 121, 737-738. | 1.4 | 12 |
| 90 | The addition of RPMI significantly improves the cellularity of cerebrospinal fluid cytology specimens over time. <i>Cancer Cytopathology</i> , 2013, 121, 271-274. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Relative sensitivity of thyroid fine-needle aspiration by tumor type and size. <i>Diagnostic Cytopathology</i> , 2013, 41, 871-875. | 0.5 | 14 |
| 92 | Can changing the terminology for benign aspirates reduce the atypia of undetermined significance/follicular lesion of undetermined significance rate in thyroid fine-needle aspirates?. <i>Cancer Cytopathology</i> , 2013, 121, 175-178. | 1.4 | 22 |
| 93 | Age, comorbidity, and the risk of death in men with PSA failure following radiation therapy.. <i>Journal of Clinical Oncology</i> , 2013, 31, 82-82. | 0.8 | 0 |
| 94 | Using the Electronic Medical Record to Better Define "No Products of Conception" as a Critical Value in Anatomic Pathology. <i>American Journal of Clinical Pathology</i> , 2012, 137, 121-123. | 0.4 | 6 |
| 95 | Submitting the Entire Gallbladder in Cases of Dysplasia Is Not Justified. <i>American Journal of Clinical Pathology</i> , 2012, 138, 374-376. | 0.4 | 29 |
| 96 | 88172 Is More Than Counting Cells. <i>American Journal of Clinical Pathology</i> , 2012, 138, 27-28. | 0.4 | 8 |
| 97 | Histologic follow-up of nondiagnostic thyroid fine needle aspirations: Implications for adequacy criteria. <i>Diagnostic Cytopathology</i> , 2012, 40, E13-5. | 0.5 | 28 |
| 98 | HSIL, epithelial cell abnormality-adjusted workload, and the Thinprep imaging system. <i>Diagnostic Cytopathology</i> , 2012, 40, 201-203. | 0.5 | 2 |
| 99 | Low grade squamous intraepithelial lesion, epithelial cell abnormality-adjusted workload, and the thinprep imaging system. <i>Diagnostic Cytopathology</i> , 2012, 40, 698-700. | 0.5 | 3 |
| 100 | The atypia of undetermined significance/follicular lesion of undetermined significance:malignant ratio. <i>Cancer Cytopathology</i> , 2012, 120, 111-116. | 1.4 | 119 |
| 101 | Atypia of Undetermined Significance and Nondiagnostic Rates in The Bethesda System for Reporting Thyroid Cytopathology Are Inversely Related. <i>American Journal of Clinical Pathology</i> , 2012, 137, 462-465. | 0.4 | 35 |
| 102 | Individual estimated sensitivity and workload for manual screening of SurePath gynecologic cytology. <i>Diagnostic Cytopathology</i> , 2012, 40, 95-97. | 0.5 | 5 |
| 103 | Fine-needle aspirations of papillary carcinoma with oncocytic features. <i>Cancer Cytopathology</i> , 2011, 119, 247-253. | 1.4 | 11 |
| 104 | Subclassification of atypical cells of undetermined significance in direct smears of fine-needle aspirations of the thyroid. <i>Cancer Cytopathology</i> , 2011, 119, 322-327. | 1.4 | 75 |
| 105 | Improved sensitivity over time with rapid prescreening in gynecologic cytology. <i>Diagnostic Cytopathology</i> , 2011, 39, 428-430. | 0.5 | 5 |
| 106 | Sensitivity of fine-needle aspiration for papillary carcinoma of the thyroid correlates with tumor size. <i>Diagnostic Cytopathology</i> , 2011, 39, 471-474. | 0.5 | 15 |
| 107 | Sensitivity and workload for manual and automated gynecologic screening: Best current estimates. <i>Diagnostic Cytopathology</i> , 2011, 39, 647-650. | 0.5 | 11 |
| 108 | Rapid prescreening is as effective at reducing screening error as postscreening with the FocalPoint automated screening device. <i>Diagnostic Cytopathology</i> , 2011, 39, 818-821. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Predicting screening sensitivity from workload in gynecologic cytology: A review. <i>Diagnostic Cytopathology</i> , 2011, 39, 832-836. | 0.5 | 15 |
| 110 | Rapid Pre-Screening Is More Sensitive in Liquid-Based Cytology than in Conventional Smears. <i>Acta Cytologica</i> , 2011, 55, 54-56. | 0.7 | 8 |
| 111 | Non-Diagnostic Rates for Thyroid Fine Needle Aspiration Are Negatively Correlated with Positive for Malignancy Rates. <i>Acta Cytologica</i> , 2011, 55, 38-41. | 0.7 | 14 |
| 112 | Quality Improvement in Cytology: Where Do We Go From Here?. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 1387-1390. | 1.2 | 11 |
| 113 | Unexpected Expectations in Critical Values in Anatomic Pathology: Improving Agreement Between Pathologists and Nonpathologists With the Treatable Immediately, Life-Threatening Terminology. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 1391-1393. | 1.2 | 14 |
| 114 | Significance of Repeatedly Nondiagnostic Thyroid Fine-Needle Aspirations: Table 1. <i>American Journal of Clinical Pathology</i> , 2011, 135, 750-752. | 0.4 | 28 |
| 115 | ASC/SIL ratio for cytotechnologists: A survey of its utility in clinical practice. <i>Diagnostic Cytopathology</i> , 2010, 38, 180-183. | 0.5 | 12 |
| 116 | Does the time of day or weekday affect screening accuracy?. <i>Cancer Cytopathology</i> , 2010, 118, 41-46. | 1.4 | 30 |
| 117 | Increasing cytotechnologist workload above 100 slides per day using the ThinPrep imaging system leads to significant reductions in screening accuracy. <i>Cancer Cytopathology</i> , 2010, 118, 75-82. | 1.4 | 37 |
| 118 | Should "atypical follicular cells" in thyroid fine-needle aspirates be subclassified?. <i>Cancer Cytopathology</i> , 2010, 118, 186-189. | 1.4 | 134 |
| 119 | An estimate of risk of malignancy for a benign diagnosis in thyroid fine-needle aspirates. <i>Cancer Cytopathology</i> , 2010, 118, 190-195. | 1.4 | 38 |
| 120 | Does a Repeated Benign Aspirate Change the Risk of Malignancy After an Initial Atypical Thyroid Fine-Needle Aspiration?. <i>American Journal of Clinical Pathology</i> , 2010, 134, 788-792. | 0.4 | 48 |
| 121 | Quantitative Assessment of Spray vs Immersion Fixation for Thyroid Fine-Needle Aspiration Specimens: Table 1. <i>American Journal of Clinical Pathology</i> , 2010, 133, 796-798. | 0.4 | 6 |
| 122 | Increasing Radiation From Sentinel Node Specimens in Pathology Over Time. <i>American Journal of Clinical Pathology</i> , 2010, 134, 299-302. | 0.4 | 7 |
| 123 | UroVysion, Urine Cytology, and the College of American Pathologists: Where Should We Go From Here?. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 1106-1107. | 1.2 | 15 |
| 124 | Just Say No to the Use of No: Alternative Terminology for Improving Anatomic Pathology Reports. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 1250-1252. | 1.2 | 14 |
| 125 | Surrogate indicators of sensitivity in gynecologic cytology: Can they be used to improve the measurement of sensitivity in the laboratory?. <i>CytoJournal</i> , 2009, 6, 19. | 0.8 | 3 |
| 126 | Strategies for improving gynecologic cytology screening. <i>Cancer Cytopathology</i> , 2009, 117, 151-153. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Improvement in the routine screening performance of cytotechnologists over time. <i>Cancer Cytopathology</i> , 2009, 117, 311-317. | 1.4 | 18 |
| 128 | Interval to Testosterone Recovery After Hormonal Therapy for Prostate Cancer and Risk of Death. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 10-15. | 0.4 | 42 |
| 129 | ASC/SIL Ratio for Cytotechnologists. <i>American Journal of Clinical Pathology</i> , 2009, 131, 776-781. | 0.4 | 27 |
| 130 | Prospective and Retrospective Second Reviews and Audits in Anatomic Pathology. , 2009, 14, 57-61. | | 2 |
| 131 | Measuring the significance of workload on performance of cytotechnologists in gynecologic cytology. <i>Cancer</i> , 2008, 114, 149-154. | 2.0 | 29 |
| 132 | Seeking a silver lining. <i>Cancer</i> , 2008, 114, 222-224. | 2.0 | 0 |
| 133 | Androgen Suppression and Radiation vs Radiation Alone for Prostate Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 289-95. | 3.8 | 612 |
| 134 | The Value of Inking Breast Cores to Reduce Specimen Mix-up. <i>American Journal of Clinical Pathology</i> , 2007, 127, 271-272. | 0.4 | 10 |
| 135 | Measuring Errors in Surgical Pathology in Real-Life Practice. <i>American Journal of Clinical Pathology</i> , 2007, 127, 144-152. | 0.4 | 58 |
| 136 | Comparison of Thyroid Fine-Needle Aspiration and Core Needle Biopsy. <i>American Journal of Clinical Pathology</i> , 2007, 128, 370-374. | 0.4 | 128 |
| 137 | Complaining about quality assurance in gynecologic cytology. <i>Cancer</i> , 2007, 111, 141-142. | 2.0 | 0 |
| 138 | Reporting risk of malignancy/dysplasia in cytology. <i>Cancer</i> , 2007, 111, 465-466. | 2.0 | 19 |
| 139 | Rapid prescreening of Papanicolaou smears. <i>Cancer</i> , 2006, 108, 267-267. | 2.0 | 3 |
| 140 | Sessile Serrated Adenoma Is Associated With Acute Appendicitis in Patients 30 Years or Older. <i>American Journal of Clinical Pathology</i> , 2006, 126, 875-877. | 0.4 | 14 |
| 141 | Lobular Neoplasia in Breast Core Needle Biopsy Specimens Is Associated With a Low Risk of Ductal Carcinoma In Situ or Invasive Carcinoma on Subsequent Excision. <i>American Journal of Clinical Pathology</i> , 2006, 126, 310-313. | 0.4 | 56 |
| 142 | Correlation of Workload With Disagreement and Amendment Rates in Surgical Pathology and Nongynecologic Cytology. <i>American Journal of Clinical Pathology</i> , 2006, 125, 820-822. | 0.4 | 25 |
| 143 | Interobserver Agreement on Microfollicles in Thyroid Fine-Needle Aspirates. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 148-152. | 1.2 | 35 |
| 144 | Cytologic Features of Adenocarcinoma, Not Otherwise Specified, in Conventional Smears: Comparison of Cases That Performed Poorly With Those That Performed Well in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 23-26. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Hyperchromatic Crowded Groups in Cervical Cytology—Differing Appearances and Interpretations in Conventional and ThinPrep Preparations: A Study From the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2006, 130, 332-336. | 1.2 | 23 |
| 146 | Papanicolaou Tests With Mixed High-Grade and Low-Grade Squamous Intraepithelial Lesion Features: Distinct Performance in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytopathology. Archives of Pathology and Laboratory Medicine, 2006, 130, 456-459. | 1.2 | 6 |
| 147 | Fine-Needle Aspirates of Hepatocellular Carcinoma That Are Misclassified as Adenocarcinoma: Correlating Cytologic Features and Performance in the College of American Pathologists Nongynecologic Cytology Program. Archives of Pathology and Laboratory Medicine, 2006, 130, 19-22. | 1.2 | 11 |
| 148 | Fine-Needle Aspiration of Papillary Thyroid Carcinoma: Distinguishing Between Cases That Performed Well and Those That Performed Poorly in the College of American Pathologists Nongynecologic Cytology Program. Archives of Pathology and Laboratory Medicine, 2006, 130, 452-455. | 1.2 | 16 |
| 149 | Comparing Methods to Measure Error in Gynecologic Cytology and Surgical Pathology. Archives of Pathology and Laboratory Medicine, 2006, 130, 626-629. | 1.2 | 17 |
| 150 | Robustness of Validation Criteria in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2006, 130, 1119-1122. | 1.2 | 12 |
| 151 | Distinguishing Carcinoid Tumor of the Mediastinum From Thymoma: Correlating Cytologic Features and Performance in the College of American Pathologists Interlaboratory Comparison Program in Nongynecologic Cytopathology. Archives of Pathology and Laboratory Medicine, 2006, 130, 1612-1615. | 1.2 | 9 |
| 152 | Leukemia/Lymphoma in Cerebrospinal Fluid: Distinguishing Between Cases That Performed Well and Poorly in the College of American Pathologists Interlaboratory Comparison Program in Nongynecologic Cytology. Archives of Pathology and Laboratory Medicine, 2006, 130, 1762-1765. | 1.2 | 10 |
| 153 | Measuring the value of review of pathology material by a second pathologist. American Journal of Clinical Pathology, 2006, 125, 737-9. | 0.4 | 16 |
| 154 | Comparison of disagreement and amendment rates by tissue type and diagnosis: identifying cases for directed blinded review. American Journal of Clinical Pathology, 2006, 126, 736-9. | 0.4 | 10 |
| 155 | Lobular neoplasia in breast core needle biopsy specimens is associated with a low risk of ductal carcinoma in situ or invasive carcinoma on subsequent excision. American Journal of Clinical Pathology, 2006, 126, 310-3. | 0.4 | 12 |
| 156 | Atypical cells in fine-needle aspiration biopsy specimens of benign thyroid cysts. Cancer, 2005, 105, 71-79. | 2.0 | 84 |
| 157 | Papillary carcinoma of the thyroid $\leq 1.0\text{ cm}$. Cancer, 2005, 105, 217-219. | 2.0 | 22 |
| 158 | Results of multiple-slide, blinded review of Papanicolaou slides in the context of litigation. Cancer, 2005, 105, 263-269. | 2.0 | 10 |
| 159 | Comparison of ureteral washing and biopsy specimens in the community setting. Cancer, 2005, 108, 45-48. | 2.0 | 40 |
| 160 | Correlation of Workload With Disagreement and Amendment Rates in Surgical Pathology and Nongynecologic Cytology. American Journal of Clinical Pathology, 2005, 125, 820-822. | 0.4 | 3 |
| 161 | Distinguishing Carcinoid Tumor From Small Cell Carcinoma of the Lung: Correlating Cytologic Features and Performance in the College of American Pathologists Non-Gynecologic Cytology Program. Archives of Pathology and Laboratory Medicine, 2005, 129, 614-618. | 1.2 | 44 |
| 162 | Distinguishing Small Cell Carcinoma From Non-Small Cell Carcinoma of the Lung: Correlating Cytologic Features and Performance in the College of American Pathologists Non-Gynecologic Cytology Program. Archives of Pathology and Laboratory Medicine, 2005, 129, 619-623. | 1.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Cytologic Features of Squamous Cell Carcinoma in Conventional Smears: Comparison of Cases That Performed Poorly With Those That Performed Well in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2005, 129, 1097-1099. | 1.2 | 6 |
| 164 | Cytologic Features of Low-Grade Squamous Intraepithelial Lesion in ThinPrep Papanicolaou Test Slides and Conventional Smears: Comparison of Cases That Performed Poorly With Those That Performed Well in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2005, 129, 23-25. | 1.2 | 12 |
| 165 | Measuring the Significance of Field Validation in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology: How Good Are the Experts?. Archives of Pathology and Laboratory Medicine, 2005, 129, 609-613. | 1.2 | 22 |
| 166 | Cytologic Features of High-Grade Squamous Intraepithelial Lesion in Conventional Slides: What Is the Difference Between Cases That Perform Well and Those That Perform Poorly?. Archives of Pathology and Laboratory Medicine, 2005, 129, 733-735. | 1.2 | 14 |
| 167 | Measuring the Significance of Participant Evaluation of Acceptability of Cases in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2005, 129, 1093-1096. | 1.2 | 4 |
| 168 | Fine-Needle Aspirates of Adenocarcinoma/Metastatic Carcinoma That Resemble Hepatocellular Carcinoma: Correlating Cytologic Features and Performance in the College of American Pathologists Nongynecologic Cytology Program. Archives of Pathology and Laboratory Medicine, 2005, 129, 1217-1221. | 1.2 | 7 |
| 169 | Comparison of disagreement and error rates for three types of interdepartmental consultations. American Journal of Clinical Pathology, 2005, 124, 878-82. | 0.4 | 1 |
| 170 | 6-Month Androgen Suppression Plus Radiation Therapy vs Radiation Therapy Alone for Patients With Clinically Localized Prostate Cancer. JAMA - Journal of the American Medical Association, 2004, 292, 821. | 3.8 | 713 |
| 171 | Blinded review of Papanicolaou smears in the context of litigation. Cancer, 2004, 102, 136-141. | 2.0 | 14 |
| 172 | Quality assessment in the age of machine-aided cervical cytology screening. Cancer, 2004, 102, 345-347. | 2.0 | 5 |
| 173 | Papillomas and atypical papillomas in breast core needle biopsy specimens: risk of carcinoma in subsequent excision. American Journal of Clinical Pathology, 2004, 122, 217-21. | 0.4 | 47 |
| 174 | Cytologic Features of Squamous Cell Carcinoma in ThinPrep Slides: Evaluation of Cases That Performed Poorly Versus Those That Performed Well in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2004, 128, 403-405. | 1.2 | 11 |
| 175 | Cytologic Features of High-Grade Squamous Intraepithelial Lesion in ThinPrep Papanicolaou Test Slides: Comparison of Cases That Performed Poorly With Those That Performed Well in the College of American Pathologists Interlaboratory Comparison Program in Cervicovaginal Cytology. Archives of Pathology and Laboratory Medicine, 2004, 128, 746-748. | 1.2 | 17 |
| 176 | Minimal (≤0.1 cm) Invasive Carcinoma in Breast Core Needle Biopsies. Archives of Pathology and Laboratory Medicine, 2004, 128, 996-999. | 1.2 | 7 |
| 177 | Concentrated smear technique for examining sentinel lymph nodes of the breast at the time of frozen section. American Journal of Clinical Pathology, 2004, 122, 944-6. | 0.4 | 3 |
| 178 | Rescreening in cervical cytology for quality control. Clinics in Laboratory Medicine, 2003, 23, 695-708. | 0.7 | 31 |
| 179 | Agreement and Error Rates Using Blinded Review to Evaluate Surgical Pathology of Biopsy Material. American Journal of Clinical Pathology, 2003, 119, 797-800. | 0.4 | 56 |
| 180 | Many Cases Need to Be Reviewed to Compare Performance in Surgical Pathology?. American Journal of Clinical Pathology, 2003, 119, 388-391. | 0.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Agreement and Error Rates Using Blinded Review to Evaluate Surgical Pathology of Biopsy Material. American Journal of Clinical Pathology, 2003, 119, 797-800. | 0.4 | 16 |
| 182 | Accurate Gleason Grading of Prostatic Adenocarcinoma in Prostate Needle Biopsies by General Pathologists. Archives of Pathology and Laboratory Medicine, 2003, 127, 1007-1008. | 1.2 | 29 |
| 183 | Many Cases Need to Be Reviewed to Compare Performance in Surgical Pathology?. American Journal of Clinical Pathology, 2003, 119, 0-0. | 0.4 | 0 |
| 184 | Evidence-Based Criteria for Adequacy in Thyroid Fine-Needle Aspiration. American Journal of Clinical Pathology, 2002, 118, 518-521. | 0.4 | 45 |
| 185 | Why There Is the Tendency to "Overdiagnose" the Follicular Variant of Papillary Thyroid Carcinoma. American Journal of Clinical Pathology, 2002, 117, 19-21. | 0.4 | 130 |
| 186 | Focal Features of Papillary Carcinoma of the Thyroid in Fine-Needle Aspiration Material Are Strongly Associated With Papillary Carcinoma at Resection. American Journal of Clinical Pathology, 2002, 118, 208-210. | 0.4 | 65 |
| 187 | Lobular Neoplasia in Breast Core Needle Biopsy Specimens Is Not Associated With an Increased Risk of Ductal Carcinoma In Situ or Invasive Carcinoma. American Journal of Clinical Pathology, 2002, 117, 797-799. | 0.4 | 78 |
| 188 | Can Mucinous Lesions of the Breast Be Reliably Diagnosed by Core Needle Biopsy?. American Journal of Clinical Pathology, 2002, 118, 82-84. | 0.4 | 53 |
| 189 | Quantifying the Value of In-house Consultation in Surgical Pathology. American Journal of Clinical Pathology, 2002, 117, 751-754. | 0.4 | 68 |
| 190 | Reducing or eliminating use of the category of atypical squamous cells of undetermined significance decreases the diagnostic accuracy of the Papanicolaou smear. Cancer, 2002, 96, 128-134. | 2.0 | 47 |
| 191 | "Histiocytoid" cells in fine-needle aspirations of papillary carcinoma of the thyroid. Cancer, 2002, 96, 240-243. | 2.0 | 63 |
| 192 | Measuring sensitivity in gynecologic cytology: A review. Cancer, 2002, 96, 210-217. | 2.0 | 60 |
| 193 | H ¹ /4rthle cell carcinoma is a better gold standard than H ¹ /4rthle cell neoplasm for fine-needle aspiration of the thyroid. Cancer, 2002, 96, 261-266. | 2.0 | 87 |
| 194 | How closely do thyroid fine-needle aspirates need to be screened?. Diagnostic Cytopathology, 2002, 27, 259-260. | 0.5 | 14 |
| 195 | Predicting Invasion in the Excision Specimen From Breast Core Needle Biopsy Specimens With Only Ductal Carcinoma In Situ. Archives of Pathology and Laboratory Medicine, 2002, 126, 39-41. | 1.2 | 68 |
| 196 | Blinded Review as a Method for Quality Improvement in Surgical Pathology. Archives of Pathology and Laboratory Medicine, 2002, 126, 961-963. | 1.2 | 35 |
| 197 | An accurate and precise methodology for routine determination of the false-negative rate of Papanicolaou smear screening. Cancer, 2001, 93, 86-92. | 2.0 | 13 |
| 198 | The human false-negative rate of rescreening Pap tests. Cancer, 2001, 93, 106-110. | 2.0 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Estimating the percentage of Papanicolaou smears that can be reproducibly identified. <i>Cancer</i> , 2001, 93, 241-245. | 2.0 | 8 |
| 200 | Atypical Ductal Hyperplasia in Breast Core Needle Biopsies. <i>American Journal of Clinical Pathology</i> , 2001, 116, 92-96. | 0.4 | 74 |
| 201 | Accuracy of Thyroid Fine-Needle Aspiration Using Receiver Operator Characteristic Curves. <i>American Journal of Clinical Pathology</i> , 2001, 116, 477-482. | 0.4 | 90 |
| 202 | Transition from In Situ to Invasive Testicular Germ Cell Neoplasia is Associated with the Loss of p21 and Gain of mdm-2 Expression. <i>Modern Pathology</i> , 2001, 14, 437-442. | 2.9 | 57 |
| 203 | Adequate Histologic Sampling of Breast Core Needle Biopsies. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 1055-1057. | 1.2 | 32 |
| 204 | Intratesticular leiomyosarcoma in a young man after high dose doping with oral-turinabol. , 2000, 88, 2195-2196. | | 2 |
| 205 | Reply to Dr. Gilcrease. , 2000, 22, 61-61. | | 2 |
| 206 | Compassionate conservatism in urinary cytology. , 2000, 22, 137-138. | | 15 |
| 207 | Subclassifying atypical urinary cytology specimens. <i>Cancer</i> , 2000, 90, 222-229. | 2.0 | 87 |
| 208 | Pathologic findings and prostate specific antigen outcome after radical prostatectomy for patients diagnosed on the basis of a single microscopic focus of prostate carcinoma with a Gleason score ? 7. <i>Cancer</i> , 2000, 89, 1810-1817. | 2.0 | 43 |
| 209 | Metastatic, sarcomatoid, and PSA- and PAP-negative prostatic carcinoma: Diagnosis by fine-needle aspiration. <i>Diagnostic Cytopathology</i> , 2000, 23, 199-201. | 0.5 | 16 |
| 210 | Experts in wonderland: In search of the right test and the scientific method. <i>Diagnostic Cytopathology</i> , 2000, 23, 297-298. | 0.5 | 15 |
| 211 | Utilizing Predictions of Early Prostate-Specific Antigen Failure to Optimize Patient Selection for Adjuvant Systemic Therapy Trials. <i>Journal of Clinical Oncology</i> , 2000, 18, 3240-3246. | 0.8 | 44 |
| 212 | Evaluation of Cyclin Expression in Testicular Germ Cell Tumors: Cyclin E Correlates with Tumor Type, Advanced Clinical Stage, and Pulmonary Metastasis. <i>Modern Pathology</i> , 2000, 13, 667-672. | 2.9 | 25 |
| 213 | Subclassifying atypical urinary cytology specimens. , 2000, 90, 222. | | 2 |
| 214 | Squamous cell carcinoma of the penis and microscopic pathologic margins. , 1999, 85, 1565-1568. | | 73 |
| 215 | A practical problem with calculating the false-negative rate of Papanicolaou smear interpretation by rescreening negative cases alone. , 1999, 87, 351-353. | | 24 |
| 216 | Expectant management of stage A-1 (T1a) prostate cancer utilizing serum PSA levels: A preliminary report. , 1999, 70, 49-53. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Performance Characteristics of Rapid (30-Second) Prescreening: Implications for Calculating the False-Negative Rate and Comparison With Other Quality Assurance Techniques. <i>American Journal of Clinical Pathology</i> , 1999, 111, 517-522. | 0.4 | 31 |
| 218 | Squamous cell carcinoma of the penis and microscopic pathologic margins. , 1999, 85, 1565. | | 5 |
| 219 | Assessment of outcome prediction models for patients with localized prostate carcinoma managed with radical prostatectomy or external beam radiation therapy. , 1998, 82, 1887-1896. | | 50 |
| 220 | Effusion cytology of renal cell carcinoma. , 1998, 84, 148-152. | | 17 |
| 221 | Analyzing outcome-based staging for clinically localized adenocarcinoma of the prostate. <i>Cancer</i> , 1998, 83, 2172-2180. | 2.0 | 13 |
| 222 | Heparin-binding EGF-like growth factor in the human prostate: Synthesis predominantly by interstitial and vascular smooth muscle cells and action as a carcinoma cell mitogen. , 1998, 68, 328-338. | | 38 |
| 223 | PROGNOSTIC FEATURES OF TERATOMAS WITH MALIGNANT TRANSFORMATION: A CLINICOPATHOLOGICAL STUDY OF 21 CASES. <i>Journal of Urology</i> , 1998, 159, 859-863. | 0.2 | 153 |
| 224 | Assessment of outcome prediction models for patients with localized prostate carcinoma managed with radical prostatectomy or external beam radiation therapy. , 1998, 82, 1887. | | 2 |
| 225 | Accuracy of Fine Needle Aspiration in Distinguishing Subtypes of Renal Cell Carcinoma. <i>Acta Cytologica</i> , 1997, 41, 987-994. | 0.7 | 99 |
| 226 | Fine-needle aspiration of chromophobe renal cell carcinoma. , 1997, 81, 122-128. | | 40 |
| 227 | Use of statistical analysis of cytologic interpretation to determine the causes of interobserver disagreement and in quality improvement. <i>Cancer</i> , 1997, 81, 212-219. | 2.0 | 21 |
| 228 | Analysis of error in calculating the false-negative rate in the interpretation of cervicovaginal smears. , 1997, 81, 264-271. | | 38 |
| 229 | A more accurate measure of the false-negative rate of papanicolaou smear screening is obtained by determining the false-negative rate of the rescreening process. <i>Cancer</i> , 1997, 81, 272-276. | 2.0 | 28 |
| 230 | Effusion cytology of esophageal carcinoma. , 1997, 81, 365-372. | | 12 |
| 231 | Predominance of Neutrophils in the Cerebrospinal Fluid of AIDS Patients With Cytomegalovirus Radiculopathy. <i>American Journal of Clinical Pathology</i> , 1996, 105, 364-366. | 0.4 | 21 |
| 232 | Aggressive variants of chromophobe renal cell carcinoma. , 1996, 78, 1756-1761. | | 100 |