

Gloria H Y Wong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3033017/publications.pdf>

Version: 2024-02-01

103
papers

2,118
citations

218677

26
h-index

276875

41
g-index

111
all docs

111
docs citations

111
times ranked

2656
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived Life Expectancy Predicts Time Investment in Productive Aging Activities: An Ecological Momentary Assessment Study. <i>Research on Aging</i> , 2022, 44, 73-82.	1.8	2
2	Prescription Patterns of Antidementia and Psychotropic Drugs in People Living With Dementia: Findings From the Clinical Pathway Study of Alzheimer's Disease in China. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1073-1079.e3.	2.5	3
3	What are the current and projected future cost and health-related quality of life implications of scaling up cognitive stimulation therapy?. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	7
4	Associations between depressive symptom clusters and care utilization and costs among community-dwelling older adults. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	1
5	The Moderating Role of Community Capacity for Age-friendly Communication in Mitigating Anxiety of Older Adults During the COVID-19 Infodemic: Cross-sectional Survey. <i>JMIR Infodemiology</i> , 2022, 2, e33029.	2.4	5
6	Delivering Cognitive Stimulation Therapy (CST) Virtually: Developing and Field-Testing a New Framework. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 97-116.	2.9	12
7	Mortality-causing mechanisms and healthcare resource utilisation of treatment-resistant depression: A six-year population-based cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 22, 100426.	2.9	5
8	Depression risk among community-dwelling older people is associated with perceived COVID-19 infection risk: effects of news report latency and focusing on number of infected cases. <i>Aging and Mental Health</i> , 2022, , 1-8.	2.8	1
9	Depression duration and risk of incident cardiovascular disease: A population-based six-year cohort study. <i>Journal of Affective Disorders</i> , 2022, 305, 188-195.	4.1	11
10	Depressive Symptoms and Coping Strategies in Community-Dwelling Older People Amidst the COVID-19 Pandemic: A Mixed-Method Study. <i>Journal of Gerontological Social Work</i> , 2022, , 1-17.	1.0	0
11	Collaborative community mental health and aged care services with peer support to prevent late-life depression: study protocol for a non-randomised controlled trial. <i>Trials</i> , 2022, 23, 280.	1.6	8
12	Digital interventions for people with dementia and carers: effective, cost-effective and equitable?. <i>Neurodegenerative Disease Management</i> , 2022, 12, 215-219.	2.2	7
13	Consuming Information Related to COVID-19 on Social Media Among Older Adults and Its Association With Anxiety, Social Trust in Information, and COVID-Safe Behaviors: Cross-sectional Telephone Survey. <i>Journal of Medical Internet Research</i> , 2021, 23, e26570.	4.3	64
14	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021, 228, 288-294.	2.0	4
15	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021, 229, 46-52.	2.0	13
16	Perceived Help-Seeking Difficulty, Barriers, Delay, and Burden in Carers of People with Suspected Dementia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2956.	2.6	7
17	Systematic review of the current psychosocial interventions for people with moderate to severe dementia. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1313-1329.	2.7	10
18	Prevalence of depression, anxiety, and apathy symptoms across dementia stages: A systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1330-1344.	2.7	89

#	ARTICLE	IF	CITATIONS
19	Small-World Networks and Their Relationship With Hippocampal Glutamine/Glutamate Concentration in Healthy Adults With Varying Genetic Risk for Alzheimer's Disease. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 952-961.	3.4	4
20	New horizons in understanding the experience of Chinese people living with dementia: a positive psychology approach. <i>Age and Ageing</i> , 2021, 50, 1493-1498.	1.6	6
21	LevelMind @ JC hubs—a novel community-based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. <i>Microbial Biotechnology</i> , 2021, , .	1.7	0
22	Asymmetric left-right hippocampal glutamatergic modulation of cognitive control in ApoEε4 isoform subjects is unrelated to neuroinflammation. <i>European Journal of Neuroscience</i> , 2021, 54, 5310-5326.	2.6	1
23	Changes in Default Mode Network Connectivity in Resting-State fMRI in People with Mild Dementia Receiving Cognitive Stimulation Therapy. <i>Brain Sciences</i> , 2021, 11, 1137.	2.3	12
24	Exploring dementia family carers' self-initiated strategies in managing behavioural and psychological symptoms in dementia: a qualitative study. <i>BMJ Open</i> , 2021, 11, e048761.	1.9	5
25	The relationship between insomnia symptoms and frailty in community-dwelling older persons: a path analysis. <i>Sleep Medicine</i> , 2021, 84, 237-243.	1.6	11
26	Effectiveness of interventions for people living with dementia and their carers in Chinese communities: protocol for a systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2021, 11, e047560.	1.9	0
27	Linking the Scores of the Montreal Cognitive Assessment 5-min and the interRAI Cognitive Performance Scale in Older Adults With Mild Physical or Cognitive Impairment. <i>Frontiers in Psychiatry</i> , 2021, 12, 705188.	2.6	3
28	Health and social care service utilisation and associated expenditure among community-dwelling older adults with depressive symptoms. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e10.	3.9	8
29	Degree of personalisation in tailored activities and its effect on behavioural and psychological symptoms and quality of life among people with dementia: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e048917.	1.9	3
30	Does lifestyle matter? Individual lifestyle factors and their additive effects associated with cognitive function in older men and women. <i>Aging and Mental Health</i> , 2020, 24, 405-412.	2.8	22
31	Applying Item Response Theory Analysis to the Montreal Cognitive Assessment in a Low-Education Older Population. <i>Assessment</i> , 2020, 27, 1416-1428.	3.1	14
32	Cognitive changes associated with mentally active lifestyle and structured cognitive programs: a 2-year longitudinal study. <i>Aging and Mental Health</i> , 2020, 24, 1781-1788.	2.8	1
33	Economics and mental health: the current scenario. <i>World Psychiatry</i> , 2020, 19, 3-14.	10.4	194
34	Can mindfulness-based interventions benefit people with dementia? Drawing on the evidence from a systematic review in populations with cognitive impairments. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 1143-1156.	2.8	11
35	Access and Unmet Needs of Orphan Drugs in 194 Countries and 6 Areas: A Global Policy Review With Content Analysis. <i>Value in Health</i> , 2020, 23, 1580-1591.	0.3	41
36	Commentary on Lower Small-Worldness of Intrinsic Brain Networks Facilitates the Cognitive Protection of Intellectual Engagement in Elderly People Without Dementia: A Near-Infrared Spectroscopy Study. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 732-734.	1.2	0

#	ARTICLE	IF	CITATIONS
37	Adapting the UCLA 3-item loneliness scale for community-based depressive symptoms screening interview among older Chinese: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e041921.	1.9	50
38	€Mental health care for people living with dementia: A lesson on digital equality from COVID-19. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12100.	2.4	8
39	COVID-19 and Long-Term Care Policy for Older People in Hong Kong. <i>Journal of Aging and Social Policy</i> , 2020, 32, 373-379.	1.6	36
40	Risk of self-harm after diagnosis of psychiatric disorders €€ Authors' reply. <i>Lancet Psychiatry</i> , the, 2020, 7, 305.	7.4	2
41	Should we move dementia research funding from a cure to its care?. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 303-305.	2.8	10
42	Social anxiety within a network of mild delusional ideations, negative symptoms and insight in outpatients with early psychosis: A psychopathological path analysis. <i>Anxiety, Stress and Coping</i> , 2020, 33, 342-354.	2.9	3
43	Risk of self-harm after the diagnosis of psychiatric disorders in Hong Kong, 2000€€10: a nested case-control study. <i>Lancet Psychiatry</i> , the, 2020, 7, 135-147.	7.4	40
44	Predicting dementia diagnosis from cognitive footprints in electronic health records: a case€€control study protocol. <i>BMJ Open</i> , 2020, 10, e043487.	1.9	3
45	Orphan drugs€€ access and unmet needs in 194 countries and six regions: a comprehensive policy review with content analysis. <i>Lancet</i> , The, 2019, 394, S72.	13.7	4
46	Bone mineral density from early to middle adulthood in persons with Down syndrome. <i>Journal of Intellectual Disability Research</i> , 2019, 63, 936-946.	2.0	11
47	EFFECTIVENESS OF A COLLABORATIVE STEPPED-CARE MODEL FOR OLDER ADULTS WITH DEPRESSION. <i>Innovation in Aging</i> , 2019, 3, S512-S513.	0.1	0
48	SURVIVAL OF PEOPLE WITH CLINICAL DIAGNOSIS OF DEMENTIA IN HONG KONG: A POPULATION-BASED STUDY. <i>Innovation in Aging</i> , 2019, 3, S586-S587.	0.1	1
49	ENGAGEMENT MATTERS TO OPTIMIZE COGNITIVE BENEFITS OF COGNITIVELY IMPAIRED PEOPLE IN COGNITIVE STIMULATION THERAPY. <i>Innovation in Aging</i> , 2019, 3, S114-S114.	0.1	0
50	DIRECTIONALITY BETWEEN COGNITION AND DEPRESSIVE SYMPTOMS: A LONGITUDINAL CROSS-LAGGED PANEL ANALYSIS. <i>Innovation in Aging</i> , 2019, 3, S166-S166.	0.1	0
51	COST-EFFECTIVENESS ANALYSIS OF THE COLLABORATIVE STEPPED CARE INTERVENTION FOR LATE-LIFE DEPRESSION. <i>Innovation in Aging</i> , 2019, 3, S876-S877.	0.1	0
52	DUAL IMPACTS ON MEANING IN LIFE IN OLDER PERSONS VOLUNTEERING FOR ELDERLY MENTAL HEALTH PROGRAM. <i>Innovation in Aging</i> , 2019, 3, S979-S980.	0.1	0
53	Everyday cognitive functioning and global cognitive performance are differentially associated with physical frailty and chronological age in older Chinese men and women. <i>Aging and Mental Health</i> , 2018, 22, 942-947.	2.8	17
54	Cultural adaptation of cognitive stimulation therapy (CST) for Chinese people with dementia: multicentre pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 841-848.	2.7	23

#	ARTICLE	IF	CITATIONS
55	Spontaneously Reported Symptoms by Informants Are Associated with Clinical Severity in Dementia Help-seekers. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1946-1952.	2.6	4
56	Neuropsychological Profile and Dementia Symptom Recognition in Help-seekers in a Community Early-detection Program in Hong Kong. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 584-589.	2.6	11
57	Increased distractibility to own name in psychotic patients with ideas and delusions of reference. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 107-115.	1.3	0
58	Measuring Filial Piety in the 21st Century. <i>Journal of Applied Gerontology</i> , 2016, 35, 1235-1247.	2.0	69
59	Validating a Cantonese short version of the Zarit Burden Interview (CZBI-Short) for dementia caregivers. <i>Aging and Mental Health</i> , 2016, 20, 996-1001.	2.8	28
60	Health Expectancies in Adults Aged 50 Years or Older in China. <i>Journal of Aging and Health</i> , 2016, 28, 758-774.	1.7	17
61	Neighborhood Support and Aging-in-Place Preference Among Low-Income Elderly Chinese City-Dwellers. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2016, 71, 98-105.	3.9	50
62	Neighborhood support network, perceived proximity to community facilities and depressive symptoms among low socioeconomic status Chinese elders. <i>Aging and Mental Health</i> , 2016, 20, 423-431.	2.8	61
63	Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 57-63.	1.8	25
64	The Effect of Depressive Symptoms and Antidepressant Use on Subsequent Physical Decline and Number of Hospitalizations in Nursing Home Residents: A 9-Year Longitudinal Study. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1048-1054.	2.5	16
65	Predicting Adverse Health Outcomes in Nursing Homes: A 9-Year Longitudinal Study and Development of the FRAIL-Minimum Data Set (MDS) Quick Screening Tool. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1042-1047.	2.5	60
66	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong Chinese: the JCEP study. <i>Microbial Biotechnology</i> , 2015, 9, 118-125.	1.7	31
67	Development of Six Arts, a Culturally Appropriate Multimodal Nonpharmacological Intervention in Dementia. <i>Gerontologist</i> , The, 2015, 55, 865-874.	3.9	15
68	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	1.7	38
69	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	3.3	12
70	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. <i>Schizophrenia Research</i> , 2014, 153, 1-8.	2.0	53
71	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014, 152, 146-151.	2.0	16
72	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1819-1828.	3.1	13

#	ARTICLE	IF	CITATIONS
73	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1687-1695.	3.1	4
74	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 107-115.	2.0	28
75	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 297-302.	2.0	24
76	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013, 209, 353-360.	3.3	54
77	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 746-753.	2.3	35
78	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1883-1893.	4.5	56
79	Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1046-e1053.	2.2	27
80	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 100-108.	2.3	84
81	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012, 198, 360-365.	3.3	50
82	Poster #192 RELATIONSHIP OF PREMORBD FUNCTIONING WITH NEGATIVE SYMPTOMS AND COGNITION IN FIRST-EPIODE SCHIZOPHRENIA: A THREE-YEAR PROSPECTIVE FOLLOW-UP STUDY. <i>Schizophrenia Research</i> , 2012, 136, S160.	2.0	0
83	Poster #197 SELF RELEVANCE OF PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S161-S162.	2.0	0
84	Poster #157 SPURIOUS SIGNAL DETECTION AND DELUSIONS OF REFERENCE IN FIRST-EPIODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012, 136, S337.	2.0	0
85	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012, 5, 68-72.	2.0	12
86	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. <i>Schizophrenia Research</i> , 2012, 135, 158-163.	2.0	27
87	Clinical and cognitive correlates of insight in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 40-45.	2.0	26
88	Executive function in first-episode schizophrenia: A three-year prospective study of the Hayling Sentence Completion Test. <i>Schizophrenia Research</i> , 2012, 135, 62-67.	2.0	20
89	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. <i>Schizophrenia Research</i> , 2012, 137, 118-123.	2.0	7
90	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 199-205.	2.3	42

#	ARTICLE	IF	CITATIONS
91	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. <i>Schizophrenia Research</i> , 2011, 126, 87-92.	2.0	30
92	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011, 133, 22-28.	2.0	109
93	Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. <i>Microbial Biotechnology</i> , 2011, 5, 324-334.	1.7	2
94	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. <i>Microbial Biotechnology</i> , 2011, 5, 315-323.	1.7	64
95	Early intervention for psychosis in Hong Kong – the EASY programme. <i>Microbial Biotechnology</i> , 2010, 4, 214-219.	1.7	62
96	Naming psychosis: the Hong Kong experience. <i>Microbial Biotechnology</i> , 2010, 4, 270-274.	1.7	21
97	RELATIONSHIP OF NEUROCOGNITIVE FUNCTION AND IMPAIRMENT OF INSIGHT IN FIRST EPISODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 209.	2.0	0
98	GAME THEORETICAL APPROACH TO THEORY OF MIND DEFICITS IN SCHIZOPHRENIC PATIENTS WITH DELUSION(S) OF REFERENCE. <i>Schizophrenia Research</i> , 2010, 117, 286.	2.0	2
99	IMPACT OF INITIAL HOSPITALIZATION ON 3-YEAR OUTCOME IN PATIENTS WITH FIRST EPISODE PSYCHOSIS IN HONG KONG. <i>Schizophrenia Research</i> , 2010, 117, 408.	2.0	0
100	DELUSIONS OF REFERENCE, EXCESSIVE TOP-DOWN PROCESSING, AND DEFAULT MODE NETWORK IN FIRST-EPISODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 491.	2.0	1
101	CLINICAL AND COGNITIVE CORRELATES OF PERCEIVED EXTENT OF RECOVERY IN CHINESE PATIENTS WITH PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 516.	2.0	0
102	Phenotyping psychosis: Room for neurocomputational and content-dependent cognitive endophenotypes?. <i>Cognitive Neuropsychiatry</i> , 2009, 14, 451-472.	1.3	6
103	Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. <i>World Psychiatry</i> , 2008, 7, 163-164.	10.4	9