Qiushui He

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3034298/publications.pdf

Version: 2024-02-01

159585 175258 3,327 127 30 52 h-index citations g-index papers 132 132 132 2477 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | <i>Interleukin 1 receptorâ€like 1</i> rs13408661/13431828 polymorphism is associated with persistent postâ€bronchiolitis asthma at school age. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 628-635. | 1.5 | 3 |
| 2 | Seroprevalence Study of Pertussis in Adults at Childbearing Age and Young Infants Reveals the Necessity of Booster Immunizations in Adults in China. Vaccines, 2022, 10, 84. | 4.4 | 4 |
| 3 | Gene polymorphisms of TLR10: effects on bacterial meningitis outcomes in Angolan children. Apmis, 2022, 130, 221-229. | 2.0 | 1 |
| 4 | Pertussis toxin neutralizing antibody response after an acellular booster vaccination in Dutch and Finnish participants of different age groups. Emerging Microbes and Infections, 2022, 11, 956-963. | 6.5 | 6 |
| 5 | Global spatial dynamics and vaccine-induced fitness changes of <i>Bordetella pertussis</i> Translational Medicine, 2022, 14, eabn3253. | 12.4 | 22 |
| 6 | Memory B Cell Activation Induced by Pertussis Booster Vaccination in Four Age Groups of Three Countries. Frontiers in Immunology, 2022, 13 , . | 4.8 | 7 |
| 7 | Seroprevalence of Pertussis in Adults at Childbearing Age Pre- and Post- COVID-19 in Beijing, China. Vaccines, 2022, 10, 872. | 4.4 | 10 |
| 8 | IL17F rs763780 single nucleotide polymorphism is associated with asthma after bronchiolitis in infancy. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 222-227. | 1.5 | 5 |
| 9 | Genetic variations in Tollâ€like receptors 4 or 7 were not linked to postâ€bronchiolitis lung function in adolescence. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 959-960. | 1.5 | О |
| 10 | Interleukin 17F polymorphisms showed no association with lung function at school age after infant bronchiolitis. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 219-221. | 1.5 | О |
| 11 | Interleukinâ€1 receptorâ€associated kinaseâ€4 gene variation may increase postâ€bronchiolitis asthma risk. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 952-958. | 1.5 | 4 |
| 12 | Interleukin 17F gene variations showed no association with BCG osteitis risk after newborn vaccination. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 618-623. | 1.5 | О |
| 13 | Serum metabolomic profiling reveals important difference between infants with and without subsequent recurrent wheezing in later childhood after RSV bronchiolitis. Apmis, 2021, 129, 128-137. | 2.0 | 7 |
| 14 | Variations of interleukinâ€1 receptorâ€associated kinaseâ€4 encoding gene were not associated with postâ€bronchiolitis lung function. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 1591-1593. | 1.5 | 0 |
| 15 | Determination of serum neutralizing antibodies reveals important difference in quality of antibodies against pertussis toxin in children after infection. Vaccine, 2021, 39, 1826-1830. | 3.8 | 6 |
| 16 | IL33 rs1342326 polymorphism, though associated with severe postâ€bronchiolitis asthma, showed no association with lung function. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 2218-2220. | 1.5 | 0 |
| 17 | Responses to an acellular pertussis booster vaccination in children, adolescents, and young and older adults: A collaborative study in Finland, the Netherlands, and the United Kingdom. EBioMedicine, 2021, 65, 103247. | 6.1 | 18 |
| 18 | Serum cytokine profile of pediatric patients with laboratory confirmed pneumococcal meningitis. Journal of Infection and Public Health, 2021, 14, 514-520. | 4.1 | 2 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Circulation of pertussis and poor protection against diphtheria among middle-aged adults in 18 European countries. Nature Communications, 2021, 12, 2871. | 12.8 | 29 |
| 20 | Widespread circulation of pertussis in Finland during 1968–1972 when the whole cell vaccine was in use. Clinical Microbiology and Infection, 2021, 27, 1526-1528. | 6.0 | 2 |
| 21 | Alteration in Oral Microbiome Among Men Who Have Sex With Men With Acute and Chronic HIV Infection on Antiretroviral Therapy. Frontiers in Cellular and Infection Microbiology, 2021, 11, 695515. | 3.9 | 9 |
| 22 | Evaluation of Anti-PT Antibody Response after Pertussis Vaccination and Infection: The Importance of Both Quantity and Quality. Toxins, 2021, 13, 508. | 3.4 | 9 |
| 23 | Pertussis seroprevalence among adults of reproductive age (20–39 years) in fourteen European countries. Apmis, 2021, 129, 556-565. | 2.0 | 7 |
| 24 | Genetic variations of toll-like receptors: Impact on susceptibility, severity and prognosis of bacterial meningitis. Infection, Genetics and Evolution, 2021, 93, 104984. | 2.3 | 3 |
| 25 | Risk factors for irreversible airway obstruction after infant bronchiolitis. Respiratory Medicine, 2021, 187, 106545. | 2.9 | 2 |
| 26 | Simultaneous Determination of Antibodies to Pertussis Toxin and Adenylate Cyclase Toxin Improves Serological Diagnosis of Pertussis. Diagnostics, 2021, 11, 180. | 2.6 | 2 |
| 27 | Tollâ€like receptor 10 rs10004195 variation may be protective against Bacillus Calmetteâ€GuérinÂosteitis after newborn vaccination. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 1585-1590. | 1.5 | 1 |
| 28 | Dysbiosis of Gut Microbiota Promotes Hepatocellular Carcinoma Progression by Regulating the Immune Response. Journal of Immunology Research, 2021, 2021, 1-13. | 2.2 | 12 |
| 29 | <i>Tollâ€like receptor 4</i> polymorphisms were associated with low serum proâ€inflammatory cytokines in BCG osteitis survivors. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1417-1422. | 1.5 | 8 |
| 30 | Airway microbiome, host immune response and recurrent wheezing in infants with severe respiratory syncytial virus bronchiolitis. Pediatric Allergy and Immunology, 2020, 31, 281-289. | 2.6 | 35 |
| 31 | Tollâ€like receptor 10rs4129009 gene polymorphism is associated with postâ€bronchiolitis lung function in adolescence. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1634-1641. | 1.5 | 4 |
| 32 | Gene Polymorphisms of TLR4 and TLR9 and Haemophilus influenzae Meningitis in Angolan Children. Genes, 2020, 11, 1099. | 2.4 | 4 |
| 33 | TLR4 Polymorphism, Nasopharyngeal Bacterial Colonization, and the Development of Childhood Asthma: A Prospective Birth-Cohort Study in Finnish Children. Genes, 2020, 11, 768. | 2.4 | 10 |
| 34 | Low Mannose Binding Lectin, but Not L-Ficolin, Is Associated With Spontaneous Clearance of Hepatitis C Virus After Infection. Frontiers in Immunology, 2020, 11, 587669. | 4.8 | 2 |
| 35 | Differences in epitopeâ€specific antibodies to pertussis toxin after infection and acellular vaccinations. Clinical and Translational Immunology, 2020, 9, e1161. | 3.8 | 6 |
| 36 | Longitudinal Changes in Early Nasal Microbiota and the Risk of Childhood Asthma. Pediatrics, 2020, 146, . | 2.1 | 29 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of TLR7 Polymorphisms on the Susceptibility and Progression of HIV-1 Infection in Chinese MSM Population. Frontiers in Immunology, 2020, 11, 589010. | 4.8 | 8 |
| 38 | Interleukinâ€17 Receptor A gene polymorphism does not increase the risk of Bacillus Calmetteâ€Guérin osteitis. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 1889-1890. | 1.5 | 3 |
| 39 | Reply: Genetic findings depend on the context of the study. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2118-2118. | 1.5 | O |
| 40 | Association of tollâ€like receptor 10 polymorphisms with pediatric pneumococcal meningitis. Apmis, 2020, 128, 335-342. | 2.0 | 6 |
| 41 | IL33 rs1342326 gene variation is associated with allergic rhinitis at school age after infant bronchiolitis. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2112-2116. | 1.5 | 8 |
| 42 | Multiplex Point-of-Care Tests for the Determination of Antibodies after Acellular Pertussis Vaccination. Diagnostics, 2020, 10, 187. | 2.6 | 2 |
| 43 | Interleukin 17A gene variations and lung function at school age after bronchiolitis in infancy. Acta Paediatrica, International Journal of Paediatrics, 2020, , . | 1.5 | 0 |
| 44 | Molecular Epidemiology of Bordetella pertussis. Advances in Experimental Medicine and Biology, 2019, 1183, 19-33. | 1.6 | 21 |
| 45 | Pertussis Prevention: Reasons for Resurgence, and Differences in the Current Acellular Pertussis Vaccines. Frontiers in Immunology, 2019, 10, 1344. | 4.8 | 105 |
| 46 | Increased susceptibility to pertussis in adults at childbearing age as determined by comparative seroprevalence study, China 2010–2016. Journal of Infection, 2019, 79, 1-6. | 3.3 | 10 |
| 47 | Antibiotic-Induced Disruption of Gut Microbiota Alters Local Metabolomes and Immune Responses. Frontiers in Cellular and Infection Microbiology, 2019, 9, 99. | 3.9 | 109 |
| 48 | Interleukinâ€10 gene polymorphism rs1800896 is associated with postâ€bronchiolitis asthma at 11–13Âyears of age. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 2064-2069. | 1.5 | 7 |
| 49 | Pertactin-deficient Bordetella pertussis isolates: evidence of increased circulation in Europe, 1998 to 2015. Eurosurveillance, 2019, 24, . | 7.0 | 59 |
| 50 | High prevalence of currently circulating Bordetella pertussis isolates not producing vaccine antigen pertactin in Slovenia. Clinical Microbiology and Infection, 2019, 25, 258-260. | 6.0 | 4 |
| 51 | PERISCOPE: road towards effective control of pertussis. Lancet Infectious Diseases, The, 2019, 19, e179-e186. | 9.1 | 67 |
| 52 | Improvement in serological diagnosis of pertussis by external quality assessment. Journal of Medical Microbiology, 2019, 68, 741-747. | 1.8 | 9 |
| 53 | Surveillance of Circulating Bordetella pertussis Strains in Europe during 1998 to 2015. Journal of Clinical Microbiology, 2018, 56, . | 3.9 | 26 |
| 54 | Antimicrobial susceptibility testing of Finnish Bordetella pertussis isolates collected during 2006–2017. Journal of Global Antimicrobial Resistance, 2018, 14, 12-16. | 2,2 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | <i><scp>IL</scp>17A</i> gene polymorphisms rs4711998 and rs8193036 are not associated with postbronchiolitis asthma in Finnish children. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1290-1291. | 1.5 | 4 |
| 56 | A rapid lateral flow immunoassay for serological diagnosis of pertussis. Vaccine, 2018, 36, 1429-1434. | 3.8 | 17 |
| 57 | IL-17A gene polymorphism rs2275913 is associated with the development of asthma after bronchiolitis in infancy. Allergology International, 2018, 67, 109-113. | 3.3 | 28 |
| 58 | <i>Tollâ€like receptor 1</i> and <i>10</i> gene polymorphisms are linked toÂpostbronchiolitis asthma in adolescence. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 134-139. | 1.5 | 14 |
| 59 | Pertussis Outbreak in a Primary School in China. Pediatric Infectious Disease Journal, 2018, 37, e145-e148. | 2.0 | 26 |
| 60 | <i>TLR5</i> rs5744174 gene polymorphism is associated with the virus etiology of infant bronchiolitis but not with postâ€bronchiolitis asthma. Health Science Reports, 2018, 1, e38. | 1.5 | 5 |
| 61 | Severity of enterovirus A71 infection in a human SCARB2 knock-in mouse model is dependent on infectious strain and route. Emerging Microbes and Infections, 2018, 7, 1-13. | 6.5 | 21 |
| 62 | <i>Tollâ€like receptor 1, 2</i> and <i>6</i> polymorphisms: no association with 11 serum cytokine concentrations. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 2217-2218. | 1.5 | 2 |
| 63 | Polymorphisms of toll-like receptors 2 and 9 and severity and prognosis of bacterial meningitis in Chinese children. Scientific Reports, 2017, 7, 42796. | 3.3 | 14 |
| 64 | Rapid detection of functional gene polymorphisms of TLRs and IL-17 using high resolution melting analysis. Scientific Reports, 2017, 7, 41522. | 3.3 | 14 |
| 65 | Acquisition and Transmission of <i>Streptococcus pneumoniae</i> Are Facilitated during Rhinovirus Infection in Families with Children. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1172-1180. | 5.6 | 39 |
| 66 | Polymorphism of <scp>TLR</scp> 5 rs5744174 is associated with disease progression in Chinese patients with chronic <scp>HBV</scp> infection. Apmis, 2017, 125, 708-716. | 2.0 | 6 |
| 67 | Immune persistence after pertussis vaccination. Human Vaccines and Immunotherapeutics, 2017, 13, 744-756. | 3.3 | 52 |
| 68 | Toll like receptor7 polymorphisms in relation to disease susceptibility and progression in Chinese patients with chronic HBV infection. Scientific Reports, 2017, 7, 12417. | 3.3 | 21 |
| 69 | <i>Interleukin 17A</i> gene polymorphism rs2275913 is associated with osteitis after the Bacillus Calmetteâ€Guérin vaccination. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1837-1841. | 1.5 | 9 |
| 70 | Haplotype of the Interleukin 17A gene is associated with osteitis after Bacillus Calmette-Guerin vaccination. Scientific Reports, 2017, 7, 11691. | 3.3 | 11 |
| 71 | Polymorphism in the gene encoding toll-like receptor 10 may be associated with asthma after bronchiolitis. Scientific Reports, 2017, 7, 2956. | 3.3 | 20 |
| 72 | Association of MBL2, TLR1, TLR2 and TLR6 Polymorphisms With Production of IFN- \hat{I}^3 and IL-12 in BCG Osteitis Survivors R1. Pediatric Infectious Disease Journal, 2017, 36, 135-139. | 2.0 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Gene Polymorphism of Toll-Like Receptors and Lung Function at Five to Seven Years of Age after Infant Bronchiolitis. PLoS ONE, 2016, 11, e0146526. | 2.5 | 18 |
| 74 | Evolution of Bordetella pertussis. Pediatric Infectious Disease Journal, 2016, 35, 915-917. | 2.0 | 3 |
| 75 | Can stored Mari <scp>POC</scp> test swabs be used for culture purpose?. Apmis, 2016, 124, 812-814. | 2.0 | 1 |
| 76 | Seroprevalence of pertussis among adults in China where whole cell vaccines have been used for 50 years. Journal of Infection, 2016, 73, 38-44. | 3.3 | 27 |
| 77 | Post-bronchiolitis wheezing is associated with toll-like receptor 9 rs187084 gene polymorphism. Scientific Reports, 2016, 6, 31165. | 3.3 | 16 |
| 78 | Polymorphism of IL-10 gene promoter region: association with T cell proliferative responses after acellular pertussis vaccination in adults. Immunogenetics, 2016, 68, 733-741. | 2.4 | 6 |
| 79 | Interferon-gamma-dependent Immunity in Bacillus Calmette-Guérin Vaccine Osteitis Survivors. Pediatric Infectious Disease Journal, 2016, 35, 690-694. | 2.0 | 10 |
| 80 | Pertussis specific cell-mediated immune responses ten years after acellular pertussis booster vaccination in young adults. Vaccine, 2016, 34, 341-349. | 3.8 | 11 |
| 81 | Whole-genome sequencing reveals the effect of vaccination on the evolution of Bordetella pertussis. Scientific Reports, 2015, 5, 12888. | 3.3 | 44 |
| 82 | The Gene Polymorphism of IL-17 G-152A is Associated with Increased Colonization of Streptococcus pneumoniae in Young Finnish Children. Pediatric Infectious Disease Journal, 2015, 34, 928-932. | 2.0 | 18 |
| 83 | Where macrolide resistance is prevalent. Apmis, 2015, 123, 361-363. | 2.0 | 6 |
| 84 | <i>Bordetella pertussis</i> Isolates Circulating in China Where Whole Cell Vaccines Have Been Used for 50 Years: Table 1 Clinical Infectious Diseases, 2015, 61, 1028-1029. | 5.8 | 8 |
| 85 | Seroprevalence studies of pertussis: what have we learned from different immunized populations. Pathogens and Disease, 2015, 73, ftv050. | 2.0 | 81 |
| 86 | Tollâ€like receptor 2 subfamily gene polymorphisms are associated with <i>Bacillus Calmetteâ€Guérin</i> osteitis following newborn vaccination. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 485-490. | 1.5 | 20 |
| 87 | Direct Detection of Erythromycin-Resistant Bordetella pertussis in Clinical Specimens by PCR. Journal of Clinical Microbiology, 2015, 53, 3418-3422. | 3.9 | 16 |
| 88 | Lyme Borreliosis and Deficient Mannose-Binding Lectin Pathway of Complement. Journal of Immunology, 2015, 194, 358-363. | 0.8 | 5 |
| 89 | IL-10 Gene Polymorphisms Are Associated with Post-Bronchiolitis Lung Function Abnormalities at Six Years of Age. PLoS ONE, 2015, 10, e0140799. | 2.5 | 9 |
| 90 | Lack of Association between Mannose Binding Lectin and Antibody Responses after Acellular Pertussis Vaccinations. PLoS ONE, 2014, 9, e88919. | 2.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Prevalence of asymptomatic Bordetella pertussis and Bordetella parapertussis infections among school children in China as determined by pooled real-time PCR: A cross-sectional study. Scandinavian Journal of Infectious Diseases, 2014, 46, 280-287. | 1.5 | 44 |
| 92 | Global Population Structure and Evolution of Bordetella pertussis and Their Relationship with Vaccination. MBio, 2014, 5, e01074. | 4.1 | 257 |
| 93 | The Association of Genetic Variants in Toll-like Receptor 2 Subfamily With Allergy and Asthma After Hospitalization for Bronchiolitis in Infancy. Pediatric Infectious Disease Journal, 2014, 33, 463-466. | 2.0 | 32 |
| 94 | A rapid ELISA-based method for screening Bordetella pertussis strain production of antigens included in current acellular pertussis vaccines. Journal of Immunological Methods, 2014, 408, 142-148. | 1.4 | 8 |
| 95 | Pulsed-Field Gel Electrophoresis Analysis of Bordetella pertussis Isolates Circulating in Europe from 1998 to 2009. Journal of Clinical Microbiology, 2013, 51, 422-428. | 3.9 | 37 |
| 96 | Effects of Rhinovirus Infection on Nasopharyngeal Bacterial Colonization in Infants With Wild or Variant Types of Mannose-Binding Lectin and Toll-Like Receptors 3 and 4. Journal of the Pediatric Infectious Diseases Society, 2013, 2, 240-247. | 1.3 | 6 |
| 97 | VariantMBL2genotypes producing low mannose-binding lectin may increase risk of Bacillus Calmette-Guerin osteitis in vaccinated newborns. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, n/a-n/a. | 1.5 | 5 |
| 98 | Appearance of Bordetella pertussis Strains Not Expressing the Vaccine Antigen Pertactin in Finland. Vaccine Journal, 2012, 19, 1703-1704. | 3.1 | 78 |
| 99 | Gene Polymorphism in Toll-like Receptor 4: Effect on Antibody Production and Persistence After Acellular Pertussis Vaccination During Adolescence. Journal of Infectious Diseases, 2012, 205, 1214-1219. | 4.0 | 17 |
| 100 | Toll-like Receptor 3 L412F Polymorphisms in Infants With Bronchiolitis and Postbronchiolitis Wheezing. Pediatric Infectious Disease Journal, 2012, 31, 920-923. | 2.0 | 25 |
| 101 | Differences in avidity of IgG antibodies to pertussis toxin after acellular pertussis booster vaccination and natural infection. Vaccine, 2012, 30, 6897-6902. | 3.8 | 41 |
| 102 | The seroepidemiology of Immunoglobulin G antibodies against pertussis toxin in China: a cross sectional study. BMC Infectious Diseases, 2012, 12, 138. | 2.9 | 55 |
| 103 | EUVAC.NET collaborative study: Evaluation and standardisation of serology for diagnosis of pertussis. Journal of Immunological Methods, 2011, 372, 137-145. | 1.4 | 21 |
| 104 | Seroprevalence of antibodies to pertussis and diphtheria among healthy adults in China. Journal of Infection, 2011, 63, 441-446. | 3.3 | 24 |
| 105 | Nasopharyngeal Bacterial Colonization and Gene Polymorphisms of Mannose-Binding Lectin and Toll-Like Receptors 2 and 4 in Infants. PLoS ONE, 2011, 6, e26198. | 2.5 | 59 |
| 106 | Bordetella pertussis Infection Is Common in Nonvaccinated Infants Admitted for Bronchiolitis. Pediatric Infectious Disease Journal, 2010, 29, 1013-1015. | 2.0 | 66 |
| 107 | Effect of Vaccination on <i>Bordetella pertussis</i> Strains, China. Emerging Infectious Diseases, 2010, 16, 1695-1701. | 4.3 | 28 |
| 108 | Decennial Administration of a Reduced Antigen Content Diphtheria and Tetanus Toxoids and Acellular Pertussis Vaccine in Young Adults. Clinical Infectious Diseases, 2010, 51, 656-662. | 5.8 | 91 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Bordetella pertussis vaccine strains and circulating isolates in Serbia. Vaccine, 2010, 28, 1188-1192. | 3.8 | 9 |
| 110 | Bordetella pertussis infection is common in nonvaccinated infants admitted for bronchiolitis. Pediatric Infectious Disease Journal, 2010, 29, 1013-5. | 2.0 | 50 |
| 111 | Pertussis before and after the introduction of acellular pertussis vaccines in Finland. Vaccine, 2009, 27, 5443-5449. | 3.8 | 41 |
| 112 | <i>Bordetella pertussis</i> strain variation and evolution postvaccination. Expert Review of Vaccines, 2009, 8, 863-875. | 4.4 | 67 |
| 113 | <i>Bordetella pertussis</i> Strains with Increased Toxin Production Associated with Pertussis Resurgence. Emerging Infectious Diseases, 2009, 15, 1206-1213. | 4.3 | 303 |
| 114 | Bordetella pertussis Isolates in Finland: Serotype and Fimbrial Expression. BMC Microbiology, 2008, 8, 162. | 3.3 | 31 |
| 115 | Immunity to Pertussis 5 Years after Booster Immunization during Adolescence. Clinical Infectious Diseases, 2007, 44, 1271-1277. | 5.8 | 85 |
| 116 | <i>Bordetella pertussis</i> , Finland and France. Emerging Infectious Diseases, 2006, 12, 987-989. | 4.3 | 30 |
| 117 | Pulsed-field gel electrophoresis analysis of Bordetella pertussis populations in various European countries with different vaccine policies. Microbes and Infection, 2005, 7, 976-982. | 1.9 | 52 |
| 118 | Strain Variation among Bordetella pertussis Isolates in Finland, Where the Whole-Cell Pertussis Vaccine Has Been Used for 50 Years. Journal of Clinical Microbiology, 2005, 43, 3681-3687. | 3.9 | 84 |
| 119 | Pertussis-Specific Cell-Mediated and Humoral Immunity in Adolescents 3 Years after Booster Immunization with Acellular Pertussis Vaccine. Clinical Infectious Diseases, 2004, 39, 179-185. | 5.8 | 50 |
| 120 | Bordetella pertussisProtein Pertactin Induces Typeâ€Specific Antibodies: One Possible Explanation for the Emergence of Antigenic Variants?. Journal of Infectious Diseases, 2003, 187, 1200-1205. | 4.0 | 72 |
| 121 | PFGE and pertactin gene sequencing suggest limited genetic variability within the Finnish Bordetella parapertussis population. Journal of Medical Microbiology, 2003, 52, 1059-1063. | 1.8 | 10 |
| 122 | Rapid Typing of Bordetella pertussis Pertussis Toxin Gene Variants by LightCycler Real-Time PCR and Fluorescence Resonance Energy Transfer Hybridization Probe Melting Curve Analysis. Journal of Clinical Microbiology, 2002, 40, 2213-2216. | 3.9 | 14 |
| 123 | Infantile Pertussis Rediscovered in China. Emerging Infectious Diseases, 2002, 8, 859-861. | 4.3 | 20 |
| 124 | Elimination of Salmonella enterica serotype Enteritidis in intestinal epithelial cells by mechanisms other than nitric oxide. Journal of Medical Microbiology, 2002, 51, 13-19. | 1.8 | 5 |
| 125 | Cell-mediated immune responses to antigens of Bordetella pertussis and protection against pertussis in school children. Pediatric Infectious Disease Journal, 1999, 18, 366-370. | 2.0 | 51 |
| 126 | Variation in the <i>Bordetella pertussis</i> Virulence Factors Pertussis Toxin and Pertactin in Vaccine Strains and Clinical Isolates in Finland. Infection and Immunity, 1999, 67, 3133-3134. | 2.2 | 111 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Integrated Analysis of the Alterations in Gut Microbiota and Metabolites of Mice Induced After Long-Term Intervention With Different Antibiotics. Frontiers in Microbiology, 0, 13, . | 3.5 | 4 |