

# Mathias Ulrich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3035566/publications.pdf>

Version: 2024-02-01

30  
papers

1,455  
citations

430874

18  
h-index

526287

27  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1507  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lake and drained lake basin systems in lowland permafrost regions. <i>Nature Reviews Earth &amp; Environment</i> , 2022, 3, 85-98.	29.7	41
2	The fluvial architecture of buried floodplain sediments of the Weiße Elster River (Germany) revealed by a novel method combination of drill cores with two-dimensional and spatially resolved geophysical measurements. <i>Earth Surface Processes and Landforms</i> , 2022, 47, 955-976.	2.5	13
3	Accuracy and Reproducibility of Laboratory Diffuse Reflectance Measurements with Portable VNIR and MIR Spectrometers for Predictive Soil Organic Carbon Modeling. <i>Sensors</i> , 2022, 22, 2749.	3.8	3
4	Large-scale investigations of Neolithic settlement dynamics in Central Germany based on machine learning analysis: A case study from the Weiße Elster river catchment. <i>PLoS ONE</i> , 2022, 17, e0265835.	2.5	3
5	Greenhouse gas production and lipid biomarker distribution in Yedoma and Alas thermokarst lake sediments in Eastern Siberia. <i>Global Change Biology</i> , 2021, 27, 2822-2839.	9.5	21
6	Geochemistry and Weathering Indices of Yedoma and Alas Deposits beneath Thermokarst Lakes in Central Yakutia. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	7
7	Circum-Arctic Map of the Yedoma Permafrost Domain. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	49
8	Thermokarst Landscape Development Detected by Multiple-Geospatial Data in Churapcha, Eastern Siberia. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	7
9	Organic carbon characteristics in ice-rich permafrost in alas and Yedoma deposits, central Yakutia, Siberia. <i>Biogeosciences</i> , 2020, 17, 3797-3814.	3.3	17
10	The genesis of Yedoma Ice Complex permafrost – grain-size endmember modeling analysis from Siberia and Alaska. <i>E&amp;G Quaternary Science Journal</i> , 2020, 69, 33-53.	0.7	28
11	Holocene thermokarst dynamics in Central Yakutia – A multi-core and robust grain-size endmember modeling approach. <i>Quaternary Science Reviews</i> , 2019, 218, 10-33.	3.0	21
12	Differences in behavior and distribution of permafrost-related lakes in Central Yakutia and their response to climatic drivers. <i>Water Resources Research</i> , 2017, 53, 1167-1188.	4.2	46
13	Rapid thermokarst evolution during the mid-Holocene in Central Yakutia, Russia. <i>Holocene</i> , 2017, 27, 1899-1913.	1.7	28
14	Permafrost livelihoods: A transdisciplinary review and analysis of thermokarst-based systems of indigenous land use. <i>Anthropocene</i> , 2017, 18, 89-104.	3.3	63
15	Reconstruction of the history of a thermokarst lake in the Mid-Holocene based on an analysis of subfossil Cladocera (Siberia, Central Yakutia). <i>Contemporary Problems of Ecology</i> , 2017, 10, 423-430.	0.7	9
16	Deep Yedoma permafrost: A synthesis of depositional characteristics and carbon vulnerability. <i>Earth-Science Reviews</i> , 2017, 172, 75-86.	9.1	236
17	Landsat-Based Trend Analysis of Lake Dynamics across Northern Permafrost Regions. <i>Remote Sensing</i> , 2017, 9, 640.	4.0	110
18	Quantifying Wedge-Ice Volumes in Yedoma and Thermokarst Basin Deposits. <i>Permafrost and Periglacial Processes</i> , 2014, 25, 151-161.	3.4	72

#	ARTICLE	IF	CITATIONS
19	Evolution of thermokarst in East Siberian ice-rich permafrost: A case study. <i>Geomorphology</i> , 2013, 201, 363-379.	2.6	92
20	The deep permafrost carbon pool of the Yedoma region in Siberia and Alaska. <i>Geophysical Research Letters</i> , 2013, 40, 6165-6170.	4.0	187
21	Present-day variability and Holocene dynamics of permafrost-affected lakes in central Yakutia (Eastern) Tj ETQq1 1 0.784314 rgBT /Ov	3.0	39
22	Habitable periglacial landscapes in martian mid-latitudes. <i>Icarus</i> , 2012, 219, 345-357.	2.5	36
23	Polygon pattern geomorphometry on Svalbard (Norway) and western Utopia Planitia (Mars) using high-resolution stereo remote-sensing data. <i>Geomorphology</i> , 2011, 134, 197-216.	2.6	64
24	Late Quaternary paleoenvironmental records from the western Lena Delta, Arctic Siberia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 299, 175-196.	2.3	51
25	Periglacial landscapes on Svalbard: Terrestrial analogs for cold-climate landforms on Mars. , 2011, , .		17
26	Terrestrial gullies and debris-flow tracks on Svalbard as planetary analogs for Mars. , 2011, , .		24
27	Landscape evolution in Martian mid-latitude regions: insights from analogous periglacial landforms in Svalbard. <i>Geological Society Special Publication</i> , 2011, 356, 111-131.	1.3	46
28	Thermokarst in Siberian ice-rich permafrost: Comparison to asymmetric scalloped depressions on Mars. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	69
29	Spectral characterization of periglacial surfaces and geomorphological units in the Arctic Lena Delta using field spectrometry and remote sensing. <i>Remote Sensing of Environment</i> , 2009, 113, 1220-1235.	11.0	51
30	Mercury in Sediment Core Samples From Deep Siberian Ice-Rich Permafrost. <i>Frontiers in Earth Science</i> , 0, 9, .	1.8	3