

# Yukihiko Matsumura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3037364/publications.pdf>

Version: 2024-02-01

218  
papers

5,992  
citations

101543

36  
h-index

85541

71  
g-index

219  
all docs

219  
docs citations

219  
times ranked

4114  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Gasification characteristics of carbon nanotube in supercritical water. <i>Journal of Supercritical Fluids</i> , 2022, 182, 105532.  | 3.2 | 0         |
| 2  | Difference in Gas-Sensing behavior of Multi-walled carbon Nanotube-Paper-Based gas sensor to polar and non-Polar organic solvents. <i>Chemical Physics Letters</i> , 2022, 798, 139596.  | 2.6 | 1         |
| 3  | Slow Pyrolysis of <i>Ulva lactuca</i> (Chlorophyta) for Sustainable Production of Bio-Oil and Biochar. <i>Sustainability</i> , 2022, 14, 3233.   | 3.2 | 6         |
| 4  | Reutilization of Algal Supercritical Water Gasification Waste for Microalgae <i>Chlorella vulgaris</i> Cultivation. <i>ACS Omega</i> , 2021, 6, 12551-12556.   | 3.5 | 8         |
| 5  | Feasible conditions for Japanese woody biomass utilization. <i>Environmental Science and Pollution Research</i> , 2021, 28, 51060-51071.   | 5.3 | 4         |
| 6  | Effect of heating rate on gasification and phosphorus recovery for palm oil mill effluent in supercritical water. <i>Journal of Supercritical Fluids</i> , 2021, 173, 105217.  | 3.2 | 4         |
| 7  | Coupling hydrothermal carbonization of digestate and supercritical water gasification of liquid products. <i>Renewable Energy</i> , 2021, 173, 934-941.  | 8.9 | 16        |
| 8  | Change in ionization potential of magnesium tin oxide films before and after photochromism. <i>AIP Advances</i> , 2021, 11, 085108.  | 1.3 | 0         |
| 9  | Reaction Rate of Hydrothermal Ammonia Production from Chicken Manure. <i>ACS Omega</i> , 2021, 6, 23442-23446.   | 3.5 | 8         |
| 10 | Recent advancement on hydrogen production from macroalgae via supercritical water gasification. <i>Bioresource Technology Reports</i> , 2021, 16, 100844.  | 2.7 | 26        |
| 11 | Flocculation of <i>Chlorella vulgaris</i> by shell waste-derived bioflocculants for biodiesel production: Process optimization, characterization and kinetic studies. <i>Science of the Total Environment</i> , 2020, 702, 134995. | 8.0 | 58        |
| 12 | Understanding the mechanism of photochromism in double-layer metal oxide using X-ray photoelectron spectroscopy. <i>Chemical Physics Letters</i> , 2020, 739, 136973.  | 2.6 | 1         |
| 13 | Emission shift by co-doping and color reproducibility improvement by mixing phosphors. <i>Chemical Physics Letters</i> , 2020, 759, 137974.  | 2.6 | 1         |
| 14 | Response of Palladium and Carbon Nanotube Composite Films to Hydrogen Gas and Behavior of Conductive Carriers. <i>Materials</i> , 2020, 13, 4568.  | 2.9 | 4         |
| 15 | Final report on the pilot plant operation for supercritical water gasification of wet biomass. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 460, 012019.  | 0.3 | 1         |
| 16 | Supercritical Water Gasification of Guaiacol with Acetic Acid as a Radical Scavenger: Interaction Effect on Char Formation and Gas Composition. <i>ACS Omega</i> , 2020, 5, 24818-24825.   | 3.5 | 5         |
| 17 | Supercritical water gasification of microalgae with and without oil extraction. <i>Journal of Supercritical Fluids</i> , 2020, 165, 104936.  | 3.2 | 28        |
| 18 | Light and flexible gas sensors made of free-standing carbon nanotube paper. <i>Chemical Physics Letters</i> , 2020, 747, 137367.   | 2.6 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Complete genome sequence of Nitratireductor sp. strain OM-1: A lipid-producing bacterium with potential use in wastewater treatment. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019, 24, e00366. | 4.4 | 3         |
| 20 | Requirements for photochromism in double-layer metal oxide films. <i>Chemical Physics Letters</i> , 2019, 732, 136620.   | 2.6 | 3         |
| 21 | VHF Plasma CVD Synthesis of Photochromic ZnO Nanoparticle. <i>MRS Advances</i> , 2019, 4, 1573-1577.   | 0.9 | 0         |
| 22 | New Application of Supercritical Water Gasification to Palm Oil Mill Effluent: Gasification and Phosphorus Recovery. <i>Energy &amp; Fuels</i> , 2019, 33, 11145-11152.  | 5.1 | 7         |
| 23 | Catalytic supercritical water gasification of oil palm frond biomass using nanosized MgO doped Zn catalysts. <i>Journal of Supercritical Fluids</i> , 2019, 154, 104610.                                       | 3.2 | 9         |
| 24 | Effect of thickness of carbon nanotube films on enhancement of sensor response. <i>Chemical Physics Letters</i> , 2019, 734, 136730.   | 2.6 | 5         |
| 25 | Cell structure destruction and its kinetics during hydrothermal treatment of sewage sludge. <i>Korean Journal of Chemical Engineering</i> , 2019, 36, 433-438.   | 2.7 | 6         |
| 26 | Sewage Sludge Gasification under a Hydrothermal Condition: Phosphorus Behavior and Its Kinetics. <i>Energy &amp; Fuels</i> , 2019, 33, 2301-2307.  | 5.1 | 8         |
| 27 | Synthesis of broad yellow phosphors by co-doping and realization of high quality of white light. <i>Chemical Physics Letters</i> , 2019, 717, 11-15.   | 2.6 | 3         |
| 28 | Comparative study between supported and doped MgO catalysts in supercritical water gasification for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 3690-3701.                | 7.1 | 15        |
| 29 | Determination of retro-aldol reaction type for glyceraldehyde under hydrothermal conditions. <i>Journal of Supercritical Fluids</i> , 2019, 143, 370-377.  | 3.2 | 6         |
| 30 | Development of Palladium and Carbon Nanotubes Composite Hydrogen Gas Sensor. <i>The Proceedings of the Symposium on Micro-Nano Science and Technology</i> , 2019, 2019.10, 20pm3PN208.                         | 0.0 | 0         |
| 31 | Effects of physical and chemical adsorption on the electric conductance of carbon nanotube films. <i>AIP Advances</i> , 2018, 8, .   | 1.3 | 9         |
| 32 | Comparative study of hydrothermal pretreatment for rice straw and its corresponding mixture of cellulose, xylan, and lignin. <i>Bioresource Technology</i> , 2018, 255, 1-6.                                   | 9.6 | 40        |
| 33 | Transient behavior of carbon nanotube thin film for adsorption of polar and non-polar molecules. <i>Chemical Physics Letters</i> , 2018, 691, 351-354.   | 2.6 | 3         |
| 34 | Interaction among Glucose, Xylose, and Guaiacol in Supercritical Water. <i>Energy &amp; Fuels</i> , 2018, 32, 1788-1795.   | 5.1 | 5         |
| 35 | Effect of Acetic Acid Addition on Decomposition of Xylose in Supercritical Water. <i>Energy &amp; Fuels</i> , 2018, 32, 1754-1760.   | 5.1 | 10        |
| 36 | Isolation of High Carotenoid-producing <i>Aurantiochytrium</i> sp. Mutants and Improvement of Astaxanthin Productivity Using Metabolic Information. <i>Journal of Oleo Science</i> , 2018, 67, 571-578.        | 1.4 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Spontaneous and controlled-diameter synthesis of single-walled and few-walled carbon nanotubes. <i>Chemical Physics Letters</i> , 2018, 699, 88-92.  | 2.6 | 7         |
| 38 | Efficient conversion of mannitol derived from brown seaweed to fructose for fermentation with a <i>thraustochytrid</i> . <i>Journal of Bioscience and Bioengineering</i> , 2018, 125, 180-184. | 2.2 | 17        |
| 39 | Supercritical water gasification of sewage sludge in continuous reactor. <i>Bioresource Technology</i> , 2018, 249, 276-283.   | 9.6 | 93        |
| 40 | Photochromic behavior at the interface of two transparent thin films and the possibility for its use in a high-performance battery. <i>Chemical Physics Letters</i> , 2018, 712, 25-29.        | 2.6 | 2         |
| 41 | RNase H-assisted RNA-primed rolling circle amplification for targeted RNA sequence detection. <i>Scientific Reports</i> , 2018, 8, 7770.   | 3.3 | 29        |
| 42 | Conversion of guaiacol in supercritical water gasification: Detailed effect of feedstock concentration. <i>Journal of Supercritical Fluids</i> , 2018, 142, 32-37.                             | 3.2 | 12        |
| 43 | Process Design and Evaluation of Supercritical Water Gasification of Tomato Residue in a Rural Area of Japan. <i>Journal of the Japan Petroleum Institute</i> , 2018, 61, 213-218.             | 0.6 | 0         |
| 44 | Suppression of Radical Char Production in Supercritical Water Gasification by Addition of Organic Acid Radical Scavenger. <i>Energy &amp; Fuels</i> , 2018, 32, 9568-9571.                     | 5.1 | 12        |
| 45 | Principles of detection mechanism for adsorbed gases using carbon nanotube nanomat. <i>Chemical Physics Letters</i> , 2018, 709, 77-81.  | 2.6 | 8         |
| 46 | Effect of Single-walled Carbon Nanotube Catalysts on Hydrothermal Pretreatment of Cellulose. <i>Journal of the Japan Petroleum Institute</i> , 2018, 61, 199-204.                              | 0.6 | 2         |
| 47 | Decomposition kinetics of uronic acids obtained from kelp under hydrothermal condition. <i>Journal of the Energy Institute</i> , 2017, 90, 185-190.  | 5.3 | 3         |
| 48 | Thermal decomposition products of various carbon sources in chemical vapor deposition synthesis of carbon nanotube. <i>Diamond and Related Materials</i> , 2017, 75, 1-5.                      | 3.9 | 23        |
| 49 | Gasification characteristics of histidine and 4-methylimidazole under supercritical water conditions. <i>Biomass Conversion and Biorefinery</i> , 2017, 7, 487-494.                            | 4.6 | 8         |
| 50 | Kinetic model of cellulose degradation using simultaneous saccharification and fermentation. <i>Biomass and Bioenergy</i> , 2017, 99, 116-121.   | 5.7 | 29        |
| 51 | In-depth study of continuous production of biodiesel using supercritical 1-butanol. <i>Energy Conversion and Management</i> , 2017, 132, 410-417.  | 9.2 | 20        |
| 52 | Effect of the Heating Rate on the Supercritical Water Gasification of a Glucose/Guaiacol Mixture. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 6401-6407.                | 3.7 | 20        |
| 53 | Review on methyl ester production from inedible rubber seed oil under various catalysts. <i>Industrial Crops and Products</i> , 2017, 97, 191-195.   | 5.2 | 16        |
| 54 | Effect of preparation conditions in sol-gel method on yellow phosphor with wide spectrum. <i>AIP Advances</i> , 2017, 7, .   | 1.3 | 4         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Improved methanization and microbial diversity during batch mode cultivation with repetition of substrate addition using defined organic matter and marine sediment inoculum at seawater salinity. <i>Bioresource Technology</i> , 2017, 245, 833-840. | 9.6  | 7         |
| 56 | Real-Time Mass Spectrometric Analysis of Hydrothermal Reaction Products. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 9993-9998.   | 3.7  | 2         |
| 57 | State of the art of biodiesel production under supercritical conditions. <i>Progress in Energy and Combustion Science</i> , 2017, 63, 173-203.   | 31.2 | 127       |
| 58 | Continuous production of biodiesel under supercritical methyl acetate conditions: Experimental investigation and kinetic model. <i>Bioresource Technology</i> , 2017, 241, 720-725.  | 9.6  | 33        |
| 59 | Transport phenomena of electrons at the carbon nanotube interface with molecular adsorption. <i>Journal of Applied Physics</i> , 2017, 122, .  | 2.5  | 16        |
| 60 | Quantitative In Situ Mass Spectrometry Analysis of Mannitol Decomposition Products under Hydrothermal Conditions. <i>Energy &amp; Fuels</i> , 2017, 31, 10866-10873.   | 5.1  | 5         |
| 61 | In situ mass spectrometry of glucose decomposition under hydrothermal reactions. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 1524-1530.  | 2.7  | 3         |
| 62 | Defects control in the synthesis of low-dimensional zinc oxide. <i>Chemical Physics Letters</i> , 2017, 684, 113-116.  | 2.6  | 5         |
| 63 | Gasification Characteristics of Aminobutyric Acid and Serine as Model Compounds of Proteins under Supercritical Water Conditions. <i>Journal of the Japan Petroleum Institute</i> , 2017, 60, 34-40.   | 0.6  | 15        |
| 64 | &lt;i>In-situ&lt;/i> Mass Spectroscopic Analysis of Glucose Decomposition under Hydrothermal Condition: Quantitative Analysis for Reaction Kinetics. <i>Journal of the Japan Petroleum Institute</i> , 2017, 60, 101-109.                              | 0.6  | 5         |
| 65 | Simple Equation for Enzymatic Hydrolysis of Cellulose Using Cellulase Complex and Î <sup>2</sup> -Glucosidase Mixture. <i>Journal of the Japan Petroleum Institute</i> , 2017, 60, 322-328.  | 0.6  | 6         |
| 66 | Effect of Preculture Conditions on Simultaneous Saccharification and Fermentation for Effective Ethanol Production. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 93-96.   | 0.6  | 0         |
| 67 | Optimization of Conditions for Hydrothermal Dissolution of Cellulose. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 59-64.   | 0.6  | 1         |
| 68 | Kinetics of Sorbitol Decomposition under Hydrothermal Condition. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 149-154.  | 0.6  | 6         |
| 69 | Kinetics of Sorbitol Decomposition under Hydrothermal Condition. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 241-241.  | 0.6  | 0         |
| 70 | Effect of molecular coverage on the electric conductance of a multi-walled carbon nanotube thin film. <i>Chemical Physics Letters</i> , 2016, 654, 9-12.   | 2.6  | 8         |
| 71 | New insights in biodiesel production using supercritical 1-propanol. <i>Energy Conversion and Management</i> , 2016, 124, 212-218.   | 9.2  | 36        |
| 72 | Supercritical Water Gasification on Three Types of Microalgae in the Presence and Absence of Catalyst and Salt. <i>Procedia Engineering</i> , 2016, 148, 594-599.  | 1.2  | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Detailed Mechanism of Xylose Decomposition in Near-Critical and Supercritical Water. <i>Energy &amp; Fuels</i> , 2016, 30, 7930-7936.  | 5.1 | 14        |
| 74 | Fossil Diesel Substitution Potential of Biodiesel Produced from Rubber Seed Oil as a Byproduct of Rubber Wood Plantation. <i>Energy &amp; Fuels</i> , 2016, 30, 8031-8036.                                       | 5.1 | 6         |
| 75 | Estimation of adsorption energy for water molecules on a multi-walled carbon nanotube thin film by measuring electric resistance. <i>AIP Advances</i> , 2016, 6, 115212.   | 1.3 | 14        |
| 76 | Synthesis of photochromic nanoparticles and determination of the mechanism of photochromism. <i>AIP Advances</i> , 2016, 6, .  | 1.3 | 11        |
| 77 | Isolation and characterization of bacterium producing lipid from short-chain fatty acids. <i>Bioresource Technology</i> , 2016, 201, 215-221.  | 9.6 | 6         |
| 78 | Inhibition of char deposition using a particle bed in heating section of supercritical water gasification. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 1261-1266.                                  | 2.7 | 5         |
| 79 | Semi-continuous methane production from undiluted brown algae using a halophilic marine microbial community. <i>Bioresource Technology</i> , 2016, 200, 616-623.   | 9.6 | 12        |
| 80 | Bacterial community structure and predicted alginate metabolic pathway in an alginate-degrading bacterial consortium. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 286-292.                      | 2.2 | 19        |
| 81 | Characterization of a halotolerant acetoclastic methanogen highly enriched from marine sediment and its application in removal of acetate. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 196-202. | 2.2 | 6         |
| 82 | Decomposition Kinetics of Mannose, Its Sugar Alcohol, and Its Uronic Acid under Hydrothermal Condition. <i>Journal of Chemical Engineering of Japan</i> , 2016, 49, 663-667.                                     | 0.6 | 1         |
| 83 | High-rate Fermentation of Acetate to Methane under Saline Condition by Aceticlastic Methanogens Immobilized in Marine Sediment. <i>Journal of the Japan Petroleum Institute</i> , 2016, 59, 9-15.                | 0.6 | 0         |
| 84 | Simultaneous Saccharification and Fermentation Using Environmental-adapted Yeast by Preculture. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2016, 95, 303-306.                     | 0.2 | 1         |
| 85 | Enhancement of the effective thermal conductivity in packed beds by direct synthesis of carbon nanotubes. <i>Journal of Thermal Science and Technology</i> , 2015, 10, JTST0013-JTST0013.                        | 1.1 | 2         |
| 86 | In situ measurement of activation energy for pyrolysis of ethanol as a first reaction in the synthesis of carbon nanotubes. <i>Chemical Physics Letters</i> , 2015, 639, 261-265.                                | 2.6 | 1         |
| 87 | Effect of Low-concentration Furfural on Sulfur Amino Acid Biosynthesis in <i>Saccharomyces cerevisiae</i> . <i>Journal of the Japan Petroleum Institute</i> , 2015, 58, 165-168.                                 | 0.6 | 4         |
| 88 | Determination of Mannitol Decomposition Rate under Hydrothermal Pretreatment Condition. <i>Journal of the Japan Petroleum Institute</i> , 2015, 58, 252-255.   | 0.6 | 4         |
| 89 | Effectiveness of Spiral Reactor for Biodiesel Production Using Supercritical <i>n</i> -Butyl Methyl Ether (MTBE). <i>Journal of the Japan Petroleum Institute</i> , 2015, 58, 110-117.                           | 0.6 | 12        |
| 90 | Effect of Pressure on Biodiesel Production in Supercritical <i>n</i> -Butyl Methyl Ether (MTBE). <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2015, 94, 755-762.                    | 0.2 | 6         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | A comparative study of biodiesel production using methanol, ethanol, and tert-butyl methyl ether (MTBE) under supercritical conditions. <i>Bioresource Technology</i> , 2015, 191, 306-311.                          | 9.6  | 65        |
| 92  | A study on torrefaction of <i>Laminaria japonica</i> . <i>Fuel Processing Technology</i> , 2015, 138, 133-138.   | 7.2  | 42        |
| 93  | Effect of Salinity on Methanogenic Propionate Degradation by Acclimated Marine Sediment-Derived Culture. <i>Applied Biochemistry and Biotechnology</i> , 2015, 177, 1541-1552.                                       | 2.9  | 5         |
| 94  | Hydrothermal Gasification of Biomass. , 2015, , 251-267.   |      | 15        |
| 95  | A novel spiral reactor for biodiesel production in supercritical ethanol. <i>Applied Energy</i> , 2015, 147, 20-29.  | 10.1 | 50        |
| 96  | Energy analysis for the production of biodiesel in a spiral reactor using supercritical tert-butyl methyl ether (MTBE). <i>Bioresource Technology</i> , 2015, 196, 65-71.  | 9.6  | 19        |
| 97  | Decomposition of Xylose in Sub- and Supercritical Water. <i>Industrial &amp; Engineering Chemistry Research</i> , 2015, 54, 7604-7613.   | 3.7  | 36        |
| 98  | Molecular dynamic simulation for the evaluation of free energy distribution along the reaction coordinates at the initial stage of carbon nanotube nucleation. <i>Chemical Physics Letters</i> , 2015, 634, 194-197. | 2.6  | 3         |
| 99  | Improved methane production from brown algae under high salinity by fed-batch acclimation. <i>Bioresource Technology</i> , 2015, 187, 275-281.   | 9.6  | 27        |
| 100 | Trial for simple gas sensor composed of as-grown carbon nanotubes. <i>Chemical Physics Letters</i> , 2015, 628, 81-84.   | 2.6  | 10        |
| 101 | Artificial Neural Network Modeling to Predict Biodiesel Production in Supercritical Methanol and Ethanol Using Spiral Reactor. <i>Procedia Environmental Sciences</i> , 2015, 28, 214-223.                           | 1.4  | 43        |
| 102 | Biodiesel Production in Supercritical Methanol Using a Novel Spiral Reactor. <i>Procedia Environmental Sciences</i> , 2015, 28, 204-213.   | 1.4  | 23        |
| 103 | <i>Dysgonomonas alginatilytica</i> sp. nov., an alginate-degrading bacterium isolated from a microbial consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3570-3575.   | 1.7  | 22        |
| 104 | The Present Status and Future Scope of Bioenergy in Japan. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2015, 94, 1079-1086.  | 0.2  | 5         |
| 105 | Gasification Characteristics of Alanine in Supercritical Water. <i>Journal of the Japan Petroleum Institute</i> , 2014, 57, 225-229.   | 0.6  | 12        |
| 106 | Rules of Thumb (Empirical Rules) for the Biomass Utilization by Thermochemical Conversion. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2014, 93, 684-702.                              | 0.2  | 7         |
| 107 | Process Evaluation for Torrefaction of Empty Fruit Bunch in Malaysia. <i>Journal of the Japan Petroleum Institute</i> , 2014, 57, 88-93.   | 0.6  | 6         |
| 108 | Behavior of Organics in Kelp during Hydrothermal Pretreatment: Fundamental Characteristics and Effect of Salt. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2014, 93, 531-535.          | 0.2  | 5         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Gasification Characteristics of Amino Acids in Supercritical Water. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2014, 93, 936-943.  | 0.2 | 12        |
| 110 | Editorial: Biofuels. Energy Conversion and Management, 2014, 88, 1077.  | 9.2 | 1         |
| 111 | Production of Chemicals in Supercritical Water. Biofuels and Biorefineries, 2014, , 427-443.  | 0.5 | 0         |
| 112 | Precursor and formation mechanism in the synthesis of carbon nanotubes by chemical vapor deposition. Chemical Physics Letters, 2014, 616-617, 217-221.  | 2.6 | 3         |
| 113 | Simulation of catalyst behavior during chemical vapor deposition processing of carbon nanotubes. Chemical Physics Letters, 2014, 604, 1-4.  | 2.6 | 2         |
| 114 | Value-added lipid production from brown seaweed biomass by two-stage fermentation using acetic acid bacterium and thraustochytrid. Applied Microbiology and Biotechnology, 2014, 98, 9207-9216.                     | 3.6 | 18        |
| 115 | New approach of catalyst-free biodiesel production from canola oil in supercritical tert-butyl methyl ether (MTBE). Fuel, 2014, 135, 172-181.   | 6.4 | 38        |
| 116 | Evaluation of marine sediments as microbial sources for methane production from brown algae under high salinity. Bioresource Technology, 2014, 169, 362-366.  | 9.6 | 47        |
| 117 | Kinetics analysis of phenol and benzene decomposition in supercritical water. Journal of Supercritical Fluids, 2014, 87, 73-82.   | 3.2 | 36        |
| 118 | Comparative Study of Hydrothermal Pretreatment of Eucalyptus and Oil Palm Empty Fruit Bunch for Ethanol Fermentation. Journal of the Japan Petroleum Institute, 2014, 57, 164-170.                                  | 0.6 | 2         |
| 119 | Effect of CH <sub>3</sub> COOH and K <sub>2</sub> CO <sub>3</sub> on Hydrothermal Pretreatment of Water Hyacinth ( <i>Eichhornia crassipes</i> ). Industrial & Engineering Chemistry Research, 2013, 52, 5009-5015. | 3.7 | 12        |
| 120 | Kinetic Analysis of Guaiacol Conversion in Sub- and Supercritical Water. Industrial & Engineering Chemistry Research, 2013, 52, 9048-9059.  | 3.7 | 70        |
| 121 | Kinetic Analysis of Lignin Hydrothermal Conversion in Sub- and Supercritical Water. Industrial & Engineering Chemistry Research, 2013, 52, 5626-5639.   | 3.7 | 111       |
| 122 | Gasification Rate of Various Biomass Feedstocks in Supercritical Water. Journal of the Japan Petroleum Institute, 2013, 56, 1-10.   | 0.6 | 33        |
| 123 | Reaction Pathways of Phenol and Benzene Decomposition in Supercritical Water Gasification. Journal of the Japan Petroleum Institute, 2013, 56, 331-343.   | 0.6 | 29        |
| 124 | Effect of Inhibition Substances on Monod Equation of Yeast Growth. Journal of the Japan Petroleum Institute, 2013, 56, 326-330.   | 0.6 | 6         |
| 125 | Simultaneous Hydrothermal Pretreatment and Ball Milling of Bamboo. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2013, 92, 889-893.   | 0.2 | 0         |
| 126 | The Effect of Catalyst Content on Supercritical Water Gasification Process with Shochu (Japanese) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Gakkaishi/Journal of the Japan Institute of Energy, 2013, 92, 1159-1166.     | 0.2 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effect of Activated Carbon Catalytic on Supercritical Water Gasification of Glycine as a Model Compound of Protein. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2013, 92, 894-899.  | 0.2 | 15        |
| 128 | Heat Transfer Characteristics of Activated Carbon Suspended Slurry Near the Critical Point of Water. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2013, 92, 309-312.   | 0.2 | 0         |
| 129 | Catalytic Gasification of Poultry Manure and Eucalyptus Wood Mixture in Supercritical Water. Industrial & Engineering Chemistry Research, 2012, 51, 5685-5690.  | 3.7 | 33        |
| 130 | Reaction Kinetics of the Lignin Conversion in Supercritical Water. Industrial & Engineering Chemistry Research, 2012, 51, 11975-11988.  | 3.7 | 119       |
| 131 | Dehydration of Biodiesel Fuel Using Desiccant. Journal of the Japan Petroleum Institute, 2012, 55, 358-362.   | 0.6 | 1         |
| 132 | Applicability of Monod Equation to Growth Curves of Various Microorganisms. Journal of the Japan Petroleum Institute, 2012, 55, 236-240.  | 0.6 | 6         |
| 133 | Determination of coal ash emissivity using simplified equation for thermal design of coal-fired boilers. Fuel, 2012, 95, 241-246.   | 6.4 | 14        |
| 134 | Effects of fine ash particles and alkali metals on ash deposition characteristics at the initial stage of ash deposition determined in 1.5MWth pilot plant tests. Fuel, 2012, 97, 233-240.  | 6.4 | 32        |
| 135 | Drastic enhancement of effective thermal conductivity of a metal hydride packed bed by direct synthesis of single-walled carbon nanotubes. International Journal of Hydrogen Energy, 2012, 37, 1836-1841.   | 7.1 | 33        |
| 136 | In situ mass spectroscopic analysis for chemical vapor deposition synthesis of single-walled carbon nanotubes. Chemical Physics Letters, 2012, 533, 56-59.  | 2.6 | 6         |
| 137 | In situ mass spectroscopic analysis of alcohol catalytic chemical vapor deposition process for single-walled carbon nanotube. Chemical Physics Letters, 2012, 536, 104-108.   | 2.6 | 12        |
| 138 | l-Menthol crystal micronized by rapid expansion of supercritical carbon dioxide. Journal of Industrial and Engineering Chemistry, 2012, 18, 904-908.  | 5.8 | 9         |
| 139 | Feasibility of Bioenergy Utilization for Sustainable Agriculture: A Case Study on Biomethanation and Ethanol Production in Thailand. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2012, 91, 923-930.   | 0.2 | 1         |
| 140 | Temperature Effect on Hydrothermal Decomposition of Glucose in Sub- And Supercritical Water. Industrial & Engineering Chemistry Research, 2011, 50, 8492-8497.  | 3.7 | 128       |
| 141 | New Correlation for Mass Transfer Characteristics of Spray Column. Industrial & Engineering Chemistry Research, 2011, 50, 13554-13560.  | 3.7 | 10        |
| 142 | Reaction Characteristics of Glycerol Pretreatment of Bio-oil with Calcium Hydroxide for Biodiesel Production. Journal of the Japan Petroleum Institute, 2011, 54, 266-271.  | 0.6 | 2         |
| 143 | Elucidation of Thermal Pretreatment Kinetics of Bio-oil Feedstock Premixed with Calcium Hydroxide and Glycerol for Reactive Biodiesel Production via Ethanolsysis in Developing Countries. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2011, 90, 172-176. | 0.2 | 3         |
| 144 | Acid-Catalyzed Char Formation from 5-HMF in Subcritical Water. Journal of Chemical Engineering of Japan, 2011, 44, 431-436.   | 0.6 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | MD Study of Functionalized Single-Walled Carbon Nanotube. Journal of Thermal Science and Technology, 2011, 6, 256-267.  | 1.1 | 0         |
| 146 | Role of 5-HMF in Supercritical Water Gasification of Glucose. Journal of Chemical Engineering of Japan, 2011, 44, 91-97.  | 0.6 | 22        |
| 147 | Proposal for Bioethanol Fermentation System with N, P, K Recycling by Wet Oxidation. Journal of the Japan Petroleum Institute, 2011, 54, 45-49.   | 0.6 | 3         |
| 148 | Heat Transfer Characteristics of Biomass Slurry under High Pressure and High Temperature. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2011, 90, 874-880.  | 0.2 | 5         |
| 149 | G224 Correlation for the mass transfer in the spray column. The Proceedings of the Thermal Engineering Conference, 2011, 2011, 359-360.   | 0.0 | 0         |
| 150 | Energy Balance of a Staged Process for the Supercritical Water Gasification of a Hydrogen Fermentation Residue of Food Waste. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2011, 90, 455-460.          | 0.2 | 2         |
| 151 | The Rheological Characteristics of Biomass Slurry under High Pressure and High Temperature. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2011, 90, 1165-1170.  | 0.2 | 0         |
| 152 | Metal coating effect on thermal diffusivity of single-walled carbon nanotube. Chemical Physics Letters, 2010, 495, 80-83.   | 2.6 | 6         |
| 153 | Supercritical Water Gasification Staged at Intervals for Hydrogen Fermentation Residue of Food Waste. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2010, 89, 1173-1178.                                | 0.2 | 5         |
| 154 | Effect of Temperature on Tarry Material Production of Glucose in Supercritical Water Gasification. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2010, 89, 1179-1184.                                   | 0.2 | 28        |
| 155 | New Approaches to Biodiesel Production by Ethanolysis with Calcium Hydroxide Catalyst Using Thermal Pretreatment with Glycerol. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2010, 89, 562-566.        | 0.2 | 9         |
| 156 | Prospective growth region for chemical vapor deposition synthesis of carbon nanotube on Ca-H-O ternary diagram. Diamond and Related Materials, 2010, 19, 1401-1404.   | 3.9 | 28        |
| 157 | Char Formation Mechanism in Supercritical Water Gasification Process: A Study of Model Compounds. Industrial & Engineering Chemistry Research, 2010, 49, 4055-4062.   | 3.7 | 129       |
| 158 | Heterogeneously Catalyzed Ethanolysis of Groundnut Crude Oil Using Activated Calcium Oxide and Surface-Modified Activated Calcium Oxide. Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy, 2010, 89, 53-58. | 0.2 | 10        |
| 159 | MNM-4A-3 Direct synthesis method of single-walled carbon nanotube containing platinum group element. The Proceedings of the Symposium on Micro-Nano Science and Technology, 2010, 2010.2, 175-176.                          | 0.0 | 0         |
| 160 | Recovery of activated carbon catalyst, calcium, nitrogen and phosphate from effluent following supercritical water gasification of poultry manure. Bioresource Technology, 2009, 100, 4884-4886.                            | 9.6 | 38        |
| 161 | Influence of catalyst supporters on catalyst nanoparticles in synthesis of single-walled carbon nanotubes. Microelectronics Journal, 2009, 40, 692-696.   | 2.0 | 6         |
| 162 | Influence of metal coating on single-walled carbon nanotube: Molecular dynamics approach to determine tensile strength. Chemical Physics Letters, 2009, 469, 125-129.   | 2.6 | 40        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Reactor Development for Supercritical Water Gasification of 4.9 wt% Glucose Solution at 673 K by Using Computational Fluid Dynamics. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 8381-8386.           | 3.7  | 27        |
| 164 | Hydrothermal Pretreatment of Rubber Wood for the Saccharification Process. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 4587-4591.   | 3.7  | 42        |
| 165 | Formation of Tarry Material from 5-HMF in Subcritical and Supercritical Water. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 9837-9846.   | 3.7  | 163       |
| 166 | Molecular dynamics simulation of metal coating on single-walled carbon nanotube. <i>Chemical Physics Letters</i> , 2008, 464, 160-165.   | 2.6  | 32        |
| 167 | Molecular dynamics simulation of physical vapor deposition of metals onto a vertically aligned single-walled carbon nanotube surface. <i>Carbon</i> , 2008, 46, 2046-2052.   | 10.3 | 19        |
| 168 | Behavior of 5-HMF in Subcritical and Supercritical Water. <i>Industrial &amp; Engineering Chemistry Research</i> , 2008, 47, 2956-2962.  | 3.7  | 64        |
| 169 | Effect of catalyst combination on growth of single-walled carbon nanotubes. <i>Diamond and Related Materials</i> , 2008, 17, 1888-1890.  | 3.9  | 4         |
| 170 | Gasification of Catalyst-Suspended Chicken Manure in Supercritical Water. <i>Journal of Chemical Engineering of Japan</i> , 2008, 41, 433-440.   | 0.6  | 55        |
| 171 | Behavior of Inorganic Elements in Poultry Manure during Supercritical Water Gasification. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2008, 87, 731-736.                                       | 0.2  | 49        |
| 172 | Detailed Analysis of Heat and Mass Balance for Supercritical Water Gasification. <i>Journal of Chemical Engineering of Japan</i> , 2008, 41, 817-828.  | 0.6  | 24        |
| 173 | Glucose Decomposition in Water under Supercritical Pressure at 448-498 K. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2007, 86, 700-706.   | 0.2  | 20        |
| 174 | A kinetic study of in situ CO <sub>2</sub> removal gasification of woody biomass for hydrogen production. <i>Biomass and Bioenergy</i> , 2007, 31, 556-562.  | 5.7  | 20        |
| 175 | Improvement of the Bioethanol Process Using Cassava Pulp as Biomass Resource. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2007, 86, 470-474.   | 0.2  | 2         |
| 176 | Improvement of Bioethanol Process-Design and Evaluation of Pretreatment Step and Whole Process-. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2007, 86, 462-469.                                | 0.2  | 3         |
| 177 | EFFECT OF HEATING RATE OF BIOMASS FEEDSTOCK ON CARBON GASIFICATION EFFICIENCY IN SUPERCRITICAL WATER GASIFICATION. <i>Chemical Engineering Communications</i> , 2006, 193, 649-659.  | 2.6  | 47        |
| 178 | SUPERCRITICAL WATER TREATMENT OF BIOMASS FOR ENERGY AND MATERIAL RECOVERY. <i>Combustion Science and Technology</i> , 2006, 178, 509-536.  | 2.3  | 138       |
| 179 | Glucose Decomposition Kinetics in Water at 25 MPa in the Temperature Range of 448~673 K. <i>Industrial &amp; Engineering Chemistry Research</i> , 2006, 45, 1875-1879.   | 3.7  | 102       |
| 180 | A Kinetic Study of the Decomposition of CaCO <sub>3</sub> at High CO <sub>2</sub> Partial Pressure for the Regeneration of a CO <sub>2</sub> Sorbent. <i>Journal of Chemical Engineering of Japan</i> , 2006, 39, 1191-1194. | 0.6  | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Hydrogenation of Acetone in Supercritical Water Using Formic Acid: Rapid Hydrogenation Observed at a Long Retention Time. <i>Journal of Chemical Engineering of Japan</i> , 2006, 39, 1300-1302.  | 0.6 | 5         |
| 182 | Current situation and prospect of biomass utilization in Japan. <i>Biomass and Bioenergy</i> , 2005, 29, 304-309.   | 5.7 | 18        |
| 183 | The scale of biomass production in Japan. <i>Biomass and Bioenergy</i> , 2005, 29, 321-330.   | 5.7 | 12        |
| 184 | Amount, availability, and potential use of rice straw (agricultural residue) biomass as an energy resource in Japan. <i>Biomass and Bioenergy</i> , 2005, 29, 347-354.  | 5.7 | 131       |
| 185 | Woody biomass resources and conversion in Japan: The current situation and projections to 2010 and 2050. <i>Biomass and Bioenergy</i> , 2005, 29, 336-346.  | 5.7 | 69        |
| 186 | Evaluation of supply potential of energy crops in Japan considering cases of improvement of crop productivity. <i>Biomass and Bioenergy</i> , 2005, 29, 355-359.  | 5.7 | 11        |
| 187 | Biomass gasification in near- and super-critical water: Status and prospects. <i>Biomass and Bioenergy</i> , 2005, 29, 269-292.   | 5.7 | 648       |
| 188 | Hydrothermal Treatment of Cellulose as a Pretreatment for Ethanol Fermentation: Cellulose Hydrolysis Experiments. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2005, 84, 544-548.                              | 0.2 | 16        |
| 189 | Improvement of the Refinement Process for Bioethanol. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2005, 84, 852-860.  | 0.2 | 10        |
| 190 | Gasification of Stockbreeding Waste in Supercritical Water. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2004, 83, 740-744.  | 0.2 | 3         |
| 191 | Hydrothermal Reaction of Glucose and Glycine as Model Compounds of Biomass. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2004, 83, 794-798.  | 0.2 | 26        |
| 192 | Gasification of biomass model compounds and real biomass in supercritical water. <i>Biomass and Bioenergy</i> , 2004, 26, 71-78.  | 5.7 | 292       |
| 193 | Fundamental design of a continuous biomass gasification process using a supercritical water fluidized bed. <i>International Journal of Hydrogen Energy</i> , 2004, 29, 701-707.   | 7.1 | 181       |
| 194 | Comprehensive comparison of efficiency and CO <sub>2</sub> emissions between biomass energy conversion technologies—position of supercritical water gasification in biomass technologies. <i>Biomass and Bioenergy</i> , 2003, 25, 257-272. | 5.7 | 139       |
| 195 | Reaction Engineering Model for Supercritical Water Oxidation of Phenol Catalyzed by Activated Carbon. <i>Industrial &amp; Engineering Chemistry Research</i> , 2003, 42, 3522-3531.   | 3.7 | 20        |
| 196 | Effect of Carbonaceous Materials on the Oxidation of Phenol in Supercritical Water: A Preliminary Study. <i>Industrial &amp; Engineering Chemistry Research</i> , 2003, 42, 3718-3720.  | 3.7 | 13        |
| 197 | Biomass Gasification in Supercritical Water with Partial Oxidation. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2003, 82, 919-925.  | 0.2 | 23        |
| 198 | Hydrothermal Pulping of Wet Biomass as Pretreatment for Supercritical Water Gasiification Studied Using Cabbage as a Model Compound.. <i>Nihon Enerugi Gakkaishi/Journal of the Japan Institute of Energy</i> , 2003, 82, 97-102.           | 0.2 | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 199 | Electrochemical Oxidation of Glucose on a Platinum Electrode at 523 K.. Kagaku Kogaku Ronbunshu, 2003, 29, 188-190.   | 0.3  | 1         |
| 200 | Electrochemical Oxidation of Methanol in Hot Aqueous Solution.. Kagaku Kogaku Ronbunshu, 2003, 29, 184-187.   | 0.3  | 0         |
| 201 | Effects of a Sodium Hydroxide Addition on the Decomposition of 2-Chlorophenol in Supercritical Water. Industrial & Engineering Chemistry Research, 2002, 41, 5427-5431.                                   | 3.7  | 15        |
| 202 | Determination of Ammonia Oxidation Rate in Sub- and Supercritical Water. Industrial & Engineering Chemistry Research, 2002, 41, 6020-6027.  | 3.7  | 86        |
| 203 | Evaluation of supercritical water gasification and biomethanation for wet biomass utilization in Japan. Energy Conversion and Management, 2002, 43, 1301-1310.  | 9.2  | 92        |
| 204 | Carbon catalyzed supercritical water oxidation of phenol. Journal of Supercritical Fluids, 2002, 22, 149-156.   | 3.2  | 34        |
| 205 | Global Kinetics of 2-Chlorophenol Disappearance with NaOH in Supercritical Water.. Journal of Chemical Engineering of Japan, 2002, 35, 1252-1256.   | 0.6  | 6         |
| 206 | Adsorption of Carbon Monoxide on Platinum in Hot Aqueous Acidic Solution from 423 to 533 K.. Journal of Chemical Engineering of Japan, 2002, 35, 626-633.   | 0.6  | 2         |
| 207 | Electrochemical Oxidation of Carbon Monoxide on a Pt Electrode at Lower Potential in Hot Aqueous Solution at 423 K and 473 K.. Journal of Chemical Engineering of Japan, 2002, 35, 479-484.               | 0.6  | 1         |
| 208 | Gasification of Cellulose, Xylan, and Lignin Mixtures in Supercritical Water. Industrial & Engineering Chemistry Research, 2001, 40, 5469-5474.   | 3.7  | 197       |
| 209 | Supercritical Water Liquefaction of Coal and Waste Tires: Effects of Partial Oxidation and the Water-gas Shift Reaction.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 2001, 44, 397-400. | 0.1  | 4         |
| 210 | A Case Study of Ethanol Production from Sweet Sorghum in China.. Sekiyu Gakkaishi (Journal of the Japan Petroleum Institute), 2001, 44, 397-400.  | 0.1  | 0         |
| 211 | Supercritical water oxidation of high concentrations of phenol. Journal of Hazardous Materials, 2000, 73, 245-254.  | 12.4 | 39        |
| 212 | Improvement of Heat Transfer in a Packed-Bed Reactor for a Chemical Heat Pump Using Sodium Carbonate Decahydrate Dehydration. Industrial & Engineering Chemistry Research, 1997, 36, 2421-2426.           | 3.7  | 2         |
| 213 | Carbon-Catalyzed Gasification of Organic Feedstocks in Supercritical Water. Industrial & Engineering Chemistry Research, 1996, 35, 2522-2530.   | 3.7  | 373       |
| 214 | Bubble Characteristics of Circulating Three-Phase Fluidized Bed.. Kagaku Kogaku Ronbunshu, 1995, 21, 132-136.   | 0.3  | 0         |
| 215 | Heat pump characteristics of sodium carbonate dehydration/hydration system. International Journal of Energy Research, 1995, 19, 253-261.  | 4.5  | 4         |
| 216 | A chemical heat pump using hydration of mgO particles in a three-phase reactor. International Journal of Energy Research, 1995, 19, 263-273.  | 4.5  | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Fundamental Investigation of a Chemical Heat Pump with Cold Heat Storage Using Sodium Carbonate Decahydrate and Oxalic Acid Dihydrate.. Kagaku Kogaku Ronbunshu, 1993, 19, 695-698. | 0.3 | 3         |
| 218 | Effect of Column Height on Mass Transfer Characteristics of Spray Column. Applied Mechanics and Materials, 0, 625, 657-660.   | 0.2 | 0         |