

Erdem Yesilada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3040985/publications.pdf>

Version: 2024-02-01

233
papers

11,212
citations

25034

57
h-index

42399

92
g-index

240
all docs

240
docs citations

240
times ranked

10937
citing authors

#	ARTICLE	IF	CITATIONS
1	Traditional medicine in Turkey X. Folk medicine in Central Anatolia. Journal of Ethnopharmacology, 2001, 75, 95-115.	4.1	398
2	Traditional medicine in Turkey. V. Folk medicine in the inner Taurus Mountains. Journal of Ethnopharmacology, 1995, 46, 133-152.	4.1	348
3	A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish Berberis species. Life Sciences, 2002, 72, 645-657.	4.3	318
4	Traditional medicine in Turkey IX.: Journal of Ethnopharmacology, 1999, 64, 195-210.	4.1	224
5	Investigations on the in vivo wound healing potential of Hypericum perforatum L.. Journal of Ethnopharmacology, 2010, 127, 468-477.	4.1	216
6	A new therapeutic approach in Alzheimer disease: Some novel pyrazole derivatives as dual MAO-B inhibitors and antiinflammatory analgesics. Bioorganic and Medicinal Chemistry, 2007, 15, 5775-5786.	3.0	192
7	Preparation of 5-aryl-3-alkylthio-1,2,4-triazoles and corresponding sulfones with antiinflammatory“analgesic activity. Bioorganic and Medicinal Chemistry, 2007, 15, 1808-1814.	3.0	191
8	Traditional medicine in Turkey VII. Folk medicine in middle and west Black Sea regions. Economic Botany, 1995, 49, 406-422.	1.7	187
9	Anti-inflammatory and antinociceptive activity assessment of plants used as remedy in Turkish folk medicine. Journal of Ethnopharmacology, 2003, 89, 123-129.	4.1	180
10	Hypoglycaemic activity of Gentiana olivieri and isolation of the active constituent through bioassay-directed fractionation techniques. Life Sciences, 2005, 76, 1223-1238.	4.3	178
11	Screening of Turkish anti-ulcerogenic folk remedies for anti-Helicobacter pylori activity. Journal of Ethnopharmacology, 1999, 66, 289-293.	4.1	176
12	Traditional medicine in Turkey VIII. Folk medicine in east anatolia; Erzurum, ErzÄncan, AÄYri, Kars, IÄYdir provinces. Economic Botany, 1997, 51, 195-211.	1.7	169
13	Traditional medicine in Turkey IV. Folk medicine in the Mediterranean subdivision. Journal of Ethnopharmacology, 1993, 39, 31-38.	4.1	168
14	Berberis crataegina DC. root exhibits potent anti-inflammatory, analgesic and febrifuge effects in mice and rats. Journal of Ethnopharmacology, 2002, 79, 237-248.	4.1	163
15	Effects of triterpene saponins from Astragalus species on in vitro cytokine release. Journal of Ethnopharmacology, 2005, 96, 71-77.	4.1	157
16	In vivo anti-inflammatory and antinociceptive activity of the crude extract and fractions from Rosa canina L. fruits. Journal of Ethnopharmacology, 2007, 112, 394-400.	4.1	155
17	Inhibitory effects of Turkish folk remedies on inflammatory cytokines: interleukin-1±, interleukin-1Î² and tumor necrosis factor Î±. Journal of Ethnopharmacology, 1997, 58, 59-73.	4.1	152
18	6-Benzylidenethiazolo[3,2-b]-1,2,4-triazole-5(6H)-onessubstituted with ibuprofen: synthesis, characterizationand evaluation of anti-inflammatory activity. European Journal of Medicinal Chemistry, 2000, 35, 743-750.	5.5	142

#	ARTICLE	IF	CITATIONS
19	Anti-ulcerogenic activity of some plants used as folk remedy in Turkey. <i>Journal of Ethnopharmacology</i> , 2003, 88, 93-97.	4.1	137
20	Traditional medicine in Turkey I. Folk medicine in Northeast Anatolia. <i>Journal of Ethnopharmacology</i> , 1991, 35, 191-196.	4.1	133
21	Flavonoids with antinociceptive and anti-inflammatory activities from the leaves of <i>Tilia argentea</i> (silver linden). <i>Journal of Ethnopharmacology</i> , 2004, 95, 393-397.	4.1	127
22	Traditional medicine and gastroprotective crude drugs. <i>Journal of Ethnopharmacology</i> , 2005, 100, 61-66.	4.1	126
23	Isolation of an Anti-inflammatory Principle from the Fruit Juice of <i>Ecballium elaterium</i> . <i>Journal of Natural Products</i> , 1988, 51, 504-508.	3.0	123
24	In vivo antidiabetic and antioxidant potential of <i>Helichrysum plicatum</i> ssp. <i>plicatum capitulum</i> in streptozotocin-induced-diabetic rats. <i>Journal of Ethnopharmacology</i> , 2007, 109, 54-59.	4.1	119
25	Wound healing potential of <i>Sambucus ebulus</i> L. leaves and isolation of an active component, quercetin 3-O-glucoside. <i>Journal of Ethnopharmacology</i> , 2010, 129, 106-114.	4.1	106
26	A novel wound healing ointment: A formulation of <i>Hypericum perforatum</i> oil and sage and oregano essential oils based on traditional Turkish knowledge. <i>Journal of Ethnopharmacology</i> , 2011, 134, 89-96.	4.1	101
27	Traditional Medicine in Turkey III. Folk Medicine in East Anatolia, Van and Bitlis Provinces. <i>International Journal of Pharmacognosy</i> , 1994, 32, 3-12.	0.2	97
28	Effect of in vitro gastrointestinal digestion on the bioavailability of phenolic components and the antioxidant potentials of some Turkish fruit wines. <i>Food Research International</i> , 2015, 78, 209-215.	6.2	96
29	Traditional medicine in Turkey VI. Folk medicine in West Anatolia: Afyon, KÅ¼tahya, Denizli, MuÅ¼la, Aydin provinces. <i>Journal of Ethnopharmacology</i> , 1996, 53, 75-87.	4.1	93
30	Anti-ulcerogenic effect of <i>Momordica charantia</i> L. fruits on various ulcer models in rats. <i>Journal of Ethnopharmacology</i> , 2000, 71, 77-82.	4.1	93
31	Hypoglycaemic effects of myrtle oil in normal and alloxan-diabetic rabbits. <i>Journal of Ethnopharmacology</i> , 2004, 93, 311-318.	4.1	92
32	Flavonoids with anti-inflammatory and antinociceptive activity from <i>Cistus laurifolius</i> L. leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , 2007, 112, 524-530.	4.1	92
33	Effects of in vivo antioxidant enzyme activities of myrtle oil in normoglycaemic and alloxan diabetic rabbits. <i>Journal of Ethnopharmacology</i> , 2007, 110, 498-503.	4.1	91
34	An Ethnobotanical Survey of the Beypazari, Ayas, and GÅ¼dÅ¼l District Towns of Ankara Province (Turkey). <i>Economic Botany</i> , 2004, 58, 705-720.	1.7	89
35	Evaluation of the hypoglycemic effect and antioxidant activity of three <i>Viscum album</i> subspecies (European mistletoe) in streptozotocin-diabetic rats. <i>Journal of Ethnopharmacology</i> , 2005, 98, 95-102.	4.1	88
36	Comparative evaluation of the anti-inflammatory and antinociceptive activity of Turkish <i>Eryngium</i> species. <i>Journal of Ethnopharmacology</i> , 2006, 107, 32-37.	4.1	87

#	ARTICLE	IF	CITATIONS
37	Anti-ulcerogenic activity of some plants used in folk medicine of Pinarbasi (Kayseri, Turkey). <i>Journal of Ethnopharmacology</i> , 2005, 101, 313-318.	4.1	85
38	In-vivo assessment of antidiabetic and antioxidant activities of grapevine leaves (<i>Vitis vinifera</i>) in diabetic rats. <i>Journal of Ethnopharmacology</i> , 2006, 108, 280-286.	4.1	85
39	<i>Clematis vitalba</i> L. aerial part exhibits potent anti-inflammatory, antinociceptive and antipyretic effects. <i>Journal of Ethnopharmacology</i> , 2007, 110, 504-515.	4.1	82
40	Flavonoids with anti- <i>Helicobacter pylori</i> activity from <i>Cistus laurifolius</i> leaves. <i>Journal of Ethnopharmacology</i> , 2006, 108, 457-461.	4.1	75
41	Inferences from an ethnobotanical field expedition in the selected locations of Sivas and Yozgat provinces (Turkey). <i>Journal of Ethnopharmacology</i> , 2011, 137, 85-98.	4.1	75
42	Rearranged abietane-type diterpenes from <i>Salvia dichroantha</i> . <i>Phytochemistry</i> , 1999, 50, 493-497.	2.9	74
43	Synthesis of some 1,2,4-triazolo[3,2-b]-1,3-thiazine-7-ones with potential analgesic and antiinflammatory activities. <i>Il Farmaco</i> , 2002, 57, 145-152.	0.9	74
44	Effects of <i>Cistus laurifolius</i> L. flowers on gastric and duodenal lesions. <i>Journal of Ethnopharmacology</i> , 1997, 55, 201-211.	4.1	72
45	In vivo gastroprotective effects of five Turkish folk remedies against ethanol-induced lesions. <i>Journal of Ethnopharmacology</i> , 2002, 83, 241-244.	4.1	71
46	Evaluation of hepatoprotective effect of <i>Gentiana olivieri</i> herbs on subacute administration and isolation of active principle. <i>Life Sciences</i> , 2003, 72, 2273-2283.	4.3	71
47	Antiviral and antimicrobial activities of three sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> . <i>Microbiological Research</i> , 2009, 164, 545-552.	5.3	71
48	Antihypercholesterolaemic and antioxidant activity assessment of some plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , 2006, 107, 418-423.	4.1	70
49	A comparative study on the in vitro antioxidant potentials of three edible fruits: Cornelian cherry, Japanese persimmon and cherry laurel. <i>Food and Chemical Toxicology</i> , 2012, 50, 3329-3335.	3.6	70
50	Megastigmane glucosides from <i>Stachys byzantina</i> . <i>Phytochemistry</i> , 1997, 44, 1335-1337.	2.9	69
51	Prostaglandin inhibitory and antioxidant components of <i>Cistus laurifolius</i> , a Turkish medicinal plant. <i>Journal of Ethnopharmacology</i> , 2006, 108, 371-378.	4.1	63
52	Evaluation of in vivo Biological Activity Profile of Isoorientin. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004, 59, 787-790.	1.4	62
53	Bioassay-guided evaluation of anti-inflammatory and antinociceptive activities of pistachio, <i>Pistacia vera</i> L.. <i>Journal of Ethnopharmacology</i> , 2006, 105, 235-240.	4.1	62
54	Iridoid and eugenol glycosides from <i>Nepeta cadmea</i> . <i>Phytochemistry</i> , 1998, 49, 787-791.	2.9	61

#	ARTICLE	IF	CITATIONS
73	Evaluation of some plants used in Turkish folk medicine against parasitic infections for their in vivo anthelmintic activity. <i>Journal of Ethnopharmacology</i> , 2006, 108, 211-216.	4.1	51
74	Synthesis of New 2-[1(2H)-Phthalazinon-2-yl]acetamide and 3-[1(2H)-Phthalazinon-2-yl]propanamide Derivatives as Antinociceptive and Anti-inflammatory Agents. <i>Archiv Der Pharmazie</i> , 2004, 337, 303-310.	4.1	50
75	Bioassay-guided isolation of anti-inflammatory and antinociceptive principles from a folk remedy, <i>Rhododendron ponticum</i> L. leaves. <i>Journal of Ethnopharmacology</i> , 2008, 119, 172-178.	4.1	50
76	IN VITRO INHIBITORY EFFECTS OF DAPHNE OLEOIDES SSP. OLEOIDES ON INFLAMMATORY CYTOKINES AND ACTIVITY-GUIDED ISOLATION OF ACTIVE CONSTITUENTS. <i>Cytokine</i> , 2001, 13, 359-364.	3.2	49
77	Anti-inflammatory and antinociceptive activities of <i>Seseli</i> L. species (Apiaceae) growing in Turkey. <i>Journal of Ethnopharmacology</i> , 2006, 104, 310-314.	4.1	49
78	Quality assessment of marketed chamomile tea products by a validated HPTLC method combined with multivariate analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 132, 35-45.	2.8	48
79	Isolation of anti-ulcerogenic sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> through bioassay-guided fractionation procedures in rats. <i>Journal of Ethnopharmacology</i> , 2004, 95, 213-219.	4.1	47
80	Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. <i>Food and Chemical Toxicology</i> , 2013, 62, 448-455.	3.6	47
81	Influence of in vitro human digestion on the bioavailability of phenolic content and antioxidant activity of <i>Viburnum opulus</i> L. (European cranberry) fruit extracts. <i>Industrial Crops and Products</i> , 2019, 131, 62-69.	5.2	47
82	Terpenoids and aromatic compounds from <i>Daphne oleoides</i> ssp. <i>oleoides</i> . <i>Phytochemistry</i> , 1999, 52, 1525-1529.	2.9	46
83	Synthesis, Analgesic, and Anti-Inflammatory Activities of [6-(3,5-Dimethyl-4-Chloropyrazole-1-yl)-3(2H)-Pyridazinon-2-yl]Acetamides. <i>Archives of Pharmacal Research</i> , 2005, 28, 509-517.	6.3	46
84	Anti-Inflammatory and Antinociceptive Activity of Flavonoids Isolated from <i>Viscum album</i> ssp. <i>album</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 26-30.	1.4	46
85	A Study of Antidiabetic and Antioxidant Effects of <i>Helichrysum graveolens</i> Capitulum in Streptozotocin-Induced Diabetic Rats. <i>Journal of Medicinal Food</i> , 2007, 10, 396-400.	1.5	46
86	Evaluation of the anti-ulcerogenic effect of sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> by using various in vivo and biochemical techniques. <i>Journal of Ethnopharmacology</i> , 2007, 112, 284-291.	4.1	46
87	Phenolic compounds of <i>Sideritis ozturkii</i> and their in vivo anti-inflammatory and antinociceptive activities. <i>Journal of Ethnopharmacology</i> , 2007, 112, 356-360.	4.1	46
88	Analytical Methods in Tracing Honey Authenticity. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 827-839.	1.5	46
89	Effect of <i>Cistus laurifolius</i> L. leaf extracts and flavonoids on acetaminophen-induced hepatotoxicity in mice. <i>Journal of Ethnopharmacology</i> , 2006, 103, 455-460.	4.1	45
90	Efficacy of <i>Daphne oleoides</i> subsp. <i>kurdica</i> used for wound healing: Identification of active compounds through bioassay guided isolation technique. <i>Journal of Ethnopharmacology</i> , 2012, 141, 1058-1070.	4.1	45

#	ARTICLE	IF	CITATIONS
91	Comparative evaluation of traditional prescriptions from <i>Cichorium intybus</i> L. for wound healing: Stepwise isolation of an active component by in vivo bioassay and its mode of activity. <i>Journal of Ethnopharmacology</i> , 2012, 143, 299-309.	4.1	45
92	Screening of some Turkish medicinal plants for their antiulcerogenic activities. <i>Phytotherapy Research</i> , 1993, 7, 263-265.	5.8	43
93	Comparative determination of sibutramine as an adulterant in natural slimming products by HPLC and HPTLC densitometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 64-65, 77-81.	2.8	43
94	Development and validation of an HPTLC method for apigenin 7-O-glucoside in chamomile flowers and its application for fingerprint discrimination of chamomile-like materials. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 107, 108-118.	2.8	43
95	Amide Derivatives of [6-(5-Methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acids as Potential Analgesic and Anti-Inflammatory Compounds. <i>Archiv Der Pharmazie</i> , 2004, 337, 7-14.	4.1	42
96	Anti-inflammatory and antinociceptive potential of <i>Maclura pomifera</i> (Rafin.) Schneider fruit extracts and its major isoflavonoids, scandenone and auriculasin. <i>Journal of Ethnopharmacology</i> , 2006, 107, 169-174.	4.1	42
97	Bioassay-guided isolation of kaempferol-3-O- β -D-galactoside with anti-inflammatory and antinociceptive activity from the aerial part of <i>Calluna vulgaris</i> L. <i>Journal of Ethnopharmacology</i> , 2007, 114, 32-37.	4.1	42
98	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam (<i>Styrax</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	4.1	42
99	Estimation of antinociceptive and anti-inflammatory activity on <i>Geranium pratense</i> subsp. finitimum and its phenolic compounds. <i>Journal of Ethnopharmacology</i> , 2007, 114, 234-240.	4.1	41
100	Profiling of Turkish propolis subtypes: Comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities. <i>LWT - Food Science and Technology</i> , 2018, 95, 367-379.	5.2	40
101	A saponin with anti-ulcerogenic effect from the flowers of <i>Spartium junceum</i> . <i>Phytochemistry</i> , 1999, 51, 903-908.	2.9	39
102	Phlorigidosides A β C, iridoid glucosides from <i>Phlomis rigida</i> . <i>Phytochemistry</i> , 2000, 53, 931-935.	2.9	38
103	The bioaccessible phenolic profile and antioxidant potential of <i>Hypericum perforatum</i> L. after simulated human digestion. <i>Industrial Crops and Products</i> , 2017, 109, 717-723.	5.2	38
104	Studies on Novel 7-Acyl-5-chloro-2-oxo-3H-benzoxazole Derivatives as Potential Analgesic and Anti-Inflammatory Agents. <i>Archiv Der Pharmazie</i> , 2003, 336, 310-321.	4.1	37
105			

#	ARTICLE	IF	CITATIONS
109	Sesquiterpene lactones with antinociceptive and antipyretic activity from two <i>Centaurea</i> species. <i>Journal of Ethnopharmacology</i> , 2009, 122, 210-215.	4.1	34
110	Chemical composition and antimicrobial activity of the essential oils of <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> growing wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1001-6.	0.5	34
111	Cholesterol-reducer, antioxidant and liver protective effects of <i>Thymbra spicata</i> L. var. <i>spicata</i> . <i>Journal of Ethnopharmacology</i> , 2009, 126, 314-319.	4.1	32
112	Evaluation of <i>in vitro</i> antiprotozoal activity of <i>Ajuga laxmannii</i> and its secondary metabolites. <i>Pharmaceutical Biology</i> , 2016, 54, 1808-1814.	2.9	32
113	Synthesis, Anti-inflammatory and Analgesic Synthesis, Anti-inflammatory and Analgesic New 4(3H)-Quinazolinone Derivatives. <i>Archiv Der Pharmazie</i> , 2004, 337, 96-104.	4.1	31
114	Valuation of anti-inflammatory and antinociceptive activities of <i>Erica</i> species native to Turkey. <i>Journal of Ethnopharmacology</i> , 2008, 116, 251-257.	4.1	31
115	Anti-ulcerogenic activity and isolation of the active principles from <i>Sambucus ebulus</i> L. leaves. <i>Journal of Ethnopharmacology</i> , 2014, 153, 478-483.	4.1	31
116	Investigations of New Pyridazinone Derivatives for the Synthesis of Potent Analgesic and Anti-Inflammatory Compounds with Cyclooxygenase Inhibitory Activity. <i>Archiv Der Pharmazie</i> , 2003, 336, 406-412.	4.1	30
117	Evaluation of anti-inflammatory and antinociceptive activities of some <i>Onosma</i> L. species growing in Turkey. <i>Journal of Ethnopharmacology</i> , 2008, 120, 378-381.	4.1	29
118	Monofloral and polyfloral bee pollens: Comparative evaluation of their phenolics and bioactivity profiles. <i>LWT - Food Science and Technology</i> , 2021, 142, 110973.	5.2	29
119	Evaluation of Some Plants Used in Turkish Folk Medicine for Their Anti-inflammatory and Antinociceptive Activities. <i>Pharmaceutical Biology</i> , 2007, 45, 547-555.	2.9	28
120	An anti-ulcerogenic flavonol diglucoside from <i>Equisetum palustre</i> L.. <i>Journal of Ethnopharmacology</i> , 2009, 121, 360-365.	4.1	28
121	<i>In vivo</i> activity assessment of a honey-bee pollen mix formulation. <i>Pharmaceutical Biology</i> , 2010, 48, 253-259.	2.9	28
122	Folk medicine in Düzce Province (Turkey). <i>Turkish Journal of Botany</i> , 2019, 43, 769-784.	1.2	28
123	Flavonoid variation in the leaves of <i>Glycyrrhiza glabra</i> . <i>Phytochemistry</i> , 1996, 42, 701-704.	2.9	27
124	The potential role of female flowers inflorescence of <i>Typha domingensis</i> Pers. in wound management. <i>Journal of Ethnopharmacology</i> , 2011, 133, 1027-1032.	4.1	27
125	Assessment of potential bioavailability of major phenolic compounds in <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> . <i>Industrial Crops and Products</i> , 2018, 118, 111-117.	5.2	27
126	Enzyme inhibitory and antioxidant activities of <i>Nerium oleander</i> L. flower extracts and activity guided isolation of the active components. <i>Industrial Crops and Products</i> , 2018, 112, 24-31.	5.2	27

#	ARTICLE	IF	CITATIONS
127	Antiprotozoal activity of <i>Melampyrum arvense</i> and its metabolites. <i>Phytotherapy Research</i> , 2011, 25, 142-146.	5.8	26
128	Sambulin A and B, non-glycosidic iridoids from <i>Sambucus ebulus</i> , exert significant in vitro anti-inflammatory activity in LPS-induced RAW 264.7 macrophages via inhibition of MAPKs's phosphorylation. <i>Journal of Ethnopharmacology</i> , 2017, 206, 347-352.	4.1	26
129	Anti-Inflammatory and Antinociceptive Potential of Major Phenolics from <i>Verbascum salviifolium</i> Boiss. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008, 63, 196-202.	1.4	25
130	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	25
131	Effects of escin mixture from the seeds of <i>Aesculus hippocastanum</i> on obesity in mice fed a high fat diet. <i>Pharmaceutical Biology</i> , 2010, 48, 247-252.	2.9	25
132	Phenolic compounds from the aerial parts of <i>Clematis viticella</i> L. and their in vitro anti-inflammatory activities. <i>Natural Product Research</i> , 2019, 33, 2541-2544.	1.8	25
133	Antiinflammatory effects of the fruit juice of <i>Ecballium elaterium</i> on edemas in mice. <i>Phytotherapy Research</i> , 1989, 3, 75-76.	5.8	24
134	Clinical Effects of the Fruit Juice of <i>Ecbalium elaterium</i> in the Treatment of Sinusits. <i>Journal of Toxicology: Clinical Toxicology</i> , 1995, 33, 381-382.	1.5	24
135	Nepetanudoside, an Iridoid Glucoside with an Unusual Stereostructure from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . <i>Journal of Natural Products</i> , 1995, 58, 1217-1221.	3.0	24
136	In vivo anti-inflammatory and antinociceptive actions of some <i>Lamium</i> species. <i>Journal of Ethnopharmacology</i> , 2008, 118, 166-172.	4.1	24
137	Biodiversity in Turkish Folk Medicine. , 2002, , 119-135.		24
138	Anti-Inflammatory and Antinociceptive Activity of Coumarins from <i>Seseli gummiferum</i> subsp. <i>corymbosum</i> (Apiaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 56-62.	1.4	23
139	An ethnobotanical survey in selected districts of the Black Sea region (Turkey). <i>Turkish Journal of Botany</i> , 2017, 41, 47-62.	1.2	23
140	A New Type of Anatolian Propolis: Evaluation of Its Chemical Composition, Activity Profile and Botanical Origin. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900492.	2.1	23
141	4-(5-Chloro-2(3H)-benzoxazolone-3-yl) Butanoic Acid Derivatives: Synthesis, Antinociceptive and Anti-inflammatory Properties. <i>Archiv Der Pharmazie</i> , 2003, 336, 477-482.	4.1	22
142	<i>Hypericum olympicum</i> L. recovers DNA damage and prevents MMP-9 activation induced by UVB in human dermal fibroblasts. <i>Journal of Ethnopharmacology</i> , 2020, 246, 112202.	4.1	22
143	A Guidance Manual for the Toxicity Assessment of Traditional Herbal Medicines. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	21
144	Effect of St.John's wort (<i>Hypericum perforatum</i>) oily extract for the care and treatment of pressure sores; a case report. <i>Journal of Ethnopharmacology</i> , 2017, 196, 236-241.	4.1	21

#	ARTICLE	IF	CITATIONS
145	Influence of extraction method on enzyme inhibition, phenolic profile and antioxidant capacity of <i>Sideritis trojana</i> Bornm. South African Journal of Botany, 2019, 121, 360-365.	2.5	20
146	Nepetanudosides and iridoid glucosides having novel stereochemistry from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . Phytochemistry, 1996, 42, 1085-1088.	2.9	19
147	Anti-ulcerogenic effects of <i>Spartium junceum</i> flowers on in vivo test models in rats. Journal of Ethnopharmacology, 2000, 70, 219-226.	4.1	19
148	Assessment of anti-inflammatory and antinociceptive activities of <i>Daphne pontica</i> L. (Thymelaeaceae). Journal of Ethnopharmacology, 2007, 113, 332-337.	4.1	19
149	Phlomisethanoside, a phenylethanoid glycoside from <i>Phlomis grandiflora</i> var. <i>grandiflora</i> . Phytochemistry, 1999, 51, 323-325.	2.9	18
150	Evaluation of the antiulcerogenic activity profile of a flavonol diglucoside from <i>Equisetum palustre</i> L.. Journal of Ethnopharmacology, 2010, 131, 17-21.	4.1	18
151	Antioxidant activities of several <i>Scutellaria</i> taxa and bioactive phytoconstituents from <i>Scutellaria hastifolia</i> L.. Industrial Crops and Products, 2015, 77, 196-203.	5.2	18
152	Comparative biochemical and histopathological evaluations proved that receptacle is the most effective part of <i>Cynara scolymus</i> against liver and kidney damages. Journal of Ethnopharmacology, 2020, 249, 112458.	4.1	18
153	Importance of chromatographic and spectrophotometric methods in determining authenticity, classification and bioactivity of honey. LWT - Food Science and Technology, 2020, 132, 109921.	5.2	18
154	Effects of the Turkish subspecies of <i>Viscum album</i> on macrophage-derived cytokines. Journal of Ethnopharmacology, 1998, 61, 195-200.	4.1	17
155	Labdane Diterpenoids from <i>Marrubium globosum</i> ssp. <i>globosum</i> .. Chemical and Pharmaceutical Bulletin, 2000, 48, 1234-1235.	1.3	17
156	Synthesis, Analgesic and Antiinflammatory properties of Certain 5-/6-Acyl-3-(4-substituted-1-piperazinylmethyl)-2-benzoxazolinones Derivatives. Archiv Der Pharmazie, 2005, 338, 117-125.	4.1	17
157	Synthesis and Evaluation of Analgesic/ Anti-inflammatory and Antimicrobial Activities of 3-Substituted-1,2,4-triazole-5-thiones. Arzneimittelforschung, 2005, 55, 533-540.	0.4	16
158	Phenylethyl Glycosides from <i>Digitalis lanata</i> . Helvetica Chimica Acta, 2009, 92, 1845-1852.	1.6	16
159	The antiinflammatory activity of the fractions from <i>Eryngium billardieri</i> in mice. Phytotherapy Research, 1989, 3, 38-40.	5.8	15
160	Marrubinones A and B, New Labdane Diterpenoids from <i>Marrubium astracanicum</i> (Labiatae).. Chemical and Pharmaceutical Bulletin, 1995, 43, 1454-1457.	1.3	15
161	Chemical constituents of <i>Salvia dichroantha</i> . Biochemical Systematics and Ecology, 2012, 42, 18-20.	1.3	15
162	Secondary metabolites from <i>Sambucus ebulus</i> . Turkish Journal of Chemistry, 2015, 39, 34-41.	1.2	15

#	ARTICLE	IF	CITATIONS
163	A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of <i>Daphne oleoides</i> Schreb. subsp. <i>oleoides</i> . <i>Industrial Crops and Products</i> , 2017, 95, 695-703.	5.2	15
164	Callus formation and cucurbitacin B accumulation in <i>Ecballium elaterium</i> callus cultures. <i>FÄ-toterapÄ-Äç</i> , 2003, 74, 618-623.	2.2	14
165	Amide Derivatives of [5-Chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic Acids as Potential Analgesic and Anti-Inflammatory Compounds. <i>Archiv Der Pharmazie</i> , 2003, 336, 251-257.	4.1	14
166	Analgesic Activity of <i>Cistus laurifolius</i> in Mice. <i>Pharmaceutical Biology</i> , 2004, 42, 176-178.	2.9	14
167	An Overview of Turkish Folk Medicine; Past and Present. <i>Current Drug Delivery</i> , 2013, 10, 92-95.	1.6	14
168	The fruit extract of <i>Berberis crataegina</i> DC: exerts potent antioxidant activity and protects DNA integrity. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2015, 23, 24.	2.0	14
169	Anti-ulcerogenic Lignans from <i>Taxus baccata</i> L.. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004, 59, 233-236.	1.4	13
170	Synthesis of New Mannich Bases of Arylpyridazinones as Analgesic and Anti-inflammatory Agents. <i>Arzneimittelforschung</i> , 2005, 55, 318-325.	0.4	13
171	Antinociceptive and Anti-inflammatory Activities of Seven Endemic <i>Verbascum</i> Species Growing in Turkey. <i>Pharmaceutical Biology</i> , 2008, 46, 781-788.	2.9	13
172	Contribution of traditional medicine in the healthcare system of the Middle East. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 95-98.	1.6	13
173	A rapid validated HPLC method for determination of sulforaphane and glucoraphanin in broccoli and red cabbage prepared by various cooking techniques. <i>Analytical Methods</i> , 2014, 6, 4559-4566.	2.7	13
174	The effect of <i>Hypericum perforatum</i> L. (St. John's Wort) on prevention of myringosclerosis after myringotomy in a rat model. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1128-1134.	1.0	13
175	Assessment of anticholinesterase and antioxidant properties of the extracts and (+)-catechin obtained from <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb (dwarf mistletoe). <i>South African Journal of Botany</i> , 2019, 120, 309-312.	2.5	13
176	An investigation on the enzyme inhibitory activities, phenolic profile and antioxidant potentials of <i>Salvia virgata</i> Jacq. <i>South African Journal of Botany</i> , 2021, 143, 350-358.	2.5	13
177	Antimicrobial effect of <i>Helichrysum plicatum</i> subsp. <i>plicatum</i> . <i>Pharmaceutical Biology</i> , 2009, 47, 289-297.	2.9	12
178	Cytotoxic and apoptotic effects of <i>Ebenus boissieri</i> Barbey on human lung cancer cell line A549. <i>Pharmacognosy Magazine</i> , 2015, 11, 37.	0.6	12
179	Comparison of antioxidant and anti-inflammatory activity profiles of various chemically characterized Turkish propolis sub-types: Which propolis type is a promising source for pharmaceutical product development?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 203, 114196.	2.8	12
180	Comparatively Investigation of Grape Molasses Produced by Conventional and Industrial Techniques. <i>Marmara Pharmaceutical Journal</i> , 2018, 22, 44-51.	0.5	11

#	ARTICLE	IF	CITATIONS
181	Nepetacilicoside, a New Iridoid Glucoside from <i>Nepeta cilicia</i> . <i>Journal of Natural Products</i> , 1996, 59, 518-519.	3.0	10
182	Nepetaracemosides A and B, Iridoid Glucosides from <i>Nepeta racemosa</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1433-1435.	1.3	10
183	Safety evaluation of <i>styrax liquidus</i> from the viewpoint of genotoxicity and mutagenicity. <i>Journal of Ethnopharmacology</i> , 2016, 194, 506-512.	4.1	10
184	Marmara Bölgesindeki Bazı Yerel Yem Merkezlerinde Halk Açık Olarak Kullanılan Bitkiler. <i>Marmara Pharmaceutical Journal</i> , 2016, 21, 132-148.	0.5	10
185	Bioactivity guided evaluation of anti-inflammatory and antinociceptive activities of <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb.. <i>Journal of Ethnopharmacology</i> , 2010, 128, 79-84.	4.1	9
186	<i>In vitro</i> Antiprotozoal Activity of Extracts of five Turkish Lamiaceae Species. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100601.	0.5	9
187	<i>In vitro</i> human digestion simulation of the bioavailability and antioxidant activity of phenolics from <i>Sambucus ebulus</i> L. fruit extracts. <i>Food Bioscience</i> , 2020, 37, 100711.	4.4	9
188	Synthesis and Analgesic Activity of Some 4,6-Disubstituted-3(2H)-Pyridazinone Derivatives. <i>Arzneimittelforschung</i> , 2006, 56, 337-345.	0.4	8
189	Isolation of active constituents from cherry laurel (<i>Laurocerasus officinalis</i> Roem.) leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , 2012, 139, 527-532.	4.1	8
190	A mixture of St. John's wort and sea buckthorn oils regresses endometriotic implants and affects the levels of inflammatory mediators in peritoneal fluid of the rat: A surgically induced endometriosis model. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 786-790.	1.3	8
191	A comprehensive study to evaluate the wound healing potential of okra (<i>Abelmoschus esculentus</i>) fruit. <i>Journal of Ethnopharmacology</i> , 2022, 287, 114843.	4.1	8
192	Synthesis and Evaluation of the Analgesic and Anti-inflammatory Activity of New 3(2H)-Pyridazinone Derivatives. <i>Arzneimittelforschung</i> , 2004, 54, 396-401.	0.4	7
193	Design and Synthesis of Some New Thiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones Substituted with Flurbiprofen as Anti-inflammatory and Analgesic Agents. <i>Arzneimittelforschung</i> , 2007, 57, 196-202.	0.4	7
194	Synthesis and Pharmacological Activity of Diterpenyl naphthoquinone Derivatives. <i>Molecules</i> , 2011, 16, 8614-8628.	3.8	7
195	Protective Effect of <i>Nigella sativa</i> and <i>Nigella damascena</i> Fixed Oils Against Aflatoxin Induced Mutagenicity in the Classical and Modified Ames Test. <i>Chemistry and Biodiversity</i> , 2021, 18, e2000936.	2.1	7
196	Influence of <i>In Vitro</i> Human Digestion Simulation on the Phenolics Contents and Biological Activities of the Aqueous Extracts from Turkish <i>Cistus</i> Species. <i>Molecules</i> , 2021, 26, 5322.	3.8	7
197	Comparative determination of ruscogenins content in Butcher's Broom rhizome samples gathered from the populations grown in different soil conditions in the Marmara Region and attempts for pilot field cultivation of rhizomes. <i>Journal of Chemical Metrology</i> , 2018, 12, 79-88.	0.6	7
198	Synthesis of Some Thiazolo [3,2-b]-1,2,4-triazole-5(6H)-ones and Their Novel Michael Addition Products with Anti-inflammatory Activities. <i>Arzneimittelforschung</i> , 2001, 51, 470-477.	0.4	6

#	ARTICLE	IF	CITATIONS
199	Synthesis of Amide Derivatives of [6-(3,5-Dimethylpyrazol-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acid and Their Analgesic and Anti-inflammatory Properties. <i>Arzneimittelforschung</i> , 2005, 55, 520-527.	0.4	6
200	Phenolic Compounds from <i>Hypericum Calycinum</i> and Their Antioxidant Activity. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	6
201	The effect of <i>Nigella sativa</i> oil on prevention of myringosclerosis in a Guinea pig model. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 88, 52-57.	1.0	6
202	Caspase-mediated apoptotic effects of <i>Ebenus boissieri</i> barbey extracts on human cervical cancer cell line hela. <i>Pharmacognosy Magazine</i> , 2017, 13, 254.	0.6	6
203	In vitro antiprotozoal activity of extracts of five Turkish Lamiaceae species. <i>Natural Product Communications</i> , 2011, 6, 1697-700.	0.5	6
204	The Antiinflammatory Principle of the Roots of <i>Paeonia daurica</i> . <i>International Journal of Pharmacognosy</i> , 1992, 30, 66-70.	0.2	5
205	Stability of phenolic content of some herbal infusions and their antioxidant activity following in vitro digestion. <i>Biyokimya Dergisi</i> , 2017, 42, 375-380.	0.5	5
206	Developing and validation of an HPLC-DAD method for the determination of eight phenolic constituents in extract of different wine species. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2018, 15, 22-28.	1.4	5
207	Synthesis, Characterization and Anti-inflammatory-Analgesic Properties of 6-(1±-Amino-4-chlorobenzyl)thiazolo [3,2-b]-1,2,4-triazol-5-ols. <i>Arzneimittelforschung</i> , 2004, 54, 35-41.	0.4	4
208	Flavonol Glycosides and Iridoids from <i>Asperula lilaciflora</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1571-1576.	1.6	4
209	Cereal source and microbial consortia of the starter culture influence the chemical composition and physicochemical characteristics of boza. <i>Türk Tarım Ve Ormancılık Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2018, 42, 412-422.	2.1	4
210	Influence of honey addition on the bioaccessibility of phenolic contents and antioxidant capacities of different coffee types. <i>Marmara Pharmaceutical Journal</i> , 2017, 21, 906-914.	0.5	4
211	Development of new and validated HPTLC methods for the qualitative and quantitative analysis of hyperforin, hypericin and hyperoside contents in <i>Hypericum</i> species. <i>Phytochemical Analysis</i> , 2021, , .	2.4	4
212	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , 2020, 16, 346-352.	1.0	4
213	Design and Synthesis of Some (S)-2-(6-Methoxynaphthalen-2-yl)-N-substituted Ethyl Propanamide Derivatives as Potent Non-ulcerogenic Anti-inflammatory and Analgesic Agents. <i>Arzneimittelforschung</i> , 2009, 59, 195-201.	0.4	3
214	New Gastroprotective Labdeneamides from (4S,9R,10R) Methyl 18-carboxy-labda-8,13(E)-diene-15-oate. <i>Planta Medica</i> , 2012, 78, 362-367.	1.3	3
215	A Realistic Approach for Anti-Inflammatory, Antinociceptive and Antimutagenic Activities, and Risk Assessment of the Aqueous Extract of <i>Platanus orientalis</i> L. Leaves. <i>Current Molecular Pharmacology</i> , 2021, 14, 753-759.	1.5	3
216	The effects of topical liposomal resveratrol on incisional and excisional wound healing process. <i>Turkderm</i> , 2019, 53, 128-134.	0.1	3

#	ARTICLE	IF	CITATIONS
217	Investigation of the effectiveness of algal hemostatic agent in bleeding control using an experimental partial splenectomy model in rats. <i>Marmara Medical Journal</i> , 0, , 27-32.	0.8	3
218	Novel drug leads from Turkish medicinal plants with diverse pharmacological effects. <i>Drugs of the Future</i> , 2008, 33, 673.	0.1	2
219	Investigation of the Protective Effect of Nigella Sativa Oil in Cisplatin Induced Oral Mucositis: An Experimental Study. <i>Turkish Archives of Otorhinolaryngology</i> , 2020, 58, 10-15.	0.8	2
220	Hemostatic Activity of Cistus creticus Extract in Wistar Albino Rats. <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 844-847.	1.4	2
221	In vitro cytotoxic activity-guided isolation studies on the underground parts of Valeriana speluncaria Boiss.. <i>South African Journal of Botany</i> , 2022, 149, 315-319.	2.5	2
222	Synthesis, Antiinflammatory and Analgesic Activity Screening of Some New 4(3H)-Quinazolinone Derivatives.. <i>ChemInform</i> , 2004, 35, no.	0.0	1
223	Quorum sensing attenuation properties of ethnobotanically valuable lichens against <i>Pseudomonas aeruginosa</i> . <i>Plant Biosystems</i> , 2020, 154, 792-799.	1.6	1
224	In vitro evaluation of the bioactivity and bioaccessibility of Hypericum olympicum L.. <i>South African Journal of Botany</i> , 2021, 142, 316-324.	2.5	1
225	Quality assessment of marketed food supplements and herbal tea products of olive leaf in Turkey. <i>Journal of Research in Pharmacy</i> , 2020, 24, 1-11.	0.2	1
226	Amide Derivatives of [5-Chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic Acids as Potential Analgesic and Antiinflammatory Compounds.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
227	Studies on Novel 7-Acyl-5-chloro-2-oxo-3H-benzoxazole Derivatives as Potential Analgesic and Antiinflammatory Agents.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
228	Synthesis and Analgesic and Antiinflammatory Activity of Some New 6-Acyl-2-benzoxazolinone and 6-Acyl-2-benzothiazolinone Derivatives with Acetic Acid and Propanoic Acid Residues.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
229	Amide Derivatives of [6-(5-Methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acids as Potential Analgesic and Antiinflammatory Compounds.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
230	Synthesis, Analgesic and Antiinflammatory Properties of Certain 5-/6-Acyl-3-(4-substituted-1-piperazinylmethyl)-2-benzoxazolinones Derivatives.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
231	In vitro bioavailability studies on phytochemical profile and antioxidant activity potential of Clematis viticella L.. <i>Journal of Research in Pharmacy</i> , 2019, 23, 326-335.	0.2	0
232	The Protective Effect of Nigella sativa Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , 2020, 16, 346-352.	1.0	0
233	Investigation of The Effectiveness of Plant Based Algal Hemostatic Agent in a Rat Model of Femoral Arterial Bleeding. <i>BezmiÅlem Science</i> , 2022, 10, 88-95.	0.2	0