

Erdem Yesilada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3040985/publications.pdf>

Version: 2024-02-01

233
papers

11,212
citations

25034

57
h-index

42399

92
g-index

240
all docs

240
docs citations

240
times ranked

10937
citing authors

#	ARTICLE	IF	CITATIONS
1	A comprehensive study to evaluate the wound healing potential of okra (<i>Abelmoschus esculentus</i>) fruit. <i>Journal of Ethnopharmacology</i> , 2022, 287, 114843.	4.1	8
2	Investigation of The Effectiveness of Plant Based Algan Hemostatic Agent in a Rat Model of Femoral Arterial Bleeding. <i>Bezmi-Ålem Science</i> , 2022, 10, 88-95.	0.2	0
3	In vitro cytotoxic activity-guided isolation studies on the underground parts of <i>Valeriana speluncaria</i> Boiss.. <i>South African Journal of Botany</i> , 2022, 149, 315-319.	2.5	2
4	A Realistic Approach for Anti-Inflammatory, Antinociceptive and Antimutagenic Activities, and Risk Assessment of the Aqueous Extract of <i>Platanus orientalis</i> L. Leaves. <i>Current Molecular Pharmacology</i> , 2021, 14, 753-759.	1.5	3
5	Monofloral and polyfloral bee pollens: Comparative evaluation of their phenolics and bioactivity profiles. <i>LWT - Food Science and Technology</i> , 2021, 142, 110973.	5.2	29
6	Protective Effect of <i>Nigella sativa</i> and <i>Nigella damascena</i> Fixed Oils Against Aflatoxin Induced Mutagenicity in the Classical and Modified Ames Test. <i>Chemistry and Biodiversity</i> , 2021, 18, e2000936.	2.1	7
7	Influence of In Vitro Human Digestion Simulation on the Phenolics Contents and Biological Activities of the Aqueous Extracts from Turkish <i>Cistus</i> Species. <i>Molecules</i> , 2021, 26, 5322.	3.8	7
8	Comparison of antioxidant and anti-inflammatory activity profiles of various chemically characterized Turkish propolis sub-types: Which propolis type is a promising source for pharmaceutical product development?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 203, 114196.	2.8	12
9	In vitro evaluation of the bioactivity and bioaccessibility of <i>Hypericum olympicum</i> L.. <i>South African Journal of Botany</i> , 2021, 142, 316-324.	2.5	1
10	An investigation on the enzyme inhibitory activities, phenolic profile and antioxidant potentials of <i>Salvia virgata</i> Jacq. <i>South African Journal of Botany</i> , 2021, 143, 350-358.	2.5	13
11	Development of new and validated HPTLC methods for the qualitative and quantitative analysis of hyperforin, hypericin and hyperoside contents in <i>Hypericum</i> species. <i>Phytochemical Analysis</i> , 2021, , .	2.4	4
12	<i>Hypericum olympicum</i> L. recovers DNA damage and prevents MMPâ€“9 activation induced by UVB in human dermal fibroblasts. <i>Journal of Ethnopharmacology</i> , 2020, 246, 112202.	4.1	22
13	Quorum sensing attenuation properties of ethnobotanically valuable lichens against <i>Pseudomonas aeruginosa</i> . <i>Plant Biosystems</i> , 2020, 154, 792-799.	1.6	1
14	Comparative biochemical and histopathological evaluations proved that receptacle is the most effective part of <i>Cynara scolymus</i> against liver and kidney damages. <i>Journal of Ethnopharmacology</i> , 2020, 249, 112458.	4.1	18
15	Importance of chromatographic and spectrophotometric methods in determining authenticity, classification and bioactivity of honey. <i>LWT - Food Science and Technology</i> , 2020, 132, 109921.	5.2	18
16	In vitro human digestion simulation of the bioavailability and antioxidant activity of phenolics from <i>Sambucus ebulus</i> L. fruit extracts. <i>Food Bioscience</i> , 2020, 37, 100711.	4.4	9
17	Investigation of the Protective Effect of <i>Nigella Sativa</i> Oil in Cisplatin Induced Oral Mucositis: An Experimental Study. <i>Turkish Archives of Otorhinolaryngology</i> , 2020, 58, 10-15.	0.8	2
18	Quality assessment of marketed food supplements and herbal tea products of olive leaf in Turkey. <i>Journal of Research in Pharmacy</i> , 2020, 24, 1-11.	0.2	1

#	ARTICLE	IF	CITATIONS
19	Hemostatic Activity of <i>Cistus creticus</i> Extract in Wistar Albino Rats. <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 844-847.	1.4	2
20	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , 2020, 16, 346-352.	1.0	0
21	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , 2020, 16, 346-352.	1.0	4
22	A New Type of Anatolian Propolis: Evaluation of Its Chemical Composition, Activity Profile and Botanical Origin. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900492.	2.1	23
23	Influence of in vitro human digestion on the bioavailability of phenolic content and antioxidant activity of <i>Viburnum opulus</i> L. (European cranberry) fruit extracts. <i>Industrial Crops and Products</i> , 2019, 131, 62-69.	5.2	47
24	Folk medicine in Düzce Province (Turkey). <i>Turkish Journal of Botany</i> , 2019, 43, 769-784.	1.2	28
25	Influence of extraction method on enzyme inhibition, phenolic profile and antioxidant capacity of <i>Sideritis trojana</i> Bornm. <i>South African Journal of Botany</i> , 2019, 121, 360-365.	2.5	20
26	Assessment of anticholinesterase and antioxidant properties of the extracts and (+)-catechin obtained from <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb (dwarf mistletoe). <i>South African Journal of Botany</i> , 2019, 120, 309-312.	2.5	13
27	Phenolic compounds from the aerial parts of <i>Clematis viticella</i> L. and their in vitro anti-inflammatory activities. <i>Natural Product Research</i> , 2019, 33, 2541-2544.	1.8	25
28	The effects of topical liposomal resveratrol on incisional and excisional wound healing process. <i>Turkderm</i> , 2019, 53, 128-134.	0.1	3
29	In vitro bioavailability studies on phytochemical profile and antioxidant activity potential of <i>Clematis viticella</i> L.. <i>Journal of Research in Pharmacy</i> , 2019, 23, 326-335.	0.2	0
30	Profiling of Turkish propolis subtypes: Comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities. <i>LWT - Food Science and Technology</i> , 2018, 95, 367-379.	5.2	40
31	Assessment of potential bioavailability of major phenolic compounds in <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> . <i>Industrial Crops and Products</i> , 2018, 118, 111-117.	5.2	27
32	Authentication of Turkish propolis through HPTLC fingerprints combined with multivariate analysis and palynological data and their comparative antioxidant activity. <i>LWT - Food Science and Technology</i> , 2018, 87, 23-32.	5.2	52
33	Enzyme inhibitory and antioxidant activities of <i>Nerium oleander</i> L. flower extracts and activity guided isolation of the active components. <i>Industrial Crops and Products</i> , 2018, 112, 24-31.	5.2	27
34	Cereal source and microbial consortia of the starter culture influence the chemical composition and physicochemical characteristics of boza. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2018, 42, 412-422.	2.1	4
35	Comparatively Investigation of Grape Molasses Produced by Conventional and Industrial Techniques. <i>Marmara Pharmaceutical Journal</i> , 2018, 22, 44-51.	0.5	11
36	Comparative determination of ruscogenins content in <i>Butcher's Broom</i> rhizome samples gathered from the populations grown in different soil conditions in the Marmara Region and attempts for pilot field cultivation of rhizomes. <i>Journal of Chemical Metrology</i> , 2018, 12, 79-88.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Developing and validation of an HPLC-DAD method for the determination of eight phenolic constituents in extract of different wine species. Turkish Journal of Pharmaceutical Sciences, 2018, 15, 22-28.	1.4	5
38	A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of <i>Daphne oleoides</i> Schreb. subsp. <i>oleoides</i> . Industrial Crops and Products, 2017, 95, 695-703.	5.2	15
39	Sambulin A and B, non-glycosidic iridoids from <i>Sambucus ebulus</i> , exert significant in vitro anti-inflammatory activity in LPS-induced RAW 264.7 macrophages via inhibition of MAPKs's phosphorylation. Journal of Ethnopharmacology, 2017, 206, 347-352.	4.1	26
40	Effect of St.John's wort (<i>Hypericum perforatum</i>) oily extract for the care and treatment of pressure sores; a case report. Journal of Ethnopharmacology, 2017, 196, 236-241.	4.1	21
41	The bioaccessible phenolic profile and antioxidant potential of <i>Hypericum perforatum</i> L. after simulated human digestion. Industrial Crops and Products, 2017, 109, 717-723.	5.2	38
42	Stability of phenolic content of some herbal infusions and their antioxidant activity following in vitro digestion. Biyokimya Dergisi, 2017, 42, 375-380.	0.5	5
43	Quality assessment of marketed chamomile tea products by a validated HPTLC method combined with multivariate analysis. Journal of Pharmaceutical and Biomedical Analysis, 2017, 132, 35-45.	2.8	48
44	An ethnobotanical survey in selected districts of the Black Sea region (Turkey). Turkish Journal of Botany, 2017, 41, 47-62.	1.2	23
45	Analytical Methods in Tracing Honey Authenticity. Journal of AOAC INTERNATIONAL, 2017, 100, 827-839.	1.5	46
46	Influence of honey addition on the bioaccessibility of phenolic contents and antioxidant capacities of different coffee types. Marmara Pharmaceutical Journal, 2017, 21, 906-914.	0.5	4
47	Caspase-mediated apoptotic effects of <i>Ebenus boissieri</i> barbey extracts on human cervical cancer cell line hela. Pharmacognosy Magazine, 2017, 13, 254.	0.6	6
48	A Guidance Manual for the Toxicity Assessment of Traditional Herbal Medicines. Natural Product Communications, 2016, 11, 1934578X1601101.	0.5	21
49	A mixture of St. John's wort and sea buckthorn oils regresses endometriotic implants and affects the levels of inflammatory mediators in peritoneal fluid of the rat: A surgically induced endometriosis model. Taiwanese Journal of Obstetrics and Gynecology, 2016, 55, 786-790.	1.3	8
50	Safety evaluation of <i>styrax liquidus</i> from the viewpoint of genotoxicity and mutagenicity. Journal of Ethnopharmacology, 2016, 194, 506-512.	4.1	10
51	The effect of <i>Nigella sativa</i> oil on prevention of myringosclerosis in a Guinea pig model. International Journal of Pediatric Otorhinolaryngology, 2016, 88, 52-57.	1.0	6
52	Evaluation of <i>in vitro</i> antiprotozoal activity of <i>Ajuga laxmannii</i> and its secondary metabolites. Pharmaceutical Biology, 2016, 54, 1808-1814.	2.9	32
53	Marmara Bölgesindeki Bazı Yerel Yem Merkezlerinde Halk Olarak Kullanılan Bitkiler. Marmara Pharmaceutical Journal, 2016, 21, 132-148.	0.5	10
54	Cytotoxic and apoptotic effects of <i>Ebenus boissieri</i> Barbey on human lung cancer cell line A549. Pharmacognosy Magazine, 2015, 11, 37.	0.6	12

#	ARTICLE	IF	CITATIONS
55	Effect of in vitro gastrointestinal digestion on the bioavailability of phenolic components and the antioxidant potentials of some Turkish fruit wines. <i>Food Research International</i> , 2015, 78, 209-215.	6.2	96
56	Development and validation of an HPTLC method for apigenin 7-O-glucoside in chamomile flowers and its application for fingerprint discrimination of chamomile-like materials. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 107, 108-118.	2.8	43
57	The effect of <i>Hypericum perforatum</i> L. (St. John's Wort) on prevention of myringosclerosis after myringotomy in a rat model. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1128-1134.	1.0	13
58	Secondary metabolites from <i>Sambucus ebulus</i> . <i>Turkish Journal of Chemistry</i> , 2015, 39, 34-41.	1.2	15
59	The fruit extract of <i>Berberis crataegina</i> DC: exerts potent antioxidant activity and protects DNA integrity. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2015, 23, 24.	2.0	14
60	Antioxidant activities of several <i>Scutellaria</i> taxa and bioactive phytoconstituents from <i>Scutellaria hastifolia</i> L. <i>Industrial Crops and Products</i> , 2015, 77, 196-203.	5.2	18
61	Anti-ulcerogenic activity and isolation of the active principles from <i>Sambucus ebulus</i> L. leaves. <i>Journal of Ethnopharmacology</i> , 2014, 153, 478-483.	4.1	31
62	Flavonol Glycosides and Iridoids from <i>Asperula lilaciflora</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1571-1576.	1.6	4
63	A rapid validated HPLC method for determination of sulforaphane and glucoraphanin in broccoli and red cabbage prepared by various cooking techniques. <i>Analytical Methods</i> , 2014, 6, 4559-4566.	2.7	13
64	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam (<i>Styrax</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	4.1	42
65	Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. <i>Food and Chemical Toxicology</i> , 2013, 62, 448-455.	3.6	47
66	Exploration of the wound healing potential of <i>Helichrysum graveolens</i> (Bieb.) Sweet: Isolation of apigenin as an active component. <i>Journal of Ethnopharmacology</i> , 2013, 149, 103-110.	4.1	54
67	An Overview of Turkish Folk Medicine; Past and Present. <i>Current Drug Delivery</i> , 2013, 10, 92-95.	1.6	14
68	New Gastroprotective Labdeneamides from (4S,9R,10R) Methyl 18-carboxy-labda-8,13(E)-diene-15-oate. <i>Planta Medica</i> , 2012, 78, 362-367.	1.3	3
69	Isolation of active constituents from cherry laurel (<i>Laurocerasus officinalis</i> Roem.) leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , 2012, 139, 527-532.	4.1	8
70	Efficacy of <i>Daphne oleoides</i> subsp. <i>kurdica</i> used for wound healing: Identification of active compounds through bioassay guided isolation technique. <i>Journal of Ethnopharmacology</i> , 2012, 141, 1058-1070.	4.1	45
71	A comparative study on the in vitro antioxidant potentials of three edible fruits: Cornelian cherry, Japanese persimmon and cherry laurel. <i>Food and Chemical Toxicology</i> , 2012, 50, 3329-3335.	3.6	70
72	Comparative evaluation of traditional prescriptions from <i>Cichorium intybus</i> L. for wound healing: Stepwise isolation of an active component by in vivo bioassay and its mode of activity. <i>Journal of Ethnopharmacology</i> , 2012, 143, 299-309.	4.1	45

#	ARTICLE	IF	CITATIONS
73	Chemical constituents of <i>Salvia dichroantha</i> . <i>Biochemical Systematics and Ecology</i> , 2012, 42, 18-20.	1.3	15
74	Iridoid, phenylethanoid and flavonoid glycosides from <i>Sideritis trojana</i> . <i>FĀ-toterapĀ-Āĉ</i> , 2012, 83, 130-136.	2.2	52
75	Anticholinesterase and antioxidant effects of the ethanol extract, ethanol fractions and isolated flavonoids from <i>Cistus laurifolius</i> L. leaves. <i>Food Chemistry</i> , 2012, 131, 626-631.	8.2	53
76	Comparative determination of sibutramine as an adulterant in natural slimming products by HPLC and HPTLC densitometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012, 64-65, 77-81.	2.8	43
77	The potential role of female flowers inflorescence of <i>Typha domingensis</i> Pers. in wound management. <i>Journal of Ethnopharmacology</i> , 2011, 133, 1027-1032.	4.1	27
78	A novel wound healing ointment: A formulation of <i>Hypericum perforatum</i> oil and sage and oregano essential oils based on traditional Turkish knowledge. <i>Journal of Ethnopharmacology</i> , 2011, 134, 89-96.	4.1	101
79	Inferences from an ethnobotanical field expedition in the selected locations of Sivas and Yozgat provinces (Turkey). <i>Journal of Ethnopharmacology</i> , 2011, 137, 85-98.	4.1	75
80	<i>In vitro</i> Antiprotozoal Activity of Extracts of five Turkish Lamiaceae Species. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100601.	0.5	9
81	Contribution of traditional medicine in the healthcare system of the Middle East. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 95-98.	1.6	13
82	Antiprotozoal activity of <i>Melampyrum arvense</i> and its metabolites. <i>Phytotherapy Research</i> , 2011, 25, 142-146.	5.8	26
83	Synthesis and Pharmacological Activity of Diterpenyl-naphthoquinone Derivatives. <i>Molecules</i> , 2011, 16, 8614-8628.	3.8	7
84	<i>In vitro</i> antiprotozoal activity of extracts of five Turkish Lamiaceae species. <i>Natural Product Communications</i> , 2011, 6, 1697-700.	0.5	6
85	Investigations on the <i>in vivo</i> wound healing potential of <i>Hypericum perforatum</i> L.. <i>Journal of Ethnopharmacology</i> , 2010, 127, 468-477.	4.1	216
86	Bioactivity guided evaluation of anti-inflammatory and antinociceptive activities of <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb.. <i>Journal of Ethnopharmacology</i> , 2010, 128, 79-84.	4.1	9
87	Wound healing potential of <i>Sambucus ebulus</i> L. leaves and isolation of an active component, quercetin 3-O-glucoside. <i>Journal of Ethnopharmacology</i> , 2010, 129, 106-114.	4.1	106
88	Beneficial effects of <i>Aesculus hippocastanum</i> L. seed extract on the body's own antioxidant defense system on subacute administration. <i>Journal of Ethnopharmacology</i> , 2010, 129, 18-22.	4.1	56
89	Evaluation of the antiulcerogenic activity profile of a flavonol diglucoside from <i>Equisetum palustre</i> L.. <i>Journal of Ethnopharmacology</i> , 2010, 131, 17-21.	4.1	18
90	Effects of escin mixture from the seeds of <i>Aesculus hippocastanum</i> on obesity in mice fed a high fat diet. <i>Pharmaceutical Biology</i> , 2010, 48, 247-252.	2.9	25

#	ARTICLE	IF	CITATIONS
91	<i>In vivo</i> activity assessment of a honey-bee pollen mix formulation. <i>Pharmaceutical Biology</i> , 2010, 48, 253-259.	2.9	28
92	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	25
93	Phenolic Compounds from <i>Hypericum Calycinum</i> and Their Antioxidant Activity. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	6
94	Antimicrobial effect of <i>Helichrysum plicatum</i> subsp. <i>plicatum</i> . <i>Pharmaceutical Biology</i> , 2009, 47, 289-297.	2.9	12
95	Design and Synthesis of Some (S)-2-(6-Methoxynaphthalen-2-yl)-N-substituted Ethyl Propanamide Derivatives as Potent Non-ulcerogenic Anti-inflammatory and Analgesic Agents. <i>Arzneimittelforschung</i> , 2009, 59, 195-201.	0.4	3
96	Antiviral and antimicrobial activities of three sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> . <i>Microbiological Research</i> , 2009, 164, 545-552.	5.3	71
97	Phenylethyl Glycosides from <i>Digitalis lanata</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1845-1852.	1.6	16
98	An anti-ulcerogenic flavonol diglucoside from <i>Equisetum palustre</i> L.. <i>Journal of Ethnopharmacology</i> , 2009, 121, 360-365.	4.1	28
99	Sesquiterpene lactones with antinociceptive and antipyretic activity from two <i>Centaurea</i> species. <i>Journal of Ethnopharmacology</i> , 2009, 122, 210-215.	4.1	34
100	Exploring the wound healing activity of <i>Arnebia densiflora</i> (Nordm.) Ledeb. by in vivo models. <i>Journal of Ethnopharmacology</i> , 2009, 124, 137-141.	4.1	61
101	A comparative study on the antinociceptive and anti-inflammatory activities of five <i>Juniperus</i> taxa. <i>Journal of Ethnopharmacology</i> , 2009, 125, 330-336.	4.1	55
102	In vivo anti-inflammatory and wound healing activities of <i>Centaurea iberica</i> Trev. ex Spreng. <i>Journal of Ethnopharmacology</i> , 2009, 126, 551-556.	4.1	58
103	Cholesterol-reducer, antioxidant and liver protective effects of <i>Thymbra spicata</i> L. var. <i>spicata</i> . <i>Journal of Ethnopharmacology</i> , 2009, 126, 314-319.	4.1	32
104	Anti-Inflammatory and Antinociceptive Activity of Coumarins from <i>Seseli gummiferum</i> subsp. <i>corymbosum</i> (Apiaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 56-62.	1.4	23
105	Chemical composition and antimicrobial activity of the essential oils of <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> growing wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1001-6.	0.5	34
106	Valuation of anti-inflammatory and antinociceptive activities of <i>Erica</i> species native to Turkey. <i>Journal of Ethnopharmacology</i> , 2008, 116, 251-257.	4.1	31
107	In vivo anti-inflammatory and antinociceptive actions of some <i>Lamium</i> species. <i>Journal of Ethnopharmacology</i> , 2008, 118, 166-172.	4.1	24
108	Bioassay-guided isolation of anti-inflammatory and antinociceptive principles from a folk remedy, <i>Rhododendron ponticum</i> L. leaves. <i>Journal of Ethnopharmacology</i> , 2008, 119, 172-178.	4.1	50

#	ARTICLE	IF	CITATIONS
109	Evaluation of anti-inflammatory and antinociceptive activities of some <i>Onosma</i> L. species growing in Turkey. <i>Journal of Ethnopharmacology</i> , 2008, 120, 378-381.	4.1	29
110	Antinociceptive and Anti-inflammatory Activities of Seven Endemic <i>Verbascum</i> Species Growing in Turkey. <i>Pharmaceutical Biology</i> , 2008, 46, 781-788.	2.9	13
111	Anti-Inflammatory and Antinociceptive Potential of Major Phenolics from <i>Verbascum salviifolium</i> Boiss. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008, 63, 196-202.	1.4	25
112	Novel drug leads from Turkish medicinal plants with diverse pharmacological effects. <i>Drugs of the Future</i> , 2008, 33, 673.	0.1	2
113	In vivo Anti-Inflammatory and Antinociceptive Activity Evaluation of Phenolic Compounds from <i>Sideritis stricta</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 519-525.	1.4	36
114	Design and Synthesis of Some New Thiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones Substituted with Flurbiprofen as Anti-inflammatory and Analgesic Agents. <i>Arzneimittelforschung</i> , 2007, 57, 196-202.	0.4	7
115	A Study of Antidiabetic and Antioxidant Effects of <i>Helichrysum graveolens</i> Capitulum in Streptozotocin-Induced Diabetic Rats. <i>Journal of Medicinal Food</i> , 2007, 10, 396-400.	1.5	46
116	In vivo antidiabetic and antioxidant potential of <i>Helichrysum plicatum</i> ssp. <i>plicatum</i> capitulum in streptozotocin-induced-diabetic rats. <i>Journal of Ethnopharmacology</i> , 2007, 109, 54-59.	4.1	119
117	Appraisal of anti-inflammatory potential of the clubmoss, <i>Lycopodium clavatum</i> L.. <i>Journal of Ethnopharmacology</i> , 2007, 109, 146-150.	4.1	61
118	Bioassay-guided isolation of anti-inflammatory and antinociceptive glycoterpenoids from the flowers of <i>Verbascum lasianthum</i> Boiss. ex Benth. <i>Journal of Ethnopharmacology</i> , 2007, 110, 444-450.	4.1	52
119	Effects of in vivo antioxidant enzyme activities of myrtle oil in normoglycaemic and alloxan diabetic rabbits. <i>Journal of Ethnopharmacology</i> , 2007, 110, 498-503.	4.1	91
120	<i>Clematis vitalba</i> L. aerial part exhibits potent anti-inflammatory, antinociceptive and antipyretic effects. <i>Journal of Ethnopharmacology</i> , 2007, 110, 504-515.	4.1	82
121	Evaluation of the anti-ulcerogenic effect of sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> by using various in vivo and biochemical techniques. <i>Journal of Ethnopharmacology</i> , 2007, 112, 284-291.	4.1	46
122	Phenolic compounds of <i>Sideritis ozturkii</i> and their in vivo anti-inflammatory and antinociceptive activities. <i>Journal of Ethnopharmacology</i> , 2007, 112, 356-360.	4.1	46
123	In vivo anti-inflammatory and antinociceptive activity of the crude extract and fractions from <i>Rosa canina</i> L. fruits. <i>Journal of Ethnopharmacology</i> , 2007, 112, 394-400.	4.1	155
124	Flavonoids with anti-inflammatory and antinociceptive activity from <i>Cistus laurifolius</i> L. leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , 2007, 112, 524-530.	4.1	92
125	Bioassay-guided isolation of kaempferol-3-O- β -D-galactoside with anti-inflammatory and antinociceptive activity from the aerial part of <i>Calluna vulgaris</i> L.. <i>Journal of Ethnopharmacology</i> , 2007, 114, 32-37.	4.1	42
126	Assessment of anti-inflammatory and antinociceptive activities of <i>Daphne pontica</i> L. (Thymelaeaceae). <i>Journal of Ethnopharmacology</i> , 2007, 113, 332-337.	4.1	19

#	ARTICLE	IF	CITATIONS
127	Estimation of antinociceptive and anti-inflammatory activity on <i>Geranium pratense</i> subsp. <i>finitimum</i> and its phenolic compounds. <i>Journal of Ethnopharmacology</i> , 2007, 114, 234-240.	4.1	41
128	Preparation of 5-aryl-3-alkylthio-1,2,4-triazoles and corresponding sulfones with antiinflammatoryâ€™analgesic activity. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1808-1814.	3.0	191
129	A new therapeutic approach in Alzheimer disease: Some novel pyrazole derivatives as dual MAO-B inhibitors and antiinflammatory analgesics. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 5775-5786.	3.0	192
130	Evaluation of Some Plants Used in Turkish Folk Medicine for Their Anti-inflammatory and Antinociceptive Activities. <i>Pharmaceutical Biology</i> , 2007, 45, 547-555.	2.9	28
131	Analgesic and antiinflammatory activities of some new mannich bases of 5-nitro-2-benzoxazolinones. <i>Archives of Pharmacal Research</i> , 2007, 30, 419-424.	6.3	36
132	Effect of <i>Cistus laurifolius</i> L. leaf extracts and flavonoids on acetaminophen-induced hepatotoxicity in mice. <i>Journal of Ethnopharmacology</i> , 2006, 103, 455-460.	4.1	45
133	Anti-inflammatory and antinociceptive activities of <i>Seseli</i> L. species (Apiaceae) growing in Turkey. <i>Journal of Ethnopharmacology</i> , 2006, 104, 310-314.	4.1	49
134	Bioassay-guided evaluation of anti-inflammatory and antinociceptive activities of pistachio, <i>Pistacia vera</i> L.. <i>Journal of Ethnopharmacology</i> , 2006, 105, 235-240.	4.1	62
135	Comparative evaluation of the anti-inflammatory and antinociceptive activity of Turkish <i>Eryngium</i> species. <i>Journal of Ethnopharmacology</i> , 2006, 107, 32-37.	4.1	87
136	Anti-inflammatory and antinociceptive potential of <i>Maclura pomifera</i> (Rafin.) Schneider fruit extracts and its major isoflavonoids, scandenone and auricularin. <i>Journal of Ethnopharmacology</i> , 2006, 107, 169-174.	4.1	42
137	Antihypercholesterolaemic and antioxidant activity assessment of some plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , 2006, 107, 418-423.	4.1	70
138	Evaluation of some plants used in Turkish folk medicine against parasitic infections for their in vivo anthelmintic activity. <i>Journal of Ethnopharmacology</i> , 2006, 108, 211-216.	4.1	51
139	In-vivo assessment of antidiabetic and antioxidant activities of grapevine leaves (<i>Vitis vinifera</i>) in diabetic rats. <i>Journal of Ethnopharmacology</i> , 2006, 108, 280-286.	4.1	85
140	Prostaglandin inhibitory and antioxidant components of <i>Cistus laurifolius</i> , a Turkish medicinal plant. <i>Journal of Ethnopharmacology</i> , 2006, 108, 371-378.	4.1	63
141	Flavonoids with anti- <i>Helicobacter pylori</i> activity from <i>Cistus laurifolius</i> leaves. <i>Journal of Ethnopharmacology</i> , 2006, 108, 457-461.	4.1	75
142	Synthesis and Analgesic Activity of Some 4,6-Disubstituted-3(2H)-Pyridazinone Derivatives. <i>Arzneimittelforschung</i> , 2006, 56, 337-345.	0.4	8
143	Anti-Inflammatory and Antinociceptive Activity of Flavonoids Isolated from <i>Viscum album</i> ssp. <i>album</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 26-30.	1.4	46
144	Synthesis, Analgesic and Antiinflammatory properties of Certain 5-/6-Acyl-3-(4-substituted-1-piperazinylmethyl)-2-benzoxazolinones Derivatives. <i>Archiv Der Pharmazie</i> , 2005, 338, 117-125.	4.1	17

#	ARTICLE	IF	CITATIONS
145	Synthesis, Analgesic and Antiinflammatory Properties of Certain 5-/6-Acyl-3-(4-substituted-1-piperazylmethyl)-2-benzoxazolinones Derivatives.. ChemInform, 2005, 36, no.	0.0	0
146	Synthesis, Analgesic, and Anti-Inflammatory Activities of [6-(3,5-Dimethyl-4-Chloropyrazole-1-yl)-3(2H)-Pyridazinon-2-yl]Acetamides. Archives of Pharmacal Research, 2005, 28, 509-517.	6.3	46
147	Synthesis of New Mannich Bases of Arylpyridazinones as Analgesic and Anti-inflammatory Agents. Arzneimittelforschung, 2005, 55, 318-325.	0.4	13
148	Synthesis of Amide Derivatives of [6-(3,5-Dimethylpyrazol-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acid and Their Analgesic and Anti-inflammatory Properties. Arzneimittelforschung, 2005, 55, 520-527.	0.4	6
149	Synthesis and Evaluation of Analgesic/ Anti-inflammatory and Antimicrobial Activities of 3-Substituted-1,2,4-triazole-5-thiones. Arzneimittelforschung, 2005, 55, 533-540.	0.4	16
150	Effects of triterpene saponins from Astragalus species on in vitro cytokine release. Journal of Ethnopharmacology, 2005, 96, 71-77.	4.1	157
151	Evaluation of the hypoglycemic effect and antioxidant activity of three <i>Viscum album</i> subspecies (European mistletoe) in streptozotocin-diabetic rats. Journal of Ethnopharmacology, 2005, 98, 95-102.	4.1	88
152	Anti-ulcerogenic activity of some plants used in folk medicine of Pinarbasi (Kayseri, Turkey). Journal of Ethnopharmacology, 2005, 101, 313-318.	4.1	85
153	Bioassay-guided isolation of iridoid glucosides with antinociceptive and anti-inflammatory activities from <i>Veronica anagallis-aquatica</i> L.. Journal of Ethnopharmacology, 2005, 102, 170-176.	4.1	52
154	Traditional medicine and gastroprotective crude drugs. Journal of Ethnopharmacology, 2005, 100, 61-66.	4.1	126
155	Past and future contributions to traditional medicine in the health care system of the Middle-East. Journal of Ethnopharmacology, 2005, 100, 135-137.	4.1	51
156	Hypoglycaemic activity of <i>Gentiana olivieri</i> and isolation of the active constituent through bioassay-directed fractionation techniques. Life Sciences, 2005, 76, 1223-1238.	4.3	178
157	Synthesis and Evaluation of the Analgesic and Anti-inflammatory Activity of New 3(2H)-Pyridazinone Derivatives. Arzneimittelforschung, 2004, 54, 396-401.	0.4	7
158	Synthesis, Characterization and Anti-inflammatory-Analgesic Properties of 6-(1±-Amino-4-chlorobenzyl)thiazolo [3,2-b]-1,2,4-triazol-5-ols. Arzneimittelforschung, 2004, 54, 35-41.	0.4	4
159	Anti-ulcerogenic Lignans from <i>Taxus baccata</i> L.. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2004, 59, 233-236.	1.4	13
160	Analgesic Activity of <i>Cistus laurifolius</i> in Mice. Pharmaceutical Biology, 2004, 42, 176-178.	2.9	14
161	Evaluation of in vivo Biological Activity Profile of Isoorientin. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2004, 59, 787-790.	1.4	62
162	An Ethnobotanical Survey of the Beypazari, Ayas, and GÖğüs District Towns of Ankara Province (Turkey). Economic Botany, 2004, 58, 705-720.	1.7	89

#	ARTICLE	IF	CITATIONS
163	Synthesis of New 2-[1(2H)-Phthalazinon-2-yl]acetamide and 3-[1(2H)-Phthalazinon-2-yl]propanamide Derivatives as Antinociceptive and Anti-inflammatory Agents. <i>Archiv Der Pharmazie</i> , 2004, 337, 303-310.	4.1	50
164	Amide Derivatives of [6-(5-Methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acids as Potential Analgesic and Anti-Inflammatory Compounds. <i>Archiv Der Pharmazie</i> , 2004, 337, 7-14.	4.1	42
165	Synthesis, Anti-inflammatory and Analgesic Synthesis, Anti-inflammatory and Analgesic New 4(3H)-Quinazolinone Derivatives. <i>Archiv Der Pharmazie</i> , 2004, 337, 96-104.	4.1	31
166	Amide Derivatives of [6-(5-Methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic Acids as Potential Analgesic and Antiinflammatory Compounds.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
167	Synthesis, Antiinflammatory and Analgesic Activity Screening of Some New 4(3H)-Quinazolinone Derivatives.. <i>ChemInform</i> , 2004, 35, no.	0.0	1
168	Folk medicine in Uzbekistan. <i>Journal of Ethnopharmacology</i> , 2004, 92, 197-207.	4.1	59
169	Hypoglycaemic effects of myrtle oil in normal and alloxan-diabetic rabbits. <i>Journal of Ethnopharmacology</i> , 2004, 93, 311-318.	4.1	92
170	Isolation of anti-ulcerogenic sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> through bioassay-guided fractionation procedures in rats. <i>Journal of Ethnopharmacology</i> , 2004, 95, 213-219.	4.1	47
171	Flavonoids with antinociceptive and anti-inflammatory activities from the leaves of <i>Tilia argentea</i> (silver linden). <i>Journal of Ethnopharmacology</i> , 2004, 95, 393-397.	4.1	127
172	Callus formation and cucurbitacin B accumulation in <i>Ecballium elaterium</i> callus cultures. <i>FÄ-toterapÄ-Äç</i> , 2003, 74, 618-623.	2.2	14
173	Amide Derivatives of [5-Chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic Acids as Potential Analgesic and Antiinflammatory Compounds.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
174	Studies on Novel 7-Acyl-5-chloro-2-oxo-3H-benzoxazole Derivatives as Potential Analgesic and Antiinflammatory Agents.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
175	Synthesis and Analgesic and Antiinflammatory Activity of Some New 6-Acyl-2-benzoxazolinone and 6-Acyl-2-benzothiazolinone Derivatives with Acetic Acid and Propanoic Acid Residues.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
176	4-(5-Chloro-2(3H)-benzoxazolone-3-yl) Butanoic Acid Derivatives: Synthesis, Antinociceptive and Anti-inflammatory Properties. <i>Archiv Der Pharmazie</i> , 2003, 336, 477-482.	4.1	22
177	Amide Derivatives of [5-Chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic Acids as Potential Analgesic and Anti-Inflammatory Compounds. <i>Archiv Der Pharmazie</i> , 2003, 336, 251-257.	4.1	14
178			

#	ARTICLE	IF	CITATIONS
181	Anti-inflammatory and antinociceptive activity of taxoids and lignans from the heartwood of <i>Taxus baccata</i> L.. <i>Journal of Ethnopharmacology</i> , 2003, 89, 265-270.	4.1	56
182	Evaluation of hepatoprotective effect of <i>Gentiana olivieri</i> herbs on subacute administration and isolation of active principle. <i>Life Sciences</i> , 2003, 72, 2273-2283.	4.3	71
183	Anti-ulcerogenic activity of some plants used as folk remedy in Turkey. <i>Journal of Ethnopharmacology</i> , 2003, 88, 93-97.	4.1	137
184	Anti-inflammatory and antinociceptive activity assessment of plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , 2003, 89, 123-129.	4.1	180
185	A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish <i>Berberis</i> species. <i>Life Sciences</i> , 2002, 72, 645-657.	4.3	318
186	<i>Berberis crataegina</i> DC. root exhibits potent anti-inflammatory, analgesic and febrifuge effects in mice and rats. <i>Journal of Ethnopharmacology</i> , 2002, 79, 237-248.	4.1	163
187	In vivo gastroprotective effects of five Turkish folk remedies against ethanol-induced lesions. <i>Journal of Ethnopharmacology</i> , 2002, 83, 241-244.	4.1	71
188	Synthesis of some 1,2,4-triazolo[3,2-b]-1,3-thiazine-7-ones with potential analgesic and antiinflammatory activities. <i>Il Farmaco</i> , 2002, 57, 145-152.	0.9	74
189	Biodiversity in Turkish Folk Medicine. , 2002, , 119-135.		24
190	IN VITRO INHIBITORY EFFECTS OF <i>DAPHNE OLEOIDES</i> SSP. <i>OLEOIDES</i> ON INFLAMMATORY CYTOKINES AND ACTIVITY-GUIDED ISOLATION OF ACTIVE CONSTITUENTS. <i>Cytokine</i> , 2001, 13, 359-364.	3.2	49
191	Traditional medicine in Turkey X. Folk medicine in Central Anatolia. <i>Journal of Ethnopharmacology</i> , 2001, 75, 95-115.	4.1	398
192	Comparative evaluation of the flavonoid content in officinal <i>Tiliae flos</i> and Turkish lime species for quality assessment. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001, 26, 111-121.	2.8	61
193	Synthesis of Some Thiazolo [3,2-b]-1,2,4-triazole-5(6H)-ones and Their Novel Michael Addition Products with Anti-inflammatory Activities. <i>Arzneimittelforschung</i> , 2001, 51, 470-477.	0.4	6
194	Labdane Diterpenoids from <i>Marrubium globosum</i> ssp. <i>globosum</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1234-1235.	1.3	17
195	Phlorigidosides Aâ€ƒC, iridoid glucosides from <i>Phlomis rigida</i> . <i>Phytochemistry</i> , 2000, 53, 931-935.	2.9	38
196	6-Benzylidenethiazolo[3,2-b]-1,2,4-triazole-5(6H)-onessubstituted with ibuprofen: synthesis, characterizationand evaluation of anti-inflammatory activity. <i>European Journal of Medicinal Chemistry</i> , 2000, 35, 743-750.	5.5	142
197	Hepatoprotective effects of Turkish folk remedies on experimental liver injury. <i>Journal of Ethnopharmacology</i> , 2000, 73, 121-129.	4.1	55
198	Isolation and characterization of free radical scavenging flavonoid glycosides from the flowers of <i>Spartium junceum</i> by activity-guided fractionation. <i>Journal of Ethnopharmacology</i> , 2000, 73, 471-478.	4.1	53

#	ARTICLE	IF	CITATIONS
217	Traditional medicine in Turkey VI. Folk medicine in West Anatolia: Afyon, KÅ¼tahya, Denizli, MuÄŸla, Aydin provinces. Journal of Ethnopharmacology, 1996, 53, 75-87.	4.1	93
218	Nepetanudosides and iridoid glucosides having novel stereochemistry from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . Phytochemistry, 1996, 42, 1085-1088.	2.9	19
219	Flavonoid variation in the leaves of <i>Glycyrrhiza glabra</i> . Phytochemistry, 1996, 42, 701-704.	2.9	27
220	Marrubinones A and B, New Labdane Diterpenoids from <i>Marrubium astracanicum</i> (Labiatae).. Chemical and Pharmaceutical Bulletin, 1995, 43, 1454-1457.	1.3	15
221	Traditional medicine in Turkey VII. Folk medicine in middle and west Black Sea regions. Economic Botany, 1995, 49, 406-422.	1.7	187
222	Clinical Effects of the Fruit Juice of <i>Ecbalium elaterium</i> in the Treatment of Sinusits. Journal of Toxicology: Clinical Toxicology, 1995, 33, 381-382.	1.5	24
223	Nepetanudoside, an Iridoid Glucoside with an Unusual Stereostructure from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . Journal of Natural Products, 1995, 58, 1217-1221.	3.0	24
224	Traditional medicine in Turkey. V. Folk medicine in the inner Taurus Mountains. Journal of Ethnopharmacology, 1995, 46, 133-152.	4.1	348
225	Traditional Medicine in Turkey III. Folk Medicine in East Anatolia, Van and Bitlis Provinces. International Journal of Pharmacognosy, 1994, 32, 3-12.	0.2	97
226	Screening of some Turkish medicinal plants for their antiulcerogenic activities. Phytotherapy Research, 1993, 7, 263-265.	5.8	43
227	Traditional medicine in Turkey IV. Folk medicine in the Mediterranean subdivision. Journal of Ethnopharmacology, 1993, 39, 31-38.	4.1	168
228	The Antiinflammatory Principle of the Roots of <i>Paeonia daurica</i> . International Journal of Pharmacognosy, 1992, 30, 66-70.	0.2	5
229	Traditional medicine in Turkey I. Folk medicine in Northeast Anatolia. Journal of Ethnopharmacology, 1991, 35, 191-196.	4.1	133
230	The antiinflammatory activity of the fractions from <i>Eryngium billardieri</i> in mice. Phytotherapy Research, 1989, 3, 38-40.	5.8	15
231	Antiinflammatory effects of the fruit juice of <i>Ecballium elaterium</i> on edemas in mice. Phytotherapy Research, 1989, 3, 75-76.	5.8	24
232	Isolation of an Anti-inflammatory Principle from the Fruit Juice of <i>Ecballium elaterium</i> . Journal of Natural Products, 1988, 51, 504-508.	3.0	123
233	Investigation of the effectiveness of algan hemostatic agent in bleeding control using an experimental partial splenectomy model in rats. Marmara Medical Journal, 0, , 27-32.	0.8	3