

Hiroki Nara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3045015/publications.pdf>

Version: 2024-02-01

111
papers

2,369
citations

159585

30
h-index

223800

46
g-index

112
all docs

112
docs citations

112
times ranked

2998
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient lithium-ion storage using a heterostructured porous carbon framework and its <i>in situ</i> transmission electron microscopy study. <i>Chemical Communications</i> , 2022, 58, 863-866.	4.1	42
2	Identification of Soluble Degradation Products in Lithium-Sulfur and Lithium-Metal Sulfide Batteries. <i>Separations</i> , 2022, 9, 57.	2.4	0
3	Hollow carbon architectures with mesoporous shells via self-sacrificial templating strategy using metal-organic frameworks. <i>Chemical Engineering Journal</i> , 2021, 420, 127635.	12.7	19
4	Effect of fluoroethylene carbonate and vinylene carbonate additives on full-cell optimization of Li-ion capacitors. <i>Electrochemistry Communications</i> , 2021, 122, 106905.	4.7	8
5	Electrochemical Activity of Nitrogen-Containing Groups in Organic Electrode Materials and Related Improvement Strategies. <i>Advanced Energy Materials</i> , 2021, 11, 2002523.	19.5	59
6	Scale-up Efforts. , 2021, , 415-422.		0
7	High-rate and high sulfur-loaded lithium-sulfur batteries with a polypyrrole-coated sulfur cathode on a 3D aluminum foam current collector. <i>Materials Letters</i> , 2021, 285, 129115.	2.6	9
8	Single Atom-Based Nanoarchitected Electrodes for High-Performance Lithium-Sulfur Batteries. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002159.	3.7	22
9	Polypyrrole Modification of High Sulfur-Loaded Three-Dimensional Aluminum Foam Cathode in Lithium-Sulfur Batteries for High-Rate Capability. <i>Journal of the Electrochemical Society</i> , 2021, 168, 040517.	2.9	6
10	Electrochemical Impedance Spectroscopy with Discrete Transmission Line Model and Electric Circuit Simulation for Current Distribution in Electrode of All Solid-State Battery. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 258-258.	0.0	0
11	AlCl ₃ -graphite intercalation compounds as negative electrode materials for lithium-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2021, 9, 27459-27467.	10.3	6
12	Tunable Concave Surface Features of Mesoporous Palladium Nanocrystals Prepared from Supramolecular Micellar Templates. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 51357-51365.	8.0	16
13	Synthesis of Stacked Graphene-Sn Composite as a High-Performance Anode for Lithium-Ion Capacitors. <i>Journal of the Electrochemical Society</i> , 2020, 167, 040519.	2.9	14
14	Technology of electrochemical impedance spectroscopy for an energy-sustainable society. <i>Current Opinion in Electrochemistry</i> , 2020, 20, 66-77.	4.8	34
15	Influence of Li-salts on Cycle Durability of Sn-Ni Alloy Anode for Lithium-ion Capacitor. <i>Electrochemistry</i> , 2020, 88, 74-78.	1.4	2
16	Synthesis of Lithium Sulfide (Li ₂ S) Wrapped Carbon Nano Composite for Binder-Free Li ₂ S Cathode. <i>Journal of the Electrochemical Society</i> , 2020, 167, 020531.	2.9	4
17	Facile fabrication of sulfur/Ketjenblack-PEDOT:PSS composite as a cathode with improved cycling performance for lithium sulfur batteries. <i>Chemical Physics Letters</i> , 2020, 749, 137426.	2.6	13
18	Effect of Mass Balancing on Cell Performance and Electrochemical Investigation of Sn-Ni Alloy as Anode for Li-Ion Capacitors. <i>Journal of the Electrochemical Society</i> , 2020, 167, 130512.	2.9	3

#	ARTICLE	IF	CITATIONS
19	300Wh/Kg Class High-Energy Li-S Laminated Batteries Using High-Sulfur Loading Cathode on 3D Mesh Structured Aluminum Foam. ECS Meeting Abstracts, 2020, MA2020-02, 436-436.	0.0	0
20	Dependence of Impedance Response of Li-S Battery on Polysulfide Solubility of Electrolyte II - Mid - End Stage of Discharge. ECS Meeting Abstracts, 2020, MA2020-02, 393-393.	0.0	0
21	Sn-Ni Alloy Anode Pre-Doped in Vinylene Carbonate Containing Electrolyte for Lithium-Ion Capacitor. ECS Meeting Abstracts, 2020, MA2020-02, 639-639.	0.0	0
22	Dependence of Impedance Response of Li-S Battery on Polysulfide Solubility of Electrolyte I - Initial Stage of Discharge. ECS Meeting Abstracts, 2020, MA2020-02, 392-392.	0.0	0
23	Preparation of Artificial SEI Containing Li_xO_y on Lithium Metal Anode By Solid-Gas Interface Reaction for Sulfolane Electrolyte. ECS Meeting Abstracts, 2020, MA2020-02, 396-396.	0.0	0
24	The Full-Cell Design of a Li-Ion Capacitor Using a Sn-Ni Alloy As an Anode. ECS Meeting Abstracts, 2020, MA2020-02, 583-583.	0.0	0
25	Addition of Carbon Nanodots for Improving Charge/Discharge Characteristics of Lithium Metal Anode. ECS Meeting Abstracts, 2020, MA2020-02, 711-711.	0.0	0
26	Laminated Cell Properties of Lithium Sulfur Battery Using Polypyrrole Modified High Sulfur Loading Cathode with Comparing Al Foil and 3D Foam Current Collectors. ECS Meeting Abstracts, 2020, MA2020-02, 284-284.	0.0	0
27	Synthesis of AlCl_3 -Graphite Intercalation Compounds for Lithium-Ion Capacitor Anode. ECS Meeting Abstracts, 2020, MA2020-02, 574-574.	0.0	0
28	Tin addition for mechanical and electronic improvement of electrodeposited Si-O-C composite anode for lithium-ion battery. Journal of Power Sources, 2019, 437, 226858.	7.8	5
29	Application of Sn-Ni Alloy as an Anode for Lithium-Ion Capacitors with Improved Volumetric Energy and Power Density. Journal of the Electrochemical Society, 2019, 166, A3615-A3619.	2.9	11
30	Fabrication of powdered Si-O-C composite by electrodeposition harvesting method as a long-cycle-life anode material for lithium-ion batteries. Materials Letters, 2019, 251, 184-187.	2.6	9
31	In-situ lithiation through an "injection" strategy in the pouch type sulfur-graphite battery system. Journal of Power Sources, 2019, 430, 228-232.	7.8	6
32	Effect of enhanced structural stability of Si-O-C anode by carbon nanotubes for lithium-ion battery. Materials Letters, 2019, 245, 200-203.	2.6	8
33	Systematic analysis of interfacial resistance between the cathode layer and the current collector in lithium-ion batteries by electrochemical impedance spectroscopy. Journal of Power Sources, 2019, 409, 139-147.	7.8	74
34	(Invited) Equivalent Circuit Modeling for EIS on Structured Electrode in LIB. ECS Meeting Abstracts, 2019, . .	0.0	0
35	High performance sulfur graphite full cell for next generation sulfur Li-ion battery. Journal of Power Sources, 2018, 388, 5-10.	7.8	10
36	Potentiostatic way to fabricate Li_2S_x cathode with suppressed polysulfide formation. Journal of Power Sources, 2018, 399, 287-293.	7.8	5

#	ARTICLE	IF	CITATIONS
37	Development of Areal Capacity of Si-O-C Composites as Anode for Lithium Secondary Batteries Using 3D-Structured Carbon Paper as a Current Collector. <i>Journal of the Electrochemical Society</i> , 2017, 164, A355-A359.	2.9	7
38	Carbonate-based additive for improvement of cycle durability of electrodeposited Si-O-C composite anode in glyme-based ionic liquid electrolyte for use in lithium secondary batteries. <i>Electrochimica Acta</i> , 2017, 243, 65-71.	5.2	18
39	Impedance Analysis of LiNi 1/3 Mn 1/3 Co 1/3 O 2 Cathodes with Different Secondary-particle Size Distribution in Lithium-ion Battery. <i>Electrochimica Acta</i> , 2017, 241, 323-330.	5.2	48
40	Impedance Measurements of Kilowatt-Class Lithium Ion Battery Modules/Cubicles in Energy Storage Systems by Square-Current Electrochemical Impedance Spectroscopy. <i>Electrochimica Acta</i> , 2017, 246, 800-811.	5.2	29
41	Techniques for realizing practical application of sulfur cathodes in future Li-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 1925-1937.	2.5	14
42	A pre-lithiation method for sulfur cathode used for future lithium metal free full battery. <i>Journal of Power Sources</i> , 2017, 342, 537-545.	7.8	29
43	The Potential for the Creation of a High Areal Capacity Lithium-Sulfur Battery Using a Metal Foam Current Collector. <i>Journal of the Electrochemical Society</i> , 2017, 164, A5026-A5030.	2.9	34
44	On-site chemical pre-lithiation of S cathode at room temperature on a 3D nano-structured current collector. <i>Journal of Power Sources</i> , 2017, 366, 65-71.	7.8	50
45	Liquid Chromatography-Quadruple Time of Flight Mass Spectrometry (LC-QToF/MS) for Deterioration Analysis of Lithium-ion Battery during Storage. <i>Electrochemistry</i> , 2017, 85, 721-727.	1.4	1
46	Fabrication of the Sulfur Lithium Ion Secondary Battery with Different Li Ion Source. <i>ECS Meeting Abstracts</i> , 2017, , .	0.0	0
47	New approach for enhancing electrical conductivity of electrodeposited Si-based anode material for Li secondary batteries: Self-incorporation of nano Cu metal in Si-O-C composite. <i>Nano Energy</i> , 2016, 28, 51-62.	16.0	38
48	Electrophoretically deposited carbon nanotube anchor layer to improve areal capacity of Si-O-C composite anode for lithium secondary batteries. <i>Journal of Power Sources</i> , 2016, 336, 203-211.	7.8	15
49	Film Properties of Electropolymerized Polypyrrole for a Sulfur/Ketjenblack Cathode in Lithium Secondary Batteries. <i>Journal of the Electrochemical Society</i> , 2016, 163, A683-A689.	2.9	25
50	Impedance Analysis with Transmission Line Model for Reaction Distribution in a Pouch Type Lithium-Ion Battery by Using Micro Reference Electrode. <i>Journal of the Electrochemical Society</i> , 2016, 163, A434-A441.	2.9	55
51	Electrochemical impedance spectroscopy analysis with a symmetric cell for LiCoO ₂ cathode degradation correlated with Co dissolution. <i>AIMS Materials Science</i> , 2016, 3, 448-459.	1.4	14
52	(Keynote) Non-Destructive Analysis of Electrochemical Systems By Electrochemical Impedance Spectroscopy. <i>ECS Meeting Abstracts</i> , 2016, , .	0.0	0
53	Development on High Energy Laminated Type Li Secondary Batteries Using Si-O-C Composite Anode and S/KB Composite Cathode with Glyme-Li Salt Solvate Ionic Liquid. <i>ECS Meeting Abstracts</i> , 2016, , .	0.0	0
54	Suppression of Polysulfide Transfer by Polypyrrole Modification on Cathode in Lithium-Sulfur Battery. <i>ECS Meeting Abstracts</i> , 2016, , .	0.0	0

#	ARTICLE	IF	CITATIONS
55	Evaluation of HEV Batteries for Recycle ~Investigation for Estimating Battery Capacity By Electrochemical Impedance Spectroscopy-. ECS Meeting Abstracts, 2016, , .	0.0	0
56	Evaluation of HEV Batteries for Recycle~Investigation for Practical Use of the Low Capacity Retention Sorting Technology By Electrochemical Impedance Spectroscopy-. ECS Meeting Abstracts, 2016, , .	0.0	0
57	Introduction of Square-Current Electrochemical Impedance Spectroscopy (SC-EIS) to Battery Assessment System of Kw-Class Lithium Ion Battery System. ECS Meeting Abstracts, 2016, , .	0.0	0
58	(Invited) Analysis of Li-Ion Battery By EIS Response By Equivalent Circuit and Verification of Estimated Parameters. ECS Meeting Abstracts, 2016, , .	0.0	0
59	Development of Community Energy Management System (CEMS) to Introduce Next Generation Secondary-Batteries into Market. ECS Meeting Abstracts, 2016, , .	0.0	0
60	(Invited) Impedance Analysis Using Equivalent Circuits with Transmission Line Model for Reaction Distribution in Polymer Electrolyte Fuel Cell and Li-Ion Battery. ECS Meeting Abstracts, 2016, , .	0.0	0
61	EIS Analysis of Commercial Lithium-Ion Battery on Accelerated Degradation for Long-Term Charge-Discharge Cycling. ECS Meeting Abstracts, 2016, , .	0.0	0
62	Si-O-C Composites Prepared By Electrodeposition on CNTs/Cu or Carbon Paper Substrate and Electrochemical Performance for Lithium Ion Battery. ECS Meeting Abstracts, 2016, , .	0.0	0
63	EIS and Structural Analysis of LiCoO ₂ Cathode Degradation Behavior in Libs at Initial Stage of Charge-Discharge Cycles. ECS Meeting Abstracts, 2016, , .	0.0	0
64	Preparation of Pre-Lithiated Sulfur Cathode By an in Situ Contacting Reaction. ECS Meeting Abstracts, 2016, , .	0.0	0
65	(Invited) Lithium Batteries and Its Diagnosis System. ECS Meeting Abstracts, 2016, , .	0.0	4
66	Effect of Electrode Pressing Process on the Electrode Characteristics of LiCoO ₂ Cathode.. ECS Meeting Abstracts, 2016, , .	0.0	0
67	High-Energy Laminated-Type Li-S Batteries Using High-Sulfur Loading Positive Electrode on Aluminum Foam. ECS Meeting Abstracts, 2016, , .	0.0	0
68	Estimation Technology of Residual Life of HEV Batteries Using Electrochemical Impedance Spectroscopy. ECS Meeting Abstracts, 2016, , .	0.0	0
69	One-Step Hydrothermal Synthesis of SnS ₂ /SnO ₂ /C Hierarchical Heterostructures for Li-ion Batteries Anode with Superior Rate Capabilities. <i>Electrochimica Acta</i> , 2015, 183, 78-84.	5.2	33
70	Liquid Chromatography-Quadruple Time of Flight Mass Spectrometry Analysis of Products in Degraded Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2008-A2015.	2.9	33
71	Li-Rich Li-Si Alloy As A Lithium-Containing Negative Electrode Material Towards High Energy Lithium-Ion Batteries. <i>Scientific Reports</i> , 2015, 5, 8085.	3.3	53
72	Micro-scale Li ₂ Sâ€“C composite preparation from Li ₂ SO ₄ for cathode of lithium ion battery. <i>Electrochimica Acta</i> , 2015, 183, 70-77.	5.2	24

#	ARTICLE	IF	CITATIONS
73	Review Development of Diagnostic Process for Commercially Available Batteries, Especially Lithium Ion Battery, by Electrochemical Impedance Spectroscopy. Journal of the Electrochemical Society, 2015, 162, A2529-A2537.	2.9	128
74	Application of Electrochemical Impedance Spectroscopy to Ferri/Ferrocyanide Redox Couple and Lithium Ion Battery Systems Using a Square Wave as Signal Input. Electrochimica Acta, 2015, 180, 922-928.	5.2	39
75	Suppression of polysulfide dissolution by polypyrrole modification of sulfur-based cathodes in lithium secondary batteries. Journal of Power Sources, 2015, 274, 1263-1266.	7.8	49
76	Li ₂ S cathode modified with polyvinylpyrrolidone and mechanical milling with carbon. Journal of Power Sources, 2015, 273, 1136-1141.	7.8	50
77	Effect of electrolyte on cycle performances of the electrodeposited Sn-O-C composite anode of lithium secondary batteries. Journal of Power Sources, 2015, 275, 525-530.	7.8	8
78	New Sn-O-C composite film anode materials for LIB by electrodeposition. Journal of Materials Chemistry A, 2014, 2, 883-896.	10.3	34
79	Analysis of an Electrodeposition Mechanism of Sn-O-C Composite from an Organic Electrolyte. Journal of the Electrochemical Society, 2014, 161, D3025-D3031.	2.9	9
80	Influence of the diffusion-layer thickness during electrodeposition on the synthesis of nano core/shell Sn-O-C composite as an anode of lithium secondary batteries. RSC Advances, 2014, 4, 26872-26880.	3.6	19
81	Zinc-Air Battery: Understanding the Structure and Morphology Changes of Graphene-Supported CoMn ₂ O ₄ Bifunctional Catalysts Under Practical Rechargeable Conditions. ACS Applied Materials & Interfaces, 2014, 6, 16545-16555.	8.0	132
82	Electrodeposited three-dimensional porous Sn-O-C/Ni thick film as high performance anode for lithium-ion batteries. Journal of Power Sources, 2014, 272, 794-799.	7.8	15
83	Distinction of impedance responses of Li-ion batteries for individual electrodes using symmetric cells. Electrochimica Acta, 2014, 131, 195-201.	5.2	60
84	Electrochemical impedance analysis of electrodeposited Sn-O-C composite thick film on Cu microcones-arrayed current collector for lithium ion battery anode. Journal of Power Sources, 2014, 256, 226-232.	7.8	34
85	A Lithium-Ion Sulfur Battery Based on a Carbon-Coated Lithium-Sulfide Cathode and an Electrodeposited Silicon-Based Anode. ACS Applied Materials & Interfaces, 2014, 6, 10924-10928.	8.0	124
86	Carbon-coated Li ₂ S Synthesized by Poly(vinylpyrrolidone) and Acetylene Black for Lithium Ion Battery Cathodes. Chemistry Letters, 2014, 43, 901-903.	1.3	18
87	Silicon, Electrochemical Deposition. , 2014, , 1966-1970.		0
88	Sn-O-C composite anode for Li secondary battery synthesized by an electrodeposition technique using organic carbonate electrolyte. Journal of Power Sources, 2013, 242, 527-532.	7.8	12
89	Silicon composite thick film electrodeposited on a nickel micro-nanocones hierarchical structured current collector for lithium batteries. Journal of Power Sources, 2013, 222, 503-509.	7.8	39
90	Electrochemical impedance spectroscopy analysis for lithium-ion battery using Li ₄ Ti ₅ O ₁₂ anode. Journal of Power Sources, 2013, 222, 442-447.	7.8	92

#	ARTICLE	IF	CITATIONS
91	Structural analysis of highly-durable Si O C composite anode prepared by electrodeposition for lithium secondary batteries. <i>Electrochimica Acta</i> , 2013, 110, 403-410.	5.2	39
92	Structural analysis of highly durable SiOC composite anode prepared by electrodeposition for lithium secondary batteries. <i>Electrochimica Acta</i> , 2013, 110, 402.	5.2	0
93	Impedance analysis of the effect of flooding in the cathode catalyst layer of the polymer electrolyte fuel cell. <i>Electrochimica Acta</i> , 2013, 113, 720-729.	5.2	33
94	Structural analysis of highly-durable SiOC composite anode prepared by electrodeposition for lithium secondary batteries. <i>Electrochimica Acta</i> , 2013, 107, 1-8.	5.2	2
95	Effect of Electrolyte Additive on Cycle Performance of Electrodeposited Si-O-C Composite Anode for Lithium Secondary Battery. <i>ECS Meeting Abstracts</i> , 2013, , .	0.0	0
96	Structural Analysis of Highly Durable Si-O-C Or Sn-O-C Composite Anodes for Lithium Secondary Battery By Means of Electrodeposition. <i>ECS Meeting Abstracts</i> , 2013, , .	0.0	0
97	New Analysis of Electrochemical Impedance Spectroscopy for Lithium-ion Batteries. <i>Journal of Electrochemical Science and Technology</i> , 2013, 4, 157-162.	2.2	8
98	New Analysis of Electrochemical Impedance Spectroscopy for Lithium-ion Batteries. <i>Journal of Electrochemical Science and Technology</i> , 2013, 4, 157-162.	2.2	9
99	Electrochemical Impedance Analysis on Degradation of Commercially Available Lithium Ion Battery during Charge–Discharge Cycling. <i>Chemistry Letters</i> , 2012, 41, 444-446.	1.3	44
100	Highly durable SiOC composite anode prepared by electrodeposition for lithium secondary batteries. <i>Energy and Environmental Science</i> , 2012, 5, 6500.	30.8	103
101	Proposal of novel equivalent circuit for electrochemical impedance analysis of commercially available lithium ion battery. <i>Journal of Power Sources</i> , 2012, 205, 483-486.	7.8	148
102	Impedance Analysis of Anode and Cathode Separated by Using Micro Reference Electrode on Li-ion Battery. <i>ECS Meeting Abstracts</i> , 2012, , .	0.0	2
103	Impedance Analysis Counting Reaction Distribution on Degradation of Cathode Catalyst Layer in PEFCs. <i>Journal of the Electrochemical Society</i> , 2011, 158, B1184.	2.9	35
104	Electrodeposited novel highly durable SiOC composite anode for Li battery above several thousands of cycles. <i>Electrochemistry Communications</i> , 2011, 13, 969-972.	4.7	55
105	Effect of the atmosphere on chemical composition and electrochemical properties of solid electrolyte interface on electrodeposited Li metal. <i>Journal of Power Sources</i> , 2011, 196, 6483-6487.	7.8	19
106	Nanoindentation and nanowear study of Sn and Ni–Sn coatings. <i>Tribology International</i> , 2009, 42, 779-791.	5.9	26
107	Mechanical analysis and <i>in situ</i> structural and morphological evaluation of Ni–Sn alloy anodes for Li ion batteries. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 025302.	2.8	19
108	Cycle and Rate Properties of Mesoporous Tin Anode for Lithium Ion Secondary Batteries. <i>Chemistry Letters</i> , 2008, 37, 142-143.	1.3	40

#	ARTICLE	IF	CITATIONS
109	Numerical Simulation of DMFC-Capacitor Hybrid Power Supply System for Small Electronic Devices. Electrochemistry, 2008, 76, 270-275.	1.4	1
110	Feasibility of an Interpenetrated Polymer Network System Made of Di-block Copolymer Composed of Polyethylene Oxide and Polystyrene as the Gel Electrolyte for Lithium Secondary Batteries. Electrochemistry, 2008, 76, 276-281.	1.4	11
111	Characteristics of Interpenetrated Polymer Network System made of Polyethylene Oxide-LiBF ₄ Complex and Polystyrene as the Electrolyte for Lithium Secondary Battery. Electrochemistry, 2003, 71, 1182-1186.	1.4	4