

BogusÅ,awa Budziszewska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3046341/publications.pdf>

Version: 2024-02-01

62
papers

1,546
citations

304743

22
h-index

330143

37
g-index

65
all docs

65
docs citations

65
times ranked

2260
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal stress is a vulnerability factor for altered morphology and biological activity of microglia cells. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 82.	3.7	108
2	The effect of antidepressant drugs on the HPA axis activity, glucocorticoid receptor level and FKBP51 concentration in prenatally stressed rats. <i>Psychoneuroendocrinology</i> , 2009, 34, 822-832.	2.7	103
3	Antidepressant drugs inhibit glucocorticoid receptor-mediated gene transcription - a possible mechanism. <i>British Journal of Pharmacology</i> , 2000, 130, 1385-1393.	5.4	95
4	Targeting the NLRP3 Inflammasome-Related Pathways via Tianeptine Treatment-Suppressed Microglia Polarization to the M1 Phenotype in Lipopolysaccharide-Stimulated Cultures. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1965.	4.1	84
5	Brain glucose metabolism in an animal model of depression. <i>Neuroscience</i> , 2015, 295, 198-208.	2.3	66
6	Neuroendocrine link between stress, depression and diabetes. <i>Pharmacological Reports</i> , 2013, 65, 1591-1600.	3.3	59
7	Maternal stress predicts altered biogenesis and the profile of mitochondrial proteins in the frontal cortex and hippocampus of adult offspring rats. <i>Psychoneuroendocrinology</i> , 2015, 60, 151-162.	2.7	55
8	Antipsychotic Drugs Inhibit the Human Corticotropin-Releasing-Hormone Gene Promoter Activity in Neuro-2A Cells—an Involvement of Protein Kinases. <i>Neuropsychopharmacology</i> , 2006, 31, 853-865.	5.4	49
9	Hyperactivity of the hypothalamus—pituitary—adrenal axis in lipopolysaccharide-induced neurodevelopmental model of schizophrenia in rats: Effects of antipsychotic drugs. <i>European Journal of Pharmacology</i> , 2011, 650, 586-595.	3.5	43
10	The decrease in JNK- and p38-MAP kinase activity is accompanied by the enhancement of PP2A phosphate level in the brain of prenatally stressed rats. <i>Journal of Physiology and Pharmacology</i> , 2010, 61, 207-15.	1.1	43
11	The effect of repeated amphetamine and cocaine administration on adrenal, gonadal and thyroid hormone levels in the rat plasma. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1996, 104, 334-338.	1.2	42
12	Elevated Brain Glucose and Glycogen Concentrations in an Animal Model of Depression. <i>Neuroendocrinology</i> , 2014, 100, 178-190.	2.5	39
13	Level of S100B protein, neuron specific enolase, orexin A, adiponectin and insulin-like growth factor in serum of pediatric patients suffering from sleep disorders with or without epilepsy. <i>Pharmacological Reports</i> , 2012, 64, 1427-1433.	3.3	34
14	Effects of neurosteroids on hydrogen peroxide- and staurosporine-induced damage of human neuroblastoma SH-SY5Y cells. <i>Journal of Neuroscience Research</i> , 2008, 86, 1361-1370.	2.9	33
15	Prenatal administration of lipopolysaccharide induces sex-dependent changes in glutamic acid decarboxylase and parvalbumin in the adult rat brain. <i>Neuroscience</i> , 2015, 287, 78-92.	2.3	33
16	Protective effects of neurosteroids against NMDA-induced seizures and lethality in mice. <i>European Neuropsychopharmacology</i> , 1998, 8, 7-12.	0.7	32
17	Beneficial impact of intracerebroventricular fractalkine administration on behavioral and biochemical changes induced by prenatal stress in adult rats: Possible role of NLRP3 inflammasome pathway. <i>Biochemical Pharmacology</i> , 2016, 113, 45-56.	4.4	31
18	Prenatal stress decreases glycogen synthase kinase-3 phosphorylation in the rat frontal cortex. <i>Pharmacological Reports</i> , 2009, 61, 612-620.	3.3	29

#	ARTICLE	IF	CITATIONS
19	Estrone, but not 17 β -estradiol, attenuates kainate-induced seizures and toxicity in male mice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2001, 109, 168-173.	1.2	27
20	Regulation of the Human Corticotropin-Releasing-Hormone Gene Promoter Activity by Antidepressant Drugs in Neuro-2A and AtT-20 Cells. <i>Neuropsychopharmacology</i> , 2004, 29, 785-794.	5.4	26
21	Impaired Brain Energy Metabolism: Involvement in Depression and Hypothyroidism. <i>Frontiers in Neuroscience</i> , 2020, 14, 586939.	2.8	26
22	Excitatory neurosteroids attenuate apoptotic and excitotoxic cell death in primary cortical neurons. <i>Journal of Physiology and Pharmacology</i> , 2008, 59, 457-75.	1.1	24
23	The Beneficial Impact of Antidepressant Drugs on Prenatal Stress-Evoked Malfunction of the Insulin-Like Growth Factor-1 (IGF-1) Protein Family in the Olfactory Bulbs of Adult Rats. <i>Neurotoxicity Research</i> , 2016, 29, 288-298.	2.7	23
24	Effects of ethylene glycol ethers on cell viability in the human neuroblastoma SH-SY5Y cell line. <i>Pharmacological Reports</i> , 2010, 62, 1243-1249.	3.3	21
25	Chronic mild stress influences nerve growth factor through a matrix metalloproteinase-dependent mechanism. <i>Psychoneuroendocrinology</i> , 2016, 66, 11-21.	2.7	21
26	The effect of chronic tianeptine administration on the brain mitochondria: direct links with an animal model of depression. <i>Molecular Neurobiology</i> , 2016, 53, 7351-7362.	4.0	21
27	Evaluation of the effectiveness of chronic antidepressant drug treatments in the hippocampal mitochondria – A proteomic study in an animal model of depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 78, 51-60.	4.8	21
28	Prenatal stress leads to changes in IGF-1 binding proteins network in the hippocampus and frontal cortex of adult male rat. <i>Neuroscience</i> , 2014, 274, 59-68.	2.3	20
29	Inhibitory effect of imipramine on the human corticotropin-releasing-hormone gene promoter activity operates through a PI3-K/AKT mediated pathway. <i>Neuropharmacology</i> , 2005, 49, 156-164.	4.1	19
30	The effect of N-nitro-L-arginine methyl ester on morphine-induced changes in the plasma corticosterone and testosterone levels in mice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1999, 107, 75-79.	1.2	18
31	Brain Metabolic Alterations in Rats Showing Depression-Like and Obesity Phenotypes. <i>Neurotoxicity Research</i> , 2020, 37, 406-424.	2.7	18
32	The effect of chronic treatment with antidepressant drugs on the corticosteroid receptor levels in the rat hippocampus. <i>Polish Journal of Pharmacology</i> , 1994, 46, 147-52.	0.3	18
33	Pro-apoptotic Action of Corticosterone in Hippocampal Organotypic Cultures. <i>Neurotoxicity Research</i> , 2016, 30, 225-238.	2.7	17
34	Effects of neurosteroids on the human corticotropin-releasing hormone gene. <i>Pharmacological Reports</i> , 2010, 62, 1030-1040.	3.3	16
35	Effects of neurosteroids on glucocorticoid receptor-mediated gene transcription in LMCAT cells – A possible interaction with psychotropic drugs. <i>European Neuropsychopharmacology</i> , 2007, 17, 37-45.	0.7	14
36	Nanocapsules with Polyelectrolyte Shell as a Platform for 1,25-dihydroxyvitamin D3 Neuroprotection: Study in Organotypic Hippocampal Slices. <i>Neurotoxicity Research</i> , 2016, 30, 581-592.	2.7	14

#	ARTICLE	IF	CITATIONS
37	Regulation of insulin receptor phosphorylation in the brains of prenatally stressed rats: New insight into the benefits of antidepressant drug treatment. <i>European Neuropsychopharmacology</i> , 2017, 27, 120-131.	0.7	14
38	Repeated morphine administration down-regulates glucocorticoid, but not mineralocorticoid, receptors in the rat hippocampus. <i>Psychoneuroendocrinology</i> , 1995, 20, 75-81.	2.7	13
39	Mood stabilizers inhibit glucocorticoid receptor function in LMCAT cells. <i>European Journal of Pharmacology</i> , 2004, 495, 103-110.	3.5	13
40	Ethylene Glycol Ethers Induce Oxidative Stress in the Rat Brain. <i>Neurotoxicity Research</i> , 2014, 26, 422-429.	2.7	13
41	Catalase activity in blood fractions of patients with sporadic ALS. <i>Pharmacological Reports</i> , 2014, 66, 704-707.	3.3	13
42	Potential neurotoxic effect of ethylene glycol ethers mixtures. <i>Pharmacological Reports</i> , 2013, 65, 1415-1421.	3.3	12
43	Neurosteroids and the naloxone-precipitated withdrawal syndrome in morphine-dependent mice. <i>European Neuropsychopharmacology</i> , 1996, 6, 135-140.	0.7	11
44	Hematological effects of exposure to mixtures of selected ethylene glycol alkyl ethers in rats. <i>Pharmacological Reports</i> , 2012, 64, 166-178.	3.3	11
45	Regulators of glucocorticoid receptor function in an animal model of depression and obesity. <i>Journal of Neuroendocrinology</i> , 2018, 30, e12591.	2.6	10
46	The reduced level of growth factors in an animal model of depression is accompanied by regulated necrosis in the frontal cortex but not in the hippocampus. <i>Psychoneuroendocrinology</i> , 2018, 94, 121-133.	2.7	10
47	Hypothalamic insulin and glucagon-like peptide-1 levels in an animal model of depression and their effect on corticotropin-releasing hormone promoter gene activity in a hypothalamic cell line. <i>Pharmacological Reports</i> , 2019, 71, 338-346.	3.3	10
48	Effects of neurosteroids on neuronal survival: molecular basis and clinical perspectives. <i>Acta Neurobiologiae Experimentalis</i> , 2006, 66, 359-67.	0.7	9
49	New trends in the neurobiology and pharmacology of affective disorders. <i>Pharmacological Reports</i> , 2013, 65, 1441-1450.	3.3	8
50	Mitochondria-targeting therapeutic strategies in the treatment of depression. <i>Mitochondrion</i> , 2021, 58, 169-178.	3.4	8
51	The effect of active and passive intravenous cocaine administration on the extracellular signal-regulated kinase (ERK) activity in the rat brain. <i>Pharmacological Reports</i> , 2014, 66, 630-637.	3.3	7
52	Effect of lipopolysaccharide and antidepressant drugs on glucocorticoid receptor-mediated gene transcription. <i>Pharmacological Reports</i> , 2005, 57, 540-4.	3.3	7
53	Venlafaxine and L-Thyroxine Treatment Combination: Impact on Metabolic and Synaptic Plasticity Changes in an Animal Model of Coexisting Depression and Hypothyroidism. <i>Cells</i> , 2021, 10, 1394.	4.1	6
54	Effect of antidepressant drugs on the human corticotropin-releasing-hormone gene promoter activity in neuro-2A cells. <i>Polish Journal of Pharmacology</i> , 2002, 54, 711-6.	0.3	4

#	ARTICLE	IF	CITATIONS
55	The effect of N-nitro-L-arginine methyl ester on cocaine-induced hormonal changes in mice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1998, 106, 340-345.	1.2	3
56	Participation of protein kinases in cytotoxic and proapoptotic effects of ethylene glycol ethers and their metabolites in SH-SY5Y cells. <i>Toxicology in Vitro</i> , 2016, 36, 153-163.	2.4	3
57	Ethylene glycol ethers induce apoptosis and disturb glucose metabolism in the rat brain. <i>Pharmacological Reports</i> , 2016, 68, 162-171.	3.3	3
58	Pharmacological modulation of glucocorticoid and mineralocorticoid receptors in the rat central nervous system. <i>Polish Journal of Pharmacology</i> , 1994, 46, 97-102.	0.3	3
59	Repeated cocaine administration down-regulates glucocorticoid receptors in the rat brain cortex and hippocampus. <i>Polish Journal of Pharmacology</i> , 1996, 48, 575-81.	0.3	3
60	Role of the serotonergic system in the regulation of glucocorticoid and mineralocorticoid receptors in the rat hippocampus. <i>Polish Journal of Pharmacology</i> , 1995, 47, 299-304.	0.3	2
61	Repeated amphetamine administration down-regulates glucocorticoid, but not mineralocorticoid, receptors in the rat hippocampus. <i>Polish Journal of Pharmacology</i> , 1995, 47, 401-6.	0.3	2
62	Neurotoxicity in Depression. , 2021, , 1-30.		0