
Lalit Mohan Kandpal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3054959/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Spectra Fusion of Mid-Infrared (MIR) and X-ray Fluorescence (XRF) Spectroscopy for Estimation of Selected Soil Fertility Attributes. Sensors, 2022, 22, 3459.	3.8	11
2	Improvement in Purity of Healthy Tomato Seeds Using an Image-Based One-Class Classification Method. Sensors, 2020, 20, 2690.	3.8	12
3	Near-Infrared Transmittance Spectral Imaging for Nondestructive Measurement of Internal Disorder in Korean Ginseng. Sensors, 2020, 20, 273.	3.8	6
4	Rapid Measurement of Soybean Seed Viability Using Kernel-Based Multispectral Image Analysis. Sensors, 2019, 19, 271.	3.8	46
5	Development of a Low-Cost Multi-Waveband LED Illumination Imaging Technique for Rapid Evaluation of Fresh Meat Quality. Applied Sciences (Switzerland), 2019, 9, 912.	2.5	10
6	Hyperspectral imaging sensor for optimization of small molecule formulations. Medical Devices & Sensors, 2018, 1, e10006.	2.7	3
7	Calibration and testing of a Raman hyperspectral imaging system to reveal powdered food adulteration. PLoS ONE, 2018, 13, e0195253.	2.5	28
8	Quantitative analysis of Sudan dye adulteration in paprika powder using FTIR spectroscopy. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2017, 34, 1-9.	2.3	22
9	Nondestructive Estimation of Moisture Content, pH and Soluble Solid Contents in Intact Tomatoes Using Hyperspectral Imaging. Applied Sciences (Switzerland), 2017, 7, 109.	2.5	50
10	In-Process Control Assay of Pharmaceutical Microtablets Using Hyperspectral Imaging Coupled with Multivariate Analysis. Analytical Chemistry, 2016, 88, 11055-11061.	6.5	33
11	Near-infrared hyperspectral imaging system coupled with multivariate methods to predict viability and vigor in muskmelon seeds. Sensors and Actuators B: Chemical, 2016, 229, 534-544.	7.8	113
12	Hyperspectral Reflectance Imaging Technique for Visualization of Moisture Distribution in Cooked Chicken Breast. Sensors, 2013, 13, 13289-13300.	3.8	59