

Marek Gierlotka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/305774/publications.pdf>

Version: 2024-02-01

164
papers

5,420
citations

279798

23
h-index

95266

68
g-index

183
all docs

183
docs citations

183
times ranked

6578
citing authors

#	ARTICLE	IF	CITATIONS
1	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021, 42, 1289-1367.	2.2	3,048
2	The obesity paradox in acute coronary syndrome: a meta-analysis. <i>European Journal of Epidemiology</i> , 2014, 29, 801-812.	5.7	186
3	Hybrid Revascularization for Multivessel Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 1277-1283.	2.9	115
4	Reperfusion strategy in Europe: temporal trends in performance measures for reperfusion therapy in ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2010, 31, 2614-2624.	2.2	92
5	A comparison of ST elevation versus non-ST elevation myocardial infarction outcomes in a large registry database. <i>International Journal of Cardiology</i> , 2011, 152, 70-77.	1.7	87
6	Malignant tumors of the heart. <i>Cancer Epidemiology</i> , 2015, 39, 665-672.	1.9	80
7	Hybrid Coronary Revascularization in Selected Patients With Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 847-852.	2.9	74
8	The Prognostic Role of Red Blood Cell Distribution Width in Coronary Artery Disease: A Review of the Pathophysiology. <i>Disease Markers</i> , 2015, 2015, 1-12.	1.3	68
9	Gender-related differences in mortality after ST-segment elevation myocardial infarction: a large multicentre national registry. <i>EuroIntervention</i> , 2011, 6, 1068-1072.	3.2	66
10	Red cell distribution width is associated with long-term prognosis in patients with stable coronary artery disease. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 113.	1.7	64
11	Mean platelet volume-to-lymphocyte ratio: a novel marker of poor short- and long-term prognosis in patients with diabetes mellitus and acute myocardial infarction. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1097-1102.	2.3	63
12	Optimal use of lipid-lowering therapy after acute coronary syndromes: A Position Paper endorsed by the International Lipid Expert Panel (ILEP). <i>Pharmacological Research</i> , 2021, 166, 105499.	7.1	62
13	Incidence, treatment, in-hospital mortality and one-year outcomes of acute myocardial infarction in Poland in 2009-2012 nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2015, 73, 142-158.	0.6	62
14	Polish Registry of Acute Coronary Syndromes (PL-ACS). Characteristics, treatments and outcomes of patients with acute coronary syndromes in Poland. <i>Kardiologia Polska</i> , 2007, 65, 861-72; discussion 873-4.	0.6	62
15	Comparison of Five-Year Outcomes of Patients With and Without Chronic Total Occlusion of Noninfarct Coronary Artery After Primary Coronary Intervention for ST-Segment Elevation Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2012, 109, 208-213.	1.6	56
16	Reperfusion by Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction Within 12 to 24 Hours of the Onset of Symptoms (from a Prospective National) <i>Tj ETQq0 0 0.0784314 rgBT #0 Overlock 10 Tf</i>	0.0784314	48
17	Impact of chronic total occlusion artery on 12-month mortality in patients with non-ST-segment elevation myocardial infarction treated by percutaneous coronary intervention (From the PL-ACS) <i>Tj ETQq1 1 0.784314 rgBT #0 Overlock 10 Tf</i>	0.784314	48
18	Direct Admission Versus Interhospital Transfer for Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 438-447.	2.9	48

#	ARTICLE	IF	CITATIONS
19	Impact of Chronic Total Occlusion of the Coronary Artery on Long-Term Prognosis in Patients With Ischemic Systolic Heart Failure. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1790-1797.	2.9	47
20	Temporal Trends in the Treatment and Outcomes of Patients With Non-ST-Segment Elevation Myocardial Infarction in Poland from 2004 to 2010 (from the Polish Registry of Acute Coronary Syndrome). <i>Journal of Intensive Care Medicine</i> , 2014, 29, 50-56.	1.0	30
21	Comparison of Outcomes of Direct Stenting Versus Stenting After Balloon Predilation in Patients With Acute Myocardial Infarction (DIRAMI). <i>American Journal of Cardiology</i> , 2007, 100, 798-805.	1.6	31
22	The Relationships between Polymorphisms in Genes Encoding the Growth Factors TGF- β 1, PDGFB, EGF, bFGF and VEGF-A and the Restenosis Process in Patients with Stable Coronary Artery Disease Treated with Bare Metal Stent. <i>PLoS ONE</i> , 2016, 11, e0150500.	2.5	31
23	Outcomes of invasive treatment in very elderly Polish patients with non-ST-segment-elevation myocardial infarction from 2003 to 2009 (from the PL-ACS registry). <i>Cardiology Journal</i> , 2013, 20, 34-43.	1.2	25
24	Relationship between infarct artery location, acute total coronary occlusion, and mortality in STEMI and NSTEMI patients. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 401-411.	0.4	25
25	Mortality of patients with ST-segment elevation myocardial infarction and cardiogenic shock treated by PCI is correlated to the infarct-related artery - Results from the PL-ACS Registry. <i>International Journal of Cardiology</i> , 2013, 166, 193-197.	1.7	23
26	Pulmonary hypertension in advanced lung diseases: Echocardiography as an important part of patient evaluation for lung transplantation. <i>Clinical Respiratory Journal</i> , 2018, 12, 930-938.	1.6	23
27	Higher mortality in women after ST-segment elevation myocardial infarction in very young patients. <i>Archives of Medical Science</i> , 2013, 3, 427-433.	0.9	22
28	Ultra-low contrast coronary angiography and zero-contrast percutaneous coronary intervention for prevention of contrast-induced nephropathy: step-by-step approach and review. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 127-136.	0.2	21
29	Clinical Characteristics, Treatments, and Outcomes of Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries (MINOCA): Results from a Multicenter National Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 2779.	2.4	21
30	Total coronary occlusion of infarct-related arteries in patients with non-ST-elevation myocardial infarction undergoing percutaneous coronary revascularisation. <i>Kardiologia Polska</i> , 2017, 75, 108-116.	0.6	21
31	Effect of blood glucose levels on prognosis in acute myocardial infarction in patients with and without diabetes, undergoing percutaneous coronary intervention. <i>Cardiology Journal</i> , 2008, 15, 422-30.	1.2	21
32	Temporal trends in secondary prevention in myocardial infarction patients discharged with left ventricular systolic dysfunction in Poland. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 960-969.	1.8	20
33	In-Hospital and 12-Month Outcomes After Acute Coronary Syndrome Treatment in Patients Aged <40 Years of Age (from the Polish Registry of Acute Coronary Syndromes). <i>American Journal of Cardiology</i> , 2014, 114, 175-180.	1.6	19
34	Risk factors predisposing to acute coronary syndromes in young women <45 years of age. <i>International Journal of Cardiology</i> , 2018, 264, 165-169.	1.7	19
35	Comparison of Stenting and Surgical Revascularization Strategy in Non-ST Elevation Acute Coronary Syndromes and Complex Coronary Artery Disease (from the Milestone Registry). <i>American Journal of Cardiology</i> , 2014, 114, 979-987.	1.6	16
36	Impact of the COVID-19 pandemic on hospitalizations for acute coronary syndromes: a multinational study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2021, 114, 642-647.	0.5	16

#	ARTICLE	IF	CITATIONS
37	Decline in the number of coronary angiography and percutaneous coronary intervention procedures in patients with acute myocardial infarction in Poland during the coronavirus disease 2019 pandemic. <i>Kardiologia Polska</i> , 2020, 78, 574-576.	0.6	15
38	Impact of multivessel coronary disease on one-year clinical outcomes and five-year mortality in patients with ST-elevation myocardial infarction undergoing percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2011, 69, 336-43.	0.6	15
39	Comparison of Invasive and Non-Invasive Treatment Strategies in Older Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock (from the Polish Registry of Acute Coronary) <i>Tj ETQq1 1 01784314 rsgBT /Ove</i>	1.7	14
40	The association of functional polymorphisms in genes encoding growth factors for endothelial cells and smooth muscle cells with the severity of coronary artery disease. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 218.	1.7	14
41	Family History of Premature Coronary Artery Disease (P-CAD)â€”A Non-Modifiable Risk Factor? Dietary Patterns of Young Healthy Offspring of P-CAD Patients: A Case-Control Study (MAGNETIC Project). <i>Nutrients</i> , 2018, 10, 1488.	4.1	14
42	Nonroutine Use of Intra-Aortic Balloon Pump in Cardiogenic Shock Complicating Myocardial Infarction With Successful and Unsuccessful Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1885-1893.	2.9	14
43	Renal function on admission affects both treatment strategy and long-term outcomes of patients with myocardial infarction (from the Polish Registry of Acute Coronary Syndromes). <i>Kardiologia Polska</i> , 2017, 75, 332-343.	0.6	14
44	Prospective randomised pilOt study eVaLuating the safety and efficacy of hybrid revascularisation in Multi-vessel coronary artery DisEaSe (POLMIDES) - study design. <i>Kardiologia Polska</i> , 2011, 69, 460-6.	0.6	14
45	Zero-contrast percutaneous coronary interventions to preserve kidney function in patients with severe renal impairment and hemodialysis subjects. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 137-142.	0.2	13
46	ST-Segment Elevation Myocardial Infarction in Women With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3469-3475.	8.6	12
47	Causes of hospitalisation and prognosis in patients with cardiovascular diseases â€” secular trends 2006-2014. Silesian CARDiovascular (SILCARD) database covering a population of 4.6 million subjects. <i>Polish Archives of Internal Medicine</i> , 2016, 126, 754-762.	0.4	12
48	Novel inflammatory biomarkers may reflect subclinical inflammation in young healthy adults with obesity. <i>Endokrynologia Polska</i> , 2019, 70, 135-142.	1.0	12
49	What has changed in the treatment of ST-segment elevation myocardial infarction in Poland in 2003-2009? Data from the Polish Registry of Acute Coronary Syndromes (PL-ACS). <i>Kardiologia Polska</i> , 2011, 69, 1109-18.	0.6	12
50	Functional polymorphism rs710218 in the gene coding GLUT1 protein is associated with in-stent restenosis. <i>Biomarkers in Medicine</i> , 2015, 9, 743-750.	1.4	11
51	Trends in sex differences in clinical characteristics, treatment strategies, and mortality in patients with ST-elevation myocardial infarction in Poland from 2005 to 2011. <i>Coronary Artery Disease</i> , 2017, 28, 417-425.	0.7	11
52	Outcomes of primary coronary angioplasty and angioplasty after initial thrombolysis in the treatment of 374 consecutive patients with acute myocardial infarction. <i>American Heart Journal</i> , 2003, 145, 855-861.	2.7	10
53	Long-term outcomes in men and women with ST-segment elevation myocardial infarction and incomplete reperfusion after a primary percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2019, 30, 171-176.	0.7	10
54	Relationship between blood glucose on admission and prognosis in patients with acute myocardial infarction treated with percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2007, 65, 1031-8; discussion 1039-40.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Percutaneous coronary intervention in treatment of multivessel coronary artery disease in patients with non-ST-segment elevation acute coronary syndrome. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 2, 136-145.	0.2	9
56	Acute myocardial infarction due to left main coronary artery disease in men and women: does ST-segment elevation matter?. <i>Archives of Medical Science</i> , 2015, 6, 1197-1204.	0.9	9
57	Relationship of the rs1799752 polymorphism of the angiotensin-converting enzyme gene and the rs699 polymorphism of the angiotensinogen gene to the process of in-stent restenosis in a population of Polish patients with stable coronary artery disease. <i>Advances in Medical Sciences</i> , 2016, 61, 276-281.	2.1	9
58	Comparison of outcomes in patients undergoing rotational atherectomy after unsuccessful coronary angioplasty versus elective rotational atherectomy. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 128-134.	0.2	9
59	Acute myocardial infarction due to left main coronary artery disease: A large multicenter national registry. <i>Cardiology Journal</i> , 2013, 20, 190-6.	1.2	9
60	Comparison between five-year mortality of patients with and without red blood cell transfusion after percutaneous coronary intervention for ST-elevation acute myocardial infarction. <i>Kardiologia Polska</i> , 2013, 71, 1029-1035.	0.6	9
61	Which patients at risk of cardiovascular disease might benefit the most from inclisiran? – The expert opinion of the Polish experts. The compromise between EBM and possibilities in healthcare.. <i>Archives of Medical Science</i> , 2022, 18, 569-576.	0.9	9
62	Angiographic and Intravascular Ultrasound Assessment of Immediate and 9-Month Efficacy of Percutaneous Transluminal Renal Artery Balloon Angioplasty with Subsequent Brachytherapy in Patients with Renovascular Hypertension. <i>Kidney and Blood Pressure Research</i> , 2008, 31, 291-298.	2.0	8
63	Acute Ischemic Stroke Hospital Admissions, Treatment, and Outcomes in Poland in 2009–2013. <i>Frontiers in Neurology</i> , 2018, 9, 134.	2.4	8
64	Factors Affecting Early Mortality and 1-Year Outcomes in Young Women With ST-Segment-Elevation Myocardial Infarction Aged Less Than or Equal to 45 Years. <i>Current Problems in Cardiology</i> , 2021, 46, 100419.	2.4	8
65	Observed and relative survival and 5-year outcomes of patients discharged after acute myocardial infarction: the nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2020, 78, 990-998.	0.6	8
66	Effects of the coronavirus disease 2019 pandemic on the number of hospitalizations for myocardial infarction: regional differences. Population analysis of 7 million people. <i>Kardiologia Polska</i> , 2020, 78, 1039-1042.	0.6	8
67	Comprehensive coordinated care after myocardial infarction (KOS – ZawaÅ.): a patient’s perspective. <i>Kardiologia Polska</i> , 2019, 77, 568-570.	0.6	8
68	Gender-related differences in clinical course, therapeutic approach and prognosis in patients with non-ST segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2011, 69, 784-92.	0.6	8
69	Management and predictors of clinical events in 75 686 patients with acute myocardial infarction. <i>Kardiologia Polska</i> , 2022, 80, 468-475.	0.6	8
70	Comparison of early and long-term results of percutaneous coronary interventions in patients with ST elevation myocardial infarction, complicated or not by cardiogenic shock. <i>Coronary Artery Disease</i> , 2010, 21, 13-19.	0.7	7
71	Comparison of Inhospital and 12- and 36-Month Outcomes After Acute Coronary Syndrome in Men Versus Women <40 Years (from the PL-ACS Registry). <i>American Journal of Cardiology</i> , 2016, 118, 1300-1305.	1.6	7
72	Annual Trends in Total Ischemic Time and One-Year Fatalities: The Paradox of STEMI Network Performance Assessment. <i>Journal of Clinical Medicine</i> , 2019, 8, 78.	2.4	7

#	ARTICLE	IF	CITATIONS
73	Associations of changes in patient characteristics and management with decrease in mortality rates of men and women with ST-elevation myocardial infarction – a propensity score-matched analysis. Archives of Medical Science, 2020, 16, 772-780.	0.9	7
74	Levosimendan in the treatment of patients with acute cardiac conditions: an expert opinion of the Association of Intensive Cardiac Care of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 825-834.	0.6	7
75	Post-procedural TIMI flow grade 2 is not associated with improved prognosis in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous coronary revascularization (PL-ACS registry). Cardiology Journal, 2016, 23, 402-410.	1.2	7
76	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. Advances in Medical Sciences, 2022, 67, 18-22.	2.1	7
77	Postprocedural TIMI flow grade 2 in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous coronary revascularization. (PL-ACS Registry). European Heart Journal, 2013, 34, 3515-3515.	2.2	6
78	A novel simplified thrombo-inflammatory score portends poor outcome in diabetic patients following myocardial infarction. Biomarkers in Medicine, 2016, 10, 1129-1139.	1.4	6
79	Safety and efficacy of a second-generation coronary sirolimus-eluting stent with biodegradable polymers in daily clinical practice. Coronary Artery Disease, 2016, 27, 89-94.	0.7	6
80	Platelet-to-lymphocyte ratio predicts contrast-induced acute kidney injury in diabetic patients with ST-elevation myocardial infarction. Biomarkers in Medicine, 2017, 11, 847-856.	1.4	6
81	Early and One-Year Outcomes of Acute Stroke in the Industrial Region of Poland During the Decade 2006–2015: The Silesian Stroke Registry. Neuroepidemiology, 2018, 50, 183-194.	2.3	6
82	Gender-related disparities in the treatment and outcomes in patients with non-ST-segment elevation myocardial infarction: results from the Polish Registry of Acute Coronary Syndromes (PL-ACS) in the years 2012–2014. Archives of Medical Science, 2020, 16, 781-788.	0.9	6
83	Characteristics of patients from the Polish Registry of Acute Coronary Syndromes during the COVID-19 pandemic: the first report. Kardiologia Polska, 2021, 79, 192-195.	0.6	6
84	Innovative Managed Care May Be Related to Improved Prognosis for Acute Myocardial Infarction Survivors. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e007800.	2.2	6
85	Fully Percutaneous Transaxillary Aortic Valve Replacement With Effective Bailout Plan for Vascular Complications. JACC: Cardiovascular Interventions, 2020, 13, 2811-2812.	2.9	6
86	Clinical characteristics, treatment and prognosis of patients with acute severe heart failure of ischemic and non-ischemic etiology – analysis from the COMMIT-AHF registry. Polish Archives of Internal Medicine, 2017, 127, 328-335.	0.4	6
87	Differences in presentation, treatment, and prognosis in elderly patients with non-ST-segment elevation myocardial infarction. Polish Archives of Internal Medicine, 2012, 122, 253-261.	0.4	6
88	COnteMporary Modalities In Treatment of Heart Failure: a report from the COMMIT-HF registry. Kardiologia Polska, 2016, 74, 523-528.	0.6	6
89	Treatment and outcomes of patients under 40 years of age with acute myocardial infarction in Poland in 2009-2013 (analysis from PL-ACS Registry). Polish Archives of Internal Medicine, 2017, 127, 666-673.	0.4	6
90	One-Year Outcome of Glycoprotein IIb/IIIa Inhibitor Therapy in Patients with Myocardial Infarction-Related Cardiogenic Shock. Journal of Clinical Medicine, 2021, 10, 5059.	2.4	6

#	ARTICLE	IF	CITATIONS
91	Optimal timing for surgical revascularization in survivors of acute coronary syndromes eligible for elective coronary artery bypass graft surgery. <i>International Journal of Cardiology</i> , 2011, 153, 173-178.	1.7	5
92	High progesterone levels are associated with family history of premature coronary artery disease in young healthy adult men. <i>PLoS ONE</i> , 2019, 14, e0215302.	2.5	5
93	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 893-901.	1.0	5
94	Differences in Symptomatology and Clinical Course of Acute Coronary Syndromes in Women \geq 45 Years of Age Compared to Older Women. <i>Current Problems in Cardiology</i> , 2021, 46, 100508.	2.4	5
95	Survival benefit from recent changes in management of men and women with ST-segment elevation myocardial infarction treated with percutaneous coronary interventions. <i>Cardiology Journal</i> , 2019, 26, 459-468.	1.2	5
96	Non-vitamin K antagonist oral anticoagulants in the treatment of coronary and peripheral atherosclerosis. <i>Kardiologia Polska</i> , 2019, 77, 490-504.	0.6	5
97	Fully percutaneous insertion and removal of the Impella CP via a subclavian approach. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 343-346.	0.2	5
98	Mechanical circulatory support. An expert opinion of the Association of Intensive Cardiac Care and the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2021, 79, 1399-1410.	0.6	5
99	Low platelet activity predicts 30 days mortality in patients undergoing heart surgery. <i>Blood Coagulation and Fibrinolysis</i> , 2016, 27, 199-204.	1.0	4
100	Characteristics of hospitalizations due to acute stroke in the Silesian Province, Poland, between 2009 and 2015. <i>Neurologia i Neurochirurgia Polska</i> , 2018, 52, 252-262.	1.2	4
101	Safety and efficacy of biodegradable polymer-coated thin strut sirolimus-eluting stent vs. durable polymer-coated everolimus-eluting stent in patients with acute myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 347-355.	0.2	4
102	The effect of hybrid treatment on the rehabilitation and clinical condition of patients with multi-vessel coronary artery disease. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 77-88.	0.4	4
103	Gender-related benefit of transport to primary angioplasty: is it equal?. <i>Cardiology Journal</i> , 2011, 18, 254-60.	1.2	4
104	Is neural network better than logistic regression in death prediction in patients after ST-segment elevation myocardial infarction?. <i>Kardiologia Polska</i> , 2021, 79, 1353-1361.	0.6	4
105	Hemorrhagic Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016, 68, 426-427.	2.8	3
106	Medium platelet volume as a noninvasive predictor of chronic total occlusion in non-infarct artery in patients with non-ST-segment elevation myocardial infarction and multivessel coronary artery disease. <i>International Journal of Cardiology</i> , 2017, 228, 594-598.	1.7	3
107	Gender-related differences in men and women with ST-segment elevation myocardial infarction and incomplete infarct-related artery flow restoration: a multicenter national registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 356-362.	0.2	3
108	Outcomes of a routine invasive strategy in elderly patients with non-ST-segment elevation myocardial infarction from 2005 to 2014. <i>Coronary Artery Disease</i> , 2019, 30, 326-331.	0.7	3

#	ARTICLE	IF	CITATIONS
109	Bioresorbable polymer-coated thin strut sirolimus-eluting stent vs durable polymer-coated everolimus-eluting stent in daily clinical practice: Propensity matched one-year results from interventional cardiology network registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, E362-E368.	1.7	3
110	Multivessel Intervention in Myocardial Infarction with Cardiogenic Shock: CULPRIT-SHOCK Trial Outcomes in the PL-ACS Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1832.	2.4	3
111	A new approach to ticagrelor-based de-escalation of antiplatelet therapy after acute coronary syndrome. A rationale for a randomized, double-blind, placebo-controlled, investigator-initiated, multicenter clinical study. <i>Cardiology Journal</i> , 2021, 28, 607-614.	1.2	3
112	3-year mortality after acute myocardial infarction in patients with different diabetic status. <i>Polish Archives of Internal Medicine</i> , 2021, 131, .	0.4	3
113	Prognostic impact of multimorbidity in patients with type 2 diabetes and ST-elevation myocardial infarction. <i>Oncotarget</i> , 2017, 8, 104467-104477.	1.8	3
114	Smoking ban in public places and myocardial infarction hospitalizations in high cardiovascular risk European country – insights from the Polish nationwide AMI-PL database. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 386-391.	0.4	3
115	Results of targeted temperature management of patients after sudden out-of-hospital cardiac arrest: a comparison between intensive general and cardiac care units. <i>Kardiologia Polska</i> , 2020, 78, 30-36.	0.6	3
116	Impact of routine invasive strategy on outcomes in patients with non-ST segment elevation myocardial infarction during 2005–2014: A report from the Polish Registry of Acute Coronary Syndromes (PL-ACS). <i>Cardiology Journal</i> , 2020, 27, 583-589.	1.2	3
117	Periprocedural checklist in the catheterisation laboratory is associated with decreased rate of treatment complications. <i>Kardiologia Polska</i> , 2015, 73, 511-519.	0.6	3
118	Cardiac magnetic resonance in the assessment of hypertrophic cardiomyopathy phenotypes and stages – pictorial review. <i>Polish Journal of Radiology</i> , 2021, 86, 672-684.	0.9	3
119	Clinical characteristics of Polish women with ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2010, 68, 627-34.	0.6	3
120	Does Reperfusion in the Treatment of Acute Myocardial Infarction Improve the Prognosis of Acute Myocardial Infarction in Diabetic Patients?. <i>Clinical Cardiology</i> , 2009, 32, E51-5.	1.8	2
121	Diagnostics, treatment and secondary prevention of ischemic stroke in the Silesian Province, Poland between 2009 and 2015. <i>Neurologia i Neurochirurgia Polska</i> , 2018, 52, 235-242.	1.2	2
122	Fluid therapy in non-septic, refractory acute decompensated heart failure patients – The cautious role of central venous pressure. <i>Advances in Medical Sciences</i> , 2019, 64, 37-43.	2.1	2
123	Balloon aortic valvuloplasty, Impella insertion and complex coronary intervention: is this all feasible fully percutaneously via upper limb access?. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 126-128.	0.2	2
124	Antiplatelets in acute coronary syndrome in Poland – from guidelines to clinical practice. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 141-154.	0.2	2
125	Biodegradable polymer-coated thin strut sirolimus- eluting stent versus durable polymer-coated everolimus-eluting stent in the diabetic population. <i>Cardiology Journal</i> , 2021, 28, 235-243.	1.2	2
126	Real-Life Outcomes of Coronary Bifurcation Stenting in Acute Myocardial Infarction (Zabrze – Opole) Tj ETQq0 0 Q rgBT /Overlock 10 T	1.6	2

#	ARTICLE	IF	CITATIONS
127	Mortality in cardiogenic shock complicating acute myocardial infarction due to left main coronary artery disease: does gender matter?. <i>Przegląd Lekarski</i> , 2014, 71, 117-21.	0.1	2
128	Are Elderly Patients with Acute Coronary Syndromes Undertreated? Data from Euro Heart Survey on ACS III Registry. <i>American Journal of Cardiology</i> , 2013, 111, 1B.	1.6	1
129	Mortality of women with ST-segment elevation myocardial infarction and cardiogenic shock – results from the PL-ACS registry. <i>Studia Medyczne</i> , 2016, 3, 157-163.	0.1	1
130	Early and long-term outcomes of bioresorbable vascular scaffolds in the treatment of patients with coronary artery disease in real-world clinical practice – insights from the ZABRZE-BVS registry. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018, 14, 338-346.	0.2	1
131	Cusp overlap technique for transcatheter self-expanding aortic valve implantation. <i>Postępy W Kardiologii Interwencyjnej</i> , 2021, 17, 230-231.	0.2	1
132	In-hospital and long-term prognosis in patients after the implantation of implantable cardioverter-defibrillators and cardiac resynchronization therapy: ten-year results of the SILCARD register. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 580-586.	0.4	1
133	Management of bleeding in patients hospitalized in the intensive cardiac care unit: expert opinion of the Association of Intensive Cardiac Care and Section of Cardiovascular Pharmacotherapy of the Polish Cardiac Society in cooperation with specialists in other fields of medicine. <i>Kardiologia Polska</i> , 2019, 77, 1206-1229.	0.6	1
134	YKL-40 as a predictor of mortality after acute coronary syndrome. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 343-345.	0.4	1
135	Does the origin of ablated premature ventricular contractions determine the level of left ventricular function improvement?. <i>Kardiologia Polska</i> , 2020, 78, 438-446.	0.6	1
136	Metformin and heart injury after acute coronary syndrome in diabetic patients with no previous history of cardiovascular disease: data from the PLACS registry. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 708-710.	0.4	1
137	MAJOR BLEEDING COMPLICATIONS IN PATIENTS WITH STEMI ACCOUNT FOR A DOUBLING IN HOSPITAL MORTALITY IN CLINICAL PRACTICE: LESSONS FROM THE EURO HEART SURVEY ACS REGISTRY. <i>Journal of the American College of Cardiology</i> , 2010, 55, A101.E945.	2.8	0
138	AS-098 Primary PCI with DES Implantation in Patients with STEMI/LBBB. Euro Heart Survey ACS III Registry (2006-2008). <i>American Journal of Cardiology</i> , 2011, 107, 71A-72A.	1.6	0
139	AS-034 Multivessel and Left Main Coronary Artery Stenting in Comparison with Surgical Revascularization in Patients with Non ST Elevation Acute Coronary Syndrome (The MILESTONE) Tj ETQq1 1 0.784314 rgBT /@overlock		
140	TCT-43 Impact Of Intraaortic Balloon Pump On 30-Day Mortality In Cardiogenic Shock AMI Patients With Unsuccessful And Successful Primary PCI - Analysis From PL-ACS Registry. <i>Journal of the American College of Cardiology</i> , 2013, 62, B15.	2.8	0
141	30-days outcome in NSTEMI patients treated with PCI is worse in those receiving GP IIb/IIIa blockers. <i>European Heart Journal</i> , 2013, 34, 1979-1979.	2.2	0
142	Long-term results of multivessel and left main coronary artery stenting in comparison with surgical revascularisation in patients with NSTEMI-ACS: the MILESTONE registry. <i>European Heart Journal</i> , 2013, 34, 112-112.	2.2	0
143	Prognosis in patients with stable coronary artery disease who would have not met criteria for the COURAGE trial. <i>European Heart Journal</i> , 2013, 34, P3077-P3077.	2.2	0
144	Anaemia in patients admitted with cardiogenic shock complicating AMI - early and 2-year outcomes from the PL-ACS registry. <i>European Heart Journal</i> , 2013, 34, P5559-P5559.	2.2	0

#	ARTICLE	IF	CITATIONS
145	QUALITY IN MEDICINE Analysis of the subjective assessment of the "Periprocedural safety checklist for patients referred to the hemodynamic and electrotherapy laboratories" by employees of the cardiology department and the hemodynamic laboratory of the Silesian Center for Heart Diseases. <i>Kardiologia Polska</i> , 2013, 1, 87-90.	0.1	0
146	TCT-116 Periprocedural Checklist In Catheterization Laboratory Is Associated With Reduced Rate Of Treatment Complications. <i>Journal of the American College of Cardiology</i> , 2014, 64, B35.	2.8	0
147	TCT- 75 Complete revascularization in ischemic heart failure may improve patient survival. <i>Journal of the American College of Cardiology</i> , 2014, 64, B22-B23.	2.8	0
148	Acute myocardial infarction due to the unprotected left main coronary artery disease: The power of TIMI 3 flow. <i>Polish Annals of Medicine</i> , 2014, 21, 86-89.	0.3	0
149	TCT-608 Comparison of stent design on early outcome in patients undergoing primary percutaneous coronary intervention. Insights from large, multicenter, registry. <i>Journal of the American College of Cardiology</i> , 2015, 66, B248.	2.8	0
150	TCT-186 Impact of the number of chronic totally occluded arteries on long-term prognosis in patients with non-ST-segment elevation myocardial infarction treated with percutaneous coronary intervention. <i>Journal of the American College of Cardiology</i> , 2015, 66, B69.	2.8	0
151	Epidemiological analysis of hospitalizations due to acute stroke in the industrial region of Poland (Silesia) for the years 2009-2015. <i>Journal of the Neurological Sciences</i> , 2017, 381, 878.	0.6	0
152	Occlusion of the abdominal aorta during coronary angiography with fractional flow reserve due to migration of the left ventricle thrombus in a patient with thrombocytosis. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 260-261.	0.2	0
153	Pulmonary vascular resistance as a potential marker of reactive pulmonary hypertension reduction following sildenafil therapy in patients disqualified from orthotopic heart transplantation. <i>Advances in Medical Sciences</i> , 2020, 65, 298-303.	2.1	0
154	Coronary bifurcations " anatomy, physiology and treatment with selected aspects of left main stem bifurcation. <i>Annales Academiae Medicae Silesiensis</i> , 2021, 75, 24-32.	0.1	0
155	Bleeding events in Polish cardiology wards: the results of a 2-week survey. <i>Kardiologia Polska</i> , 2021, 79, 327-330.	0.6	0
156	Zespół Kounisa " interdyscyplinarny problem na styku alergologii i kardiologii y. <i>Alergoprofil</i> , 0, , .	0.1	0
157	Assessment of myocardial infarction therapy development in diabetics. <i>Polish Archives of Internal Medicine</i> , 2008, 118, 470-477.	0.4	0
158	Effects of short- and long-term efficacy of percutaneous transluminal renal angioplasty with or without intravascular brachytherapy on regression of left ventricular hypertrophy in patients with renovascular hypertension. <i>Polish Archives of Internal Medicine</i> , 2009, 119, 211-218.	0.4	0
159	Pharmacological approach to patients with non-ST segment elevation myocardial infarction: does sex make a difference?. <i>Polish Archives of Internal Medicine</i> , 2011, 121, 18-22.	0.4	0
160	Epidemiological analysis of hospitalisations due to recurrent stroke in the Silesian Province, Poland, between 2009 and 2015. <i>Neurologia I Neurochirurgia Polska</i> , 2019, 53, 277-290.	1.2	0
161	Comparison of clinical characteristics, treatment, in-hospital and 12-month outcomes in patients after myocardial infarction with ejection fraction < 40% with or without atrial fibrillation. <i>Archives of Medical Science</i> , 2020, , .	0.9	0
162	In-Hospital and One-Year Outcomes of Patients after Early and Late Resuscitated Cardiac Arrest Complicating Acute Myocardial Infarction " Data from a Nationwide Database. <i>Journal of Clinical Medicine</i> , 2022, 11, 609.	2.4	0

#	ARTICLE	IF	CITATIONS
163	MitraClip Implantation in Holography. JACC: Cardiovascular Interventions, 2022, 15, e107-e108.	2.9	0
164	Comparison of Nonclassic and Classic Phenotype of Hypertrophic Cardiomyopathy Focused on Prognostic Cardiac Magnetic Resonance Parameters: A Single-Center Observational Study. Diagnostics, 2022, 12, 1104.	2.6	0