

# Susy M Harrigan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3058191/publications.pdf>

Version: 2024-02-01

95  
papers

7,289  
citations

76326  
40  
h-index

54911  
84  
g-index

111  
all docs

111  
docs citations

111  
times ranked

5201  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | EPPIC: An Evolving System of Early Detection and Optimal Management. Schizophrenia Bulletin, 1996, 22, 305-326.  | 4.3  | 828       |
| 2  | Long-Chain Î‰-3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.  | 12.3 | 800       |
| 3  | Prediction of psychosis. British Journal of Psychiatry, 1998, 172, 14-20.  | 2.8  | 637       |
| 4  | Does treatment delay in first-episode psychosis really matter?. Psychological Medicine, 2003, 33, 97-110.  | 4.5  | 246       |
| 5  | A Magnetic Resonance Imaging Study of White Matter Lesions in Depression and Alzheimer's Disease. British Journal of Psychiatry, 1996, 168, 477-485.   | 2.8  | 215       |
| 6  | Preventing progression to first-episode psychosis in early initial prodromal states. British Journal of Psychiatry, 2012, 200, 22-29.  | 2.8  | 196       |
| 7  | Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2009, 35, 909-918.  | 4.3  | 183       |
| 8  | The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. Schizophrenia Research, 2005, 79, 85-93.  | 2.0  | 173       |
| 9  | Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. Psychological Medicine, 2012, 42, 595-606.   | 4.5  | 169       |
| 10 | The EPPIC Follow-Up Study of First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 716-728.   | 2.2  | 169       |
| 11 | Hyponatraemia in elderly psychiatric patients treated with Selective Serotonin Reuptake Inhibitors and venlafaxine: a retrospective controlled study in an inpatient unit. International Journal of Geriatric Psychiatry, 2002, 17, 231-237. | 2.7  | 148       |
| 12 | Recognition of depression and psychosis by young Australians and their beliefs about treatment. Medical Journal of Australia, 2005, 183, 18-23.  | 1.7  | 138       |
| 13 | Duration of untreated psychosis and cognitive deterioration in first-episode schizophrenia. Schizophrenia Research, 2002, 54, 223-230.   | 2.0  | 137       |
| 14 | Randomized controlled trial of a cannabisâ€‘focused intervention for young people with firstâ€‘episode psychosis. Acta Psychiatrica Scandinavica, 2006, 114, 109-117.  | 4.5  | 136       |
| 15 | Substance misuse in first-episode psychosis: 15-month prospective follow-up study. British Journal of Psychiatry, 2006, 189, 229-234.  | 2.8  | 132       |
| 16 | Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. Schizophrenia Research, 2011, 131, 112-119.  | 2.0  | 124       |
| 17 | Duration of untreated psychosis and 12â€‘month outcome in firstâ€‘episode psychosis: the impact of treatment approach. Acta Psychiatrica Scandinavica, 1999, 100, 96-104.  | 4.5  | 123       |
| 18 | Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. Psychological Medicine, 2008, 38, 725-735.  | 4.5  | 120       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Understanding the topography of the early psychosis pathways. British Journal of Psychiatry, 1998, 172, 21-25.   | 2.8 | 119       |
| 20 | Cognitively-oriented psychotherapy for early psychosis (COPE): Preliminary results. British Journal of Psychiatry, 1998, 172, 93-100.  | 2.8 | 119       |
| 21 | Prolonged recovery in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 107-116.  | 2.8 | 108       |
| 22 | Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. Schizophrenia Research, 2010, 119, 1-10.   | 2.0 | 97        |
| 23 | Enduring negative symptoms in first-episode psychosis: comparison of six methods using follow-up data. Schizophrenia Research, 1999, 40, 147-158.  | 2.0 | 94        |
| 24 | Suicide attempt in first-episode psychosis: A 7.4year follow-up study. Schizophrenia Research, 2010, 116, 1-8.   | 2.0 | 91        |
| 25 | Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492.  | 3.1 | 83        |
| 26 | The impact upon extra-pyramidal side effects, clinical symptoms and quality of life of a switch from conventional to atypical antipsychotics (risperidone or olanzapine) in elderly patients with schizophrenia. International Journal of Geriatric Psychiatry, 2003, 18, 432-440. | 2.7 | 79        |
| 27 | Analysis of the initial treatment phase in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 71-76.   | 2.8 | 76        |
| 28 | Course of substance misuse and daily tobacco use in first-episode psychosis. Schizophrenia Research, 2006, 81, 145-150.  | 2.0 | 74        |
| 29 | Recovery style and outcome in first-episode psychosis. Schizophrenia Research, 2003, 62, 31-36.  | 2.0 | 67        |
| 30 | Antibodies to Infectious Agents in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2007, 61, 1215-1217.   | 1.3 | 66        |
| 31 | Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. Schizophrenia Research, 2011, 125, 236-246.  | 2.0 | 65        |
| 32 | Spurious precision: procedural validity of diagnostic assessment in psychotic disorders. American Journal of Psychiatry, 1995, 152, 220-223.   | 7.2 | 62        |
| 33 | Cognitively oriented psychotherapy for early psychosis (COPE): A 1-year follow-up. British Journal of Clinical Psychology, 2001, 40, 57-70.  | 3.5 | 61        |
| 34 | Early intervention in first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 711-719.  | 3.1 | 60        |
| 35 | The combination of cognitive testing and an informant questionnaire in screening for dementia. Age and Ageing, 2003, 32, 541-547.  | 1.6 | 57        |
| 36 | Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <sc>T</sc>ransitions <sc>S</sc>tudy. Microbial Biotechnology, 2015, 9, 487-497.  | 1.7 | 55        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Reduced awareness of illness in first-episode psychosis. <i>Comprehensive Psychiatry</i> , 2001, 42, 498-503.   | 3.1  | 54        |
| 38 | Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 767-774.  | 2.2  | 54        |
| 39 | A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. <i>Psychological Medicine</i> , 2005, 35, 1295-1306.   | 4.5  | 50        |
| 40 | Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosvastatin and aspirin. <i>BMC Medicine</i> , 2020, 18, 16.  | 5.5  | 49        |
| 41 | Patterns and Predictors of Substance use Disorders and Daily Tobacco use in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 892-898.   | 2.3  | 46        |
| 42 | Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .   | 1.7  | 45        |
| 43 | Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501. | 5.4  | 44        |
| 44 | Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.   | 1.7  | 42        |
| 45 | Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.   | 11.0 | 40        |
| 46 | Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. <i>Journal of Affective Disorders</i> , 2004, 81, 259-268.  | 4.1  | 39        |
| 47 | Group programmes for recovery from early psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 117-121.  | 2.8  | 38        |
| 48 | Early detection and treatment delay: implications for outcome in early psychosis. <i>Current Opinion in Psychiatry</i> , 2000, 13, 37-43.   | 6.3  | 38        |
| 49 | Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.   | 2.3  | 38        |
| 50 | The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 277-291.            | 1.2  | 37        |
| 51 | Research Priorities in Suicide Prevention in Australia. <i>Crisis</i> , 2008, 29, 180-190.  | 1.2  | 34        |
| 52 | Childhood Chronic Fatigue Syndrome. <i>American Journal of Psychiatry</i> , 2001, 158, 1161-1161.   | 7.2  | 32        |
| 53 | A comparison of the efficacy and safety of olanzapine and risperidone in the treatment of elderly patients with schizophrenia: an open study of six months duration. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 171-179.          | 2.7  | 30        |
| 54 | Diagnosis of psychiatric disorder in elderly general and geriatric hospital patients: Agecat and dsm-III-r compared. <i>International Journal of Geriatric Psychiatry</i> , 1994, 9, 627-633.   | 2.7  | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. <i>Journal of Affective Disorders</i> , 2010, 126, 88-95.   | 4.1 | 24        |
| 56 | Psychiatric diagnoses, outcomes and lengths of stay of patients admitted to an acute psychogeriatric unit. <i>International Journal of Geriatric Psychiatry</i> , 1995, 10, 849-854.   | 2.7 | 22        |
| 57 | Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 259-266.   | 1.7 | 22        |
| 58 | Randomized Controlled Trial of Clozapine and CBT for First-Episode Psychosis with Enduring Positive Symptoms: A Pilot Study. <i>Schizophrenia Research and Treatment</i> , 2011, 2011, 1-8.  | 1.5 | 22        |
| 59 | Prevalence of Psychiatric Disorders Among Inpatients of an Acute Geriatric Hospital. <i>Australian Journal on Ageing</i> , 1994, 13, 8-11.   | 0.3 | 20        |
| 60 | Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.   | 1.7 | 19        |
| 61 | Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960. | 1.7 | 19        |
| 62 | Predictors of adherence to atypical antipsychotics (risperidone or olanzapine) in older patients with schizophrenia: an open study of 3½ years duration. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 411-418.   | 2.7 | 18        |
| 63 | Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75.   | 2.0 | 18        |
| 64 | Self reported rates of criminal offending and victimization in young people at-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 166, 55-59.   | 2.0 | 16        |
| 65 | The Inter-Rater and Test-Retest Reliabilities of Prodromal Symptoms in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996, 30, 498-504.   | 2.3 | 15        |
| 66 | Study protocol: The development of a pilot study employing a randomised controlled design to investigate the feasibility and effects of a peer support program following discharge from a specialist first-episode psychosis treatment centre. <i>BMC Psychiatry</i> , 2010, 10, 37.   | 2.6 | 15        |
| 67 | Very Low-Dose Risperidone in First-Episode Psychosis: A Safe and Effective Way to Initiate Treatment. <i>Schizophrenia Research and Treatment</i> , 2011, 2011, 1-10.  | 1.5 | 15        |
| 68 | Youth Depression Alleviation-Augmentation with an anti-inflammatory agent (YoDA-A): protocol and rationale for a placebo-controlled randomized trial of rosuvastatin and aspirin. <i>Microbial Biotechnology</i> , 2018, 12, 45-54.  | 1.7 | 15        |
| 69 | Frontostriatothalamic effective connectivity and dopaminergic function in the psychosis continuum. <i>Brain</i> , 2023, 146, 372-386.  | 7.6 | 15        |
| 70 | Characteristics of Aggressive Subjects in Australian (Melbourne) Nursing Homes. <i>International Psychogeriatrics</i> , 2000, 12, 145-161.   | 1.0 | 13        |
| 71 | Untreated Initial Psychosis. <i>American Journal of Psychiatry</i> , 2001, 158, 1161-a-1162.   | 7.2 | 13        |
| 72 | The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. <i>Trials</i> , 2014, 15, 425.   | 1.6 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Pattern and correlates of inpatient admission during the initial acute phase of first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 429-436.                        | 2.3 | 11        |
| 74 | Contact experiences and needs of children of prisoners before and during COVID-19: Findings from an Australian survey. Child and Family Social Work, 2022, 27, 67-78.                                | 1.4 | 10        |
| 75 | Norman & Malla (2001) reviewed the literature on duration of untreated psychosis (DUP) and outcome in schizophrenia.. Psychological Medicine, 2002, 32, 563-564.                                     | 4.5 | 9         |
| 76 | The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. Journal of Dual Diagnosis, 2010, 6, 212-234.              | 1.2 | 9         |
| 77 | Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.                           | 2.3 | 6         |
| 78 | A Profile of Inpatient Admissions to an Aged Psychiatry Service in Victoria. Australasian Psychiatry, 2010, 18, 146-151.   | 0.7 | 5         |
| 79 | Cognitive ability and metabolic physical health in first-episode psychosis. Schizophrenia Research: Cognition, 2021, 24, 100194.   | 1.3 | 5         |
| 80 | Evaluating Training Courses for Parents of Children with Cochlear Implants. International Journal of Language and Communication Disorders, 2001, 36, 517-522.  | 1.5 | 4         |
| 81 | Lifetime rates and correlates of crime victimisation in young people with mental ill-health. Australasian Psychiatry, 2017, 25, 135-139.   | 0.7 | 4         |
| 82 | Treatment for the initial acute phase of first-episode psychosis in a real-world setting. Psychiatric Bulletin, 2006, 30, 127-131.   | 0.3 | 3         |
| 83 | Duration of untreated psychosis. , 2009, , 125-146.  |     | 3         |
| 84 | Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. Psychopathology, 2008, 41, 90-95.   | 1.5 | 2         |
| 85 | Admissions of elderly patients from English-speaking and non-English-speaking backgrounds to an inpatient psychogeriatric unit. Australian and New Zealand Journal of Psychiatry, 1999, 33, 576-582. | 2.3 | 2         |
| 86 | Enduring negative or deficit symptoms in first-episode psychosis: Comparison of 3 methods using follow-up data. Schizophrenia Research, 1997, 24, 14.  | 2.0 | 1         |
| 87 | Does treatment delay in first-episode psychosis really matter?. Schizophrenia Research, 2003, 60, 323.   | 2.0 | 1         |
| 88 | Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2011, 37, 651-651.  | 4.3 | 1         |
| 89 | O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. Schizophrenia Bulletin, 2019, 45, S172-S173.                            | 4.3 | 1         |
| 90 | Cigarette smoking: The first episode experience. Schizophrenia Research, 1997, 24, 14.   | 2.0 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | A group program for recovery from early psychosis. Schizophrenia Research, 1997, 24, 225-226.   | 2.0 | 0         |
| 92 | Cognitively-oriented psychotherapy for early psychosis (COPE): Preliminary results. Schizophrenia Research, 1997, 24, 226.                                      | 2.0 | 0         |
| 93 | Skills in treating early psychosis are exportable. Schizophrenia Research, 2000, 41, 182.   | 2.0 | 0         |
| 94 | THE EPPIC LONG-TERM FOLLOW-UP STUDY: OVERCOMING POOR OUTCOME IN EARLY-ONSET SCHIZOPHRENIA. Schizophrenia Research, 2008, 102, 211.                              | 2.0 | 0         |
| 95 | Psychometric evaluation of the self-efficacy questionnaire for children (SEQ-C): validation among Chinese children and adolescents. Current Psychology, 0, , 1. | 2.8 | 0         |