

# Susy M Harrigan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3058191/publications.pdf>

Version: 2024-02-01

95  
papers

7,289  
citations

76294

40  
h-index

54882

84  
g-index

111  
all docs

111  
docs citations

111  
times ranked

5201  
citing authors

#	ARTICLE	IF	CITATIONS
1	Frontostriatothalamic effective connectivity and dopaminergic function in the psychosis continuum. <i>Brain</i> , 2023, 146, 372-386.	3.7	15
2	Contact experiences and needs of children of prisoners before and during COVID-19: Findings from an Australian survey. <i>Child and Family Social Work</i> , 2022, 27, 67-78.	0.6	10
3	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	2.8	44
4	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	0.7	5
5	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40
6	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	45
7	Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosuvastatin and aspirin. <i>BMC Medicine</i> , 2020, 18, 16.	2.3	49
8	O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , 2019, 45, S172-S173.	2.3	1
9	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled-trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	0.9	19
10	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low-risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	0.9	19
11	Youth Depression Alleviation-Augmentation with an anti-inflammatory agent (<sc>YoDA</sc>): protocol and rationale for a placebo-controlled randomized trial of rosuvastatin and aspirin. <i>Microbial Biotechnology</i> , 2018, 12, 45-54.	0.9	15
12	Lifetime rates and correlates of crime victimisation in young people with mental ill-health. <i>Australasian Psychiatry</i> , 2017, 25, 135-139.	0.4	4
13	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <sc>T</sc> <sc>S</sc> study. <i>Microbial Biotechnology</i> , 2015, 9, 487-497.	0.9	55
14	Self reported rates of criminal offending and victimization in young people at-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 166, 55-59.	1.1	16
15	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. <i>Trials</i> , 2014, 15, 425.	0.7	11
16	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75.	1.1	18
17	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606.	2.7	169
18	Preventing progression to first-episode psychosis in early initial prodromal states. <i>British Journal of Psychiatry</i> , 2012, 200, 22-29.	1.7	196

#	ARTICLE	IF	CITATIONS
19	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	1.1	65
20	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. <i>Schizophrenia Research</i> , 2011, 131, 112-119.	1.1	124
21	Randomized Controlled Trial of Clozapine and CBT for First-Episode Psychosis with Enduring Positive Symptoms: A Pilot Study. <i>Schizophrenia Research and Treatment</i> , 2011, 2011, 1-8.	0.7	22
22	Very Low-Dose Risperidone in First-Episode Psychosis: A Safe and Effective Way to Initiate Treatment. <i>Schizophrenia Research and Treatment</i> , 2011, 2011, 1-10.	0.7	15
23	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2011, 37, 651-651.	2.3	1
24	Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. <i>Journal of Affective Disorders</i> , 2010, 126, 88-95.	2.0	24
25	Predictors of adherence to atypical antipsychotics (risperidone or olanzapine) in older patients with schizophrenia: an open study of 3½ years duration. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 411-418.	1.3	18
26	Study protocol: The development of a pilot study employing a randomised controlled design to investigate the feasibility and effects of a peer support program following discharge from a specialist first-episode psychosis treatment centre. <i>BMC Psychiatry</i> , 2010, 10, 37.	1.1	15
27	A Profile of Inpatient Admissions to an Aged Psychiatry Service in Victoria. <i>Australasian Psychiatry</i> , 2010, 18, 146-151.	0.4	5
28	Long-Chain $\omega$ -3 Fatty Acids for Indicated Prevention of Psychotic Disorders. <i>Archives of General Psychiatry</i> , 2010, 67, 146.	13.8	800
29	Suicide attempt in first-episode psychosis: A 7.4year follow-up study. <i>Schizophrenia Research</i> , 2010, 116, 1-8.	1.1	91
30	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , 2010, 119, 1-10.	1.1	97
31	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. <i>Journal of Dual Diagnosis</i> , 2010, 6, 212-234.	0.7	9
32	The EPPIC Follow-Up Study of First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 716-728.	1.1	169
33	Duration of untreated psychosis. , 2009, , 125-146.		3
34	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2009, 35, 909-918.	2.3	183
35	THE EPPIC LONG-TERM FOLLOW-UP STUDY: OVERCOMING POOR OUTCOME IN EARLY-ONSET SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2008, 102, 211.	1.1	0
36	Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. <i>Psychopathology</i> , 2008, 41, 90-95.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. <i>Psychological Medicine</i> , 2008, 38, 725-735.	2.7	120
38	Research Priorities in Suicide Prevention in Australia. <i>Crisis</i> , 2008, 29, 180-190.	0.9	34
39	Antibodies to Infectious Agents in Individuals at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2007, 61, 1215-1217.	0.7	66
40	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.	0.9	42
41	Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 259-266.	0.9	22
42	Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 767-774.	1.1	54
43	Course of substance misuse and daily tobacco use in first-episode psychosis. <i>Schizophrenia Research</i> , 2006, 81, 145-150.	1.1	74
44	Treatment for the initial acute phase of first-episode psychosis in a real-world setting. <i>Psychiatric Bulletin</i> , 2006, 30, 127-131.	0.3	3
45	Substance misuse in first-episode psychosis: 15-month prospective follow-up study. <i>British Journal of Psychiatry</i> , 2006, 189, 229-234.	1.7	132
46	Randomized controlled trial of a cannabis-focused intervention for young people with first-episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 109-117.	2.2	136
47	A comparison of the efficacy and safety of olanzapine and risperidone in the treatment of elderly patients with schizophrenia: an open study of six months duration. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 171-179.	1.3	30
48	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	1.3	38
49	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 277-291.	0.9	37
50	Pattern and correlates of inpatient admission during the initial acute phase of first-episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	1.3	11
51	A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. <i>Psychological Medicine</i> , 2005, 35, 1295-1306.	2.7	50
52	Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 892-898.	1.3	6
53	Recognition of depression and psychosis by young Australians and their beliefs about treatment. <i>Medical Journal of Australia</i> , 2005, 183, 18-23.	0.8	138
54	Patterns and Predictors of Substance use Disorders and Daily Tobacco use in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 892-898.	1.3	46

#	ARTICLE	IF	CITATIONS
55	The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. <i>Schizophrenia Research</i> , 2005, 79, 85-93.	1.1	173
56	Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. <i>Journal of Affective Disorders</i> , 2004, 81, 259-268.	2.0	39
57	Early intervention in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 711-719.	1.6	60
58	The impact upon extra-pyramidal side effects, clinical symptoms and quality of life of a switch from conventional to atypical antipsychotics (risperidone or olanzapine) in elderly patients with schizophrenia. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 432-440.	1.3	79
59	Recovery style and outcome in first-episode psychosis. <i>Schizophrenia Research</i> , 2003, 62, 31-36.	1.1	67
60	Does treatment delay in first-episode psychosis really matter?. <i>Schizophrenia Research</i> , 2003, 60, 323.	1.1	1
61	The combination of cognitive testing and an informant questionnaire in screening for dementia. <i>Age and Ageing</i> , 2003, 32, 541-547.	0.7	57
62	Does treatment delay in first-episode psychosis really matter?. <i>Psychological Medicine</i> , 2003, 33, 97-110.	2.7	246
63	Norman & Malla (2001) reviewed the literature on duration of untreated psychosis (DUP) and outcome in schizophrenia.. <i>Psychological Medicine</i> , 2002, 32, 563-564.	2.7	9
64	Duration of untreated psychosis and cognitive deterioration in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2002, 54, 223-230.	1.1	137
65	Hyponatraemia in elderly psychiatric patients treated with Selective Serotonin Reuptake Inhibitors and venlafaxine: a retrospective controlled study in an inpatient unit. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 231-237.	1.3	148
66	Reduced awareness of illness in first-episode psychosis. <i>Comprehensive Psychiatry</i> , 2001, 42, 498-503.	1.5	54
67	Cognitively oriented psychotherapy for early psychosis (COPE): A 1-year follow-up. <i>British Journal of Clinical Psychology</i> , 2001, 40, 57-70.	1.7	61
68	Evaluating Training Courses for Parents of Children with Cochlear Implants. <i>International Journal of Language and Communication Disorders</i> , 2001, 36, 517-522.	0.7	4
69	Childhood Chronic Fatigue Syndrome. <i>American Journal of Psychiatry</i> , 2001, 158, 1161-1161.	4.0	32
70	Untreated Initial Psychosis. <i>American Journal of Psychiatry</i> , 2001, 158, 1161-a-1162.	4.0	13
71	Early detection and treatment delay: implications for outcome in early psychosis. <i>Current Opinion in Psychiatry</i> , 2000, 13, 37-43.	3.1	38
72	Characteristics of Aggressive Subjects in Australian (Melbourne) Nursing Homes. <i>International Psychogeriatrics</i> , 2000, 12, 145-161.	0.6	13

#	ARTICLE	IF	CITATIONS
73	Skills in treating early psychosis are exportable. <i>Schizophrenia Research</i> , 2000, 41, 182.	1.1	0
74	Duration of untreated psychosis and 12-month outcome in first-episode psychosis: the impact of treatment approach. <i>Acta Psychiatrica Scandinavica</i> , 1999, 100, 96-104.	2.2	123
75	Enduring negative symptoms in first-episode psychosis: comparison of six methods using follow-up data. <i>Schizophrenia Research</i> , 1999, 40, 147-158.	1.1	94
76	Admissions of elderly patients from English-speaking and non-English-speaking backgrounds to an inpatient psychogeriatric unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 576-582.	1.3	2
77	Prediction of psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 14-20.	1.7	637
78	Prolonged recovery in first-episode psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 107-116.	1.7	108
79	Analysis of the initial treatment phase in first-episode psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 71-76.	1.7	76
80	Understanding the topography of the early psychosis pathways. <i>British Journal of Psychiatry</i> , 1998, 172, 21-25.	1.7	119
81	Cognitively-oriented psychotherapy for early psychosis (COPE): Preliminary results. <i>British Journal of Psychiatry</i> , 1998, 172, 93-100.	1.7	119
82	Group programmes for recovery from early psychosis. <i>British Journal of Psychiatry</i> , 1998, 172, 117-121.	1.7	38
83	Enduring negative or deficit symptoms in first-episode psychosis: Comparison of 3 methods using follow-up data. <i>Schizophrenia Research</i> , 1997, 24, 14.	1.1	1
84	Cigarette smoking: The first episode experience. <i>Schizophrenia Research</i> , 1997, 24, 14.	1.1	0
85	A group program for recovery from early psychosis. <i>Schizophrenia Research</i> , 1997, 24, 225-226.	1.1	0
86	Cognitively-oriented psychotherapy for early psychosis (COPE): Preliminary results. <i>Schizophrenia Research</i> , 1997, 24, 226.	1.1	0
87	EPPIC: An Evolving System of Early Detection and Optimal Management. <i>Schizophrenia Bulletin</i> , 1996, 22, 305-326.	2.3	828
88	Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. <i>Journal of Psychiatric Research</i> , 1996, 30, 483-492.	1.5	83
89	The Inter-Rater and Test-Retest Reliabilities of Prodromal Symptoms in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996, 30, 498-504.	1.3	15
90	A Magnetic Resonance Imaging Study of White Matter Lesions in Depression and Alzheimer's Disease. <i>British Journal of Psychiatry</i> , 1996, 168, 477-485.	1.7	215

#	ARTICLE	IF	CITATIONS
91	Psychiatric diagnoses, outcomes and lengths of stay of patients admitted to an acute psychogeriatric unit. <i>International Journal of Geriatric Psychiatry</i> , 1995, 10, 849-854.	1.3	22
92	Spurious precision: procedural validity of diagnostic assessment in psychotic disorders. <i>American Journal of Psychiatry</i> , 1995, 152, 220-223.	4.0	62
93	Diagnosis of psychiatric disorder in elderly general and geriatric hospital patients: Agecat and dsm-III-r compared. <i>International Journal of Geriatric Psychiatry</i> , 1994, 9, 627-633.	1.3	25
94	Prevalence of Psychiatric Disorders Among Inpatients of an Acute Geriatric Hospital. <i>Australian Journal on Ageing</i> , 1994, 13, 8-11.	0.3	20
95	Psychometric evaluation of the self-efficacy questionnaire for children (SEQ-C): validation among Chinese children and adolescents. <i>Current Psychology</i> , 0, , 1.	1.7	0