

Hwei-Fang Tien

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3058259/publications.pdf>

Version: 2024-02-01

199
papers

13,690
citations

50170

46
h-index

24179

110
g-index

199
all docs

199
docs citations

199
times ranked

13770
citing authors

#	ARTICLE	IF	CITATIONS
1	Repurposing cabozantinib with therapeutic potential in KIT-driven t(8;21) acute myeloid leukaemias. <i>Cancer Gene Therapy</i> , 2022, 29, 519-532.	2.2	3
2	Incidence and risk factors for venous thromboembolism in a cohort of Taiwanese patients with lung, gastric, pancreatic cancers or lymphoma. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 360-366.	0.8	5
3	Hepatitis B surface antigen positivity is associated with progression of disease within 24 months in follicular lymphoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1211-1222.	1.2	4
4	Distinct clinico-biological features in AML patients with low allelic ratio FLT3-ITD: role of allogeneic stem cell transplantation in first remission. <i>Bone Marrow Transplantation</i> , 2022, 57, 95-105.	1.3	8
5	Effectiveness of induction regimens on survival outcome in acute myeloid leukemia patients: a real-world data from 2001 to 2015. <i>Annals of Hematology</i> , 2022, 101, 109-118.	0.8	1
6	Oncogenesis induced by combined Phf6 and Idh2 mutations through increased oncometabolites and impaired DNA repair. <i>Oncogene</i> , 2022, 41, 1576-1588.	2.6	3
7	International Consensus Classification of Myeloid Neoplasms and Acute Leukemias: integrating morphologic, clinical, and genomic data. <i>Blood</i> , 2022, 140, 1200-1228.	0.6	814
8	Diagnosis and management of AML in adults: 2022 recommendations from an international expert panel on behalf of the ELN. <i>Blood</i> , 2022, 140, 1345-1377.	0.6	805
9	The expression levels of long non-coding RNA <i>KIAA0125</i> are associated with distinct clinical and biological features in myelodysplastic syndromes. <i>British Journal of Haematology</i> , 2021, 192, 589-598.	1.2	5
10	Distinct clinical and biological characteristics of acute myeloid leukemia with higher expression of long noncoding RNA KIAA0125. <i>Annals of Hematology</i> , 2021, 100, 487-498.	0.8	19
11	Diffuse bone marrow metastasis of cancer cells mimicking hematologic malignancy in a case of rhabdomyosarcoma. <i>EJHaem</i> , 2021, 2, 5-6.	0.4	0
12	Clinical implications of sequential MRD monitoring by NGS at 2 time points after chemotherapy in patients with AML. <i>Blood Advances</i> , 2021, 5, 2456-2466.	2.5	31
13	Bone marrow plasma level of decorin may be associated with improved treatment outcomes in a subset of multiple myeloma patients. <i>Journal of the Formosan Medical Association</i> , 2021, 121, 643-643.	0.8	1
14	Immune signatures of bone marrow cells can independently predict prognosis in patients with myelodysplastic syndrome. <i>British Journal of Haematology</i> , 2021, , .	1.2	2
15	PD-L1 expression in megakaryocytes and its clinicopathological features in primary myelofibrosis patients. <i>Journal of Pathology: Clinical Research</i> , 2021, , .	1.3	2
16	A CIBERSORTx-based immune cell scoring system could independently predict the prognosis of patients with myelodysplastic syndromes. <i>Blood Advances</i> , 2021, 5, 4535-4548.	2.5	19
17	<i>RUNX1</i> Expression Can be Complementary to <i>RUNX1</i> Mutation in MDS Prognostication. <i>Blood</i> , 2021, 138, 2614-2614.	0.6	0
18	Clinical characteristics and treatment outcomes of pulmonary invasive fungal infection among adult patients with hematological malignancy in a medical centre in Taiwan, 2008-2013. <i>Journal of Microbiology, Immunology and Infection</i> , 2020, 53, 106-114.	1.5	24

#	ARTICLE	IF	CITATIONS
19	Chlorhexidine Bathing to Prevent Central Line-associated Bloodstream Infections in Hematology Units: A Prospective, Controlled Cohort Study. <i>Clinical Infectious Diseases</i> , 2020, 71, 556-563.	2.9	14
20	Genomic landscape in acute myeloid leukemia and its implications in risk classification and targeted therapies. <i>Journal of Biomedical Science</i> , 2020, 27, 81.	2.6	35
21	ASXL1 mutation confers poor prognosis in primary myelofibrosis patients with low JAK2V617F allele burden but not in those with high allele burden. <i>Blood Cancer Journal</i> , 2020, 10, 99.	2.8	5
22	Knock-out of Hopx disrupts stemness and quiescence of hematopoietic stem cells in mice. <i>Oncogene</i> , 2020, 39, 5112-5123.	2.6	22
23	Cytogenetics and mutations could predict outcome in relapsed and refractory acute myeloid leukemia patients receiving BCL-2 inhibitor venetoclax. <i>Annals of Hematology</i> , 2020, 99, 501-511.	0.8	52
24	Hepatitis B Surface Antigen Positivity Is an Independent Unfavorable Prognostic Factor in Diffuse Large B-Cell Lymphoma in the Rituximab Era. <i>Oncologist</i> , 2020, 25, 793-802.	1.9	13
25	A 4-gene leukemic stem cell score can independently predict the prognosis of myelodysplastic syndrome patients. <i>Blood Advances</i> , 2020, 4, 644-654.	2.5	14
26	Accurate Prediction of Gene Mutations with Flow Cytometry Immune-Phenotyping By Machine Learning Algorithm. <i>Blood</i> , 2020, 136, 7-8.	0.6	2
27	Prognostic Prediction with Static-Dynamic Clinical and Pathological Parameters By Machine Learning Algorithm in Acute Lymphoblastic Leukemia. <i>Blood</i> , 2020, 136, 1-1.	0.6	0
28	Chronic disseminated candidiasis manifesting as hepatosplenic abscesses among patients with hematological malignancies. <i>BMC Infectious Diseases</i> , 2019, 19, 635.	1.3	19
29	Incorporation of long non-coding RNA expression profile in the 2017 ELN risk classification can improve prognostic prediction of acute myeloid leukemia patients. <i>EBioMedicine</i> , 2019, 40, 240-250.	2.7	23
30	Long non-coding RNA HOXB-AS3 promotes myeloid cell proliferation and its higher expression is an adverse prognostic marker in patients with acute myeloid leukemia and myelodysplastic syndrome. <i>BMC Cancer</i> , 2019, 19, 617.	1.1	43
31	Hepatitis B reactivation during treatment of tyrosine kinase inhibitors—Experience in 142 adult patients with chronic myeloid leukemia. <i>Leukemia Research</i> , 2019, 81, 95-97.	0.4	12
32	Cytarabine-Resistant FLT3-ITD Leukemia Cells are Associated with TP53 Mutation and Multiple Pathway Alterations—Possible Therapeutic Efficacy of Cabozantinib. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1230.	1.8	5
33	Adoptive donor immunity protects against resolved hepatitis B virus reactivation after allogeneic haematopoietic stem cell transplantation in the world's largest retrospective cohort study. <i>British Journal of Haematology</i> , 2019, 186, 72-85.	1.2	11
34	Phf6-null hematopoietic stem cells have enhanced self-renewal capacity and oncogenic potentials. <i>Blood Advances</i> , 2019, 3, 2355-2367.	2.5	30
35	Non-del(5q) myelodysplastic syndromes-associated loci detected by SNP-array genome-wide association meta-analysis. <i>Blood Advances</i> , 2019, 3, 3579-3589.	2.5	7
36	Genomic landscape and clonal evolution of acute myeloid leukemia with t(8;21): an international study on 331 patients. <i>Blood</i> , 2019, 133, 1140-1151.	0.6	96

#	ARTICLE	IF	CITATIONS
37	Automatic Bone Marrow Cell Identification and Classification By Deep Neural Network. <i>Blood</i> , 2019, 134, 2084-2084.	0.6	20
38	The Clinical Association and Prognostic Impact of IL1RAP Expression in Patients with De Novo Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 2705-2705.	0.6	0
39	Retrospective analysis of frontline treatment efficacy in elderly patients with diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2018, 101, 28-37.	1.1	8
40	Incorporation of mutations in five genes in the revised International Prognostic Scoring System can improve risk stratification in the patients with myelodysplastic syndrome. <i>Blood Cancer Journal</i> , 2018, 8, 39.	2.8	68
41	Hyperleukocytosis is associated with distinct genetic alterations and is an independent poor risk factor in de novo acute myeloid leukemia patients. <i>European Journal of Haematology</i> , 2018, 101, 86-94.	1.1	31
42	Expression of mutant Asxl1 perturbs hematopoiesis and promotes susceptibility to leukemic transformation. <i>Journal of Experimental Medicine</i> , 2018, 215, 1729-1747.	4.2	113
43	Dynamics of DNMT3A mutation and prognostic relevance in patients with primary myelodysplastic syndrome. <i>Clinical Epigenetics</i> , 2018, 10, 42.	1.8	36
44	2016 guideline strategies for the use of antifungal agents in patients with hematological malignancies or hematopoietic stem cell transplantation recipients in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2018, 51, 287-301.	1.5	13
45	Clinically validated machine learning algorithm for detecting residual diseases with multicolor flow cytometry analysis in acute myeloid leukemia and myelodysplastic syndrome. <i>EBioMedicine</i> , 2018, 37, 91-100.	2.7	54
46	GATA2 zinc finger 1 mutations are associated with distinct clinico-biological features and outcomes different from GATA2 zinc finger 2 mutations in adult acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2018, 8, 87.	2.8	34
47	Concomitant WT1 mutations predict poor prognosis in acute myeloid leukemia patients with double mutant CEBPA. <i>Haematologica</i> , 2018, 103, e510-e513.	1.7	29
48	Repurposing Nilotinib for Cytomegalovirus Infection Prophylaxis after Allogeneic Hematopoietic Stem Cell Transplantation: A Single-Arm, Phase II Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2310-2315.	2.0	4
49	Hepatitis B reactivation among 1962 patients with hematological malignancy in Taiwan. <i>BMC Gastroenterology</i> , 2018, 18, 6.	0.8	20
50	The prognostic significance of global aberrant alternative splicing in patients with myelodysplastic syndrome. <i>Blood Cancer Journal</i> , 2018, 8, 78.	2.8	23
51	Mayo Alliance Prognostic Model for Myelodysplastic Syndromes: Integration of Genetic and Clinical Information. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1363-1374.	1.4	20
52	Pyruvate Overcomes Cabozantinib-Resistance of FLT3-ITD AML Cells through Modulating the Mitochondria Functions and Signaling Pathways. <i>Blood</i> , 2018, 132, 4683-4683.	0.6	1
53	Clinical and microbiological characteristics of bloodstream infections among patients with haematological malignancies with and without neutropenia at a medical centre in northern Taiwan, 2008-2013. <i>International Journal of Antimicrobial Agents</i> , 2017, 49, 272-281.	1.1	41
54	Aurora A and NF- κ B Survival Pathway Drive Chemoresistance in Acute Myeloid Leukemia via the TRAF-Interacting Protein TIFA. <i>Cancer Research</i> , 2017, 77, 494-508.	0.4	41

#	ARTICLE	IF	CITATIONS
55	Higher HOPX expression is associated with distinct clinical and biological features and predicts poor prognosis in <i>de novo</i> acute myeloid leukemia. <i>Haematologica</i> , 2017, 102, 1044-1053.	1.7	35
56	Distinct molecular genetics of chronic lymphocytic leukemia in Taiwan: clinical and pathogenetic implications. <i>Haematologica</i> , 2017, 102, 1085-1090.	1.7	21
57	Diagnosis and management of AML in adults: 2017 ELN recommendations from an international expert panel. <i>Blood</i> , 2017, 129, 424-447.	0.6	4,375
58	Prognostic impacts and dynamic changes of cohesin complex gene mutations in <i>de novo</i> acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2017, 7, 663.	2.8	39
59	The distinct biological implications of <i>Asx1</i> mutation and its roles in leukemogenesis revealed by a knock-in mouse model. <i>Journal of Hematology and Oncology</i> , 2017, 10, 139.	6.9	40
60	A 4-lncRNA scoring system for prognostication of adult myelodysplastic syndromes. <i>Blood Advances</i> , 2017, 1, 1505-1516.	2.5	19
61	High expression of <i>dedicator of cytokinesis 1</i> (<i>DOCK1</i>) confers poor prognosis in acute myeloid leukemia. <i>Oncotarget</i> , 2017, 8, 72250-72259.	0.8	20
62	A three-gene expression-based risk score can refine the European LeukemiaNet AML classification. <i>Journal of Hematology and Oncology</i> , 2016, 9, 78.	6.9	21
63	Reduced incidence of interstitial pneumonitis after allogeneic hematopoietic stem cell transplantation using a modified technique of total body irradiation. <i>Scientific Reports</i> , 2016, 6, 36730.	1.6	18
64	A nationwide population-based cross-sectional comparison of hematological malignancies incidences between Taiwan and the United States of America. <i>Annals of Hematology</i> , 2016, 95, 165-167.	0.8	12
65	Mutations in epigenetic modifiers in acute myeloid leukemia and their clinical utility. <i>Expert Review of Hematology</i> , 2016, 9, 447-469.	1.0	12
66	Clinical outcomes of primary intraocular lymphoma patients treated with front-line systemic high-dose methotrexate and intravitreal methotrexate injection. <i>Annals of Hematology</i> , 2016, 95, 593-601.	0.8	45
67	Gradual increase of chronic lymphocytic leukemia incidence in Korea, 1999–2010: comparison to plasma cell myeloma. <i>Leukemia and Lymphoma</i> , 2016, 57, 585-589.	0.6	12
68	Distinct mutation profile and prognostic relevance in patients with hypoplastic myelodysplastic syndromes (h-MDS). <i>Oncotarget</i> , 2016, 7, 63177-63188.	0.8	21
69	Soluble PD-L1: A biomarker to predict progression of autologous transplantation in patients with multiple myeloma. <i>Oncotarget</i> , 2016, 7, 62490-62502.	0.8	30
70	Splicing factor mutations predict poor prognosis in patients with <i>de novo</i> acute myeloid leukemia. <i>Oncotarget</i> , 2016, 7, 9084-9101.	0.8	77
71	Aberrant Patterns of Alternative Splicing Are Frequent Events and Harbor Prognostic Significance in Patients with Myelodysplastic Syndrome. <i>Blood</i> , 2016, 128, 49-49.	0.6	0
72	Clinical and Prognostic Implications of Roundabout 4 (<i>Robo4</i>) in Adult Patients with Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0119831.	1.1	6

#	ARTICLE	IF	CITATIONS
73	High Risk of Hepatitis B Reactivation among Patients with Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0126037.	1.1	21
74	Higher Decorin Levels in Bone Marrow Plasma Are Associated with Superior Treatment Response to Novel Agent-Based Induction in Patients with Newly Diagnosed Myeloma - A Retrospective Study. <i>PLoS ONE</i> , 2015, 10, e0137552.	1.1	7
75	Clinical characteristics and treatment outcomes of patients with candidaemia due to <i>Candida parapsilosis sensu lato</i> species at a medical centre in Taiwan, 2000-2012. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1531-1538.	1.3	21
76	GATA2 mutations in patients with acute myeloid leukemia-paired samples analyses show that the mutation is unstable during disease evolution. <i>Annals of Hematology</i> , 2015, 94, 211-221.	0.8	23
77	High Incidences of Invasive Fungal Infections in Acute Myeloid Leukemia Patients Receiving Induction Chemotherapy without Systemic Antifungal Prophylaxis: A Prospective Observational Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0128410.	1.1	50
78	MK-2206 induces apoptosis of AML cells and enhances the cytotoxicity of cytarabine. <i>Medical Oncology</i> , 2015, 32, 206.	1.2	18
79	Risk factors and clinical outcomes of acute myeloid leukaemia with central nervous system involvement in adults. <i>BMC Cancer</i> , 2015, 15, 344.	1.1	48
80	Pharmacokinetic profile and first preliminary clinical evaluation of bendamustine in Taiwanese patients with heavily pretreated indolent B-cell non-Hodgkin lymphoma and mantle cell lymphoma. <i>Hematological Oncology</i> , 2015, 33, 136-144.	0.8	2
81	An mRNA expression signature for prognostication in <i>de novo</i> acute myeloid leukemia patients with normal karyotype. <i>Oncotarget</i> , 2015, 6, 39098-39110.	0.8	42
82	Genetic Alterations and Their Clinical Implications in Older Patients with Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 4956-4956.	0.6	0
83	IPSS in 555 Taiwanese patients with primary MDS: Integration of monosomal karyotype can better risk-stratify the patients. <i>American Journal of Hematology</i> , 2014, 89, E142-9.	2.0	16
84	A multicentre phase II study of vorinostat in patients with relapsed or refractory indolent B-cell non-Hodgkin lymphoma and mantle cell lymphoma. <i>British Journal of Haematology</i> , 2014, 165, 768-776.	1.2	104
85	IDH mutations are closely associated with mutations of DNMT3A, ASXL1 and SRSF2 in patients with myelodysplastic syndromes and are stable during disease evolution. <i>American Journal of Hematology</i> , 2014, 89, 137-144.	2.0	76
86	Clinical implications of the SETBP1 mutation in patients with primary myelodysplastic syndrome and its stability during disease progression. <i>American Journal of Hematology</i> , 2014, 89, 181-186.	2.0	56
87	Adult T-Cell Lymphoma/Leukemia Presenting as Isolated Central Nervous System T-Cell Lymphoma. <i>Case Reports in Hematology</i> , 2014, 2014, 1-4.	0.3	9
88	Chemotherapy-induced hepatitis B reactivation in lymphoma patients with resolved HBV infection: A prospective study. <i>Hepatology</i> , 2014, 59, 2092-2100.	3.6	235
89	MicroRNA let-7a-3 gene methylation is associated with karyotyping, CEBPA promoter methylation, and survival in acute myeloid leukemia. <i>Leukemia Research</i> , 2014, 38, 625-631.	0.4	11
90	Expression of cereblon protein assessed by immunohistochemical staining in myeloma cells is associated with superior response of thalidomide- and lenalidomide-based treatment, but not bortezomib-based treatment, in patients with multiple myeloma. <i>Annals of Hematology</i> , 2014, 93, 1371-1380.	0.8	54

#	ARTICLE	IF	CITATIONS
91	Prognostic implication of gene mutations on overall survival in the adult acute myeloid leukemia patients receiving or not receiving allogeneic hematopoietic stem cell transplantations. <i>Leukemia Research</i> , 2014, 38, 1278-1284.	0.4	22
92	<i>SF3B1</i> mutations in patients with myelodysplastic syndromes: The mutation is stable during disease evolution. <i>American Journal of Hematology</i> , 2014, 89, E109-15.	2.0	34
93	Guidelines for treating iron overload in myelodysplastic syndromes: a Taiwan consensus statement. <i>International Journal of Hematology</i> , 2014, 100, 7-15.	0.7	7
94	The N-terminal CEBPA mutant in acute myeloid leukemia impairs CXCR4 expression. <i>Haematologica</i> , 2014, 99, 1799-1807.	1.7	13
95	A Simple, Powerful, and Widely Applicable Micro-RNA Scoring System in Prognostication of De Novo Myeloid Leukemia Patients. <i>Blood</i> , 2014, 124, 71-71.	0.6	1
96	Hierarchical cluster analysis of immunophenotype classify AML patients with NPM1 gene mutation into two groups with distinct prognosis. <i>BMC Cancer</i> , 2013, 13, 107.	1.1	11
97	Chromosomal abnormalities by conventional cytogenetics and interphase fluorescence in situ hybridization in chronic lymphocytic leukemia in Taiwan, an area with low incidence—clinical implication and comparison between the West and the East. <i>Annals of Hematology</i> , 2013, 92, 799-806.	0.8	14
98	Clinical features of patients with infections caused by <i>Candida guilliermondii</i> and <i>Candida fermentati</i> and antifungal susceptibility of the isolates at a medical centre in Taiwan, 2001-10. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2632-2635.	1.3	24
99	Clinical implications of U2AF1 mutation in patients with myelodysplastic syndrome and its stability during disease progression. <i>American Journal of Hematology</i> , 2013, 88, E277-82.	2.0	56
100	Higher bone marrow LGALS3 expression is an independent unfavorable prognostic factor for overall survival in patients with acute myeloid leukemia. <i>Blood</i> , 2013, 121, 3172-3180.	0.6	58
101	Clinicopathologic features and responses to radiotherapy of myeloid sarcoma. <i>Radiation Oncology</i> , 2013, 8, 245.	1.2	26
102	Clinical and Microbiological Characteristics of Perianal Infections in Adult Patients with Acute Leukemia. <i>PLoS ONE</i> , 2013, 8, e60624.	1.1	48
103	Improving but Inferior Survival in Patients with Chronic Lymphocytic Leukemia in Taiwan: A Population-Based Study, 1990–2004. <i>PLoS ONE</i> , 2013, 8, e62930.	1.1	17
104	Gfi-1 is the transcriptional repressor of <i>SOCS1</i> in acute myeloid leukemia cells. <i>Journal of Leukocyte Biology</i> , 2013, 95, 105-115.	1.5	17
105	Rapidly fatal leukemia comprising pleomorphic large granular lymphocytes: a report of 2 cases. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013, 35, 232-6.	0.2	1
106	The clinical implication of SRSF2 mutation in patients with myelodysplastic syndrome and its stability during disease evolution. <i>Blood</i> , 2012, 120, 3106-3111.	0.6	127
107	Intracranial hemorrhage in adult patients with hematological malignancies. <i>BMC Medicine</i> , 2012, 10, 97.	2.3	58
108	Clinical characteristics of candidaemia in adults with haematological malignancy, and antimicrobial susceptibilities of the isolates at a medical centre in Taiwan, 2001–2010. <i>International Journal of Antimicrobial Agents</i> , 2012, 40, 533-538.	1.1	30

#	ARTICLE	IF	CITATIONS
109	A Knock-In Npm1 Mutation in Mice Results in Myeloproliferation and Implies a Perturbation in Hematopoietic Microenvironment. <i>PLoS ONE</i> , 2012, 7, e49769.	1.1	21
110	DNMT3A mutations in acute myeloid leukemia: stability during disease evolution and clinical implications. <i>Blood</i> , 2012, 119, 559-568.	0.6	211
111	Rapid Assessment of the Heterogeneous Methylation Status of CEBPA in Patients with Acute Myeloid Leukemia by Using High-Resolution Melting Profile. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 514-519.	1.2	13
112	Soluble triggering receptor expressed on myeloid cells-1 as an infection marker for patients with neutropenic fever*. <i>Critical Care Medicine</i> , 2011, 39, 993-999.	0.4	6
113	TET2 mutation is an unfavorable prognostic factor in acute myeloid leukemia patients with intermediate-risk cytogenetics. <i>Blood</i> , 2011, 118, 3803-3810.	0.6	272
114	Invasive fungal sinusitis in patients with hematological malignancy: 15 years experience in a single university hospital in Taiwan. <i>BMC Infectious Diseases</i> , 2011, 11, 250.	1.3	98
115	Clinical characteristics and outcomes of <i>Mycobacterium tuberculosis</i> disease in adult patients with hematological malignancies. <i>BMC Infectious Diseases</i> , 2011, 11, 324.	1.3	38
116	Dynamic Contrast-enhanced MR Imaging Measurement of Vertebral Bone Marrow Perfusion May Be Indicator of Outcome of Acute Myeloid Leukemia Patients in Remission. <i>Radiology</i> , 2011, 258, 821-831.	3.6	44
117	Changes in magnetic resonance bone marrow angiogenesis on day 7 after induction chemotherapy can predict outcome of acute myeloid leukemia. <i>Haematologica</i> , 2010, 95, 1420-1424.	1.7	17
118	Distinct clinical and biologic characteristics in adult acute myeloid leukemia bearing the isocitrate dehydrogenase 1 mutation. <i>Blood</i> , 2010, 115, 2749-2754.	0.6	193
119	WT1 mutation in 470 adult patients with acute myeloid leukemia: stability during disease evolution and implication of its incorporation into a survival scoring system. <i>Blood</i> , 2010, 115, 5222-5231.	0.6	156
120	A single-tube, sensitive multiplex method for screening of isocitrate dehydrogenase 1 (IDH1) mutations. <i>Blood</i> , 2010, 116, 495-496.	0.6	12
121	The incidence of chronic lymphocytic leukemia in Taiwan, 1986-2005: a distinct increasing trend with birth-cohort effect. <i>Blood</i> , 2010, 116, 4430-4435.	0.6	56
122	Unusual presentation of multiple pathologic bone fractures in a patient with gastric mucosa-associated lymphoid tissue lymphoma. <i>Annals of Hematology</i> , 2010, 89, 431-436.	0.8	1
123	Distinct clinical and biological features of de novo acute myeloid leukemia with additional sex comb-like 1 (ASXL1) mutations. <i>Blood</i> , 2010, 116, 4086-4094.	0.6	187
124	Epstein-Barr virus nuclear antigen 2 disrupts mitotic checkpoint and causes chromosomal instability. <i>Carcinogenesis</i> , 2009, 30, 366-375.	1.3	38
125	Loss of CD7, independent of galectin-3 expression, implies a worse prognosis in adult T-cell leukaemia/lymphoma. <i>Histopathology</i> , 2009, 54, 214-220.	1.6	20
126	Primary effusion lymphoma in three patients with chronic hepatitis B infection. <i>Journal of Clinical Virology</i> , 2009, 44, 81-83.	1.6	14

#	ARTICLE	IF	CITATIONS
127	HLA-DR-matched Parental Donors for Allogeneic Hematopoietic Stem Cell Transplantation in Patients with High-risk Acute Leukemia. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 423-427.	0.8	2
128	Construction of Balanced Translocation t(1;11)(q42.1;q14.3) Probe and Screening Application in Genomic Samples in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 587-591.	0.8	1
129	Bone marrow angiogenesis magnetic resonance imaging in patients with acute myeloid leukemia: peak enhancement ratio is an independent predictor for overall survival. <i>Blood</i> , 2009, 113, 3161-3167.	0.6	75
130	AML1/RUNX1 mutations in 470 adult patients with de novo acute myeloid leukemia: prognostic implication and interaction with other gene alterations. <i>Blood</i> , 2009, 114, 5352-5361.	0.6	318
131	Prognostic Factors of Treatment Outcomes in Patients with Granulocytic Sarcoma. <i>Acta Haematologica</i> , 2009, 122, 238-246.	0.7	125
132	AML1/RUNX1 Mutations in 470 Adult Patients with De Novo Acute Myeloid Leukemia: Prognostic Implication and Interaction with Other Gene Alterations.. <i>Blood</i> , 2009, 114, 1564-1564.	0.6	3
133	CEBPA Methylation as a Prognostic Biomarker in Adult Patients with De Novo AML.. <i>Blood</i> , 2009, 114, 1569-1569.	0.6	0
134	Epidemiology of Chronic Lymphocytic Leukemia in Taiwan: The Incidence Trend and Its Comparison with That in Caucasian Americans.. <i>Blood</i> , 2009, 114, 4378-4378.	0.6	0
135	Role of Gene Mutations in Adult Acute Myeloid Leukemia Patients Receiving Allogeneic Hematopoietic Stem Cell Transplantation.. <i>Blood</i> , 2009, 114, 3373-3373.	0.6	0
136	A revisit of prophylactic lamivudine for chemotherapy-associated hepatitis B reactivation in non-Hodgkin's lymphoma: A randomized trial. <i>Hepatology</i> , 2008, 47, 844-853.	3.6	277
137	Expression of angiopoietins and vascular endothelial growth factors and their clinical significance in acute myeloid leukemia. <i>Leukemia Research</i> , 2008, 32, 904-912.	0.4	55
138	Marrow osteopontin level as a prognostic factor in acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2008, 141, 736-739.	1.2	12
139	Clinical Characteristics and Treatment Response of Hodgkin's Lymphoma in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 4-12.	0.8	6
140	Clinical and Biological Characterization of Adult Patients with Acute Myeloid Leukemia Bearing T(7;11)(p15;p15) Analysis of 536 Patients. <i>Blood</i> , 2008, 112, 2535-2535.	0.6	1
141	Hierarchical Cluster Analysis of Immunophenotype in AML Patients with NPM1 Gene Mutation Reveals Two Distinct Groups with Different Prognosis.. <i>Blood</i> , 2008, 112, 1495-1495.	0.6	0
142	Methylation Status of miRNA Let-7a-3 in Acute Myeloid Leukemia. <i>Blood</i> , 2008, 112, 4482-4482.	0.6	0
143	Anaplastic Large Cell Lymphoma in Leukemic Transformation: Successful Treatment by Transplantation. <i>Journal of Clinical Oncology</i> , 2007, 25, 4490-4492.	0.8	2
144	Severe pulmonary complications after initial treatment with rituximab for the Asian-variant of intravascular lymphoma. <i>Haematologica</i> , 2007, 92, 141-142.	1.7	39

#	ARTICLE	IF	CITATIONS
145	Epidemiology of multiple myeloma in Taiwan. <i>Cancer</i> , 2007, 110, 896-905.	2.0	92
146	<i>RUNX1</i> gene mutation in primary myelodysplastic syndrome – the mutation can be detected early at diagnosis or acquired during disease progression and is associated with poor outcome. <i>British Journal of Haematology</i> , 2007, 139, 405-414.	1.2	122
147	Tumor Suppressor Activity of CCAAT/Enhancer Binding Protein Alpha Is Epigenetically Down-Regulated in Acute Myeloid Leukemia.. <i>Blood</i> , 2007, 110, 2113-2113.	0.6	2
148	Characterization of Acute Myeloid Leukemia with PTPN11 Mutation - The Mutation Is Closely Associated with NPM1 Mutation but Inversely Related to FLT3/ITD.. <i>Blood</i> , 2007, 110, 3490-3490.	0.6	2
149	Gene Mutations, Their Interactions and Associations with Immunophenotypes of Leukemia Cells in Patients with Primary Acute Myeloid Leukemia.. <i>Blood</i> , 2007, 110, 4138-4138.	0.6	0
150	CYTOGENETICS IN CHILDHOOD ACUTE LYMPHOBLASTIC LEUKEMIA IN TAIWAN: A Single-Institutional Experience. <i>Pediatric Hematology and Oncology</i> , 2006, 23, 495-506.	0.3	9
151	Clinical implications of SOCS1 methylation in myelodysplastic syndrome. <i>British Journal of Haematology</i> , 2006, 135, 317-323.	1.2	32
152	An Asian Patient with Intraocular Lymphoma Treated by Intravitreal Methotrexate. <i>Japanese Journal of Ophthalmology</i> , 2006, 50, 474-478.	0.9	23
153	Comparison of the expression and prognostic significance of differentiation markers between diffuse large B-cell lymphoma of central nervous system origin and peripheral nodal origin.. <i>Clinical Cancer Research</i> , 2006, 12, 1152-1156.	3.2	118
154	Nucleophosmin Mutations in De novo Acute Myeloid Leukemia: The Age-Dependent Incidences and the Stability during Disease Evolution. <i>Cancer Research</i> , 2006, 66, 3310-3316.	0.4	165
155	Quantitative Assessment of Minimal Residual Disease Predicts Outcome of Patients of Acute Myeloid Leukemia with Nucleophosmin (NPM) Mutation.. <i>Blood</i> , 2006, 108, 561-561.	0.6	6
156	Significance of Marrow Angiogenesis Factors in Patients with Acute Myelogenous Leukemia.. <i>Blood</i> , 2006, 108, 4424-4424.	0.6	0
157	Prophylactic Use of Moxifloxacin in Patients Receiving Bone Marrow Transplants Was Not Associated with Increased Ciprofloxacin Resistance in <i>Escherichia coli</i> and Enterococci. <i>Clinical Infectious Diseases</i> , 2005, 40, 1862-1864.	2.9	2
158	Characterization of CEBPA Mutations in Acute Myeloid Leukemia: Most Patients with CEBPA Mutations Have Biallelic Mutations and Show a Distinct Immunophenotype of the Leukemic Cells. <i>Clinical Cancer Research</i> , 2005, 11, 1372-1379.	3.2	202
159	Clinical and Microbiological Characteristics of <i>Rhizobium radiobacter</i> Infections. <i>Clinical Infectious Diseases</i> , 2004, 38, 149-153.	2.9	147
160	Treatment outcome and pattern of failure in 77 patients with sinonasal natural killer/T-cell or T-cell lymphoma. <i>Cancer</i> , 2004, 100, 366-375.	2.0	185
161	Nonirradiated NOD/SCID-Human Chimeric Animal Model for Primary Human Multiple Myeloma. <i>American Journal of Pathology</i> , 2004, 164, 747-756.	1.9	26
162	Trends and antimicrobial resistance of pathogens causing bloodstream infections among febrile neutropenic adults with hematological malignancy. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 526-32.	0.8	34

#	ARTICLE	IF	CITATIONS
163	Survival-weighted health profile for long-term survivors of acute myelogenous leukemia. <i>Quality of Life Research</i> , 2003, 12, 503-517.	1.5	29
164	Reduction of leukocyte count is associated with thalidomide response in treatment of multiple myeloma. <i>Annals of Hematology</i> , 2003, 82, 558-564.	0.8	15
165	SOCS1 methylation in patients with newly diagnosed acute myeloid leukemia. <i>Genes Chromosomes and Cancer</i> , 2003, 37, 300-305.	1.5	108
166	Forty-Seven Children Suffering from Chronic Myeloid Leukemia at a Center Over a 25-Year Period. <i>Pediatric Hematology and Oncology</i> , 2003, 20, 505-515.	0.3	6
167	Combination of 13-cis Retinoic Acid and Interferon- α in the Treatment of Recurrent or Refractory Peripheral T-cell Lymphoma. <i>Leukemia and Lymphoma</i> , 2002, 43, 1415-1420.	0.6	8
168	Additional chromosomal abnormalities and variability of BCR breakpoints in Philadelphia chromosome/BCR-ABL-positive acute lymphoblastic leukemia in Taiwan. <i>American Journal of Hematology</i> , 2002, 71, 291-299.	2.0	31
169	Marrow matrix metalloproteinases (MMPs) and tissue inhibitors of MMP in acute leukaemia: potential role of MMP-9 as a surrogate marker to monitor leukaemic status in patients with acute myelogenous leukaemia. <i>British Journal of Haematology</i> , 2002, 117, 835-841.	1.2	73
170	Methylation of the p15 INK4B gene in myelodysplastic syndrome: it can be detected early at diagnosis or during disease progression and is highly associated with leukaemic transformation. <i>British Journal of Haematology</i> , 2001, 112, 148-154.	1.2	140
171	Geographical differences in human herpesvirus 8 seroepidemiology: A survey of 1,201 individuals in Asia. , 2000, 60, 290-293.		36
172	Geographical differences in human herpesvirus 8 seroepidemiology: A survey of 1,201 individuals in Asia. <i>Journal of Medical Virology</i> , 2000, 60, 290.	2.5	2
173	Jacobsen distal 11q deletion syndrome with a myelodysplastic change of hemopoietic cells. , 1998, 75, 341-344.		5
174	Acute and chronic arsenic poisoning associated with treatment of acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 1998, 103, 1092-1095.	1.2	120
175	Clonal disease of natural killer large granular lymphocytes in Taiwan. <i>British Journal of Haematology</i> , 1998, 103, 1124-1128.	1.2	14
176	CD7 Positive Hematopoietic Progenitors and Acute Myeloid Leukemia and other Minimally Differentiated Leukemia. <i>Leukemia and Lymphoma</i> , 1998, 31, 93-98.	0.6	24
177	Homozygous Deletion of the p16INK4A Gene Occurs More Frequently in CD2+ Than in CD2 α ⁻ T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 1998, 91, 1829-1830.	0.6	3
178	Ticlopidine-Induced Aplastic Anemia: Report of Three Chinese Patients and Review of the Literature. <i>Acta Haematologica</i> , 1997, 98, 211-213.	0.7	17
179	Clonal chromosomal abnormalities as direct evidence for clonality in nasal T/natural killer cell lymphomas. <i>British Journal of Haematology</i> , 1997, 97, 621-625.	1.2	75
180	Clinical, haematological and molecular studies in patients with chromosome translocation t(7;11): a study of four Chinese patients in Taiwan. <i>British Journal of Haematology</i> , 1997, 96, 682-687.	1.2	41

#	ARTICLE	IF	CITATIONS
181	Clinicopathologic, cytogenetic, and molecular studies of 13 Chinese patients with Ki-1 anaplastic large cell lymphoma: Special emphasis on the tumor response to 13-Cis retinoic acid. , 1996, 78, 1805-1812.		35
182	Clinical and Hematological Characteristics of Hepatosplenic T \hat{t}^3/\hat{t}^1 Lymphoma with Isochromosome for Long Arm of Chromosome 7. Leukemia and Lymphoma, 1996, 22, 495-500.	0.6	33
183	Clinicopathologic, cytogenetic, and molecular studies of 13 Chinese patients with Ki-1 anaplastic large cell lymphoma: Special emphasis on the tumor response to 13-Cis retinoic acid. , 1996, 78, 1805.		3
184	Acute leukemic transformation of myelodysplastic syndromeâ€”Immunophenotypic, genotypic, and cytogenetic studies. Leukemia Research, 1995, 19, 595-603.	0.4	16
185	Correlation of cytogenetic results with immunophenotype, genotype, clinical features, and ras mutation in acute myeloid leukemia A study of 235 Chinese patients in Taiwan. Cancer Genetics and Cytogenetics, 1995, 84, 60-68.	1.0	100
186	Consistent presence of isochromosome 7q in hepatosplenic t \hat{t}^3/\hat{t}^1 lymphoma: A new cytogenetic-clinicopathologic entity. Genes Chromosomes and Cancer, 1995, 12, 161-164.	1.5	111
187	Peripheral T-cell lymphoma in childhood: A report of five cases in Taiwan. Medical and Pediatric Oncology, 1994, 23, 26-35.	1.0	8
188	Cytogenetic studies, ras mutation, and clinical characteristics in primary myelodysplastic syndrome. Cancer Genetics and Cytogenetics, 1994, 74, 40-49.	1.0	46
189	Lymphoblast colony-culture assay in acute lymphoblastic leukemia: A quantitative approach. Leukemia Research, 1993, 17, 463-470.	0.4	2
190	Cytogenetic characterization of Epstein-Barr virus-associated T-cell malignancies. Cancer Genetics and Cytogenetics, 1993, 69, 25-30.	1.0	18
191	Comparison of clinical and biologic features between myeloid and lymphoid transformation of Philadelphia chromosome positive chronic myeloid leukemia. Cancer Genetics and Cytogenetics, 1993, 71, 87-93.	1.0	13
192	Cytogenetic study of acute lymphoblastic leukemia and its correlation with immunophenotype and genotype. Cancer Genetics and Cytogenetics, 1992, 59, 191-198.	1.0	15
193	Inactivation of the retinoblastoma gene in acute myelogenous leukaemia. British Journal of Haematology, 1992, 82, 502-507.	1.2	32
194	Immunoglobulin and T-cell receptor gene rearrangements in acute lymphoblastic leukemiaâ€”A higher incidence of double rearrangements in patients with myeloid antigen expression. Leukemia Research, 1991, 15, 91-98.	0.4	12
195	PERIPHERAL T \hat{t}^3/\hat{t}^1 LYMPHOMA PRESENTING WITH IDIOPATHIC THROMBOCYTOPENIC PURPURA-LIKE PICTURE. British Journal of Haematology, 1991, 78, 280-282.	1.2	17
196	Cytogenetic characterization of a nasopharyngeal carcinoma cell line and its subline. Cancer Genetics and Cytogenetics, 1990, 49, 31-36.	1.0	19
197	A subset of acute nonlymphocytic leukemia with expression of surface antigen CD7â€” morphologic, cytochemical, immunocytochemical and t cell receptor gene analysis on 13 patients. Leukemia Research, 1990, 14, 515-523.	0.4	38
198	Characterization of the spectrum of postthymic T-cell malignancies in Taiwan a clinicopathologic study of HTLV-1-positive and HTLV-1-negative cases. Cancer, 1988, 61, 2060-2070.	2.0	52

#	ARTICLE	IF	CITATIONS
199	Chromosome studies on 30 Chinese patients with acute nonlymphocytic leukemia in Taiwan. <i>Cancer Genetics and Cytogenetics</i> , 1988, 32, 101-108.	1.0	28